
## MarÃ-a Insenser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8697894/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effect of Iron Depletion by Bloodletting vs. Observation on Oxidative Stress Biomarkers of Women<br>with Functional Hyperandrogenism Taking a Combined Oral Contraceptive: A Randomized Clinical<br>Trial. Journal of Clinical Medicine, 2022, 11, 3864.   | 2.4 | 2         |
| 2  | The Effect of Sex and Obesity on the Gene Expression of Lipid Flippases in Adipose Tissue. Journal of Clinical Medicine, 2022, 11, 3878.   | 2.4 | 1         |
| 3  | Acute-phase glycoprotein profile responses to different oral macronutrient challenges: Influence of sex, functional hyperandrogenism and obesity. Clinical Nutrition, 2021, 40, 1241-1246.   | 5.0 | 11        |
| 4  | Postprandial responses of circulating energy homeostasis mediators to single macronutrient challenges: influence of obesity and sex hormones. Food and Function, 2021, 12, 1051-1062.  | 4.6 | 5         |
| 5  | Remission of Diabetes Following Bariatric Surgery: Plasma Proteomic Profiles. Journal of Clinical<br>Medicine, 2021, 10, 3879.   | 2.4 | 8         |
| 6  | Bloodletting has no effect on the blood pressure abnormalities of hyperandrogenic women taking oral contraceptives in a randomized clinical trial. Scientific Reports, 2021, 11, 22097.  | 3.3 | 0         |
| 7  | Postprandial inflammatory responses after oral glucose, lipid and protein challenges: Influence of obesity, sex and polycystic ovary syndrome. Clinical Nutrition, 2020, 39, 876-885.  | 5.0 | 20        |
| 8  | Changes in Soluble TWEAK Concentrations, but Not Those in Amyloid-β(1–40), Are Associated with a<br>Decrease in Carotid Intima-Media Thickness after Bariatric Surgery in Obese Women. Obesity Facts,<br>2020, 13, 321-330.  | 3.4 | 4         |
| 9  | 2D Diffusionâ€Ordered <sup>1</sup> Hâ€NMR Spectroscopy Lipidomic Profiling after Oral Single<br>Macronutrient Loads: Influence of Obesity, Sex, and Female Androgen Excess. Molecular Nutrition and<br>Food Research, 2020, 64, e1900928.  | 3.3 | 7         |
| 10 | TLR2 and TLR4 Surface and Gene Expression in White Blood Cells after Fasting and Oral Glucose, Lipid and Protein Challenges: Influence of Obesity and Sex Hormones. Biomolecules, 2020, 10, 111.   | 4.0 | 19        |
| 11 | Androgen Excess in Women: Proteomic and Metabolomic Approaches. Frontiers of Hormone Research, 2019, 53, 162-176.  | 1.0 | 3         |
| 12 | Metabolic Cytokines at Fasting and During Macronutrient Challenges: Influence of Obesity, Female<br>Androgen Excess and Sex. Nutrients, 2019, 11, 2566.  | 4.1 | 20        |
| 13 | Glycoprotein A and B Height-to-Width Ratios as Obesity-Independent Novel Biomarkers of Low-Grade<br>Chronic Inflammation in Women with Polycystic Ovary Syndrome (PCOS). Journal of Proteome<br>Research, 2019, 18, 4038-4045.   | 3.7 | 36        |
| 14 | Non-targeted profiling of circulating microRNAs in women with polycystic ovary syndrome (PCOS): effects of obesity and sex hormones. Metabolism: Clinical and Experimental, 2018, 86, 49-60.   | 3.4 | 63        |
| 15 | Circulating adiponectin increases in obese women after sleeve gastrectomy or gastric bypass driving beneficial metabolic changes butÂwith no relationship with carotid intima-media thickness. Clinical Nutrition, 2018, 37, 2102-2106.  | 5.0 | 10        |
| 16 | Gut Microbiota and the Polycystic Ovary Syndrome: Influence of Sex, Sex Hormones, and Obesity.<br>Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2552-2562.  | 3.6 | 201       |
| 17 | Plasma thiobarbituric acid reactive substances (TBARS) in young adults: Obesity increases fasting<br>levels only in men whereas glucose ingestion, and not protein or lipid intake, increases postprandial<br>concentrations regardless of sex and obesity. Molecular Nutrition and Food Research, 2017, 61,<br>1700425. | 3.3 | 22        |
| 18 | A nontargeted study of muscle proteome in severely obese women with androgen excess compared with severely obese men and nonhyperandrogenic women. European Journal of Endocrinology, 2016, 174, 389-398.  | 3.7 | 11        |

MarÃa Insenser

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Allelic Mutations of KITLG, Encoding KIT Ligand, Cause Asymmetric and Unilateral Hearing Loss and<br>Waardenburg Syndrome Type 2. American Journal of Human Genetics, 2015, 97, 647-660.   | 6.2  | 55        |
| 20 | Identification of Reduced Circulating Haptoglobin Concentration as a Biomarker of the Severity of Pulmonary Embolism: A Nontargeted Proteomic Study. PLoS ONE, 2014, 9, e100902.   | 2.5  | 19        |
| 21 | Metabolomics in polycystic ovary syndrome. Clinica Chimica Acta, 2014, 429, 181-188.   | 1.1  | 41        |
| 22 | Proteomic analysis of adipose tissue: informing diabetes research. Expert Review of Proteomics, 2014, 11, 491-502.   | 3.0  | 9         |
| 23 | Proteomic analysis of visceral adipose tissue in pre-obese patients with type 2 diabetes. Molecular and Cellular Endocrinology, 2013, 376, 99-106.   | 3.2  | 46        |
| 24 | Proteomics and polycystic ovary syndrome. Expert Review of Proteomics, 2013, 10, 435-447.  | 3.0  | 25        |
| 25 | Circulating markers of oxidative stress and polycystic ovary syndrome (PCOS): a systematic review and meta-analysis. Human Reproduction Update, 2013, 19, 268-288.   | 10.8 | 399       |
| 26 | Effects of Polycystic Ovary Syndrome (PCOS), Sex Hormones, and Obesity on Circulating miRNA-21,<br>miRNA-27b, miRNA-103, and miRNA-155 Expression. Journal of Clinical Endocrinology and Metabolism,<br>2013, 98, E1835-E1844.           | 3.6  | 141       |
| 27 | Proteomic and metabolomic approaches to the study of polycystic ovary syndrome. Molecular and<br>Cellular Endocrinology, 2013, 370, 65-77.   | 3.2  | 44        |
| 28 | Evidence for Masculinization of Adipokine Gene Expression in Visceral and Subcutaneous Adipose<br>Tissue of Obese Women With Polycystic Ovary Syndrome (PCOS). Journal of Clinical Endocrinology<br>and Metabolism, 2013, 98, E388-E396. | 3.6  | 63        |
| 29 | A Nontargeted Proteomic Study of the Influence of Androgen Excess on Human Visceral and<br>Subcutaneous Adipose Tissue Proteomes. Journal of Clinical Endocrinology and Metabolism, 2013, 98,<br>E576-E585.                              | 3.6  | 46        |
| 30 | Sexual dimorphism in adipose tissue function as evidenced by circulating adipokine concentrations in the fasting state and after an oral glucose challenge. Human Reproduction, 2013, 28, 1908-1918.                                     | 0.9  | 60        |
| 31 | Mediators of Low-Grade Chronic Inflammation in Polycystic Ovary Syndrome (PCOS). Current<br>Pharmaceutical Design, 2013, 19, 5775-5791.  | 1.9  | 69        |
| 32 | Metabolic Heterogeneity in Polycystic Ovary Syndrome Is Determined by Obesity: Plasma Metabolomic<br>Approach Using GC-MS. Clinical Chemistry, 2012, 58, 999-1009.   | 3.2  | 94        |
| 33 | A nontargeted proteomic approach to the study of visceral and subcutaneous adipose tissue in human obesity. Molecular and Cellular Endocrinology, 2012, 363, 10-19.  | 3.2  | 64        |
| 34 | Application of proteomics to the study of polycystic ovary syndrome. Journal of Endocrinological<br>Investigation, 2011, 34, 869-75.   | 3.3  | 6         |
| 35 | Gel and gel-free proteomics to identify Saccharomyces cerevisiae cell surface proteins. Journal of<br>Proteomics, 2010, 73, 1183-1195.   | 2.4  | 46        |
| 36 | Impact of the storage temperature on human plasma proteomic analysis: Implications for the use of human plasma collections in research. Proteomics - Clinical Applications, 2010, 4, 739-744.  | 1.6  | 18        |

## MarÃa Insenser

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Proteomic Analysis of Plasma in the Polycystic Ovary Syndrome Identifies Novel Markers Involved in<br>Iron Metabolism, Acute-Phase Response, and Inflammation. Journal of Clinical Endocrinology and<br>Metabolism, 2010, 95, 3863-3870. | 3.6 | 60        |
| 38 | Proteomics and genomics: A hypothesisâ€free approach to the study of the role of visceral adiposity in the pathogenesis of the polycystic ovary syndrome. Proteomics - Clinical Applications, 2008, 2, 444-455.                          | 1.6 | 12        |
| 39 | Proteomic analysis reveals metabolic changes during yeast to hypha transition in <i>Yarrowia lipolytica</i> . Journal of Mass Spectrometry, 2007, 42, 1453-1462.   | 1.6 | 33        |
| 40 | Proteomic analysis of detergent-resistant membranes from Candida albicans. Proteomics, 2006, 6,<br>S74-S81.  | 2.2 | 39        |