Teodoro S Kaufman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8699995/publications.pdf

Version: 2024-02-01

165 papers

3,512 citations

147726 31 h-index 49 g-index

192 all docs

192 docs citations

192 times ranked 3984 citing authors

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 1 | Form quantitation in desmotropic mixtures of albendazole bulk drug by chemometrics-assisted analysis of vibrational spectra. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 265, 120354. | 2.0 | 2 |
| 2 | Synthesis and evaluation of photophysical and electrochemical properties of vinyl chalcogenide derivatives of phenothiazines. Dyes and Pigments, 2022, 198, 109982. | 2.0 | 3 |
| 3 | Total Synthesis of Aqabamycin G, a Nitrophenyl Indolylmaleimide Marine Alkaloid from <i>Vibrio sp</i> . WMBA. Journal of Organic Chemistry, 2022, 87, 13494-13500. | 1.7 | 3 |
| 4 | A Convenient Wittigâ€Horner Mediated Synthesis of 3â€Vinylsulfide Derivatives of Indoles. ChemistrySelect, 2022, 7, . | 0.7 | 1 |
| 5 | Thermal decomposition of hexamethylenetetramine: mechanistic study and identification of reaction intermediates $\langle i \rangle$ via $\langle i \rangle$ a computational and NMR approach. Organic and Biomolecular Chemistry, 2021, 19, 7374-7378. | 1.5 | 6 |
| 6 | First total synthesis of chromanone A, preparation of related compounds and evaluation of their antifungal activity against (i) Candida albicans (i), a biofilm forming agent. RSC Advances, 2021, 11, 19587-19597. | 1.7 | 11 |
| 7 | Langmuir-Blodgett monolayers holding a wound healing active compound and its effect in cell culture. A model for the study of surface mediated drug delivery systems. Heliyon, 2021, 7, e06436. | 1.4 | 4 |
| 8 | A comprehensive approach toward concomitant triclabendazole polymorphism in pharmaceutical products. Journal of Drug Delivery Science and Technology, 2021, 62, 102386. | 1.4 | 4 |
| 9 | Eco-friendly methoximation of aromatic aldehydes and ketones using MnCl 2 .4H 2 O as an easily accessible and efficient catalyst. Royal Society Open Science, 2021, 8, 210142. | 1.1 | 1 |
| 10 | Evolution of the Synthesis of Remdesivir. Classical Approaches and Most Recent Advances. ACS Omega, 2021, 6, 19356-19363. | 1.6 | 9 |
| 11 | Rhodium(III)-Catalyzed C–H Activation-Based First Total Synthesis of 6-O-Methyl Anciscochine, an Alkaloid Isolated from Ancistrocladus tectorius. Synthesis, 2020, 52, 119-126. | 1.2 | 7 |
| 12 | Efficient synthesis of 4-sulfanylcoumarins from 3-bromo-coumarins <i>via</i> a highly selective DABCO-mediated one-pot thia-Michael addition/elimination process. RSC Advances, 2020, 10, 482-491. | 1.7 | 4 |
| 13 | Furo[3,2- <i>c</i>]coumarins carrying carbon substituents at C-2 and/or C-3. Isolation, biological activity, synthesis and reaction mechanisms. RSC Advances, 2020, 10, 33344-33377. | 1.7 | 20 |
| 14 | Isolation and synthesis of cryptosanguinolentine (isocryptolepine), a naturally-occurring bioactive indoloquinoline alkaloid. RSC Advances, 2020, 10, 18978-19002. | 1.7 | 14 |
| 15 | Synthesis and evaluation of aromatic methoxime derivatives against five postharvest phytopathogenic fungi of fruits. Main structure–activity relationships. Food Chemistry, 2020, 321, 126701. | 4.2 | 11 |
| 16 | The 6Ï€-azaelectrocyclization of azatrienes. Synthetic applications in natural products, bioactive heterocycles, and related fields. Natural Product Reports, 2019, 36, 354-401. | 5 . 2 | 42 |
| 17 | Convergent First Total Synthesis of Melovinone: A Densely Substituted 3-Methoxy-4-quinolone Isolated from Melochia tomentosa L Synthesis, 2019, 51, 4253-4262. | 1.2 | 5 |
| 18 | A Ruthenium-Catalyzed C–H Activation Strategy as an Efficient Shortcut in the Total Synthesis of 6,8-Dimethoxy-1,3-dimethylÂisoquinoline. Synthesis, 2019, 51, 3908-3914. | 1.2 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Concise Synthesis of the ABC-Ring System of the Azafluoranthene, Tropoisoquinoline and Proaporphine Alkaloids: An Olefin Hydroacylation/Pomeranz–Fritsch Cyclization Approach. Synthesis, 2019, 51, 2030-2038. | 1.2 | 3 |
| 20 | A Convenient and Atomâ€Economic Oneâ€Pot Seleniumâ€Chlorideâ€Mediated Synthesis of 2â€Arylselenopheno[2,3â€ <i>b</i>]indoles and Their Antifungal Activity. Asian Journal of Organic Chemistry, 2019, 8, 369-375. | 1,3 | 8 |
| 21 | A concise FriedlÅ ¤ der/Buchwald–Hartwig approach to the total synthesis of quindoline, a bioactive natural indoloquinoline alkaloid, and toward the unnatural 10-methylquindoline. New Journal of Chemistry, 2019, 43, 10803-10813. | 1.4 | 15 |
| 22 | Synthesis and Antifungal Activity of 4―and 6â€(1 <i>H</i> â€Pyrrolâ€1â€yl) Coumarins, and their Thiocyanato Derivatives. ChemistrySelect, 2019, 4, 5398-5406. | 0.7 | 8 |
| 23 | Synthesis and Photophysical Properties of 1,4-Dihydro-2H,5H-chromeno[4,3-d][1,3]oxazin-5-ones, and Derivatives Containing Tethered 1,2,3-Triazoles, from 4-Aminocoumarins. Synthesis, 2019, 51, 2965-2976. | 1.2 | 3 |
| 24 | First total synthesis of ampullosine, a unique isoquinoline alkaloid isolated from <i>Sepedonium ampullosporum</i> , and of the related permethylampullosine. RSC Advances, 2019, 9, 33096-33106. | 1.7 | 6 |
| 25 | Total Synthesis and Cytotoxic Activity of 6,8-Dimethoxy-1,3-dimethylisoquinoline Isolated from Ancistrocladus tectorius: A 6Ï€-Azaelectrocyclization Approach. Synthesis, 2019, 51, 433-440. | 1.2 | 7 |
| 26 | Isolation, Synthesis, and Biological Activity of Quindoline, a ValuableÂ-Indoloquinoline Natural Product and Useful Key IntermediateÂ- Synthesis, 2018, 50, 1417-1429. | 1.2 | 10 |
| 27 | SeCl ₂ -Mediated Approach Toward Indole-Containing Polysubstituted Selenophenes. Journal of Organic Chemistry, 2018, 83, 3252-3264. | 1.7 | 15 |
| 28 | Activity of the pterophyllins 2 and 4 against postharvest fruit pathogenic fungi. Comparison with a synthetic analog and related intermediates. Fìtoterapìâ, 2018, 125, 98-105. | 1.1 | 18 |
| 29 | Chemometrics-assisted solid-state characterization of pharmaceutically relevant materials. Polymorphic substances. Journal of Pharmaceutical and Biomedical Analysis, 2018, 147, 518-537. | 1.4 | 33 |
| 30 | Characterization of pharmaceutically relevant materials at the solid state employing chemometrics methods. Journal of Pharmaceutical and Biomedical Analysis, 2018, 147, 538-564. | 1.4 | 35 |
| 31 | Synthesis of Polysubstituted 3â€Methylisoquinolines through the 6Ï€â€Electron Cyclization/Elimination of 1â€Azatrienes derived from 1,1â€Dimethylhydrazine. European Journal of Organic Chemistry, 2018, 2018, 5605-5614. | 1.2 | 4 |
| 32 | Total Synthesis of Waltherione F, a Nonrutaceous 3-Methoxy-4-quinolone, Isolated from <i>Waltheria indica</i> L. F Organic Letters, 2018, 20, 5058-5061. | 2.4 | 13 |
| 33 | Chemometrics-assisted study of the interconversion between the crystalline forms of nimodipine. Journal of Pharmaceutical and Biomedical Analysis, 2018, 158, 461-470. | 1.4 | 9 |
| 34 | A convenient and eco-friendly cerium(III) chloride-catalysed synthesis of methoxime derivatives of aromatic aldehydes and ketones. Royal Society Open Science, 2018, 5, 180279. | 1,1 | 7 |
| 35 | First total synthesis of the only known 2-isopropyliden-2H-benzofuran-3-one isolated from V. luetzelburgii. RSC Advances, 2017, 7, 5242-5250. | 1.7 | 11 |
| 36 | Convenient Michael addition/ \hat{l}^2 -elimination approach to the synthesis of 4-benzyl- and 4-aryl-selenyl coumarins using diselenides as selenium sources. Tetrahedron Letters, 2017, 58, 985-990. | 0.7 | 20 |

| # | Article | IF | Citations |
|----|---|-------------|-----------|
| 37 | Synthesis of Chromeno [4,3 $\hat{a} \in \hat{a} > b < \hat{b} > 1$) pyrrol $\hat{a} \in A < 1$) by rrola $\hat{a} \in A$ ones, from $\hat{a} \in A$ it roal kenes and $\hat{a} \in A$ henylaminocoumarins, under Solventa $\hat{a} \in A$ on the roal conditions. Chemistry Select, 2017, 2, 1297-1304. | 0.7 | 17 |
| 38 | Efficient total synthesis of neocryptolepine and synthetic access to 6-methylquinindoline from a common intermediate. RSC Advances, 2017, 7, 28298-28307. | 1.7 | 21 |
| 39 | Total syntheses of gerberinol I and the pterophyllins 2 and 4 using the Casnati–Skattebøl reaction under different conditions. Organic and Biomolecular Chemistry, 2017, 15, 7040-7049. | 1.5 | 14 |
| 40 | Determination of the main solid-state form of albendazole in bulk drug, employing Raman spectroscopy coupled to multivariate analysis. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 190-197. | 1.4 | 13 |
| 41 | A Straightforward Synthesis of 5â€Methylaaptamine from Eugenol, Employing a 6Ï€â€Electrocyclization Reaction of a 1â€Azatriene. European Journal of Organic Chemistry, 2016, 2016, 1397-1404. | 1.2 | 17 |
| 42 | Computational Chemistry Driven Solution to Rubriflordilactone B. Organic Letters, 2016, 18, 6420-6423. | 2.4 | 42 |
| 43 | Synthesis and preliminary evaluation of 3-thiocyanato-1H-indoles as potential anticancer agents. European Journal of Medicinal Chemistry, 2016, 118, 21-26. | 2.6 | 61 |
| 44 | The 3,4-dioxygenated 5-hydroxy-4-aryl-quinolin-2(1H)-one alkaloids. Results of 20 years of research, uncovering a new family of natural products. Natural Product Reports, 2016, 33, 1425-1446. | 5. 2 | 45 |
| 45 | A theoretical study of the Duff reaction: insights into its selectivity. Organic and Biomolecular Chemistry, 2016, 14, 10496-10501. | 1.5 | 26 |
| 46 | Expedient Approach to 6â€Bromoâ€2â€isopropylidenecoumaranone, a Potential Intermediate for the Synthesis of TMCâ€120B, Pseudodeflectusin, and Their Congeners. Helvetica Chimica Acta, 2016, 99, 398-404. | 1.0 | 4 |
| 47 | Wittig–Horner mediated synthesis of 4-vinyl sulfide derivatives of pyrazoles. Tetrahedron Letters, 2016, 57, 3349-3353. | 0.7 | 9 |
| 48 | A convenient approach to an advanced intermediate toward the naturally occurring, bioactive 6-substituted 5-hydroxy-4-aryl-1H-quinolin-2-ones. Organic and Biomolecular Chemistry, 2016, 14, 2625-2636. | 1.5 | 20 |
| 49 | Mebendazole crystal forms in tablet formulations. An ATR-FTIR/chemometrics approach to polymorph assignment. Journal of Pharmaceutical and Biomedical Analysis, 2016, 122, 157-165. | 1.4 | 31 |
| 50 | Preparation and Physical Characterization of a Diclofenac-Ranitidine Co-precipitate for Improving the Dissolution of Diclofenac. Journal of Pharmaceutical Sciences, 2016, 105, 1258-1268. | 1.6 | 11 |
| 51 | Expedient Iodocyclization Approach Toward Polysubstituted 3 <i>H</i> â€Benzo[<i>e</i>]indoles. Advanced Synthesis and Catalysis, 2015, 357, 3255-3261. | 2.1 | 26 |
| 52 | The Multiple Faces of Eugenol. A Versatile Starting Material and Building Block for Organic and Bio-Organic Synthesis and a Convenient Precursor Toward Bio-Based Fine Chemicals. Journal of the Brazilian Chemical Society, 2015, , . | 0.6 | 29 |
| 53 | A PCA-based chemometrics-assisted ATR-FTIR approach for the classification of polymorphs of cimetidine: Application to physical mixtures and tablets. Journal of Pharmaceutical and Biomedical Analysis, 2015, 107, 419-425. | 1.4 | 19 |
| 54 | Metal-free synthesis of 3,5-disubstituted 1H- and 1-aryl-1H-pyrazoles from 1,3-diyne-indole derivatives employing two successive hydroaminations. RSC Advances, 2015, 5, 21112-21124. | 1.7 | 17 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Thermally induced solid-state transformation of cimetidine. A multi-spectroscopic/chemometrics determination of the kinetics of the process and structural elucidation of one of the products as a stable N3-enamino tautomer. Analytica Chimica Acta, 2015, 875, 22-32. | 2.6 | 12 |
| 56 | Alternate and Step-Economic Synthesis of the β-Methylstyrene Chelating Pre-ligand of the Hoveyda-Grubbs' II Catalyst. Organic Preparations and Procedures International, 2015, 47, 227-231. | 0.6 | 2 |
| 57 | Neocryptolepine: A Promising Indoloisoquinoline Alkaloid with Interesting Biological Activity. Evaluation of the Drug and its Most Relevant Analogs. Current Topics in Medicinal Chemistry, 2015, 15, 1683-1707. | 1.0 | 31 |
| 58 | Synthesis and photophysical characterization of novel π-conjugated vinyl sulfides. Journal of Photochemistry and Photobiology A: Chemistry, 2014, 290, 1-10. | 2.0 | 9 |
| 59 | An eco-friendly strategy, using on-line monitoring and dilution coupled to a second-order chemometric method, for the construction of dissolution curves of combined pharmaceutical associations. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 213-220. | 1.4 | 8 |
| 60 | Facile, efficient and eco-friendly synthesis of 5-sulfenyl tetrazole derivatives of indoles and pyrroles. Tetrahedron Letters, 2014, 55, 1648-1652. | 0.7 | 23 |
| 61 | A dynamic thermal ATR-FTIR/chemometric approach to the analysis of polymorphic interconversions. Cimetidine as a model drug. Journal of Pharmaceutical and Biomedical Analysis, 2014, 92, 90-97. | 1.4 | 31 |
| 62 | Pharmaceutical impurities and degradation products: Uses and applications of NMR techniques. Journal of Pharmaceutical and Biomedical Analysis, 2014, 101, 102-122. | 1.4 | 68 |
| 63 | Synthesis of symmetrically substituted 3,3-dibenzyl-4-hydroxy-3,4-dihydro-1H-quinolin-2-ones, as novel quinoline derivatives with antibacterial activity. European Journal of Medicinal Chemistry, 2014, 81, 253-266. | 2.6 | 33 |
| 64 | An eco-friendly synthesis of novel 3,5-disubstituted-1,2-isoxazoles in PEG-400, employing the Et ₃ N-promoted hydroamination of symmetric and unsymmetric 1,3-diyne-indole derivatives. RSC Advances, 2014, 4, 60785-60797. | 1.7 | 19 |
| 65 | Neocryptolepine (Cryprotackieine), A Unique Bioactive Natural Product: Isolation, Synthesis, and Profile of Its Biological Activity. European Journal of Organic Chemistry, 2014, 2014, 7979-8003. | 1.2 | 54 |
| 66 | A facile and convenient sequential homobimetallic catalytic approach towards \hat{l}^2 -methylstyrenes. A one-pot Stille cross-coupling/isomerization strategy. Organic and Biomolecular Chemistry, 2014, 12, 3735-3743. | 1.5 | 9 |
| 67 | A convenient eco-friendly system for the synthesis of 5-sulfenyl tetrazole derivatives of indoles and pyrroles employing CeCl ₃ ·7H ₂ O in PEG-400. RSC Advances, 2014, 4, 34519-34530. | 1.7 | 28 |
| 68 | Modulators of complement activation: a patent review (2008 – 2013). Expert Opinion on Therapeutic Patents, 2014, 24, 665-686. | 2.4 | 10 |
| 69 | DEVELOPMENT AND VALIDATION OF A HPLC METHOD FOR THE SIMULTANEOUS DETERMINATION OF BROMHEXINE, CHLORPHENIRAMINE, PARACETAMOL, AND PSEUDOEPHEDRINE IN THEIR COMBINED COLD MEDICINE FORMULATIONS. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 2829-2843. | 0.5 | 9 |
| 70 | Modular CeCl3·7H2O-catalyzed multi-component synthesis of 1,2,3,4-tetrasubstituted pyrroles under microwave irradiation and their further trichloroisocyanuric acid-mediated conversion into 5-sulfenylpyrrole derivatives. Tetrahedron, 2013, 69, 9076-9085. | 1.0 | 47 |
| 71 | Simultaneous acquisition of the dissolution curves of two active ingredients in a binary pharmaceutical association, employing an on-line circulation system and chemometrics-assistance. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 51-58. | 1.4 | 20 |
| 72 | Synthesis of optically active 1,2,3-trisubstituted azetidines employing an organocatalytic approach with l-proline. Tetrahedron Letters, 2013, 54, 1924-1927. | 0.7 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Angular tricyclic benzofurans and related natural products of fungal origin. Isolation, biological activity and synthesis. Natural Product Reports, 2013, 30, 941. | 5.2 | 78 |
| 74 | Practical and regulatory considerations for stability-indicating methods for the assay of bulk drugs and drug formulations. TrAC - Trends in Analytical Chemistry, 2013, 49, 57-70. | 5.8 | 49 |
| 75 | A Multivariate Curve Resolution Approach to the Study of the Degradation Kinetics of Valsartan under Photolytic and Acid Conditions. International Journal of Chemical Kinetics, 2013, 45, 734-743. | 1.0 | 0 |
| 76 | Synthesis of the unique angular tricyclic chromone structure proposed for aspergillitine, and its relationship with alkaloid TMC-120B. Organic and Biomolecular Chemistry, 2012, 10, 4124. | 1.5 | 27 |
| 77 | Synthesis and classical pathway Complement inhibitory activity of C7-functionalized filifolinol derivatives, inspired in K-76 COOH. European Journal of Medicinal Chemistry, 2012, 55, 74-84. | 2.6 | 8 |
| 78 | Celll-promoted oxidation. Efficient aerobic one-pot eco-friendly synthesis of oxidized bis(indol-3-yl)methanes and cyclic tetra(indolyl)dimethanes. Green Chemistry, 2012, 14, 2912. | 4.6 | 29 |
| 79 | STRESS TESTING OF VALSARTAN. DEVELOPMENT AND VALIDATION OF A HIGH PERFORMANCE LIQUID CHROMATOGRAPHY STABILITY-INDICATING ASSAY. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 1053-1069. | 0.5 | 5 |
| 80 | DEVELOPMENT AND VALIDATION OF AN HPLC METHOD FOR THE SIMULTANEOUS DETERMINATION OF AMLODIPINE, HYDROCHLOROTHIAZIDE, AND VALSARTAN IN TABLETS OF THEIR NOVEL TRIPLE COMBINATION AND BINARY PHARMACEUTICAL ASSOCIATIONS. Journal of Liquid Chromatography and Related Technologies, 2011, 34, 2383-2395. | 0.5 | 12 |
| 81 | Multivariate Optimization and Validation of a CZE Method for the Analysis of Pridinol Mesylate and Meloxicam in Tablets. Chromatographia, 2011, 74, 609-617. | 0.7 | 7 |
| 82 | Characterization of two new potential impurities of Valsartan obtained under photodegradation stress condition. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 16-22. | 1.4 | 16 |
| 83 | Synthesis of Oxacycles Employing the Oxaâ€Pictet–Spengler Reaction: Recent Developments and New Prospects. European Journal of Organic Chemistry, 2011, 2011, 5195-5231. | 1.2 | 95 |
| 84 | Synthesis of (Diphenylphosphinoyl)methyl Vinyl Sulfides, Symmetric and Asymmetric Divinyl Sulfides from Bis[(diphenylphosphinoyl)methyl] Sulfide. Synthesis, 2011, 2011, 1233-1242. | 1.2 | 11 |
| 85 | Isolation, synthesis and complement inhibiting activity of the naturally occurring K-76, its analogues and derivatives. Arkivoc, 2011, 2011, 49-102. | 0.3 | 12 |
| 86 | Synthesis of 2-diphenylphosphinoyl-3,5-diaryl-3,4-dihydro-2H-telluropyrans by reaction of chalcones with bis[(diphenylphosphinoyl)methyl]telluride. Tetrahedron Letters, 2010, 51, 4563-4565. | 0.7 | 2 |
| 87 | EXPERIMENTALLY DESIGNED, VALIDATED HPLC SIMULTANEOUS DETERMINATION OF PRIDINOL AND DICLOFENAC IN THEIR COMBINED PHARMACEUTICAL FORMULATIONS, WHICH ALLOWS LIMITING DICLOFENAC RELATED COMPOUND A. Journal of Liquid Chromatography and Related Technologies, 2010. 33. 1720-1732. | 0.5 | 12 |
| 88 | A novel chemometric strategy for the estimation of extra virgin olive oil adulteration with edible oils. Food Control, 2010, 21, 890-895. | 2.8 | 126 |
| 89 | Electrocyclizationâ€Mediated Approach to 2â€Methyltriclisine, an Unnatural Analog of the Azafluoranthene Alkaloid Triclisine. European Journal of Organic Chemistry, 2009, 2009, 4637-4645. | 1.2 | 21 |
| 90 | Aaptamine and related products. Their isolation, chemical syntheses, and biological activity. Tetrahedron, 2009, 65, 4257-4282. | 1.0 | 88 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | PCA-CR analysis of dissolution profiles. A chemometric approach to probe the polymorphic form of the active pharmaceutical ingredient in a drug product. International Journal of Pharmaceutics, 2009, 378, 187-193. | 2.6 | 17 |
| 92 | Monitoring of fatty acid composition in virgin olive oil by Fourier transformed infrared spectroscopy coupled with partial least squares. Food Chemistry, 2009, 114, 1549-1554. | 4.2 | 146 |
| 93 | New inhibitors of the complement system inspired in K76-COOH. A SAR study of filifolinol derivatives through modifications of the C3′ position. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 6172-6175. | 1.0 | 14 |
| 94 | Development and validation of an HPLC method for the determination of process-related impurities in pridinol mesylate, employing experimental designs. Analytica Chimica Acta, 2009, 654, 141-147. | 2.6 | 24 |
| 95 | A multivariate approach for the simultaneous determination of losartan potassium and hydrochlorothiazide in a combined pharmaceutical tablet formulation. Analytical and Bioanalytical Chemistry, 2008, 391, 2949-2955. | 1.9 | 25 |
| 96 | Method development and validation for the simultaneous determination of meloxicam and pridinol mesylate using RP-HPLC and its application in drug formulations. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 219-225. | 1.4 | 29 |
| 97 | Validated stability-indicating HPLC method for the determination of pridinol mesylate. Kinetics study of its degradation in acid medium. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 1151-1160. | 1.4 | 16 |
| 98 | A formal total synthesis of the marine alkaloid aaptamine. Tetrahedron, 2008, 64, 5236-5245. | 1.0 | 46 |
| 99 | A combined RCM-Bischler–Napieralski strategy towards the synthesis of the carbon skeleton of excentricine and related stephaoxocanes. Tetrahedron, 2008, 64, 9921-9927. | 1.0 | 10 |
| 100 | Synthesis of 2-diphenylphosphinoyl-3,5-(diaryl)-3,4-dihydro-2H-thiopyrans by the reaction of a bis[(diphenylphosphinoyl)methyl]sulfide with chalcones. Tetrahedron Letters, 2008, 49, 5782-5784. | 0.7 | 9 |
| 101 | A new principal component analysis-based approach for testing "similarity―of drug dissolution profiles. European Journal of Pharmaceutical Sciences, 2008, 34, 66-77. | 1.9 | 51 |
| 102 | Synthesis of the Carbon Framework of the Stephaoxocanes Employing a Sequential RCM/Pomeranz–Fritsch Approach. European Journal of Organic Chemistry, 2007, 2007, 5284-5293. | 1.2 | 13 |
| 103 | Alternative and improved method for the simultaneous determination of fexofenadine and pseudoephedrine in their combined tablet formulation. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 804-810. | 1.4 | 20 |
| 104 | Economical and Convenient Carbonyl Transposition Approach Toward a 2â€Arylcycloheptanone Derivative. Synthetic Communications, 2006, 36, 299-310. | 1.1 | 4 |
| 105 | Synthesis of N-Methyl-N-formyltyramine, a new beta-phenethylamide derivative isolated from Cyathobasis fruticulosa (Bunge) Aellen. Journal of the Brazilian Chemical Society, 2006, 17, 599-602. | 0.6 | 5 |
| 106 | The intermolecular Pictet-Spengler condensation with chiral carbonyl derivatives in the stereoselective syntheses of optically-active isoquinoline and indole alkaloids. Arkivoc, 2006, 2005, 98-153. | 0.3 | 71 |
| 107 | Synthesis of 3H-spiro[benzofuran-2,1′-cyclohexane] derivatives from naturally occurring filifolinol and their classical complement pathway inhibitory activity. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5097-5101. | 1.0 | 14 |
| 108 | Thiophenol-mediated improvement of the Pictet–Spengler cyclization of N-tosyl-β-phenethylamines with aldehydes. Tetrahedron Letters, 2006, 47, 7545-7549. | 0.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|------------|
| 109 | Polysubstituted Isochroman Derivatives with Plant Growth Regulating Properties on Wheat (Triticum) Tj ETQq1 | 1 0,784314 2.8 | rgBT /Over |
| 110 | PLS and first derivative of ratio spectra methods for determination of hydrochlorothiazide and propranolol hydrochloride in tablets. Analytical and Bioanalytical Chemistry, 2006, 386, 2239-2244. | 1.9 | 15 |
| 111 | The Oxa-Pictet-Spengler Cyclization: Synthesis of Isochromans and Related Pyran-Type Heterocycles. Synthesis, 2006, 2006, 187-220. | 1.2 | 17 |
| 112 | The Quest for Quinine: Those Who Won the Battles and Those Who Won the War. Angewandte Chemie - International Edition, 2005, 44, 854-885. | 7.2 | 185 |
| 113 | Synthetic Approaches to Carnegine, a Simple Tetrahydroisoquinoline Alkaloid. ChemInform, 2005, 36, no. | 0.1 | O |
| 114 | The Quest for Quinine: Those Who Won the Battles and Those Who Won the War. ChemInform, 2005, 36, no. | 0.1 | 0 |
| 115 | Approaches to the Total Synthesis of Calycotomine, a Widespread 1-Hydroxymethyl-Substituted Simple Tetrahydroisoquinoline. ChemInform, 2005, 36, no. | 0.1 | O |
| 116 | Synthesis of Tricyclic Analogues of Stephaoxocanidine and Their Evaluation as Acetylcholinesterase Inhibitors ChemInform, 2005, 36, no. | 0.1 | 0 |
| 117 | Application of a chemometric method for simultaneous determination of acetaminophen and diclofenac in content-uniformity and drug-dissolution studies. Analytical and Bioanalytical Chemistry, 2005, 382, 1711-1714. | 1.9 | 14 |
| 118 | Synthesis of tricyclic analogs of stephaoxocanidine and their evaluation as acetylcholinesterase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 2711-2715. | 1.0 | 16 |
| 119 | 1-Substituted β-Carbolines by a Pictetâ "Spengler Cyclization with Thioortho Esters and Carbonâ "Carbon Bond Formation via N-Sulfonyl Iminium Ions Generated from N,S-Sulfonyl Acetals. Organic Letters, 2005, 7, 3701-3704. | 2.4 | 26 |
| 120 | Synthesis and antibiotic activity of the tricyclic furo [3,2-c] isochromen-2-trione unit of the pyranonaphthoquinones. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 757-760. | 1.0 | 8 |
| 121 | Chemometric determination of amiloride hydrochloride, atenolol, hydrochlorothiazide and timolol maleate in synthetic mixtures and pharmaceutical formulations. Journal of Pharmaceutical and Biomedical Analysis, 2004, 34, 305-314. | 1.4 | 68 |
| 122 | Synthesis and Antibiotic Activity of the Tricyclic Furo [3,2-c] Isochromen-2-trione Unit of the Pyranonaphthoquinones ChemInform, 2004, 35, no. | 0.1 | 0 |
| 123 | Synthetic Pathways to Salsolidine. ChemInform, 2004, 35, no. | 0.1 | O |
| 124 | Synthetic Approaches to 2-Tetralones. ChemInform, 2004, 35, no. | 0.1 | 0 |
| 125 | Synthetic pathways to salsolidine. Tetrahedron: Asymmetry, 2004, 15, 1203-1237. | 1.8 | 87 |
| 126 | Studies on the intramolecular oxa-Pictet–Spengler rearrangement of 5-aryl-1,3-dioxolanes to 4-hydroxy-isochromans. Tetrahedron Letters, 2004, 45, 411-415. | 0.7 | 32 |

| # | Article | IF | CITATIONS |
|-----|---|--------------------------|-----------|
| 127 | Synthetic approaches to 2-tetralones. Tetrahedron, 2004, 60, 8295-8328. | 1.0 | 47 |
| 128 | Synthetic approaches to carnegine, a simple tetrahydroisoquinoline alkaloid. Tetrahedron, 2004, 60, 10575-10610. | 1.0 | 51 |
| 129 | Synthesis of 4-Hydroxy-7,8-dimethoxyisochroman-3-one and Its Plant Growth-Regulating Properties on Tobacco (Nicotiana tabacumcv. Petit Havana). Journal of Agricultural and Food Chemistry, 2004, 52, 1923-1927. | 2.4 | 24 |
| 130 | Chemometrics-assisted simultaneous determination of atenolol and chlorthalidone in synthetic binary mixtures and pharmaceutical dosage forms. Analytical and Bioanalytical Chemistry, 2003, 377, 1159-1164. | 1.9 | 27 |
| 131 | Thioorthoesters in the Activated Pictetâ€"Spengler Cyclization. Synthesis of 1-Thiosubstituted Tetrahydroisoquinolines and Carbonâ€"Carbon Bond Formation via Sulfonyl Iminium Ions Generated from N,S-Sulfonyl Acetals ChemInform, 2003, 34, no. | 0.1 | О |
| 132 | Thioorthoesters in the activated Pictet–Spengler cyclization. Synthesis of 1-thiosubstituted tetrahydroisoquinolines and carboncarbon bond formation via sulfonyl iminium ions generated from N,S-sulfonyl acetals. Tetrahedron Letters, 2003, 44, 6137-6140. | 0.7 | 21 |
| 133 | Synthesis and Complement Inhibitory Activity of B/C/D-Ring Analogues of the Fungal Metabolite 6,7-Diformyl-3 ,4 ,4a ,5 ,6 ,7 ,8 ,8a ,octahydro-4,6 ,7 -trihydroxy-2 ,5 ,8a -tetramethylspiro[1 (2 H)-naphthalene-2(3H)-benzofuran]. Journal of Medicinal Chemist 46, 2697-2705. | r <mark>ý; 2</mark> 003, | 14 |
| 134 | Synthesis of a tricyclic lactone embodying the ABC-ring system of stephaoxocanidine, by tin(IV) chloride-assisted sulfonamidoacetal cyclization and an aromatization promoted by triethylamine. Arkivoc, 2003, 2003, 178-188. | 0.3 | 12 |
| 135 | Simultaneous determination of amiloride hydrochloride and hydrochlorothiazide in synthetic samples and pharmaceutical formulations by multivariate analysis of spectrophotometric data. Journal of Pharmaceutical and Biomedical Analysis, 2002, 30, 1121-1131. | 1.4 | 34 |
| 136 | A spectrophotometric-partial least squares (PLS-1) method for the simultaneous determination of furosemide and amiloride hydrochloride in pharmaceutical formulations. Journal of Pharmaceutical and Biomedical Analysis, 2001, 26, 443-451. | 1.4 | 55 |
| 137 | Elaboration of 1-benzoyltetrahydroisoquinoline derivatives employing a Pictet–Spengler cyclization with α-chloro-α-phenylthioketones. Synthesis of O-methylvelucryptine. Tetrahedron Letters, 2001, 42, 8947-8950. | 0.7 | 21 |
| 138 | Sulfonamidoacetal Cyclization-based Synthesis of a Tetrahydrooxazaphenalenelactone Related to the ABC-Ring System of the Stephaoxocanes. Heterocycles, 2001, 55, 323. | 0.4 | 16 |
| 139 | Elaboration of the Isochromane System of Stephaoxocanes Employing an Oxa-Pictet Spengler Type Cyclization. Molecules, 2000, 5, 493-494. | 1.7 | 3 |
| 140 | A tosyliminium ion-based total synthesis of (\hat{A}_{\pm}) -schefferine. Canadian Journal of Chemistry, 2000, 78, 1165-1169. | 0.6 | 10 |
| 141 | Pictet-Spengler condensation of N-sulfonyl- \hat{l}^2 -phenethylamines with \hat{l} ±-chloro- \hat{l} ±-phenylselenoesters. New synthesis of 1,2,3,4-tetrahydroisoquinoline-1-carboxylates. Tetrahedron Letters, 1999, 40, 4969-4972. | 0.7 | 27 |
| 142 | Carbonyl transposition of \hat{l}_{\pm} -hydroxyamidals mediated by triphenylphosphine-iodine. A new entry to tetrahydroisoquinolin-4-ones. Tetrahedron Letters, 1998, 39, 3409-3412. | 0.7 | 10 |
| 143 | Preparation of N-benzylsulfonamido-1,2-dihydroisoquinolines and their reaction with Raney nickel. A mild, new synthesis of isoquinolines. Tetrahedron Letters, 1997, 38, 3159-3162. | 0.7 | 21 |
| 144 | A TRIPHOSGENE-BASED SYNTHESIS OF (S)-α,α-DIPHENYL-2-PYRROLIDINEMETHANOL. Organic Preparations and Procedures International, 1996, 28, 487-490. | 0.6 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Total synthesis of the \hat{l}^2 -adrenergic receptor antagonist, the tetrahydroisoquinoline MY336-a and its epimer. Journal of the Chemical Society Perkin Transactions 1, 1996, , 2497-2505. | 0.9 | 23 |
| 146 | The Mitsunobu reaction of ortho-ethers of secondary benzylic alcohols. Concise enantioselective synthesis of a key intermediate of the novel \hat{l}^2 -adrenergic receptor antagonist MY336-a. Tetrahedron Letters, 1996, 37, 5329-5332. | 0.7 | 31 |
| 147 | Design, Synthesis, and Evaluation of A-, C-, and D-Ring Analogs of the Fungal Metabolite K-76 as Potential Complement Inhibitors. Journal of Medicinal Chemistry, 1995, 38, 1437-1445. | 2.9 | 23 |
| 148 | The design, synthesis and evaluation of A,C,D-ring analogs of the fungal metabolite K-76 as complement inhibitors: a potential probe for the absolute stereochemistry at position 2. Bioorganic and Medicinal Chemistry Letters, 1995, 5, 501-506. | 1.0 | 11 |
| 149 | The first chiral version of Jackson N-benzyl-N-tosylaminoacetal cyclization. A new enantioselective total synthesis of 1-s-(-)-salsoiidine. Tetrahedron Letters, 1995, 36, 9105-9108. | 0.7 | 31 |
| 150 | Synthesis and Mass Spectral Data of four Potential Biomarkers Related to the C19Tricyclanes Found in Australian Oils and Puget Sound Sediments. Synthetic Communications, 1995, 25, 1205-1221. | 1.1 | 3 |
| 151 | Synthesis of 3-Substituted Tetrahydroisoquinolines via Nucleophilic Addition to N-Tosyliminium Ions. Synlett, 1995, 1995, 1149-1150. | 1.0 | 9 |
| 152 | Synthesis of 3-substituted tetrahydroisoquinolines by acid-catalyzed cyclization of p-toluenesulfonamides of N-benzyl aminoacetaldehyde derivatives. Canadian Journal of Chemistry, 1995, 73, 1348-1356. | 0.6 | 8 |
| 153 | AN IMPROVED SYNTHESIS OF 9-CHLORO-1,8-p-MENTHADIENE. Organic Preparations and Procedures International, 1994, 26, 557-560. | 0.6 | 3 |
| 154 | Extension of the Bobbitt Acetal Cyclization to the Elaboration of 1-Hydroxymethyl-Substituted Simple Tetrahydroisoquinolines. A New Synthesis of Calycotomine. Synthetic Communications, 1993, 23, 473-486. | 1.1 | 15 |
| 155 | Studies on the natural \hat{l}^2 -adrenergic receptor antagonist MY336-a: synthesis of a 3-dehydroxymethyl analogue. Journal of the Chemical Society Perkin Transactions 1, 1993, , 403-404. | 0.9 | 13 |
| 156 | Synthesis and Mass Spectral Confirmation of the Identity of Two New Tricyclic Terpanes Found in Chinese Bituminous Sandstones. Natural Product Research, 1993, 2, 215-220. | 0.4 | 1 |
| 157 | Alternate and Improved Synthesis of the Cactus Alkaloid Arizonine. Synthetic Communications, 1992, 22, 1913-1921. | 1.1 | 8 |
| 158 | A short and efficient synthesis of grisan. Journal of Heterocyclic Chemistry, 1989, 26, 879-881. | 1.4 | 7 |
| 159 | 13C NMR chemical shifts of the carbon atoms of the methoxymethyl group of di-ortho-substituted aromatic methoxymethyl ethers. Magnetic Resonance in Chemistry, 1989, 27, 1178-1181. | 1.1 | 5 |
| 160 | Synthesis of an alberta oil sand bitumen C20 tricyclic carboxylic acid bearing a novel diterpenoid skeleton. Journal of the Chemical Society Perkin Transactions 1, 1988, , 2323. | 0.9 | 9 |
| 161 | Synthesis and 13C nuclear magnetic resonance spectral analysis of some diterpenoids related to the cleistanthane type hydrocarbon isolated from Amphibolisantarctica. Canadian Journal of Chemistry, 1987, 65, 2024-2026. | 0.6 | 7 |
| 162 | Synthetic confirmation of the proposed structure for the C20 tricyclic carboxylic acid isolated from the alberta oil sands. Journal of the Chemical Society Chemical Communications, 1986, , 418. | 2.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | A Modified Microcomplement Fixation Test for Antigen or Antibody Determination in Soluble Immune Complexes, Using Gel Filtration. Immunological Investigations, 1984, 13, 269-284. | 0.9 | 0 |
| 164 | Conjugation of Carbohydrates with Quinolines: A Powerful Synthetic Tool. European Journal of Organic Chemistry, $0, , .$ | 1.2 | 0 |
| 165 | Chemistry for Sustainable Development. Journal of the Brazilian Chemical Society, 0, , . | 0.6 | 0 |