

é¹¸¨ < é©¬

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8701696/publications.pdf>

Version: 2024-02-01

62  
papers

8,848  
citations

126907

33  
h-index

138484

58  
g-index

64  
all docs

64  
docs citations

64  
times ranked

11081  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aggregation-induced demulsification triggered by the hydrophilic fabric for the separation of highly emulsified oil droplets from water. <i>Aggregate</i> , 2022, 3, e131.	9.9	7
2	In-situ characterization on the fracture behavior of three dimensional polymer nanocomposites reinforced by CNT sponge. <i>Composites Science and Technology</i> , 2022, 217, 109132.	7.8	5
3	Production of Fibres from Lunar Soil: Feasibility, Applicability and Future Perspectives. <i>Advanced Fiber Materials</i> , 2022, 4, 923-937.	16.1	12
4	Fluorescence and stimuli-responsive performance of polymer composites filled with tetraphenylethene derivatives. <i>Polymer Chemistry</i> , 2022, 13, 3126-3135.	3.9	2
5	Development of CNTs-carbonized cotton fiber/PANI 3D-nanocomposites for flexible energy storage and electromagnetic shielding applications. <i>Electrochimica Acta</i> , 2022, 427, 140847.	5.2	7
6	Correlation of Phase Composition, Structure, and Mechanical Properties of Natural Basalt Continuous Fibers. <i>Natural Resources Research</i> , 2021, 30, 1105-1119.	4.7	11
7	Anisotropic conductive networks for multidimensional sensing. <i>Materials Horizons</i> , 2021, 8, 2615-2653.	12.2	30
8	Facile preparation of a polysilsesquioxane sheet with a three-dimensional structure. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7176-7183.	5.9	4
9	Direct visualization of interfacial debonding in FRP structure using an AIE molecule. <i>Composites Communications</i> , 2021, 27, 100816.	6.3	7
10	Wheat bran/polymer composites as a solidifier to gel oil on water surface. <i>Composites Communications</i> , 2020, 22, 100471.	6.3	3
11	What happens to glass fiber under extreme chemical conditions?. <i>Journal of Non-Crystalline Solids</i> , 2020, 548, 120331.	3.1	7
12	Composites with AIEgens for Temperature Sensing and Strain Measurement. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 1900552.	2.2	12
13	Preparation of cellulose-coated cotton fabric and its application for the separation of emulsified oil in water. <i>Carbohydrate Polymers</i> , 2020, 240, 116318.	10.2	52
14	Factors governing the tensile strength of basalt fibre. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 119, 127-133.	7.6	49
15	Hydrogel-coated basalt fibre with superhydrophilic and underwater superoleophobic performance for oil-water separation. <i>Composites Communications</i> , 2019, 14, 1-6.	6.3	22
16	Bi-functional composite foam with hierarchical structure for efficient separation of emulsified mixtures consisting of oil and water. <i>Applied Surface Science</i> , 2019, 483, 1149-1157.	6.1	12
17	Supramolecular assembly of leaf-like fluorescent tetraphenylethylene through polymer-directed inter-locking. <i>Composites Communications</i> , 2019, 11, 45-51.	6.3	6
18	Three-dimensional titanium dioxide/graphene hybrids with improved performance for photocatalysis and energy storage. <i>Journal of Colloid and Interface Science</i> , 2018, 512, 647-656.	9.4	37

#	ARTICLE	IF	CITATIONS
19	Bio-based oil gelling agent for effective removal of oil spills from the surface of water. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1784-1790.	5.9	10
20	Stretchable and compressible strain sensor based on carbon nanotube foam/polymer nanocomposites with three-dimensional networks. <i>Composites Science and Technology</i> , 2018, 163, 162-170.	7.8	65
21	Modification of basalt fibre using pyrolytic carbon coating for sensing applications. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 101, 123-128.	7.6	32
22	Preparation of carbon nanotubes/graphene hybrid aerogel and its application for the adsorption of organic compounds. <i>Carbon</i> , 2017, 118, 765-771.	10.3	157
23	Acid and temperature dual-responsive cotton fabrics with polymer coating. <i>Composites Communications</i> , 2017, 4, 10-15.	6.3	20
24	Surface roughness induced superhydrophobicity of graphene foam for oil-water separation. <i>Journal of Colloid and Interface Science</i> , 2017, 508, 254-262.	9.4	71
25	Carbon Nanotubes for Defect Monitoring in Fiber-Reinforced Polymer Composites. , 2017, , 71-99.		4
26	CVD-Grown CNTs on Basalt Fiber Surfaces for Multifunctional Composite Interphases. <i>Fibers</i> , 2016, 4, 28.	4.0	15
27	Biomimetic Superoleophobicity of Cotton Fabrics for Efficient Oil-Water Separation. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600128.	3.7	60
28	Comparative study on monitoring structural damage in fiber-reinforced polymers using glass fibers with carbon nanotubes and graphene coating. <i>Composites Science and Technology</i> , 2016, 129, 38-45.	7.8	78
29	Development of multi-functional cotton fabrics with Ag/AgBr-TiO <sub>2</sub> nanocomposite coating. <i>Composites Science and Technology</i> , 2016, 122, 104-112.	7.8	63
30	Graphene foam with hierarchical structures for the removal of organic pollutants from water. <i>RSC Advances</i> , 2016, 6, 4889-4898.	3.6	39
31	Ternary silicone sponge with enhanced mechanical properties for oil-water separation. <i>Polymer Chemistry</i> , 2015, 6, 5869-5875.	3.9	62
32	Low cost carbon fiber aerogel derived from bamboo for the adsorption of oils and organic solvents with excellent performances. <i>RSC Advances</i> , 2015, 5, 38470-38478.	3.6	91
33	Preparation of fiber-based plasmonic photocatalyst and its photocatalytic performance under the visible light. <i>Applied Catalysis B: Environmental</i> , 2015, 166-167, 287-294.	20.2	33
34	Perspectives of carbon nanotubes/polymer nanocomposites for wind blade materials. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 30, 651-660.	16.4	87
35	Development of carbon nanotubes/CoFe <sub>2</sub> O <sub>4</sub> magnetic hybrid material for removal of tetrabromobisphenol A and Pb(II). <i>Journal of Hazardous Materials</i> , 2014, 265, 104-114.	12.4	202
36	Controlled synthesis of hierarchical TiO <sub>2</sub> nanoparticles on glass fibres and their photocatalytic performance. <i>Dalton Transactions</i> , 2014, 43, 12743-12753.	3.3	18

#	ARTICLE	IF	CITATIONS
37	Magnetic graphene foam for efficient adsorption of oil and organic solvents. <i>Journal of Colloid and Interface Science</i> , 2014, 430, 337-344.	9.4	133
38	Structure control of ultra-large graphene oxide sheets by the Langmuir-Blodgett method. <i>RSC Advances</i> , 2013, 3, 4680.	3.6	36
39	Development of functional glass fibres with nanocomposite coating: A comparative study. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 44, 16-22.	7.6	38
40	Effect of doubly organo-modified vermiculite on the properties of vermiculite/polystyrene nanocomposites. <i>Applied Clay Science</i> , 2013, 75-76, 74-81.	5.2	21
41	Strain-sensitive Raman spectroscopy and electrical resistance of carbon nanotube-coated glass fibre sensors. <i>Composites Science and Technology</i> , 2012, 72, 1548-1555.	7.8	27
42	Behavior of load transfer in functionalized carbon nanotube/epoxy nanocomposites. <i>Polymer</i> , 2012, 53, 6081-6088.	3.8	60
43	Carbon nanotube (CNT)-based composites as electrode material for rechargeable Li-ion batteries: A review. <i>Composites Science and Technology</i> , 2012, 72, 121-144.	7.8	432
44	Microscopically porous, interconnected single crystal LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> cathode material for Lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 10777.	6.7	190
45	Manufacturing and characterization of carbon fibre/epoxy composite prepregs containing carbon nanotubes. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 1412-1420.	7.6	92
46	LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> with a novel one-dimensional porous structure: A high-power cathode material for rechargeable Li-ion batteries. <i>Scripta Materialia</i> , 2011, 64, 122-125.	5.2	29
47	Correlation between electrokinetic potential, dispersibility, surface chemistry and energy of carbon nanotubes. <i>Composites Science and Technology</i> , 2011, 71, 1644-1651.	7.8	45
48	Sol-gel synthesis of multiwalled carbon nanotube-LiMn <sub>2</sub> O <sub>4</sub> nanocomposites as cathode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 4290-4296.	7.8	108
49	Dispersion, interfacial interaction and re-agglomeration of functionalized carbon nanotubes in epoxy composites. <i>Carbon</i> , 2010, 48, 1824-1834.	10.3	493
50	Hydrothermal Synthesis of Layered Sodium Manganese Oxide Nanowires and Their Electrochemical Performance. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 7378-7381.	0.9	4
51	Dispersion and functionalization of carbon nanotubes for polymer-based nanocomposites: A review. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010, 41, 1345-1367.	7.6	2,787
52	Cleaning and Functionalization of Polymer Surfaces and Nanoscale Carbon Fillers by UV/Ozone Treatment: A Review. <i>Journal of Composite Materials</i> , 2009, 43, 1537-1564.	2.4	80
53	Enhanced Electrical Conductivity of Nanocomposites Containing Hybrid Fillers of Carbon Nanotubes and Carbon Black. <i>ACS Applied Materials &amp; Interfaces</i> , 2009, 1, 1090-1096.	8.0	355
54	In-Situ Amino Functionalization of Carbon Nanotubes Using Ball Milling. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 749-753.	0.9	58

#	ARTICLE	IF	CITATIONS
55	Conversion of semiconducting behavior of carbon nanotubes using ball milling. <i>Chemical Physics Letters</i> , 2008, 458, 166-169.	2.6	45
56	Effect of CNT decoration with silver nanoparticles on electrical conductivity of CNT-polymer composites. <i>Carbon</i> , 2008, 46, 1497-1505.	10.3	399
57	Correlations between Percolation Threshold, Dispersion State, and Aspect Ratio of Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2007, 17, 3207-3215.	14.9	913
58	Effects of silane functionalization on the properties of carbon nanotube/epoxy nanocomposites. <i>Composites Science and Technology</i> , 2007, 67, 2965-2972.	7.8	543
59	Coating Carbon Nanotubes with Silver Nanoparticles to Get Conductive Nanocomposites. , 2006, , .		4
60	Functionalization of carbon nanotubes using a silane coupling agent. <i>Carbon</i> , 2006, 44, 3232-3238.	10.3	524
61	Glass Fibers with Multi-Functional Capabilities for Engineering and Environmental Applications. <i>Advanced Materials Research</i> , 0, 1024, 155-158.	0.3	0
62	Removal of phosphorus from aqueous solution using multi-wall carbon nanotube (MWCNT) as adsorbent: Kinetics and isotherms. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 0, , 1-7.	2.1	1