

Zai-Wei Ge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8705375/publications.pdf>

Version: 2024-02-01

21
papers

1,034
citations

840776

11
h-index

752698

20
g-index

23
all docs

23
docs citations

23
times ranked

1233
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevation Matters More than Season in Shaping the Heterogeneity of Soil and Root Associated Ectomycorrhizal Fungal Community. <i>Microbiology Spectrum</i> , 2022, 10, e0195021.	3.0	15
2	Six New Species of <i>Leucoagaricus</i> (Agaricaceae) from Northeastern China. <i>Diversity</i> , 2022, 14, 314.	1.7	2
3	Squamantaceae and three new species of <i>Squamanita</i> parasitic on <i>Amanita</i> basidiomes. <i>IMA Fungus</i> , 2021, 12, 4.	3.8	6
4	Three new species of <i>Smithiomyces</i> from tropical Asia support an amphi-Pacific disjunct distribution in the genus. <i>Mycologia</i> , 2021, 113, 1-13.	1.9	1
5	<p>New species of Echinoderma and Lepiota (Agaricaceae) from China</p>. <i>Phytotaxa</i> , 2020, 447, 221-236.	0.3	8
6	The genus <i>Clavariadelphus</i> (Clavariadelphaceae, Gomphales) in China. <i>MycKeys</i> , 2020, 70, 89-121.	1.9	10
7	The genus <i>Catathelasma</i> (Catathelasmataceae, Basidiomycota) in China. <i>MycKeys</i> , 2020, 62, 123-138.	1.9	1
8	<p>An annotated key to the Bovista (Lycoperdaceae), Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 4	0.3	0
9	Molecular identifications uncover diverse fungal symbionts of <i>Pleione</i> (Orchidaceae). <i>Fungal Ecology</i> , 2019, 37, 19-29.	1.6	21
10	Otidea species from China, three new species with comments on some previously described species. <i>Mycological Progress</i> , 2018, 17, 77-88.	1.4	3
11	A multi-gene phylogeny of <i>Chlorophyllum</i> (Agaricaceae, Basidiomycota): new species, new combination and infrageneric classification. <i>MycKeys</i> , 2018, 32, 65-90.	1.9	24
12	Soil pH and mineral nutrients strongly influence truffles and other ectomycorrhizal fungi associated with commercial pecans (<i>Carya illinoensis</i>). <i>Plant and Soil</i> , 2017, 418, 493-505.	3.7	48
13	Redescription of <i>Clitocybe umbrinopurpurascens</i> (Basidiomycota, Agaricales) and revision of <i>Neohygrophorus</i> and <i>Pseudoomphalina</i> . <i>Phytotaxa</i> , 2015, 219, 43.	0.3	10
14	Four new species in <i>Leucoagaricus</i> (Agaricaceae, Basidiomycota) from Asia. <i>Mycologia</i> , 2015, 107, 1033-1044.	1.9	18
15	Multigene Molecular Phylogeny and Biogeographic Diversification of the Earth Tongue Fungi in the Genera <i>Cudonia</i> and <i>Spathularia</i> (Rhytismatales, Ascomycota). <i>PLoS ONE</i> , 2014, 9, e103457.	2.5	21
16	Phylogenetic analysis of rDNA sequences indicates that the sequestrate <i>Amogaster viridiglebus</i> is derived from within the agaricoid genus <i>Lepiota</i> (Agaricaceae). <i>Mycological Progress</i> , 2013, 12, 151-155.	1.4	19
17	<i>Rossbeevera yunnanensis</i> (<i>Boletaceae, Boletales</i>), a new sequestrate species from southern China. <i>Mycotaxon</i> , 2012, 120, 139-147.	0.3	12
18	Two species of the Asian endemic genus <i>Keteleeria</i> form ectomycorrhizas with diverse fungal symbionts in southwestern China. <i>Mycorrhiza</i> , 2012, 22, 403-408.	2.8	10

#	ARTICLE	IF	CITATIONS
19	Contributions of rpb2 and tef1 to the phylogeny of mushrooms and allies (Basidiomycota, Fungi). <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 430-451.	2.7	341
20	Major clades of Agaricales: a multilocus phylogenetic overview. <i>Mycologia</i> , 2006, 98, 982-995.	1.9	449
21	New Asian species of the genus <i>Anamika</i> (euagarics, hebelomatoid clade) based on morphology and ribosomal DNA sequences. <i>Mycological Research</i> , 2005, 109, 1259-1267.	2.5	15