List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8708859/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Acquired Resistance to Fractionated Radiotherapy Can Be Overcome by Concurrent PD-L1 Blockade. Cancer Research, 2014, 74, 5458-5468.	0.4	1,014
2	Brentuximab Vedotin (SGN-35) in Patients With Relapsed or Refractory Systemic Anaplastic Large-Cell Lymphoma: Results of a Phase II Study. Journal of Clinical Oncology, 2012, 30, 2190-2196.	0.8	890
3	Consensus guidelines for the detection of immunogenic cell death. Oncolmmunology, 2014, 3, e955691.	2.1	686
4	Results of a Trial of PET-Directed Therapy for Early-Stage Hodgkin's Lymphoma. New England Journal of Medicine, 2015, 372, 1598-1607.	13.9	619
5	Consensus guidelines for the definition, detection and interpretation of immunogenic cell death. , 2020, 8, e000337.		610
6	Neurocognitive Function and Progression in Patients With Brain Metastases Treated With Whole-Brain Radiation and Motexafin Gadolinium: Results of a Randomized Phase III Trial. Journal of Clinical Oncology, 2004, 22, 157-165.	0.8	523
7	Brentuximab vedotin with chemotherapy for CD30-positive peripheral T-cell lymphoma (ECHELON-2): a global, double-blind, randomised, phase 3 trial. Lancet, The, 2019, 393, 229-240.	6.3	517
8	The abscopal effect of local radiotherapy: using immunotherapy to make a rare event clinically relevant. Cancer Treatment Reviews, 2015, 41, 503-510.	3.4	482
9	Modern Radiation Therapy for Hodgkin Lymphoma: Field and Dose Guidelines From the International Lymphoma Radiation Oncology Group (ILROG). International Journal of Radiation Oncology Biology Physics, 2014, 89, 854-862.	0.4	479
10	Reduced dose radiotherapy for local control in non-Hodgkin lymphoma: A randomised phase III trial. Radiotherapy and Oncology, 2011, 100, 86-92.	0.3	309
11	Modern Radiation Therapy for Extranodal Lymphomas: Field and Dose Guidelines From the International Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2015, 92, 11-31.	0.4	303
12	Fractionated Radiation Therapy Stimulates Antitumor Immunity Mediated by Both Resident and Infiltrating Polyclonal T-cell Populations when Combined with PD-1 Blockade. Clinical Cancer Research, 2017, 23, 5514-5526.	3.2	282
13	Novel type II anti-CD20 monoclonal antibody (GA101) evokes homotypic adhesion and actin-dependent, lysosome-mediated cell death in B-cell malignancies. Blood, 2011, 117, 4519-4529.	0.6	270
14	Modern Radiation Therapy for Nodal Non-Hodgkin Lymphoma—Target Definition and Dose Guidelines From the International Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2014, 89, 49-58.	0.4	259
15	Hodgkin's lymphoma: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2014, 25, iii70-iii75.	0.6	257
16	Hodgkin lymphoma: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2018, 29, iv19-iv29.	0.6	243
17	Clinical development of new drug–radiotherapy combinations. Nature Reviews Clinical Oncology, 2016, 13, 627-642.	12.5	230
18	Clinical efficacy of zanolimumab (HuMax-CD4): two phase 2 studies in refractory cutaneous T-cell lymphoma. Blood, 2007, 109, 4655-4662.	0.6	200

#	Article	IF	CITATIONS
19	4 Gy versus 24 Gy radiotherapy for patients with indolent lymphoma (FORT): a randomised phase 3 non-inferiority trial. Lancet Oncology, The, 2014, 15, 457-463.	5.1	191
20	Five-year results of brentuximab vedotin in patients with relapsed or refractory systemic anaplastic large cell lymphoma. Blood, 2017, 130, 2709-2717.	0.6	176
21	Efficacy and safety of yttrium-90 ibritumomab tiuxetan in patients with relapsed or refractory diffuse large B-cell lymphoma not appropriate for autologous stem-cell transplantation. Blood, 2007, 110, 54-58.	0.6	171
22	Fusion of Metabolic Function and Morphology: Sequential [18F]Fluorodeoxyglucose Positron-Emission Tomography/Computed Tomography Studies Yield New Insights Into the Natural History of Bone Metastases in Breast Cancer. Journal of Clinical Oncology, 2007, 25, 3440-3447.	0.8	159
23	Brentuximab Vedotin in the Front-Line Treatment of Patients With CD30 ⁺ Peripheral T-Cell Lymphomas: Results of a Phase I Study. Journal of Clinical Oncology, 2014, 32, 3137-3143.	0.8	153
24	Modern Radiation Therapy for Primary Cutaneous Lymphomas: Field and Dose Guidelines From theÂInternational Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2015, 92, 32-39.	0.4	150
25	Monoclonal antibodies directed to CD20 and HLA-DR can elicit homotypic adhesion followed by lysosome-mediated cell death in human lymphoma and leukemia cells. Journal of Clinical Investigation, 2009, 119, 2143-59.	3.9	149
26	POLYPLOID GIANT CELLS PROVIDE A SURVIVAL MECHANISM FOR p53 MUTANT CELLS AFTER DNA DAMAGE. Cell Biology International, 2000, 24, 621-633.	1.4	147
27	Guidelines for preclinical and early phase clinical assessment of novel radiosensitisers. British Journal of Cancer, 2011, 105, 628-639.	2.9	140
28	Guidelines on the diagnosis and management of chronic lymphocytic leukaemia. British Journal of Haematology, 2004, 125, 294-317.	1.2	134
29	Systemic delivery of a TLR7 agonist in combination with radiation primes durable antitumor immune responses in mouse models of lymphoma. Blood, 2013, 121, 251-259.	0.6	130
30	Guidelines on the diagnosis, investigation and management of chronic lymphocytic leukaemia. British Journal of Haematology, 2012, 159, 541-564.	1.2	127
31	Guidelines for the management of diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2016, 174, 43-56.	1.2	125
32	Defining a Hodgkin lymphoma population for novel therapeutics after relapse from autologous hematopoietic cell transplant. Leukemia and Lymphoma, 2013, 54, 2531-2533.	0.6	120
33	The future of anti-CD20 monoclonal antibodies: are we making progress?. Blood, 2011, 117, 2993-3001.	0.6	117
34	British Association of Dermatologists and U.K. Cutaneous Lymphoma Group guidelines for the management of primary cutaneous lymphomas 2018. British Journal of Dermatology, 2019, 180, 496-526.	1.4	111
35	RELEASE OF MITOTIC DESCENDANTS BY GIANT CELLS FROM IRRADIATED BURKITT'S LYMPHOMA CELL LINES. Cell Biology International, 2000, 24, 635-648.	1.4	107
36	Antibody-induced nonapoptotic cell death in human lymphoma and leukemia cells is mediated through a novel reactive oxygen species-dependent pathway. Blood, 2012, 119, 3523-3533.	0.6	106

#	Article	IF	CITATIONS
37	Extranodal diffuse large B-cell lymphoma (DLBCL) and primary mediastinal B-cell lymphoma: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2016, 27, v91-v102.	0.6	102
38	Segregation of genomes in polyploid tumour cells following mitotic catastrophe. Cell Biology International, 2005, 29, 1005-1011.	1.4	98
39	Radiotherapy and anti-PD-1/PD-L1 combinations in lung cancer: building better translational research platforms. Annals of Oncology, 2018, 29, 301-310.	0.6	98
40	Endopolyploid cells produced after severe genotoxic damage have the potential to repair DNA double strand breaks. Journal of Cell Science, 2003, 116, 4095-4106.	1.2	94
41	Brentuximab vedotin in refractory CD30+ lymphomas: a bridge to allogeneic transplantation in approximately one quarter of patients treated on a Named Patient Programme at a single UK center. Haematologica, 2013, 98, 611-614.	1.7	88
42	Upregulation of meiosis-specific genes in lymphoma cell lines following genotoxic insult and induction of mitotic catastrophe. BMC Cancer, 2006, 6, 6.	1.1	84
43	Clinical quantitation of immune signature in follicular lymphoma by RT-PCR–based gene expression profiling. Blood, 2008, 111, 4764-4770.	0.6	84
44	Anti-CD40 monoclonal antibody therapy in combination with irradiation results in a CD8 T-cell–dependent immunity to B-cell lymphoma. Blood, 2003, 102, 1449-1457.	0.6	81
45	U.K. consensus statement on safe clinical prescribing of bexarotene for patients with cutaneous T-cell lymphoma. British Journal of Dermatology, 2013, 168, 192-200.	1.4	81
46	Immunomodulation by radiotherapy in tumour control and normal tissue toxicity. Nature Reviews Immunology, 2022, 22, 124-138.	10.6	81
47	Phase 1/2 study of fractionated 131I-rituximab in low-grade B-cell lymphoma: the effect of prior rituximab dosing and tumor burden on subsequent radioimmunotherapy. Blood, 2009, 113, 1412-1421.	0.6	79
48	The antitumor immune response generated by fractionated radiation therapy may be limited by tumor cell adaptive resistance and can be circumvented by PD-L1 blockade. Oncolmmunology, 2015, 4, e1016709.	2.1	78
49	ILROG emergency guidelines for radiation therapy of hematological malignancies during the COVID-19 pandemic. Blood, 2020, 135, 1829-1832.	0.6	78
50	Role of Radiation Therapy in Patients With Relapsed/Refractory Diffuse Large B-Cell Lymphoma: Guidelines from the International Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2018, 100, 652-669.	0.4	71
51	Endopolyploidy in irradiated p53â€deficient tumour cell lines: Persistence of cell division activity in giant cells expressing Auroraâ€B kinase. Cell Biology International, 2008, 32, 1044-1056.	1.4	69
52	Involved Site Radiation Therapy in Adult Lymphomas: An Overview of International Lymphoma Radiation Oncology Group Guidelines. International Journal of Radiation Oncology Biology Physics, 2020, 107, 909-933.	0.4	67
53	Malignant hypercalcaemia in pregnancy and antenatal administration of intravenous pamidronate. Clinical Oncology, 1996, 8, 257-258.	0.6	62
54	Reprogramming the tumour microenvironment by radiotherapy: implications for radiotherapy and immunotherapy combinations. Radiation Oncology, 2020, 15, 254.	1.2	62

#	Article	IF	CITATIONS
55	Guidelines on the investigation and management of follicular lymphoma. British Journal of Haematology, 2012, 156, 446-467.	1.2	58
56	Fractionated ⁹⁰ Y-lbritumomab Tiuxetan Radioimmunotherapy As an Initial Therapy of Follicular Lymphoma: An International Phase II Study in Patients Requiring Treatment According to GELF/BNLI Criteria. Journal of Clinical Oncology, 2014, 32, 212-218.	0.8	57
57	Five-year outcomes for frontline brentuximab vedotin with CHP for CD30-expressing peripheral T-cell lymphomas. Blood, 2018, 131, 2120-2124.	0.6	56
58	Obinutuzumab in hematologic malignancies: Lessons learned to date. Cancer Treatment Reviews, 2015, 41, 784-792.	3.4	52
59	4 Gy versus 24 Gy radiotherapy for follicular and marginal zone lymphoma (FoRT): long-term follow-up of a multicentre, randomised, phase 3, non-inferiority trial. Lancet Oncology, The, 2021, 22, 332-340.	5.1	51
60	Antitumor Efficacy of Radiation plus Immunotherapy Depends upon Dendritic Cell Activation of Effector CD8+ T Cells. Cancer Immunology Research, 2016, 4, 621-630.	1.6	50
61	Breast cancer risk following Hodgkin lymphoma radiotherapy in relation to menstrual and reproductive factors. British Journal of Cancer, 2013, 108, 2399-2406.	2.9	49
62	Assessment of circulating biomarkers for potential pharmacodynamic utility in patients with lymphoma. British Journal of Cancer, 2011, 104, 719-725.	2.9	48
63	Risk of Premature Menopause After Treatment for Hodgkin's Lymphoma. Journal of the National Cancer Institute, 2014, 106, .	3.0	48
64	The Role of Radiation Therapy in Patients With Relapsed or Refractory Hodgkin Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2018, 100, 1100-1118.	0.4	46
65	A new anti-idiotype antibody capable of binding rituximab on the surface of lymphoma cells. Blood, 2004, 104, 2540-2542.	0.6	44
66	Clinical Development of Novel Drug–Radiotherapy Combinations. Clinical Cancer Research, 2019, 25, 1455-1461.	3.2	42
67	A novel systemically administered tollâ€ike receptor 7 agonist potentiates the effect of ionizing radiation in murine solid tumor models. International Journal of Cancer, 2014, 135, 820-829.	2.3	41
68	Immuno-regulatory antibodies for the treatment of cancer. Expert Opinion on Biological Therapy, 2015, 15, 787-801.	1.4	40
69	Positron Emission Tomography Score Has Greater Prognostic Significance Than Pretreatment Risk Stratification in Early-Stage Hodgkin Lymphoma in the UK RAPID Study. Journal of Clinical Oncology, 2019, 37, 1732-1741.	0.8	38
70	A TLR7 agonist enhances the antitumor efficacy of obinutuzumab in murine lymphoma models via NK cells and CD4 T cells. Leukemia, 2017, 31, 1611-1621.	3.3	37
71	Final results of a multicenter phase II study of the purine nucleoside phosphorylase (PNP) inhibitor forodesine in patients with advanced cutaneous t-cell lymphomas (CTCL) (Mycosis fungoides and) Tj ETQq1 1	0.78 6 3614 r	gB B ¢Overlock
72	Recommendations for the use of Yttrium-90 ibritumomab tiuxetan in malignant lymphoma. Cancer, 2006, 107, 686-695.	2.0	35

#	Article	IF	CITATIONS
73	Phase II study of gemcitabine and bexarotene (GEMBEX) in the treatment of cutaneous T-cell lymphoma. British Journal of Cancer, 2013, 109, 2566-2573.	2.9	35
74	Patient and physician preferences for firstâ€line treatment of classical Hodgkin lymphoma in Germany, France and the United Kingdom. British Journal of Haematology, 2019, 184, 202-214.	1.2	35
75	Radioimmunotherapy of Lymphoma: A Treatment Approach Ahead of Its Time or Past Its Sell-By Date?. Journal of Clinical Oncology, 2010, 28, 2944-2946.	0.8	34
76	YY1 expression predicts favourable outcome in follicular lymphoma. Journal of Clinical Pathology, 2011, 64, 125-129.	1.0	33
77	Phase 1/2a study of 177Lu-lilotomab satetraxetan in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2020, 4, 4091-4101.	2.5	33
78	Stereotactic ablative radiotherapy and immunotherapy combinations: turning the future into systemic therapy?. British Journal of Radiology, 2016, 89, 20160472.	1.0	32
79	Brentuximab Vedotin Administered Concurrently with Multi-Agent Chemotherapy As Frontline Treatment of ALCL and Other CD30-Positive Mature T-Cell and NK-Cell Lymphomas. Blood, 2012, 120, 60-60.	0.6	32
80	Nuclear envelope-limited chromatin sheets are part of mitotic death. Histochemistry and Cell Biology, 2002, 117, 243-255.	0.8	31
81	Radiation Therapy with Tositumomab (B1) Anti-CD20 Monoclonal Antibody Initiates Extracellular Signal-Regulated Kinase/Mitogen-Activated Protein Kinase–Dependent Cell Death that Overcomes Resistance to Apoptosis. Clinical Cancer Research, 2008, 14, 4925-4934.	3.2	31
82	Re-Examining the Role of Radiation Therapy for Diffuse Large B-Cell Lymphoma in the Modern Era. Journal of Clinical Oncology, 2016, 34, 1443-1447.	0.8	31
83	The Emerging Role Of Radioimmunotherapy In Haematological Malignancies. British Journal of Haematology, 2000, 108, 679-688.	1.2	29
84	Radioimmunotherapy in follicular lymphoma. Best Practice and Research in Clinical Haematology, 2011, 24, 279-293.	0.7	29
85	Allogeneic transplant following brentuximab vedotin in patients with relapsed or refractory Hodgkin lymphoma and systemic anaplastic large cell lymphoma. Leukemia and Lymphoma, 2015, 56, 703-710.	0.6	29
86	The Importance of Antibody-Specificity in Determining Successful Radioimmunotherapy of B-Cell Lymphoma. Blood, 1999, 94, 233-243.	0.6	27
87	Guideline on the management of primary resistant and relapsed classical <scp>H</scp> odgkin lymphoma. British Journal of Haematology, 2014, 164, 39-52.	1.2	27
88	The anti-PD-1 era — an opportunity to enhance radiotherapy for patients with bladder cancer. Nature Reviews Urology, 2018, 15, 251-259.	1.9	27
89	Radiotherapy–Immunotherapy Combination: How Will We Bridge the Gap Between Pre-Clinical Promise and Effective Clinical Delivery?. Cancers, 2021, 13, 457.	1.7	27
90	Inhibition of DNA-PK with AZD7648 Sensitizes Tumor Cells to Radiotherapy and Induces Type I IFN-Dependent Durable Tumor Control. Clinical Cancer Research, 2021, 27, 4353-4366.	3.2	27

#	Article	IF	CITATIONS
91	Radioimmunotherapy of Cancer Using Monoclonal Antibodies to Target Radiotherapy. Current Pharmaceutical Design, 2000, 6, 1399-1418.	0.9	26
92	Consensus conference: Implementing treatment recommendations on yttrium-90 immunotherapy in clinical practice – Report of a European workshop. European Journal of Cancer, 2008, 44, 366-373.	1.3	25
93	Validation of an ELISA for the determination of rituximab pharmacokinetics in clinical trials subjects. Journal of Immunological Methods, 2010, 360, 30-38.	0.6	25
94	Intravenous administration of the selective toll-like receptor 7 agonist DSR-29133 leads to anti-tumor efficacy in murine solid tumor models which can be potentiated by combination with fractionated radiotherapy. Oncotarget, 2016, 7, 17035-17046.	0.8	25
95	Anti-CD40 monoclonal antibody. Leukemia and Lymphoma, 2005, 46, 1105-1113.	0.6	24
96	Three-Year Survival Results From An Ongoing Phase 2 Study Of Brentuximab Vedotin In Patients With Relapsed Or Refractory Systemic Anaplastic Large Cell Lymphoma. Blood, 2013, 122, 1809-1809.	0.6	24
97	Toll-Like Receptor Agonists and Radiation Therapy Combinations: An Untapped Opportunity to Induce Anticancer Immunity and Improve Tumor control. International Journal of Radiation Oncology Biology Physics, 2020, 108, 27-37.	0.4	22
98	Antibody-induced intracellular signaling works in combination with radiation to eradicate lymphoma in radioimmunotherapy. Blood, 2004, 103, 1485-1494.	0.6	21
99	Apparent modulation of CD20 by rituximab: an alternative explanation. Blood, 2004, 103, 3989-3991.	0.6	21
100	Predicted Risks of Cardiovascular Disease Following Chemotherapy and Radiotherapy in the UK NCRI RAPID Trial of Positron Emission Tomography–Directed Therapy for Early-Stage Hodgkin Lymphoma. Journal of Clinical Oncology, 2021, 39, 3591-3601.	0.8	21
101	Current treatment approaches for diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2008, 49, 663-676.	0.6	20
102	The induction of immunogenic cell death by type II antiâ€ <scp>CD</scp> 20 monoclonal antibodies has mechanistic differences compared with type I rituximab. British Journal of Haematology, 2013, 162, 842-845.	1.2	19
103	Sustained tumour eradication after induced caspase-3 activation and synchronous tumour apoptosis requires an intact host immune response. Cell Death and Differentiation, 2013, 20, 765-773.	5.0	18
104	Update on obinutuzumab in the treatment of B-cell malignancies. Expert Opinion on Biological Therapy, 2014, 14, 1507-1517.	1.4	18
105	Radiation Therapy Planning for Early-Stage Hodgkin Lymphoma: Experience of the International Lymphoma Radiation Oncology Group. International Journal of Radiation Oncology Biology Physics, 2015, 92, 144-152.	0.4	18
106	Obinutuzumab (GA101) – a different anti-CD20 antibody with great expectations. Expert Opinion on Biological Therapy, 2012, 12, 543-545.	1.4	16
107	PET-Directed Therapy for Hodgkin's Lymphoma. New England Journal of Medicine, 2015, 373, 392-392.	13.9	16
108	Brentuximab vedotin in patients with relapsed or refractory Hodgkin lymphoma who are Ineligible for autologous stem cell transplant: A Germany and United Kingdom retrospective study. European Journal of Haematology, 2017, 99, 553-558.	1.1	16

#	Article	IF	CITATIONS
109	Real-world effectiveness of brentuximab vedotin versus physicians' choice chemotherapy in patients with relapsed/refractory Hodgkin lymphoma following autologous stem cell transplantation in the United Kingdom and Germany. Leukemia and Lymphoma, 2018, 59, 1413-1419.	0.6	16
110	Radiation-induced apoptosis. Clinical Oncology, 1998, 10, 3-13.	0.6	15
111	A New in Vivo and in Vitro B cell Lymphoma Model, π-BCL1. Cancer Biotherapy and Radiopharmaceuticals, 2000, 15, 571-580.	0.7	15
112	New antibody drug treatments for lymphoma. Expert Opinion on Biological Therapy, 2011, 11, 623-640.	1.4	15
113	The management of primary mediastinal Bâ€cell lymphoma: a British Society for Haematology Good Practice Paper. British Journal of Haematology, 2019, 185, 402-409.	1.2	15
114	Maximum tumor diameter is associated with event-free survival in PET-negative patients with stage I/IIA Hodgkin lymphoma. Blood Advances, 2020, 4, 203-206.	2.5	15
115	The investigation and management of follicular lymphoma. British Journal of Haematology, 2020, 191, 363-381.	1.2	14
116	Four-Year Survival Data from an Ongoing Pivotal Phase 2 Study of Brentuximab Vedotin in Patients with Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma. Blood, 2014, 124, 3095-3095.	0.6	14
117	Antibody therapy of lymphoma. Expert Opinion on Pharmacotherapy, 2001, 2, 953-961.	0.9	13
118	Cervical Neuropathy Following Mantle Radiotherapy. Clinical Oncology, 2002, 14, 468-471.	0.6	13
119	What's new in the management of cutaneous T-cell lymphoma?. Clinical Oncology, 2005, 17, 174-184.	0.6	13
120	Complete Remissions with Brentuximab Vedotin (SGN-35) in Patients with Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma. Blood, 2010, 116, 961-961.	0.6	13
121	Emerging Opportunities for the Combination of Molecularly Targeted Drugs with Radiotherapy. Clinical Oncology, 2014, 26, 266-276.	0.6	12
122	Short duration immunochemotherapy followed by radioimmunotherapy consolidation is effective and well tolerated in relapsed follicular lymphoma: 5â€year results from a <scp>UK</scp> National Cancer Research Institute Lymphoma Group study. British Journal of Haematology, 2016, 173, 274-282.	1.2	12
123	Akt inhibition improves longâ€ŧerm tumour control following radiotherapy by altering the microenvironment. EMBO Molecular Medicine, 2017, 9, 1646-1659.	3.3	12
124	The influence of radiation in the context of developing combination immunotherapies in cancer. , 2017, 5, 115-122.	1.4	12
125	Guidelines for the management of mature T―and natural killerâ€cell lymphomas (excluding cutaneous) Tj ETQ 196, 507-522.	q1 1 0.784 1.2	4314 rgBT /0 12
126	Radiotherapy physics research in the UK: challenges and proposed solutions. British Journal of Radiology, 2012, 85, 1354-1362.	1.0	11

#	Article	IF	CITATIONS
127	Immunogenic potential of irradiated lymphoma cells is enhanced by adjuvant immunotherapy and modulation of local macrophage populations. Leukemia and Lymphoma, 2013, 54, 2008-2015.	0.6	11
128	Radiation Therapy Induces an Adaptive Upregulation of PD-L1 on Tumor Cells Which May Limit the Efficacy of the Anti-Tumor Immune Response But Can Be Circumvented by Anti-PD-L1. International Journal of Radiation Oncology Biology Physics, 2014, 90, S776.	0.4	11
129	Turning Radiotherapy into an Effective Systemic Anti-cancer Treatment in Combination with Immunotherapy. Clinical Oncology, 2015, 27, 696-699.	0.6	11
130	LYMRIT 37-01: A Phase I/II Study of 177lu-Lilotomab Satetraxetan (Betalutin®) Antibody-Radionuclide-Conjugate (ARC) for the Treatment of Relapsed Non-Hodgkin's Lymphoma (NHL) — Analysis with 6-Month Follow-up. Blood, 2018, 132, 2879-2879.	0.6	11
131	Brentuximab Vedotin (SCN-35) in Patients with Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma: A Phase 2 Study Update. Blood, 2011, 118, 443-443.	0.6	11
132	Radioimmunotherapy in the π-BCL1B cell Lymphoma Model: Efficacy Depends on More Than Targeted Irradiation Alone. Cancer Biotherapy and Radiopharmaceuticals, 2000, 15, 581-591.	0.7	10
133	Microscopic Intratumoral Dosimetry of Radiolabeled Antibodies Is a Critical Determinant of Successful Radioimmunotherapy in B-Cell Lymphoma. Cancer Research, 2007, 67, 1335-1343.	0.4	10
134	Radiotherapy and Immunotherapy Combinations in Non-small Cell Lung Cancer: A Promising Future?. Clinical Oncology, 2016, 28, 726-731.	0.6	10
135	Pretreatment Lymphocyte Count Predicts Benefit From Concurrent Chemotherapy With Radiotherapy in Oropharyngeal Cancer. Journal of Clinical Oncology, 2022, 40, 2203-2212.	0.8	10
136	Cyclophosphamide Inhibition of Anti-CD40 Monoclonal Antibody–Based Therapy of B Cell Lymphoma Is Dependent on CD11b+ Cells. Cancer Research, 2005, 65, 7493-7501.	0.4	9
137	How have outcomes for patients with follicular lymphoma changed with the addition of monoclonal antibodies?. Leukemia and Lymphoma, 2008, 49, 1263-1273.	0.6	9
138	A retrospective analysis of selective internal radiation therapy (SIRT) with yttrium-90 microspheres in patients with unresectable hepatic malignancies. Clinical Radiology, 2010, 65, 720-728.	0.5	9
139	Tumor cell embryonality and the ploidy number 32n: Is it a developmental checkpoint?. Cell Cycle, 2011, 10, 1873-1874.	1.3	9
140	Evaluation of apoptosis imaging biomarkers in a genetic model of cell death. EJNMMI Research, 2019, 9, 18.	1.1	9
141	Rituximab Cerebrospinal Fluid Levels in Patients with Primary Central Nervous System Lymphoma Treated with Intravenous High Dose Rituximab. Blood, 2011, 118, 1644-1644.	0.6	9
142	Five-Year Survival Data from a Pivotal Phase 2 Study of Brentuximab Vedotin in Patients with Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma. Blood, 2016, 128, 4144-4144.	0.6	9
143	Response: novel lysosomal-dependent cell death following homotypic adhesion occurs within cell aggregates. Blood, 2010, 116, 3373-3374.	0.6	8
144	Radiotherapy Research Priorities for the UK. Clinical Oncology, 2010, 22, 707-709.	0.6	8

#	Article	IF	CITATIONS
145	A study to investigate dose escalation of doxorubicin in ABVD chemotherapy for Hodgkin lymphoma incorporating biomarkers of response and toxicity. British Journal of Cancer, 2013, 109, 2560-2565.	2.9	8
146	Scientific rationale underpinning theÂdevelopment of biosimilar rituximab in hematological cancers and inflammatory diseases. Future Oncology, 2019, 15, 4223-4234.	1.1	8
147	Understanding the Effects of Radiotherapy on the Tumour Immune Microenvironment to Identify Potential Prognostic and Predictive Biomarkers of Radiotherapy Response. Cancers, 2020, 12, 2835.	1.7	8
148	Overall Survival Benefit for Patients with Relapsed Hodgkin Lymphoma Treated with Brentuximab Vedotin After Autologous Stem Cell Transplant. Blood, 2012, 120, 3701-3701.	0.6	7
149	Contemporary Treatment Patterns and Response in Relapsed/Refractory Cutaneous T-Cell Lymphoma (CTCL) across Five European Countries. Cancers, 2022, 14, 145.	1.7	7
150	The future of oncology training: From the trainees' perspective. Clinical Oncology, 1998, 10, 84-91.	0.6	6
151	Immune Checkpoint Inhibitors in Lung Cancer – An Unheralded Opportunity?. Clinical Oncology, 2017, 29, 207-217.	0.6	6
152	Pembrolizumab in Combination with Radiotherapy for Metastatic Melanoma — Introducing the PERM Trial. Clinical Oncology, 2018, 30, 201-203.	0.6	6
153	Allogeneic Transplant Following Brentuximab Vedotin Treatment in Patients with Relapsed or Refractory CD30+ Lymphomas. Blood, 2011, 118, 3091-3091.	0.6	6
154	Long-Term Remissions Observed in an Ongoing Phase 2 Study of Brentuximab Vedotin in Patients with Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma Blood, 2012, 120, 2745-2745.	0.6	6
155	Brentuximab Vedotin Administered Before, During, and After Multi-Agent Chemotherapy In Patients (pts) With Newly-Diagnosed CD30+ Mature T- and NK-Cell Lymphomas. Blood, 2013, 122, 4386-4386.	0.6	6
156	Arthritis and carcinoma Annals of the Rheumatic Diseases, 1993, 52, 86-86.	0.5	5
157	Immunotherapy with radiotherapy in urological malignancies. Current Opinion in Urology, 2016, 26, 514-522.	0.9	5
158	New-Generation Anti-CD20 Monoclonal Antibody (GA101) Evokes Homotypic Adhesion and Actin-Dependent, Lysosome-Mediated Cell Death in B-Cell Lymphoma Blood, 2009, 114, 725-725.	0.6	5
159	Frontline Treatment of CD30+ Peripheral T-Cell Lymphomas with Brentuximab Vedotin in Combination with CHP: 3-Year Durability and Survival Follow-up. Blood, 2015, 126, 1537-1537.	0.6	5
160	Four-Year Survival and Durability Results of Brentuximab Vedotin in Combination with CHP in the Frontline Treatment of Patients with CD30-Expressing Peripheral T-Cell Lymphomas. Blood, 2016, 128, 2993-2993.	0.6	5
161	Radioimmunotherapy: Strategies for the future in indolent and aggressive lymphoma. Current Oncology Reports, 2009, 11, 363-370.	1.8	4
162	When is a predose a dose too much?. Blood, 2009, 113, 6034-6035.	0.6	4

#	Article	IF	CITATIONS
163	New insights into the mechanisms of action of radioimmunotherapy in lymphoma. Journal of Pharmacy and Pharmacology, 2010, 60, 987-998.	1.2	4
164	XVII. Radiotherapy in early stage Hodgkin lymphoma. Hematological Oncology, 2013, 31, 92-95.	0.8	4
165	Synchronous apoptosis in established tumors leads to the induction of adaptive immunity. Oncolmmunology, 2013, 2, e24501.	2.1	4
166	Improving therapeutic activity of anti-CD20 antibody therapy through immunomodulation in lymphoid malignancies. Leukemia and Lymphoma, 2016, 57, 1269-1280.	0.6	4
167	Novel Methods to Improve the Efficiency of Radioimmunotherapy for Non-Hodgkin Lymphoma. International Reviews of Immunology, 2019, 38, 79-91.	1.5	3
168	Progress and pitfalls with the use of image-guided personalised approaches in lymphoma. British Journal of Radiology, 2021, 94, 20210609.	1.0	3
169	The ECHELON-2 Trial: Results of a Randomized, Double-Blind, Active-Controlled Phase 3 Study of Brentuximab Vedotin and CHP (A+CHP) Versus CHOP in the Frontline Treatment of Patients with CD30+ Peripheral T-Cell Lymphomas. Blood, 2018, 132, 997-997.	0.6	3
170	The Junior Radiology Forum: What do the trainees think about the future of oncology training?. Clinical Oncology, 1998, 10, 71-72.	0.6	2
171	Impairment of neurocognitive function in brain metastases patients: baseline results from the phase III trial with motexafin gadolinium. International Journal of Radiation Oncology Biology Physics, 2001, 51, 135-136.	0.4	2
172	Personalised approach to treating early Hodgkin's lymphoma. BMJ, The, 2015, 350, h2927-h2927.	3.0	2
173	Recommendations for the clinical management of the elderly patient with malignant lymphoma. Annals of Oncology, 2018, 29, 1069-1070.	0.6	2
174	Phase I/II Study of Fractionated Radioimmunotherapy (RIT) in Relapsed Low Grade Non-Hodgkin's Lymphoma (NHL) Blood, 2004, 104, 131-131.	0.6	2
175	177lu-Satetraxetan-Lilotomab in the Treatment of Patients with Indolent Non-Hodgkin B-Cell Lymphoma (NHL), Phase 1/2 Safety and Efficacy Data from Four Different Pre-Dosing Regimens. Blood, 2016, 128, 1780-1780.	0.6	2
176	Hypercalcaemia, Parathyroid Hormone-Related Protein and Malignancy. Clinical Oncology, 2001, 13, 372-377.	0.6	2
177	Abstract 5034: The antitumor immune response generated by radiation therapy may be limited by tumor cell adaptive resistance and can be circumvented by PD-L1 blockade. , 2014, , .		2
178	Lymphoma: advances in imaging and radiotherapy – introductory editorial. British Journal of Radiology, 2021, 94, 20219005.	1.0	2
179	The Echelon-2 Trial: 5-Year Exploratory Subgroup Analyses of a Randomized, Double-Blind, Phase 3 Study of Brentuximab Vedotin and CHP (A+CHP) Vs CHOP in Frontline Treatment of Pts with CD30-Positive Peripheral T-Cell Lymphoma. Blood, 2021, 138, 135-135.	0.6	2
		_	

180 Euthanasia.. BMJ: British Medical Journal, 1992, 305, 1225-1225.

2.4 1

#	Article	IF	CITATIONS
181	Trastuzumab: Designer Drug or Fashionable Fad?. Clinical Oncology, 2001, 13, 427-433.	0.6	1
182	Motexafin gadolinium prolongs time to neurologic progression in lung cancer patients with brain metastases: results of a randomized phase III trial. International Journal of Radiation Oncology Biology Physics, 2002, 54, 92.	0.4	1
183	Predictors of survival for patients with brain metastases: results of a randomized phase III trial. International Journal of Radiation Oncology Biology Physics, 2002, 54, 93.	0.4	1
184	Anti-CD40: Janus or gatekeeper?. Blood, 2005, 106, 2595-2596.	0.6	1
185	A50 iodogen labelling method preserves immunoreactivity of high specific activity 1311-labelled rituximab for clinical RIT. Nuclear Medicine Communications, 2006, 27, 293-294.	0.5	1
186	Current Developments in Specialty Training. Clinical Oncology, 2011, 23, 431-433.	0.6	1
187	X. When should radiotherapy be used in lymphoma?. Annals of Oncology, 2011, 22, iv57-iv60.	0.6	1
188	New opportunities for anti-CD20 monoclonal antibody to give a direct punch to the tumor. Leukemia and Lymphoma, 2014, 55, 3-4.	0.6	1
189	Comment on: "Clinical Features, Management, and Prognosis of an International Series of 161 Patients With Limited‣tage Diffuse Large B ell Lymphoma of the Bone (the IELSGâ€14 Study)― Oncologist, 2014, 1 1289-1289.	9,.9	1
190	How do we move towards a personalised approach in the treatment of Early Hodgkin lymphoma?. British Journal of Haematology, 2018, 182, 163-164.	1.2	1
191	Is it time to rethink checkpoint blockade therapy in nonâ€Hodgkin lymphoma?. British Journal of Haematology, 2020, 191, 13-14.	1.2	1
192	Novel Mechanisms of Non-Apoptotic Cell Death Evoked by Type II Anti-CD20 (Tositumomab) and HLA-DR Monoclonal Antibodies. Blood, 2008, 112, 883-883.	0.6	1
193	Clinical Measurement of Prognostic Immune Signature in Follicular Lymphoma by RT-PCR Based Gene Expression Profiling and Immunohistochemistry Demonstrates Favourable T-Cell and Unfavorable Macrophage Infiltration Blood, 2007, 110, 359-359.	0.6	1
194	Harmonization of programmed cell death ligand-1 diagnostic assays in non-small cell lung cancer. Translational Cancer Research, 2017, 6, S553-S556.	0.4	1
195	Effect of dihydroxy-bile salts on the interaction of trypsin and trypsin inhibitors. Biochemical Society Transactions, 1988, 16, 168-168.	1.6	0
196	Most troublesome quality of life concerns in patients with brain metastases: baseline results from the phase III trial with motexafin gadolinium. International Journal of Radiation Oncology Biology Physics, 2001, 51, 410.	0.4	0
197	A21 The microscopic tumour biodistribution of 131I-labelled mAb is critical in predicting successful radioimmunotherapy of lymphoma. Nuclear Medicine Communications, 2006, 27, 286.	0.5	0
198	Safety and Efficacy of I(131) Tositumomab in the Treatment of non-Hodgkin's Lymphoma. Clinical Medicine Therapeutics, 2009, 1, CMT.S2124.	0.1	0

#	Article	IF	CITATIONS
199	Profile of brentuximab vedotin and its potential in the treatment of relapsed or refractory Hodgkin lymphoma. Blood and Lymphatic Cancer: Targets and Therapy, 2012, , 99.	1.2	0
200	Brentuximab Vedotin in Combination with Chp in Patients (Pts) with Newly-Diagnosed Cd30+ Peripheral T-Cell Lymphomas (Ptcl): 2-Year Follow-Up. Annals of Oncology, 2014, 25, iv327.	0.6	0
201	Phase 3 Trial of Brentuximab Vedotin and Chp Versus Chop in the Frontline Treatment of Patients (Pts) with Cd30+ Mature T-Cell Lymphomas (Mtcl). Annals of Oncology, 2014, 25, iv338.	0.6	0
202	Balancing Risks in Developing a Personalised Approach to the Treatment of Early Hodgkin Lymphoma: Have We Got the Balance Right?. Clinical Oncology, 2015, 27, 454-456.	0.6	0
203	A novel approach to low dose total skin electron beam therapy (TSEBT). European Journal of Cancer, 2018, 101, S31.	1.3	0
204	Revisiting the role of radiotherapy in Hodgkin lymphoma to augment systemic immunity. Leukemia and Lymphoma, 2018, 59, 2519-2520.	0.6	0
205	Immunogenic Effects of Radiotherapy for Bladder Cancer. Clinical Oncology, 2019, 31, e26.	0.6	0
206	CLINICAL OUTCOMES ASSOCIATED WITH THE TREATMENT OF NEWLY DIAGNOSED STAGE IV CLASSICAL HODGKIN LYMPHOMA IN PRACTICE SETTINGS IN FRANCE, GERMANY AND THE UNITED KINGDOM. Hematological Oncology, 2019, 37, 488-490.	0.8	0
207	TCL-150: The ECHELON-2 Trial: 5-Year Results of a Randomized, Double-Blind, Phase 3 Study of Brentuximab Vedotin and CHP (A+CHP) Versus CHOP in Frontline Treatment of Patients with CD30-Positive Peripheral T-Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S411.	0.2	0
208	Cyclophosphamide Induced CD11b+ Cells Can Inhibit Anti-CD40 Monoclonal Antibody (mAb) Therapy of B-Cell Lymphoma Blood, 2004, 104, 3280-3280.	0.6	0
209	Macrophage Depletion Can Enhance Combined Radiation and Anti-CD40 Monoclonal Antibody Therapy of B-Cell Lymphoma Blood, 2006, 108, 2501-2501.	0.6	0
210	Treatment with the Anti-CD20 Antibody (B1) and Irradiation Result in Synergistic Cytotoxicity That Is Dependent on MAPK Activation Blood, 2006, 108, 2508-2508.	0.6	0
211	A Blood Borne Biomarker of Cell Death (nucleosomal DNA) Is An Early Predictor of End of Treatment Response to Chemotherapy in Lymphoma. Blood, 2008, 112, 4828-4828.	0.6	0
212	Abstract C184: Validation of an ELISA for the determination of Rituximab pharmacokinetics in clinical trials subjects. , 2009, , .		0
213	Anti-HLA-DR Monoclonal Antibody Evokes a Novel Non-Apoptotic Cell Death Pathway In Acute Lymphoblastic Leukemia. Blood, 2010, 116, 3245-3245.	0.6	0
214	Antibody-Induced Non-Apoptotic Cell Death in Human Lymphoma and Leukemia Cells Is Mediated Through NADPH Oxidase-Derived Reactive Oxygen Species. Blood, 2011, 118, 1651-1651.	0.6	0
215	Abstract SY31-02: The interplay of radiotherapy with the tumour microenvironment: Novel opportunities to overcome adaptive resistance. , 2016, , .		0