

Olivier Outteryck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8711455/publications.pdf>

Version: 2024-02-01

31
papers

1,599
citations

394421

19
h-index

454955

30
g-index

31
all docs

31
docs citations

31
times ranked

2302
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Retinal layer segmentation in multiple sclerosis: a systematic review and meta-analysis. <i>Lancet Neurology</i> , The, 2017, 16, 797-812. | 10.2 | 397 |
| 2 | Retinal thickness measured with optical coherence tomography and risk of disability worsening in multiple sclerosis: a cohort study. <i>Lancet Neurology</i> , The, 2016, 15, 574-584. | 10.2 | 266 |
| 3 | COVID-19 Neurologic Complication with CNS Vasculitis-Like Pattern. <i>American Journal of Neuroradiology</i> , 2020, 41, 1384-1387. | 2.4 | 128 |
| 4 | Rituximab as first-line therapy in neuromyelitis optica: efficiency and tolerability. <i>Journal of Neurology</i> , 2015, 262, 2329-2335. | 3.6 | 86 |
| 5 | Punctate pattern. <i>Neurology</i> , 2016, 86, 1516-1523. | 1.1 | 65 |
| 6 | A comparative optical coherence tomography study in neuromyelitis optica spectrum disorder and multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1781-1793. | 3.0 | 64 |
| 7 | JC-virus seroconversion in multiple sclerosis patients receiving natalizumab. <i>Multiple Sclerosis Journal</i> , 2014, 20, 822-829. | 3.0 | 62 |
| 8 | Optical coherence tomography in myelin-oligodendrocyte-glycoprotein antibody-seropositive patients: a longitudinal study. <i>Journal of Neuroinflammation</i> , 2019, 16, 154. | 7.2 | 61 |
| 9 | Demographic and clinic characteristics of French patients treated with natalizumab in clinical practice. <i>Journal of Neurology</i> , 2010, 257, 207-211. | 3.6 | 41 |
| 10 | Asymptomatic Progressive Multifocal Leukoencephalopathy Associated with Natalizumab: Diagnostic Precision with MR Imaging. <i>Radiology</i> , 2016, 278, 863-872. | 7.3 | 38 |
| 11 | Optical Coherence Tomography in Clinically Isolated Syndrome. <i>Archives of Neurology</i> , 2009, 66, 1373-7. | 4.5 | 37 |
| 12 | Asymptomatic optic nerve lesions. <i>Neurology</i> , 2020, 94, e2468-e2478. | 1.1 | 37 |
| 13 | Comparison of 3D double inversion recovery and 2D STIR FLAIR MR sequences for the imaging of optic neuritis: pilot study. <i>European Radiology</i> , 2014, 24, 3069-3075. | 4.5 | 36 |
| 14 | Anti-JCV antibody prevalence in a French cohort of MS patients under natalizumab therapy. <i>Journal of Neurology</i> , 2012, 259, 2293-2298. | 3.6 | 34 |
| 15 | Optical coherence tomography: a window to the optic nerve in clinically isolated syndrome. <i>Brain</i> , 2019, 142, 903-915. | 7.6 | 33 |
| 16 | Artificial intelligence extension of the OSCAR criteria. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 1528-1542. | 3.7 | 33 |
| 17 | Optical coherence tomography for detection of asymptomatic optic nerve lesions in clinically isolated syndrome. <i>Neurology</i> , 2020, 95, e733-e744. | 1.1 | 29 |
| 18 | MD1003 (High-Dose Pharmaceutical-Grade Biotin) for the Treatment of Chronic Visual Loss Related to Optic Neuritis in Multiple Sclerosis: A Randomized, Double-Blind, Placebo-Controlled Study. <i>CNS Drugs</i> , 2018, 32, 661-672. | 5.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Neuralgic amyotrophy triggered by hepatitis E virus: a particular phenotype. <i>Journal of Neurology</i> , 2017, 264, 770-780. | 3.6 | 25 |
| 20 | Extensive myelitis associated with anti-NMDA receptor antibodies. <i>BMC Neurology</i> , 2013, 13, 211. | 1.8 | 21 |
| 21 | Optic Nerve Lesion Length at the Acute Phase of Optic Neuritis Is Predictive of Retinal Neuronal Loss. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022, 9, . | 6.0 | 16 |
| 22 | Methionine synthase deficiency: A rare cause of adult-onset leukoencephalopathy. <i>Neurology</i> , 2012, 79, 386-388. | 1.1 | 13 |
| 23 | Optic nerve double inversion recovery hypersignal in patients with clinically isolated syndrome is associated with asymptomatic gadolinium-enhanced lesion. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1888-1895. | 3.0 | 12 |
| 24 | Follow-Up MRI for Small Brain AVMs Treated by Radiosurgery: Is Gadolinium Really Necessary?. <i>American Journal of Neuroradiology</i> , 2020, 41, 437-445. | 2.4 | 9 |
| 25 | Long-term effect of natalizumab in patients with RRMS: TYSTEN cohort. <i>Multiple Sclerosis Journal</i> , 2021, 27, 729-741. | 3.0 | 9 |
| 26 | Natalizumab in relapsing-remitting multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2016, 16, 471-481. | 2.8 | 8 |
| 27 | Continuous hemifacial myokymia as the revealing symptom of demyelinating disease of the CNS. <i>Multiple Sclerosis and Related Disorders</i> , 2017, 11, 10-11. | 2.0 | 4 |
| 28 | Late-onset of Alpers-Huttenlocher syndrome: an unusual cause of refractory epilepsy and liver failure. <i>Acta Neurologica Belgica</i> , 2017, 117, 399-401. | 1.1 | 3 |
| 29 | Magnetic resonance imaging changes following natalizumab discontinuation in multiple sclerosis patients with progressive multifocal leukoencephalopathy. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1902-1908. | 3.0 | 3 |
| 30 | OCT Findings in Neuromyelitis Optica Spectrum Disorders. , 2016, , 85-96. | | 2 |
| 31 | Autoimmune cerebellar ataxia with glutamic acid decarboxylase 65 antibodies associated with central vestibular symptoms. <i>Acta Neurologica Belgica</i> , 2017, 117, 775-776. | 1.1 | 1 |