

Valerie G A Suter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8715817/publications.pdf>

Version: 2024-02-01

25
papers

568
citations

759233

12
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

606
citing authors

#	ARTICLE	IF	CITATIONS
1	Ankyloglossia: Facts and Myths in Diagnosis and Treatment. <i>Journal of Periodontology</i> , 2009, 80, 1204-1219.	3.4	142
2	Effect of laser on pain relief and wound healing of recurrent aphthous stomatitis: a systematic review. <i>Lasers in Medical Science</i> , 2017, 32, 953-963.	2.1	68
3	Morphologic characteristics, location, and associated complications of maxillary and mandibular supernumerary teeth as evaluated using cone beam computed tomography. <i>European Journal of Orthodontics</i> , 2014, 36, 708-718.	2.4	49
4	The Nasopalatine Duct Cyst: An Analysis of the Relation Between Clinical Symptoms, Cyst Dimensions, and Involvement of Neighboring Anatomical Structures Using Cone Beam Computed Tomography. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, 2595-2603.	1.2	38
5	Expansive Nasopalatine Duct Cysts with Nasal Involvement Mimicking Apical Lesions of Endodontic Origin: A Report of Two Cases. <i>Journal of Endodontics</i> , 2011, 37, 1320-1326.	3.1	31
6	A randomized controlled clinical and histopathological trial comparing excisional biopsies of oral fibrous hyperplasias using CO ₂ and Er:YAG laser. <i>Lasers in Medical Science</i> , 2017, 32, 573-581.	2.1	27
7	Cone beam computed tomography artefacts around dental implants with different materials influencing the detection of peri-implant bone defects. <i>Clinical Oral Implants Research</i> , 2020, 31, 595-606.	4.5	27
8	Localization of impacted maxillary canines and root resorption of neighbouring teeth: a study assessing the diagnostic value of panoramic radiographs in two groups of observers. <i>European Journal of Orthodontics</i> , 2014, 36, 450-456.	2.4	23
9	CO ₂ and diode laser for excisional biopsies of oral mucosal lesions. A pilot study evaluating clinical and histopathological parameters. <i>Schweizerische Monatsschrift für Zahnmedizin = Revue Mensuelle Suisse D'odonto-stomatologie = Rivista Mensile Svizzera Di Odontologia E Stomatologia</i> , 2010, 120, 664-71.	0.3	18
10	Sinus floor elevation or referral for further diagnosis and therapy: A comparison of maxillary sinus assessment by ENT specialists and dentists using cone beam computed tomography. <i>Clinical Oral Implants Research</i> , 2020, 31, 463-475.	4.5	16
11	Is the pneumatization of the maxillary sinus following tooth loss a reality? A retrospective analysis using cone beam computed tomography and a customised software program. <i>Clinical Oral Investigations</i> , 2019, 23, 1349-1358.	3.0	15
12	Evaluation of a possible association between a history of dentoalveolar injury and the shape and size of the nasopalatine canal. <i>Clinical Oral Investigations</i> , 2016, 20, 553-561.	3.0	14
13	Comparative evaluation of SPECT/CT and CBCT in patients with mandibular osteomyelitis and osteonecrosis. <i>Clinical Oral Investigations</i> , 2019, 23, 4213-4222.	3.0	14
14	Risk factors for root resorption of second molars associated with impacted mandibular third molars. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2019, 48, 801-809.	1.5	13
15	Does a Pulsed Mode Offer Advantages Over a Continuous Wave Mode for Excisional Biopsies Performed Using a Carbon Dioxide Laser?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012, 70, 1781-1788.	1.2	12
16	Atypical hard tissue formation around multiple teeth. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, 138-145.	1.4	11
17	Radiographic volume analysis as a novel tool to determine nasopalatine duct cyst dimensions and its association with presenting symptoms and postoperative complications. <i>Clinical Oral Investigations</i> , 2015, 19, 1611-1618.	3.0	10
18	Pulsed versus continuous wave CO ₂ laser excisions of 100 oral fibrous hyperplasias: A randomized controlled clinical and histopathological study. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 396-404.	2.1	9

#	ARTICLE	IF	CITATIONS
19	Gustatory function and taste perception in patients with oral lichen planus and tongue involvement. <i>Clinical Oral Investigations</i> , 2017, 21, 957-964.	3.0	9
20	Perforation of the maxillary sinus floor during apical surgery of maxillary molars: A retrospective analysis using cone beam computed tomography. <i>Australian Endodontic Journal</i> , 2020, 46, 176-183.	1.5	7
21	Rituximab for the Treatment of Isolated Refractory Desquamative Gingivitis Due to Mucous Membrane Pemphigoid. <i>JAMA Dermatology</i> , 2016, 152, 1396.	4.1	6
22	Proximity of Vascular Bone Channel in the Lateral Sinus Wall to Root Apices of Maxillary First Molars: A Cone-beam Computed Tomographic Analysis. <i>Journal of Endodontics</i> , 2019, 45, 1472-1478.	3.1	6
23	Inter-Observer and Intra-Observer Variations in the Assessment of Epithelial Dysplasia in Oral Lichenoid Diseases. <i>Dermatopathology (Basel, Switzerland)</i> , 2021, 8, 84-88.	1.5	2
24	Scarring and chronic ulceration of the floor of the mouth. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 267-271.	0.4	1
25	The anatomical variability of the sphenoid sinus in CBCT - a retrospective study. <i>Swiss Dental Journal</i> , 2021, 132, .	0.1	0