
Liang Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8716414/publications.pdf Version: 2024-02-01



Цимс 7ноц

#	Article	IF	CITATIONS
1	Prevalence of mental disorders in China: a cross-sectional epidemiological study. Lancet Psychiatry,the, 2019, 6, 211-224.	7.4	1,273
2	Prevalence of depressive disorders and treatment in China: a cross-sectional epidemiological study. Lancet Psychiatry,the, 2021, 8, 981-990.	7.4	264
3	Mental Disorders and Suicide Among Young Rural Chinese: A Case-Control Psychological Autopsy Study. American Journal of Psychiatry, 2010, 167, 773-781.	7.2	154
4	Differentiation of Induced Pluripotent Stem Cells of Swine into Rod Photoreceptors and Their Integration into the Retina. Stem Cells, 2011, 29, 972-980.	3.2	123
5	Loneliness and depression among rural empty-nest elderly adults in Liuyang, China: a cross-sectional study. BMJ Open, 2017, 7, e016091.	1.9	99
6	Being left-behind, mental disorder, and elderly suicide in rural China: a case–control psychological autopsy study. Psychological Medicine, 2019, 49, 458-464.	4.5	96
7	PHQ-9 and PHQ-2 for Screening Depression in Chinese Rural Elderly. PLoS ONE, 2016, 11, e0151042.	2.5	80
8	Traditional, complementary, and alternative medicine approaches to mental health care and psychological wellbeing in India and China. Lancet Psychiatry,the, 2016, 3, 660-672.	7.4	75
9	Mental Health Help-Seeking Intentions and Preferences of Rural Chinese Adults. PLoS ONE, 2015, 10, e0141889.	2.5	50
10	Assessment of mental health literacy using a multifaceted measure among a Chinese rural population. BMJ Open, 2015, 5, e009054.	1.9	47
11	CC Chemokine Ligand 18 Correlates with Malignant Progression of Prostate Cancer. BioMed Research International, 2014, 2014, 1-10.	1.9	43
12	A cross-sectional study on risk factors and their interactions with suicidal ideation among the elderly in rural communities of Hunan, China. BMJ Open, 2016, 6, e010914.	1.9	40
13	The China Mental Health Survey (CMHS): I. background, aims and measures. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1559-1569.	3.1	40
14	Spheroid Mesenchymal Stem Cells and Mesenchymal Stem Cell-Derived Microvesicles: Two Potential Therapeutic Strategies. Stem Cells and Development, 2016, 25, 203-213.	2.1	39
15	The China Mental Health Survey: II. Design and field procedures. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1547-1557.	3.1	34
16	Loneliness, hopelessness and suicide in later life: a case–control psychological autopsy study in rural China. Epidemiology and Psychiatric Sciences, 2020, 29, e119.	3.9	33
17	Epidemiology of Alcohol Abuse and Dependence in Rural Chinese Men. Alcoholism: Clinical and Experimental Research, 2009, 33, 1770-1776.	2.4	32
18	Epidemiology of Alcohol Use in Rural Men in Two Provinces of China. Journal of Studies on Alcohol and Drugs, 2011, 72, 333-340.	1.0	28

LIANG ZHOU

#	Article	IF	CITATIONS
19	Psychometric properties of the 15-item positive subscale of the community assessment of psychic experiences. Schizophrenia Research, 2020, 222, 160-166.	2.0	28
20	Recognition of depression, anxiety, and alcohol abuse in a Chinese rural sample: a cross-sectional study. BMC Psychiatry, 2016, 16, 93.	2.6	26
21	Signal Factors Secreted by 2D and Spheroid Mesenchymal Stem Cells and by Cocultures of Mesenchymal Stem Cells Derived Microvesicles and Retinal Photoreceptor Neurons. Stem Cells International, 2017, 2017, 1-13.	2.5	25
22	Validating the Geriatric Depression Scale with proxy-based data: A case-control psychological autopsy study in rural China. Journal of Affective Disorders, 2018, 241, 533-538.	4.1	25
23	Changes in psychotic-like experiences and related influential factors in technical secondary school and college students during COVID-19. Schizophrenia Research, 2021, 231, 3-9.	2.0	22
24	A Case Control Study of Suicides in China with and Without Mental Disorder. Crisis, 2009, 30, 68-72.	1.2	21
25	The validity of proxy-based data on loneliness in suicide research: a case-control psychological autopsy study in rural China. BMC Psychiatry, 2018, 18, 116.	2.6	21
26	Epigenetic and Genetic Alterations of the <i>EDNRB</i> Gene in Nasopharyngeal Carcinoma. Oncology, 2007, 72, 357-363.	1.9	20
27	Combined overexpression of HIVEP3 and SOX9 predicts unfavorable biochemical recurrence- free survival in patients with prostate cancer. OncoTargets and Therapy, 2014, 7, 137.	2.0	18
28	Development and effectiveness of a mobile phone application conducting health behavioral intervention among men who have sex with men, a randomized controlled trial: study protocol. BMC Public Health, 2017, 17, 355.	2.9	17
29	The comorbidity of mental and physical disorders with self-reported chronic back or neck pain: Results from the China Mental Health Survey. Journal of Affective Disorders, 2020, 260, 334-341.	4.1	17
30	miR-566 functions as an oncogene and a potential biomarker for prognosis in renal cell carcinoma. Biomedicine and Pharmacotherapy, 2018, 102, 718-727.	5.6	16
31	Oncogenic miR-663a is associated with cellular function and poor prognosis in renal cell carcinoma. Biomedicine and Pharmacotherapy, 2018, 105, 1155-1163.	5.6	16
32	Validating the Life Events Scale for the Elderly with proxyâ€based data: A case–control psychological autopsy study in rural China. Geriatrics and Gerontology International, 2019, 19, 547-551.	1.5	16
33	Disparities in Under-Five Child Injury Mortality between Developing and Developed Countries: 1990–2013. International Journal of Environmental Research and Public Health, 2016, 13, 653.	2.6	12
34	Reliability and validity of short Beck Hopelessness Scale in psychological autopsy study among Chinese rural elderly. International Psychogeriatrics, 2020, 32, 525-531.	1.0	12
35	Assessing the stigma toward chronic carriers of hepatitis <scp>B</scp> virus: development and validation of a Chinese college students' stigma scale. Journal of Applied Social Psychology, 2013, 43, E46.	2.0	11
36	Drug policy in China: progress and challenges. Lancet, The, 2014, 383, 509.	13.7	11

LIANG ZHOU

#	Article	IF	CITATIONS
37	MiR-302b regulates cell functions and acts as a potential biomarker to predict recurrence in bladder cancer. Life Sciences, 2018, 209, 15-23.	4.3	11
38	Primary adrenal teratoma: A case series and review of the literature. Molecular and Clinical Oncology, 2018, 9, 437-442.	1.0	11
39	Psychometric Characteristics of Duke Social Support Index Among Elderly Suicide in Rural China. Omega: Journal of Death and Dying, 2020, 82, 105-119.	1.0	11
40	Physical diseases and elderly suicide in rural China: A case–control psychological autopsy study. Australian and New Zealand Journal of Psychiatry, 2022, 56, 560-568.	2.3	11
41	Case Report: Prolonged VV-ECMO (111 Days) Support in a Patient With Severe COVID-19. Frontiers in Medicine, 2021, 8, 681548.	2.6	11
42	Gender differences in prevalence and correlates of antisocial personality disorder among heroin dependent users in compulsory isolation treatment in China. Addictive Behaviors, 2014, 39, 573-579.	3.0	10
43	The pattern of stressful life events prior to suicide among the older adults in rural China: a national case-control psychological autopsy study. BMC Geriatrics, 2020, 20, 473.	2.7	10
44	Detection of the Microvascular Changes of Diabetic Retinopathy Progression Using Optical Coherence Tomography Angiography. Translational Vision Science and Technology, 2021, 10, 31.	2.2	10
45	The Bidirectional Associations Between Insomnia and Psychotic-Like Experiences Before and During the COVID-19 Pandemic. Nature and Science of Sleep, 2021, Volume 13, 2029-2037.	2.7	9
46	Disability in Daily Living Activities, Family Dysfunction, and Late-Life Suicide in Rural China: A Case–Control Psychological Autopsy Study. Frontiers in Psychiatry, 2019, 10, 827.	2.6	8
47	Comparisons between selfâ€reported and interviewâ€verified psychoticâ€like experiences in adolescents. Microbial Biotechnology, 2022, 16, 69-77.	1.7	8
48	Perceived interpersonal pressure and drinking behavior in South China. Drug and Alcohol Dependence, 2013, 130, 122-128.	3.2	6
49	A social epidemiological study on HIV/AIDS in a village of Henan Province, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 302-308.	1.2	6
50	Completed Suicide With Violent and Non-violent Methods by the Elderly in Rural China: A Psychological Autopsy Study. Frontiers in Psychiatry, 2021, 12, 624398.	2.6	6
51	The Association of Depressive Symptoms with Disability among Adults in China. Journal of Affective Disorders, 2021, 296, 189-197.	4.1	5
52	Quantitative Evaluation of Retinal Microvascular Abnormalities in Patients With Type 2 Diabetes Mellitus Without Clinical Sign of Diabetic Retinopathy. Translational Vision Science and Technology, 2022, 11, 20.	2.2	5
53	Understanding the Reasons for Suicide Among Older Adults in Rural China Using In-Depth Interviews. Crisis, 2022, 43, 391-397.	1.2	4
54	Microvascular Structure Changes After Intravitreal Ranibizumab Injection in Retinal Vein Occlusion Patients With and Without Macular Ischemia. Frontiers in Medicine, 2021, 8, 737537.	2.6	4

LIANG ZHOU

#	Article	IF	CITATIONS
55	Suicide Means Used by the Older Adults in Rural China: A Comparison Between Those Using Pesticides and Other Means. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 319-326.	2.3	3
56	Family Functioning and Suicide Among the Elderly in Rural China. Journal of Nervous and Mental Disease, 2020, 208, 131-137.	1.0	3
57	The impact of suicidal death of rural older people to their relatives: Results from a national psychological autopsy study in China. Journal of Affective Disorders, 2019, 257, 307-313.	4.1	2
58	Psychometric Properties of the Suicide Stroop Task in a Chinese College Population. Frontiers in Psychology, 2021, 12, 586391.	2.1	2
59	Relationship between impulsivity and suicide among the rural elderly in China: a case-control psychological autopsy study. PeerJ, 2021, 9, e11801.	2.0	2
60	Clinical significance of mismatch negativity in predicting the awakening of comatose patients after severe brain injury. Journal of Neurophysiology, 2021, 126, 140-147.	1.8	2
61	Trans-base and trans-vault low-velocity penetrating brain injury: A retrospective comparative study of characteristics, treatment, and outcomes. Chinese Journal of Traumatology - English Edition, 2021, 24, 273-279.	1.4	2
62	The Mediating Role of Depressive Symptoms, Hopelessness, and Perceived Burden on the Association Between Pain Intensity and Late-Life Suicide in Rural China: A Case–Control Psychological Autopsy Study. Frontiers in Psychiatry, 2021, 12, 779178.	2.6	2
63	Quality of Life, Hopelessness, Impulsivity, and Suicide in the Rural Elderly in China: A Moderated Mediation Analysis of Psychological Autopsy Data. Frontiers in Public Health, 0, 10, .	2.7	2
64	Case Report: Adult Retinoblastoma Progression in 19 Months. Optometry and Vision Science, 2020, 97, 1010-1016.	1.2	1
65	Attitude toward and practice of using traditional Chinese medicine in psychiatry: A mixed study of forty-nine leading psychiatrists in China. European Journal of Integrative Medicine, 2020, 37, 101142.	1.7	1
66	Studying suicide using proxy-based data: reliability and validity of a short version scale for measuring quality of life in rural China. PeerJ, 2021, 9, e12396.	2.0	1
67	Topographical Relationship Between Acute Macular Neuroretinopathy and Choroidal Watershed Zone or Patchy Choroidal Filling. Frontiers in Medicine, 2022, 9, 762609.	2.6	1
68	The Epidemiology of Depressive Disorders and Service Use in China: Findings from the China Mental Health Survey. SSRN Electronic Journal, 0, , .	0.4	0