

Michele Pagano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8717591/publications.pdf>

Version: 2024-02-01

186
papers

31,327
citations

9428

76
h-index

5102

172
g-index

269
all docs

269
docs citations

269
times ranked

34937
citing authors

#	ARTICLE	IF	CITATIONS
1	EMSY inhibits homologous recombination repair and the interferon response, promoting lung cancer immune evasion. <i>Cell</i> , 2022, 185, 169-183.e19.	13.5	38
2	The NSP14/NSP10 RNA repair complex as a Pan-coronavirus therapeutic target. <i>Cell Death and Differentiation</i> , 2022, 29, 285-292.	5.0	32
3	Discriminative SKP2 Interactions with CDK-Cyclin Complexes Support a Cyclin A-Specific Role in p27KIP1 Degradation. <i>Journal of Molecular Biology</i> , 2021, 433, 166795.	2.0	10
4	Linking ubiquitin to actin dynamics during cell fusion. <i>Developmental Cell</i> , 2021, 56, 569-570.	3.1	2
5	ORF10â€Cullin-2â€ZYG11B complex is not required for SARS-CoV-2 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	26
6	CRL4AMBRA1 is a master regulator of D-type cyclins. <i>Nature</i> , 2021, 592, 789-793.	13.7	78
7	AMBRA1 regulates cyclin D to guard S-phase entry and genomic integrity. <i>Nature</i> , 2021, 592, 799-803.	13.7	78
8	ULK1 inhibition overcomes compromised antigen presentation and restores antitumor immunity in LKB1-mutant lung cancer. <i>Nature Cancer</i> , 2021, 2, 503-514.	5.7	72
9	Ubiquitin ligases in cancer: Functions and clinical potentials. <i>Cell Chemical Biology</i> , 2021, 28, 918-933.	2.5	36
10	The Long-Lost Ligase: CRL4 ^{AMBRA1} Regulates the Stability of D-Type Cyclins. <i>DNA and Cell Biology</i> , 2021, 40, 1457-1461.	0.9	4
11	Loss of FBXO31-mediated degradation of DUSP6 dysregulates ERK and PI3K-AKT signaling and promotes prostate tumorigenesis. <i>Cell Reports</i> , 2021, 37, 109870.	2.9	15
12	A Novel FBXO45-Gef-H1 Axis Controls Oncogenic Signaling in B-Cell Lymphoma. <i>Blood</i> , 2021, 138, 711-711.	0.6	1
13	Epigenetic suppression of FBXL7 promotes metastasis. <i>Molecular and Cellular Oncology</i> , 2020, 7, 1833698.	0.3	4
14	APC/CCdh1 is required for the termination of chromosomal passenger complex activity upon mitotic exit. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	4
15	Epigenetic silencing of the ubiquitin ligase subunit FBXL7 impairs c-SRC degradation and promotes epithelial-to-mesenchymal transition and metastasis. <i>Nature Cell Biology</i> , 2020, 22, 1130-1142.	4.6	28
16	Interaction between NSMCE4A and GPS1 links the SMC5/6 complex to the COP9 signalosome. <i>BMC Molecular and Cell Biology</i> , 2020, 21, 36.	1.0	4
17	PHOTACs enable optical control of protein degradation. <i>Science Advances</i> , 2020, 6, eaay5064.	4.7	185
18	FBXL5 Regulates IRP2 Stability in Iron Homeostasis via an Oxygen-Responsive [2Fe2S] Cluster. <i>Molecular Cell</i> , 2020, 78, 31-41.e5.	4.5	87

#	ARTICLE	IF	CITATIONS
19	Loss of the deubiquitinase OTULIN promotes hepatocellular carcinoma (HCC) in an mTOR-dependent manner. <i>Cell Death and Differentiation</i> , 2020, 27, 1455-1456.	5.0	1
20	Genome-wide alterations of uracil distribution patterns in human DNA upon chemotherapeutic treatments. <i>ELife</i> , 2020, 9, .	2.8	13
21	Two Distinct E2F Transcriptional Modules Drive Cell Cycles and Differentiation. <i>Cell Reports</i> , 2019, 27, 3547-3560.e5.	2.9	41
22	GGTase3 is a newly identified geranylgeranyltransferase targeting a ubiquitin ligase. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 628-636.	3.6	56
23	Nrf2 Activation Promotes Lung Cancer Metastasis by Inhibiting the Degradation of Bach1. <i>Cell</i> , 2019, 178, 316-329.e18.	13.5	385
24	Cryptochromes-Mediated Inhibition of the CRL4Cop1-Complex Assembly Defines an Evolutionary Conserved Signaling Mechanism. <i>Current Biology</i> , 2019, 29, 1954-1962.e4.	1.8	24
25	Cyclin F Controls Cell-Cycle Transcriptional Outputs by Directing the Degradation of the Three Activator E2Fs. <i>Molecular Cell</i> , 2019, 74, 1264-1277.e7.	4.5	69
26	Mixed ubiquitin chains regulate DNA repair. <i>Genes and Development</i> , 2019, 33, 1615-1616.	2.7	7
27	The F-Box Domain-Dependent Activity of EMI1 Regulates PARPi Sensitivity in Triple-Negative Breast Cancers. <i>Molecular Cell</i> , 2019, 73, 224-237.e6.	4.5	58
28	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018, 25, 486-541.	5.0	4,036
29	\hat{I}^2 -TrCP- and Casein Kinase II-Mediated Degradation of Cyclin F Controls Timely Mitotic Progression. <i>Cell Reports</i> , 2018, 24, 3404-3412.	2.9	37
30	NS5A Promotes Constitutive Degradation of IP3R3 to Counteract Apoptosis Induced by Hepatitis C Virus. <i>Cell Reports</i> , 2018, 25, 833-840.e3.	2.9	20
31	PARP1-dependent recruitment of the FBXL10-RNF68-RNF2 ubiquitin ligase to sites of DNA damage controls H2A.Z loading. <i>ELife</i> , 2018, 7, .	2.8	37
32	The ULK1-FBXW5-SEC23B nexus controls autophagy. <i>ELife</i> , 2018, 7, .	2.8	63
33	FEM1 proteins are ancient regulators of SLBP degradation. <i>Cell Cycle</i> , 2017, 16, 556-564.	1.3	27
34	The G protein-coupled receptor GPR31 promotes membrane association of KRAS. <i>Journal of Cell Biology</i> , 2017, 216, 2329-2338.	2.3	24
35	PTEN counteracts FBXL2 to promote IP3R3- and Ca ²⁺ -mediated apoptosis limiting tumour growth. <i>Nature</i> , 2017, 546, 554-558.	13.7	182
36	The TDH-GCN5L1-Fbxo15-KBP axis limits mitochondrial biogenesis in mouse embryonic stem cells. <i>Nature Cell Biology</i> , 2017, 19, 341-351.	4.6	41

#	ARTICLE	IF	CITATIONS
37	Stability of Wake-Sleep Cycles Requires Robust Degradation of the PERIOD Protein. <i>Current Biology</i> , 2017, 27, 3454-3467.e8.	1.8	44
38	GCL and CUL3 Control the Switch between Cell Lineages by Mediating Localized Degradation of an RTK. <i>Developmental Cell</i> , 2017, 42, 130-142.e7.	3.1	27
39	FBXO11 (F-box protein 11). <i>Atlas of Genetics and Cytogenetics in Oncology and Haematology</i> , 2017, , .	0.1	0
40	Don't run biomedical science as a business. <i>Nature</i> , 2017, 547, 381-381.	13.7	7
41	Cyclin F-Mediated Degradation of SLBP Limits H2A.X Accumulation and Apoptosis upon Genotoxic Stress in G2. <i>Molecular Cell</i> , 2016, 64, 507-519.	4.5	64
42	TIMELESS Forms a Complex with PARP1 Distinct from Its Complex with TIPIN and Plays a Role in the DNA Damage Response. <i>Cell Reports</i> , 2015, 13, 451-459.	2.9	67
43	The Integrator complex controls the termination of transcription at diverse classes of gene targets. <i>Cell Research</i> , 2015, 25, 288-305.	5.7	113
44	SPOP Mutations or ERG Rearrangements Result in Enhanced Levels of ERG to Promote Cell Invasion in Prostate Cancer. <i>Molecular Cell</i> , 2015, 59, 883-884.	4.5	20
45	Degradation of Cep68 and PCNT cleavage mediate Cep215 removal from the PCM to allow centriole separation, disengagement and licensing. <i>Nature Cell Biology</i> , 2015, 17, 31-43.	4.6	69
46	Plk1 Protein Phosphorylates Phosphatase and Tensin Homolog (PTEN) and Regulates Its Mitotic Activity during the Cell Cycle. <i>Journal of Biological Chemistry</i> , 2014, 289, 14066-14074.	1.6	43
47	SCF ubiquitin ligase-targeted therapies. <i>Nature Reviews Drug Discovery</i> , 2014, 13, 889-903.	21.5	262
48	Cdh1, a Substrate-recruiting Component of Anaphase-promoting Complex/Cyclosome (APC/C) Ubiquitin E3 Ligase, Specifically Interacts with Phosphatase and Tensin Homolog (PTEN) and Promotes Its Removal from Chromatin. <i>Journal of Biological Chemistry</i> , 2014, 289, 17951-17959.	1.6	19
49	Critical role for IL-1 β in DNA damage-induced mucositis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E702-11.	3.3	42
50	DRE-1/FBXO11-Dependent Degradation of BLMP-1/BLIMP-1 Governs <i>C.Âlegans</i> Developmental Timing and Maturation. <i>Developmental Cell</i> , 2014, 28, 697-710.	3.1	72
51	The ubiquitin proteasome system â€” Implications for cell cycle control and the targeted treatment of cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 150-162.	1.9	214
52	SCFFbxo9 and CK2 direct the cellular response to growth factor withdrawal via Tel2/Tti1 degradation and promote survival in multiple myeloma. <i>Nature Cell Biology</i> , 2013, 15, 72-81.	4.6	76
53	A cyclin without cyclin-dependent kinases: cyclin F controls genome stability through ubiquitin-mediated proteolysis. <i>Trends in Cell Biology</i> , 2013, 23, 135-140.	3.6	82
54	FBH1 promotes DNA double-strand breakage and apoptosis in response to DNA replication stress. <i>Journal of Cell Biology</i> , 2013, 200, 141-149.	2.3	50

#	ARTICLE	IF	CITATIONS
55	SCFFBXL3 ubiquitin ligase targets cryptochromes at their cofactor pocket. <i>Nature</i> , 2013, 496, 64-68.	13.7	191
56	Mechanisms and function of substrate recruitment by F-box proteins. <i>Nature Reviews Molecular Cell Biology</i> , 2013, 14, 369-381.	16.1	549
57	Regulation of the CRL4Cdt2 Ubiquitin Ligase and Cell-Cycle Exit by the SCFFbxo11 Ubiquitin Ligase. <i>Molecular Cell</i> , 2013, 49, 1159-1166.	4.5	67
58	USP33 regulates centrosome biogenesis via deubiquitination of the centriolar protein CP110. <i>Nature</i> , 2013, 495, 255-259.	13.7	126
59	Aurora-A controls pre-replicative complex assembly and DNA replication by stabilizing geminin in mitosis. <i>Nature Communications</i> , 2013, 4, 1885.	5.8	34
60	Role of the Ubiquitin Proteasome System in the Heart. <i>Circulation Research</i> , 2013, 112, 1046-1058.	2.0	126
61	FBH1 protects melanocytes from transformation and is deregulated in melanomas. <i>Cell Cycle</i> , 2013, 12, 1128-1132.	1.3	20
62	FBXL2- and PTPL1-mediated degradation of p110-free p85 ¹² regulatory subunit controls the PI(3)K signalling cascade. <i>Nature Cell Biology</i> , 2013, 15, 472-480.	4.6	98
63	Coupled Activation and Degradation of eEF2K Regulates Protein Synthesis in Response to Genotoxic Stress. <i>Science Signaling</i> , 2012, 5, ra40.	1.6	76
64	FBXO11 targets BCL6 for degradation and is inactivated in diffuse large B-cell lymphomas. <i>Nature</i> , 2012, 481, 90-93.	13.7	256
65	APC/C ^{sup} Cdh1 ¹ controls the proteasome-mediated degradation of E2F3 during cell cycle exit. <i>Cell Cycle</i> , 2012, 11, 1999-2005.	1.3	27
66	Fbxw7 ^{1±} and GSK3-mediated degradation of p100 is a pro-survival mechanism in multiple myeloma. <i>Nature Cell Biology</i> , 2012, 14, 375-385.	4.6	168
67	BubR1 Is Modified by Sumoylation during Mitotic Progression. <i>Journal of Biological Chemistry</i> , 2012, 287, 4875-4882.	1.6	27
68	SCF-Mediated Degradation of p100 (NF- κ B2): Mechanisms and Relevance in Multiple MyelomaA Presentation from the Sixth International Conference on SUMO, Ubiquitin and UBL proteins: Implications for Human Diseases, MD Anderson Cancer Center, Houston, Texas, 8 to 11 February 2012.. <i>Science Signaling</i> , 2012, 5, pt14.	1.6	14
69	Specific Small Molecule Inhibitors of Skp2-Mediated p27 Degradation. <i>Chemistry and Biology</i> , 2012, 19, 1515-1524.	6.2	187
70	Cyclin F-Mediated Degradation of Ribonucleotide Reductase M2 Controls Genome Integrity and DNA Repair. <i>Cell</i> , 2012, 149, 1023-1034.	13.5	313
71	SCF ubiquitin ligases in the maintenance of genome stability. <i>Trends in Biochemical Sciences</i> , 2012, 37, 66-73.	3.7	85
72	SCFFbxo45 controls cytokinesis through ubiquitin-mediated proteolysis of GEF β H1. <i>FASEB Journal</i> , 2012, 26, lb110.	0.2	0

#	ARTICLE	IF	CITATIONS
73	mTOR Generates an Auto-Amplification Loop by Triggering the \hat{I}^2 TrCP- and CK1 \hat{I}^{\pm} -Dependent Degradation of DEPTOR. <i>Molecular Cell</i> , 2011, 44, 317-324.	4.5	175
74	The impact of Skp2 overexpression on recurrence-free survival following radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 302-308.	0.8	18
75	Clinical relevance of SKP2 alterations in metastatic melanoma. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 197-206.	1.5	46
76	MCL1 meets its end during mitotic arrest. <i>EMBO Reports</i> , 2011, 12, 384-385.	2.0	19
77	APC/CCdh1-dependent proteolysis of USP1 regulates the response to UV-mediated DNA damage. <i>Journal of Cell Biology</i> , 2011, 194, 177-186.	2.3	63
78	Linking metabolism and cell cycle progression via the APC/C ^{Cdh1} and SCF ^{\hat{I}^2TrCP} ubiquitin ligases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20857-20858.	3.3	16
79	FBXW5 controls centrosome number. <i>Nature Cell Biology</i> , 2011, 13, 888-890.	4.6	10
80	SCFCyclin F controls centrosome homeostasis and mitotic fidelity through CP110 degradation. <i>Nature</i> , 2010, 466, 138-142.	13.7	235
81	Spermatogenesis rescue in a mouse deficient for the ubiquitin ligase SCF ^{\hat{I}^2-TrCP} by single substrate depletion. <i>Genes and Development</i> , 2010, 24, 470-477.	2.7	37
82	Spindle assembly checkpoint inactivation: A new role for phosphatases. <i>Cell Cycle</i> , 2010, 9, 642-651.	1.3	0
83	Phosphorylation of Ser72 is dispensable for Skp2 assembly into an active SCF ubiquitin ligase and its subcellular localization. <i>Cell Cycle</i> , 2010, 9, 971-974.	1.3	31
84	Cdc25 phosphatases. <i>Cell Cycle</i> , 2010, 9, 4613-4614.	1.3	9
85	Tumor Suppressor Function of Androgen Receptor Coactivator ARA70 \hat{I}^{\pm} in Prostate Cancer. <i>American Journal of Pathology</i> , 2010, 176, 1891-1900.	1.9	30
86	Thrombin Induces Tumor Cell Cycle Activation and Spontaneous Growth by Down-regulation of p27Kip1, in Association with the Up-regulation of Skp2 and MiR-222. <i>Cancer Research</i> , 2009, 69, 3374-3381.	0.4	56
87	INTS3 controls the hSSB1-mediated DNA damage response. <i>Journal of Cell Biology</i> , 2009, 187, 25-32.	2.3	80
88	Control of cell growth by the SCF and APC/C ubiquitin ligases. <i>Current Opinion in Cell Biology</i> , 2009, 21, 816-824.	2.6	145
89	Wnt Signaling in Mitosis. <i>Developmental Cell</i> , 2009, 17, 749-750.	3.1	48
90	SnapShot: F Box Proteins I. <i>Cell</i> , 2009, 137, 1160-1160.e1.	13.5	113

#	ARTICLE	IF	CITATIONS
91	SnapShot: F Box Proteins II. <i>Cell</i> , 2009, 137, 1358.e1-1358.e2.	13.5	107
92	Î²-TrCP- and Rsk1/2-Mediated Degradation of BimEL Inhibits Apoptosis. <i>Molecular Cell</i> , 2009, 33, 109-116.	4.5	157
93	APC/C- and Mad2-mediated degradation of Cdc20 during spindle checkpoint activation. <i>Cell Cycle</i> , 2009, 8, 167-171.	1.3	78
94	Control of chromosome stability by the Î²-TrCPâ€“RESTâ€“Mad2 axis. <i>Nature</i> , 2008, 452, 365-369.	13.7	181
95	Cdh1: a master G0/G1 regulator. <i>Nature Cell Biology</i> , 2008, 10, 755-757.	4.6	55
96	The HECT-domain ubiquitin ligase Huwe1 controls neural differentiation and proliferation by destabilizing the N-Myc oncoprotein. <i>Nature Cell Biology</i> , 2008, 10, 643-653.	4.6	234
97	Deregulated proteolysis by the F-box proteins SKP2 and Î²-TrCP: tipping the scales of cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 438-449.	12.8	836
98	APE/Ref-1 makes fine-tuning of CD40-induced B cell proliferation. <i>Molecular Immunology</i> , 2008, 45, 3731-3739.	1.0	11
99	The Cdc14B-Cdh1-Plk1 Axis Controls the G2 DNA-Damage-Response Checkpoint. <i>Cell</i> , 2008, 134, 256-267.	13.5	365
100	Stimulation of Prostate Cancer Cellular Proliferation and Invasion by the Androgen Receptor Co-Activator ARA70 ^{Î²} . <i>American Journal of Pathology</i> , 2008, 172, 225-235.	1.9	47
101	PCNA-dependent regulation of p21 ubiquitylation and degradation via the CRL4 ^{Cdt2} ubiquitin ligase complex. <i>Genes and Development</i> , 2008, 22, 2496-2506.	2.7	334
102	Rac1 accumulates in the nucleus during the G2 phase of the cell cycle and promotes cell division. <i>Journal of Cell Biology</i> , 2008, 181, 485-496.	2.3	153
103	KDM2A represses transcription of centromeric satellite repeats and maintains the heterochromatic state. <i>Cell Cycle</i> , 2008, 7, 3539-3547.	1.3	125
104	The After-Hours Mutant Reveals a Role for Fbxl3 in Determining Mammalian Circadian Period. <i>Science</i> , 2007, 316, 897-900.	6.0	434
105	Multisite Phosphorylation of Nuclear Interaction Partner of ALK (NIPA) at G2/M Involves Cyclin B1/Cdk1. <i>Journal of Biological Chemistry</i> , 2007, 282, 15965-15972.	1.6	28
106	Substrate Recognition and Ubiquitination of SCFSkp2/Cks1 Ubiquitin-Protein Isopeptide Ligase. <i>Journal of Biological Chemistry</i> , 2007, 282, 15462-15470.	1.6	19
107	SCFFbxl3 Controls the Oscillation of the Circadian Clock by Directing the Degradation of Cryptochrome Proteins. <i>Science</i> , 2007, 316, 900-904.	6.0	445
108	DRE-1: An Evolutionarily Conserved F Box Protein that Regulates <i>C. elegans</i> Developmental Age. <i>Developmental Cell</i> , 2007, 12, 443-455.	3.1	61

#	ARTICLE	IF	CITATIONS
109	APC/CCdc20 Controls the Ubiquitin-Mediated Degradation of p21 in Prometaphase. <i>Molecular Cell</i> , 2007, 27, 462-473.	4.5	181
110	Wrenches in the works: drug discovery targeting the SCF ubiquitin ligase and APC/C complexes. <i>BMC Biochemistry</i> , 2007, 8, S9.	4.4	35
111	The pRb- Cdh1 -p27 autoamplifying network. <i>Nature Cell Biology</i> , 2007, 9, 137-138.	4.6	1
112	JHDM1B/FBXL10 is a nucleolar protein that represses transcription of ribosomal RNA genes. <i>Nature</i> , 2007, 450, 309-313.	13.7	259
113	Constitutive Phosphorylation of Aurora-A on Ser51 Induces Its Stabilization and Consequent Overexpression in Cancer. <i>PLoS ONE</i> , 2007, 2, e944.	1.1	44
114	Two different ubiquitin ligases control the abundance of Claspin at different phases of the cell cycle. <i>FASEB Journal</i> , 2007, 21, A154.	0.2	0
115	A peptidomimetic siRNA transfection reagent for highly effective gene silencing. <i>Molecular BioSystems</i> , 2006, 2, 312.	2.9	58
116	S6K1- and ATRCP -Mediated Degradation of PDCD4 Promotes Protein Translation and Cell Growth. <i>Science</i> , 2006, 314, 467-471.	6.0	637
117	American Idol and NIH Grant Review. <i>Cell</i> , 2006, 126, 637-638.	13.5	17
118	Response: More Money and Less Time!. <i>Cell</i> , 2006, 127, 664-665.	13.5	0
119	Stabilizers and Destabilizers Controlling Cell Cycle Oscillators. <i>Molecular Cell</i> , 2006, 22, 1-4.	4.5	112
120	SCF^{TrCP} -Mediated Degradation of Claspin Regulates Recovery from the DNA Replication Checkpoint Response. <i>Molecular Cell</i> , 2006, 23, 319-329.	4.5	264
121	Cell Division, a new open access online forum for and from the cell cycle community. , 2006, 1, 1.		19
122	Modification of Cul1 regulates its association with proteasomal subunits. <i>Cell Division</i> , 2006, 1, 5.	1.1	5
123	Degradation of Id2 by the anaphase-promoting complex couples cell cycle exit and axonal growth. <i>Nature</i> , 2006, 442, 471-474.	13.7	270
124	Skp2 Contains a Novel Cyclin A Binding Domain That Directly Protects Cyclin A from Inhibition by p27Kip1. <i>Journal of Biological Chemistry</i> , 2006, 281, 24058-24069.	1.6	32
125	Cdk1: the dominant sibling of Cdk2. <i>Nature Cell Biology</i> , 2005, 7, 779-781.	4.6	66
126	Skp2, the FoxO1 hunter. <i>Cancer Cell</i> , 2005, 7, 209-210.	7.7	60

#	ARTICLE	IF	CITATIONS
127	The Acidic Tail domain of Human Cdc34 is Required for p27Kip1 Ubiquitination and Complementation of a cdc34 Temperature Sensitive Yeast Strain. <i>Cell Cycle</i> , 2005, 4, 1421-1427.	1.3	17
128	Involvement of the SCF Complex in the Control of Cdh1 Degradation in S-phase. <i>Cell Cycle</i> , 2005, 4, 1230-1232.	1.3	56
129	Structural Basis of the Cks1-Dependent Recognition of p27Kip1 by the SCFSkp2 Ubiquitin Ligase. <i>Molecular Cell</i> , 2005, 20, 9-19.	4.5	255
130	Experimental Tests to Definitively Determine Ubiquitylation of a Substrate. <i>Methods in Enzymology</i> , 2005, 399, 249-266.	0.4	41
131	Varshavsky's Contributions. <i>Science</i> , 2004, 306, 1290-1292.	6.0	11
132	Don't Skip the G1 Phase: How APC/CCdh1 Keeps SCFSKP2 in Check. <i>Cell Cycle</i> , 2004, 3, 848-850.	1.3	27
133	Role of F-Box Protein \hat{I}^2 Trcp1 in Mammary Gland Development and Tumorigenesis. <i>Molecular and Cellular Biology</i> , 2004, 24, 8184-8194.	1.1	81
134	Ubiquitin-dependent Degradation of p73 Is Inhibited by PML. <i>Journal of Experimental Medicine</i> , 2004, 199, 1545-1557.	4.2	111
135	To Be or Not to Be...Ubiquitinated?. <i>Cell Cycle</i> , 2004, 3, 136-138.	1.3	28
136	Role of Polo-like kinase in the degradation of early mitotic inhibitor 1, a regulator of the anaphase promoting complex/cyclosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7937-7942.	3.3	192
137	The SCF ubiquitin ligase: insights into a molecular machine. <i>Nature Reviews Molecular Cell Biology</i> , 2004, 5, 739-751.	16.1	983
138	Control of the SCFSkp2 Cks1 ubiquitin ligase by the APC/CCdh1 ubiquitin ligase. <i>Nature</i> , 2004, 428, 190-193.	13.7	457
139	Cell cycle, proteolysis and cancer. <i>Current Opinion in Cell Biology</i> , 2004, 16, 623-628.	2.6	66
140	Alterations in the expression of the cell cycle regulatory protein cyclin kinase subunit 1 in colorectal carcinoma. <i>Cancer</i> , 2004, 100, 1615-1621.	2.0	51
141	Systematic analysis and nomenclature of mammalian F-box proteins. <i>Genes and Development</i> , 2004, 18, 2573-2580.	2.7	589
142	Wagging the Dogma. <i>Cell</i> , 2004, 118, 535-538.	13.5	79
143	Role of Cks1 Overexpression in Oral Squamous Cell Carcinomas. <i>American Journal of Pathology</i> , 2004, 165, 2147-2155.	1.9	71
144	An Rb-Skp2-p27 Pathway Mediates Acute Cell Cycle Inhibition by Rb and Is Retained in a Partial-Penetrance Rb Mutant. <i>Molecular Cell</i> , 2004, 16, 47-58.	4.5	152

#	ARTICLE	IF	CITATIONS
145	Control of DNA Synthesis and Mitosis by the Skp2-p27-Cdk1/2 Axis. <i>Molecular Cell</i> , 2004, 14, 414-416.	4.5	99
146	Oncogenic aberrations of cullin-dependent ubiquitin ligases. <i>Oncogene</i> , 2004, 23, 2037-2049.	2.6	75
147	To be or not to be ubiquitinated?. <i>Cell Cycle</i> , 2004, 3, 138-40.	1.3	13
148	Don't skip the G1 phase: how APC/CCdh1 keeps SCFSKP2 in check. <i>Cell Cycle</i> , 2004, 3, 850-2.	1.3	16
149	Deregulated degradation of the cdk inhibitor p27 and malignant transformation. <i>Seminars in Cancer Biology</i> , 2003, 13, 41-47.	4.3	341
150	When protein destruction runs amok, malignancy is on the loose. <i>Cancer Cell</i> , 2003, 4, 251-256.	7.7	84
151	Degradation of Cdc25A by \hat{I}^2 -TrCP during S phase and in response to DNA damage. <i>Nature</i> , 2003, 426, 87-91.	13.7	418
152	Proteasome-Mediated Degradation of p21 via N-Terminal Ubiquitylation. <i>Cell</i> , 2003, 115, 71-82.	13.5	277
153	Control of Meiotic and Mitotic Progression by the F Box Protein \hat{I}^2 -Trcp1 In Vivo. <i>Developmental Cell</i> , 2003, 4, 799-812.	3.1	346
154	Novel p27 kip1 C-Terminal Scatter Domain Mediates Rac-Dependent Cell Migration Independent of Cell Cycle Arrest Functions. <i>Molecular and Cellular Biology</i> , 2003, 23, 216-228.	1.1	198
155	Role of the SCFSkp2 Ubiquitin Ligase in the Degradation of p21Cip1 in S Phase. <i>Journal of Biological Chemistry</i> , 2003, 278, 25752-25757.	1.6	414
156	Aberrant ubiquitin-mediated proteolysis of cell cycle regulatory proteins and oncogenesis. <i>Advances in Cancer Research</i> , 2003, 88, 101-144.	1.9	55
157	Altered expression of p27 and Skp2 proteins in prostate cancer of African-American patients. <i>Clinical Cancer Research</i> , 2003, 9, 2613-9.	3.2	54
158	In Vivo Interference with Skp1 Function Leads to Genetic Instability and Neoplastic Transformation. <i>Molecular and Cellular Biology</i> , 2002, 22, 8375-8387.	1.1	53
159	Three Different Binding Sites of Cks1 Are Required for p27-Ubiquitin Ligation. <i>Journal of Biological Chemistry</i> , 2002, 277, 42233-42240.	1.6	80
160	S-Phase Kinase-Associated Protein 2 Expression in Non-Hodgkin's Lymphoma Inversely Correlates with p27 Expression and Defines Cells in S Phase. <i>American Journal of Pathology</i> , 2002, 160, 1457-1466.	1.9	94
161	Structure of the Cul1-Rbx1-Skp1-F boxSkp2 SCF ubiquitin ligase complex. <i>Nature</i> , 2002, 416, 703-709.	13.7	1,322
162	Dual mode of degradation of Cdc25 A phosphatase. <i>EMBO Journal</i> , 2002, 21, 4875-4884.	3.5	163

#	ARTICLE	IF	CITATIONS
163	Oncogenic role of the ubiquitin ligase subunit Skp2 in human breast cancer. <i>Journal of Clinical Investigation</i> , 2002, 110, 633-641.	3.9	208
164	Oncogenic role of the ubiquitin ligase subunit Skp2 in human breast cancer. <i>Journal of Clinical Investigation</i> , 2002, 110, 633-641.	3.9	142
165	Regulation of the G1 to S transition by the ubiquitin pathway. <i>FEBS Letters</i> , 2001, 490, 179-189.	1.3	111
166	Inverse relation between levels of p27Kip1 and of its ubiquitin ligase subunit Skp2 in colorectal carcinomas. <i>Cancer</i> , 2001, 91, 1745-1751.	2.0	160
167	Beware the baited hook of publicity. <i>Nature</i> , 2001, 414, 843-843.	13.7	1
168	The de-ubiquitinating enzyme Unp interacts with the retinoblastoma protein. <i>Oncogene</i> , 2001, 20, 5538-5542.	2.6	29
169	The cell-cycle regulatory protein Cks1 is required for SCFSkp2-mediated ubiquitinylation of p27. <i>Nature Cell Biology</i> , 2001, 3, 321-324.	4.6	444
170	Role of the F-Box Protein Skp2 in Adhesion-Dependent Cell Cycle Progression. <i>Journal of Cell Biology</i> , 2001, 153, 1381-1390.	2.3	133
171	Induction of $\hat{\text{I}}^2$ -Transducin Repeat-containing Protein by JNK Signaling and Its Role in the Activation of NF- $\hat{\text{I}}^{\text{B}}$. <i>Journal of Biological Chemistry</i> , 2001, 276, 27152-27158.	1.6	65
172	Inverse relation between levels of p27Kip1 and of its ubiquitin ligase subunit Skp2 in colorectal carcinomas. , 2001, 91, 1745.		3
173	Insights into SCF ubiquitin ligases from the structure of the Skp1 $\hat{\text{I}}^2$ Skp2 complex. <i>Nature</i> , 2000, 408, 381-386.	13.7	550
174	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000, 111, 263-271.	1.2	2
175	Increased proteasome degradation of cyclin-dependent kinase inhibitor p27 is associated with a decreased overall survival in mantle cell lymphoma. <i>Blood</i> , 2000, 95, 619-626.	0.6	199
176	Wnt/ $\hat{\text{I}}^2$ -Catenin Signaling Induces the Expression and Activity of $\hat{\text{I}}^2$ TrCP Ubiquitin Ligase Receptor. <i>Molecular Cell</i> , 2000, 5, 877-882.	4.5	172
177	The F-box protein family. <i>Genome Biology</i> , 2000, 1, reviews3002.1.	13.9	569
178	Role of the Cdc25A phosphatase in human breast cancer. <i>Journal of Clinical Investigation</i> , 2000, 106, 753-761.	3.9	186
179	Identification of the Ubiquitin Carrier Proteins, E2s, Involved in Signal-induced Conjugation and Subsequent Degradation of $\hat{\text{I}}^{\text{B}}\hat{\text{I}}^{\text{L}}\hat{\text{I}}^{\text{L}}$. <i>Journal of Biological Chemistry</i> , 1999, 274, 14823-14830.	1.6	110
180	SKP2 is required for ubiquitin-mediated degradation of the CDK inhibitor p27. <i>Nature Cell Biology</i> , 1999, 1, 193-199.	4.6	1,405

#	ARTICLE	IF	CITATIONS
181	Down-Regulation of p27 Is Associated with Development of Colorectal Adenocarcinoma Metastases. American Journal of Pathology, 1998, 153, 681-687.	1.9	137
182	Cell cycle regulation by the ubiquitin pathway. FASEB Journal, 1997, 11, 1067-1075.	0.2	200
183	Increased proteasome-dependent degradation of the cyclin-dependent kinase inhibitor p27 in aggressive colorectal carcinomas. Nature Medicine, 1997, 3, 231-234.	15.2	967
184	Cell Cycle and Cancer: Critical Events at the G1 Restriction Point. Critical Reviews in Oncogenesis, 1996, 7, 127-142.	0.2	62
185	Role of the ubiquitin-proteasome pathway in regulating abundance of the cyclin-dependent kinase inhibitor p27. Science, 1995, 269, 682-685.	6.0	1,780
186	-TrCP and Casein Kinase III Mediated Degradation of Cyclin F Controls Timely Mitotic Entry. SSRN Electronic Journal, 0, , .	0.4	0