

Gerbrand J Izaks

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8719222/publications.pdf>

Version: 2024-02-01

35
papers

2,815
citations

430874

18
h-index

377865

34
g-index

36
all docs

36
docs citations

36
times ranked

2949
citing authors

#	ARTICLE	IF	CITATIONS
1	Routine Use of the Confusion Assessment Method for the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 340-344.	5.6	1,318
2	The Definition of Anemia in Older Persons. JAMA - Journal of the American Medical Association, 1999, 281, 1714.	7.4	411
3	Blood pressure and mortality in elderly people aged 85 and older: community based study. BMJ: British Medical Journal, 1998, 316, 1780-1784.	2.3	167
4	Thinking through postoperative cognitive dysfunction: How to bridge the gap between clinical and pre-clinical perspectives. Brain, Behavior, and Immunity, 2012, 26, 1169-1179.	4.1	117
5	Standardised Frailty Indicator as Predictor for Postoperative Delirium after Vascular Surgery: A Prospective Cohort Study. European Journal of Vascular and Endovascular Surgery, 2011, 42, 824-830.	1.5	108
6	Ill or just old? Towards a conceptual framework of the relation between ageing and disease. BMC Geriatrics, 2003, 3, 7.	2.7	69
7	Predicting postoperative delirium after vascular surgical procedures. Journal of Vascular Surgery, 2015, 62, 183-189.	1.1	61
8	Cardiovascular Risk Profile and Cognitive Function in Young, Middle-Aged, and Elderly Subjects. Stroke, 2013, 44, 1543-1549.	2.0	60
9	Lymphocyte Count and Mortality Risk in Older Persons. The Leiden 85+ Study. Journal of the American Geriatrics Society, 2003, 51, 1461-1465.	2.6	55
10	C-reactive Protein Predicts Postoperative Delirium Following Vascular Surgery. Annals of Vascular Surgery, 2014, 28, 1923-1930.	0.9	55
11	Association of Cognitive Function with Albuminuria and eGFR in the General Population. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1400-1409.	4.5	50
12	Accepting or declining dialysis: considerations taken into account by elderly patients with end-stage renal disease. Journal of Nephrology, 2009, 22, 794-9.	2.0	45
13	Fracture prevention with vitamin D supplementation: considering the inconsistent results. BMC Musculoskeletal Disorders, 2007, 8, 26.	1.9	37
14	Reference Data for the Ruff Figural Fluency Test Stratified by Age and Educational Level. PLoS ONE, 2011, 6, e17045.	2.5	36
15	Risk of Bleeding and Thrombosis in Patients 70 Years or Older Using Vitamin K Antagonists. JAMA Internal Medicine, 2016, 176, 1176.	5.1	36
16	The Association of APOE Genotype with Cognitive Function in Persons Aged 35 Years or Older. PLoS ONE, 2011, 6, e27415.	2.5	34
17	The Interaction of Age and Type 2 Diabetes on Executive Function and Memory in Persons Aged 35 Years or Older. PLoS ONE, 2013, 8, e82991.	2.5	22
18	Vitamin Status and the Development of Postoperative Cognitive Decline in Elderly Surgical Oncologic Patients. Annals of Surgical Oncology, 2018, 25, 231-238.	1.5	20

#	ARTICLE	IF	CITATIONS
19	The Association Between Human Leucocyte Antigens (HLA) and Mortality in Community Residents Aged 85 and Older. <i>Journal of the American Geriatrics Society</i> , 1997, 45, 56-60.	2.6	18
20	Performance And Agreement Of Risk Stratification Instruments For Postoperative Delirium In Persons Aged 50 Years Or Older. <i>PLoS ONE</i> , 2014, 9, e113946.	2.5	14
21	Statin Use and Cognitive Function: Population-Based Observational Study with Long-Term Follow-Up. <i>PLoS ONE</i> , 2014, 9, e115755.	2.5	13
22	Longitudinal Study of Performance on the Ruff Figural Fluency Test in Persons Aged 35 Years or Older. <i>PLoS ONE</i> , 2015, 10, e0121411.	2.5	13
23	Evaluation of the effect of a comprehensive multidisciplinary care pathway for hip fractures: design of a controlled study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 291.	1.9	11
24	Vascular Burden and Cognitive Function in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 514-524.	1.2	9
25	Cholesteryl Ester Transfer Protein (CETP) genotype and cognitive function in persons aged 35 years or older. <i>Neurobiology of Aging</i> , 2012, 33, 1851.e7-1851.e16.	3.1	8
26	Exploration of the difference in incidence of renal replacement therapy in elderly patients in Flanders and the Netherlands—a comparison of referral policy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 338-344.	0.7	6
27	The Bleeding Risk of Vitamin K Antagonists Hardly Increases after the Age of 80 Years: Data from a Large Real-Life Cohort Study. <i>Blood</i> , 2015, 126, 891-891.	1.4	6
28	Exploration of the difference in incidence of renal replacement therapy between Flanders and the Netherlands—investigation of explanatory variables. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 803-809.	0.7	5
29	Symptoms mimicking dementia in a 60-year-old woman with bipolar disorder: a case report. <i>BMC Research Notes</i> , 2014, 7, 381.	1.4	4
30	Pharmacological treatment of increased vascular risk and cognitive performance in middle-aged and old persons: six-year observational longitudinal study. <i>BMC Neurology</i> , 2020, 20, 242.	1.8	2
31	A comprehensive multidisciplinary care pathway for hip fractures better outcome than usual care?. <i>Injury</i> , 2021, 52, 1819-1825.	1.7	2
32	IS THE PHENOTYPIC COMBINATION AIB8Cw7DR3 A MARKER FOR MALE LONGEVITY?. <i>Journal of the American Geriatrics Society</i> , 1995, 43, 590-591.	2.6	1
33	Strict adherence to evidence-based protocol in choice of implants and surgical technique leads to fewer hip fracture reoperations. <i>PLoS ONE</i> , 2019, 14, e0210239.	2.5	1
34	Agreement between Computerized and Human Assessment of Performance on the Ruff Figural Fluency Test. <i>PLoS ONE</i> , 2016, 11, e0163286.	2.5	1
35	Age-Related Decline of Influenza A Virus-Specific Cytotoxic T Lymphocyte Activity. <i>Journal of the American Geriatrics Society</i> , 1993, 41, 887-887.	2.6	0