Gerbrand J Izaks

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8719222/publications.pdf

Version: 2024-02-01

430874 377865 2,815 35 18 34 citations g-index h-index papers 36 36 36 2949 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A comprehensive multidisciplinary care pathway for hip fractures better outcome than usual care?. Injury, 2021, 52, 1819-1825.	1.7	2
2	Pharmacological treatment of increased vascular risk and cognitive performance in middle-aged and old persons: six-year observational longitudinal study. BMC Neurology, 2020, 20, 242.	1.8	2
3	Strict adherence to evidence-based protocol in choice of implants and surgical technique leads to fewer hip fracture reoperations. PLoS ONE, 2019, 14, e0210239.	2.5	1
4	Vitamin Status and the Development of Postoperative Cognitive Decline in Elderly Surgical Oncologic Patients. Annals of Surgical Oncology, 2018, 25, 231-238.	1.5	20
5	Risk of Bleeding and Thrombosis in Patients 70 Years or Older Using Vitamin K Antagonists. JAMA Internal Medicine, 2016, 176, 1176.	5.1	36
6	Agreement between Computerized and Human Assessment of Performance on the Ruff Figural Fluency Test. PLoS ONE, 2016, 11, e0163286.	2.5	1
7	Predicting postoperative delirium after vascular surgical procedures. Journal of Vascular Surgery, 2015, 62, 183-189.	1.1	61
8	Vascular Burden and Cognitive Function in Late-Life Depression. American Journal of Geriatric Psychiatry, 2015, 23, 514-524.	1.2	9
9	The Bleeding Risk of Vitamin K Antagonists Hardly Increases after the Age of 80 Years: Data from a Large Real-Life Cohort Study. Blood, 2015, 126, 891-891.	1.4	6
10	Longitudinal Study of Performance on the Ruff Figural Fluency Test in Persons Aged 35 Years or Older. PLoS ONE, 2015, 10, e0121411.	2.5	13
11	Performance And Agreement Of Risk Stratification Instruments For Postoperative Delirium In Persons Aged 50 Years Or Older. PLoS ONE, 2014, 9, e113946.	2.5	14
12	C-reactive Protein Predicts Postoperative Delirium Following Vascular Surgery. Annals of Vascular Surgery, 2014, 28, 1923-1930.	0.9	55
13	Symptoms mimicking dementia in a 60-year-old woman with bipolar disorder: a case report. BMC Research Notes, 2014, 7, 381.	1.4	4
14	Statin Use and Cognitive Function: Population-Based Observational Study with Long-Term Follow-Up. PLoS ONE, 2014, 9, e115755.	2.5	13
15	Evaluation of the effect of a comprehensive multidisciplinary care pathway for hip fractures: design of a controlled study. BMC Musculoskeletal Disorders, 2013, 14, 291.	1.9	11
16	Cardiovascular Risk Profile and Cognitive Function in Young, Middle-Aged, and Elderly Subjects. Stroke, 2013, 44, 1543-1549.	2.0	60
17	The Interaction of Age and Type 2 Diabetes on Executive Function and Memory in Persons Aged 35 Years or Older. PLoS ONE, 2013, 8, e82991.	2.5	22
18	Exploration of the difference in incidence of renal replacement therapy between Flanders and the Netherlandsinvestigation of explanatory variables. Nephrology Dialysis Transplantation, 2012, 27, 803-809.	0.7	5

#	Article	IF	Citations
19	Exploration of the difference in incidence of renal replacement therapy in elderly patients in Flanders and the Netherlands-a comparison of referral policy. Nephrology Dialysis Transplantation, 2012, 27, 338-344.	0.7	6
20	Cholesteryl Ester Transfer Protein (CETP) genotype and cognitive function in persons aged 35 years or older. Neurobiology of Aging, 2012, 33, 1851.e7-1851.e16.	3.1	8
21	Thinking through postoperative cognitive dysfunction: How to bridge the gap between clinical and pre-clinical perspectives. Brain, Behavior, and Immunity, 2012, 26, 1169-1179.	4.1	117
22	Reference Data for the Ruff Figural Fluency Test Stratified by Age and Educational Level. PLoS ONE, 2011, 6, e17045.	2.5	36
23	Standardised Frailty Indicator as Predictor for Postoperative Delirium after Vascular Surgery: A Prospective Cohort Study. European Journal of Vascular and Endovascular Surgery, 2011, 42, 824-830.	1.5	108
24	Routine Use of the Confusion Assessment Method for the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 340-344.	5.6	1,318
25	Association of Cognitive Function with Albuminuria and eGFR in the General Population. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1400-1409.	4.5	50
26	The Association of APOE Genotype with Cognitive Function in Persons Aged 35 Years or Older. PLoS ONE, 2011, 6, e27415.	2.5	34
27	Accepting or declining dialysis: considerations taken into account by elderly patients with end-stage renal disease. Journal of Nephrology, 2009, 22, 794-9.	2.0	45
28	Fracture prevention with vitamin D supplementation: considering the inconsistent results. BMC Musculoskeletal Disorders, 2007, 8, 26.	1.9	37
29	Ill or just old? Towards a conceptual framework of the relation between ageing and disease. BMC Geriatrics, 2003, 3, 7.	2.7	69
30	Lymphocyte Count and Mortality Risk in Older Persons. The Leiden 85â€Plus Study. Journal of the American Geriatrics Society, 2003, 51, 1461-1465.	2.6	55
31	The Definition of Anemia in Older Persons. JAMA - Journal of the American Medical Association, 1999, 281, 1714.	7.4	411
32	Blood pressure and mortality in elderly people aged 85Âand older: community based study. BMJ: British Medical Journal, 1998, 316, 1780-1784.	2.3	167
33	The Association Between Human Leucocyte Antigens (HLA) and Mortality in Community Residents Aged 85 and Older. Journal of the American Geriatrics Society, 1997, 45, 56-60.	2.6	18
34	IS THE PHENOTYPIC COMBINATION Alb8Cw7DR3 A MARKER FOR MALE LONGEVITY?. Journal of the American Geriatrics Society, 1995, 43, 590-591.	2.6	1
35	Ageâ€Related Decline of Influenza A Virusâ€Specific Cytotoxic T Lymphocyte Activity. Journal of the American Geriatrics Society, 1993, 41, 887-887.	2.6	0