

Muluken Azage

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8723183/publications.pdf>

Version: 2024-02-01

49
papers

9,120
citations

361413

20
h-index

233421

45
g-index

55
all docs

55
docs citations

55
times ranked

20168
citing authors

#	ARTICLE	IF	CITATIONS
1	Continued adherence to community-based health insurance scheme in two districts of northeast Ethiopia: application of accelerated failure time shared frailty models. <i>International Journal for Equity in Health</i> , 2022, 21, 16.	3.5	5
2	Citizen Science and the Sustainable Development Goals: Building Social and Technical Capacity through Data Collection in the Upper Blue Nile Basin, Ethiopia. <i>Sustainability</i> , 2022, 14, 3647.	3.2	6
3	<i>Seasonal Variability</i> Influence on the Prevalence of Diarrhoea among Under-Five-Year-old Children in Kersa District, Eastern Ethiopia: A Community-Based Longitudinal Study. <i>Environmental Health Insights</i> , 2022, 16, 117863022210934.	1.7	1
4	Hotspots of female genital mutilation/cutting and associated factors among girls in Ethiopia: a spatial and multilevel analysis. <i>BMC Public Health</i> , 2021, 21, 186.	2.9	7
5	Diatom community structure in relation to environmental factors in human influenced rivers and streams in tropical Africa. <i>PLoS ONE</i> , 2021, 16, e0246043.	2.5	16
6	Childhood stunting and associated factors among irrigation and non-irrigation user northwest, Ethiopia: a comparative cross-sectional study. <i>Italian Journal of Pediatrics</i> , 2021, 47, 102.	2.6	2
7	Barriers and Facilitators of Community-Based Health Insurance Policy Renewal in Low- and Middle-Income Countries: A Systematic Review. <i>ClinicoEconomics and Outcomes Research</i> , 2021, Volume 13, 359-375.	1.9	15
8	Effect of the COVID-19 Pandemic Preparation and Response on Essential Health Services in Primary and Tertiary Healthcare Settings of Amhara Region, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 1240-1246.	1.4	10
9	Prevalence and associated factors of soil transmitted helminthiasis among school-age children in wetland and non-wetland areas of Blue Nile Basins, northwest Ethiopia: A community-based comparative study. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110633.	1.8	3
10	Development and Heuristic-based Usability Evaluation of an e-partograph. , 2021, , .		0
11	Maternal satisfaction among vaginal and cesarean section delivery care services in Bahir Dar city health facilities, Northwest Ethiopia: a facility-based comparative cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 473.	2.4	8
12	Exploring geographical variations and inequalities in access to improved water and sanitation in Ethiopia: mapping and spatial analysis. <i>Heliyon</i> , 2020, 6, e03828.	3.2	27
13	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000â€“17: analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2020, 395, 1779-1801.	13.7	72
14	Contraceptive use and associated factors among women seeking induced abortion in Debre Markoâ€™s town, Northwest Ethiopia: a cross-sectional study. <i>Reproductive Health</i> , 2020, 17, 97.	3.1	6
15	Comorbidity of HIV, hypertension, and diabetes and associated factors among people receiving antiretroviral therapy in Bahir Dar city, Ethiopia. <i>Journal of Comorbidity</i> , 2020, 10, 2235042X1989931.	3.9	23
16	<p>Determinants of Birth Asphyxia Among Newborns in Referral Hospitals of Amhara National Regional State, Ethiopia</p>. <i>Pediatric Health, Medicine and Therapeutics</i> , 2020, Volume 11, 1-12.	1.6	11
17	Does mass drug administration for community-based scabies control works? The experience in Ethiopia. <i>Journal of Infection in Developing Countries</i> , 2020, 14, 78S-85S.	1.2	5
18	Prevalence and associated factors of active trachoma among children aged 1-9 years old in mass drug administration graduated and non-graduated districts in Northwest Amhara region, Ethiopia: A comparative cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0243863.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Maternal Health Service Uptake Is Associated with a Higher Skin-to-Skin Care Practice in Ethiopia: Result from a National Survey. <i>BioMed Research International</i> , 2020, 2020, 1-10.	1.9	5
20	Age-appropriate vaccination coverage and its associated factors for pentavalent 1-3 and measles vaccine doses, in northeast Ethiopia: A community-based cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0218470.	2.5	23
21	The prevalence and root causes of surgical site infections in public versus private hospitals in Ethiopia: a retrospective observational cohort study. <i>Patient Safety in Surgery</i> , 2019, 13, 26.	2.3	17
22	Geographical Variations and Factors Associated with Childhood Diarrhea in Tanzania: A National Population Based Survey 2015-16. <i>Ethiopian Journal of Health Sciences</i> , 2019, 29, 513-524.	0.4	23
23	Effect of exclusive breastfeeding cessation time on childhood morbidity and adverse nutritional outcomes in Ethiopia: Analysis of the demographic and health surveys. <i>PLoS ONE</i> , 2019, 14, e0223379.	2.5	18
24	Iron Deficiency Anemia among In-School Adolescent Girls in Rural Area of Bahir Dar City Administration, North West Ethiopia. <i>Anemia</i> , 2019, 2019, 1-8.	1.7	29
25	Title is missing!. , 2019, 14, e0223379.		0
26	Title is missing!. , 2019, 14, e0223379.		0
27	Title is missing!. , 2019, 14, e0223379.		0
28	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1211-1228.	9.1	862
29	Effect of climatic variability on childhood diarrhea and its high risk periods in northwestern parts of Ethiopia. <i>PLoS ONE</i> , 2017, 12, e0186933.	2.5	47
30	Childhood diarrhea in high and low hotspot districts of Amhara Region, northwest Ethiopia: a multilevel modeling. <i>Journal of Health, Population and Nutrition</i> , 2016, 35, 13.	2.0	47
31	Burden of Diarrhea in the Eastern Mediterranean Region, 1990â€“2013: Findings from the Global Burden of Disease Study 2013. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1319-1329.	1.4	27
32	Tuberculosis infection control practices and associated factors among health care workers in health centers of West Gojjam zone, Northwest Ethiopia: a cross-sectional study. <i>BMC Health Services Research</i> , 2016, 16, 359.	2.2	31
33	Exploring spatial variations and factors associated with childhood stunting in Ethiopia: spatial and multilevel analysis. <i>BMC Pediatrics</i> , 2016, 16, 49.	1.7	93
34	Latrine access and utilization among people with limited mobility: A cross sectional study. <i>Archives of Public Health</i> , 2016, 74, 9.	2.4	11
35	Factors associated with safe child feces disposal practices in Ethiopia: evidence from demographic and health survey. <i>Archives of Public Health</i> , 2015, 73, 40.	2.4	55
36	Inappropriate Use of Antibiotics and Its Associated Factors among Urban and Rural Communities of Bahir Dar City Administration, Northwest Ethiopia. <i>PLoS ONE</i> , 2015, 10, e0138179.	2.5	105

#	ARTICLE	IF	CITATIONS
37	Childhood Diarrhea Exhibits Spatiotemporal Variation in Northwest Ethiopia: A SaTScan Spatial Statistical Analysis. PLoS ONE, 2015, 10, e0144690.	2.5	46
38	Predictors of HIV/AIDS Related Ocular Manifestations among HIV/AIDS Patients in Felege Hiwot Referral Hospital, Northwest Ethiopia. Journal of Ophthalmology, 2015, 2015, 1-7.	1.3	8
39	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
40	Differentials in vitamin A supplementation among preschool-aged children in Ethiopia: evidence from the 2011 Ethiopian Demographic and Health Survey. Public Health, 2015, 129, 748-754.	2.9	13
41	Hepatitis B vaccine knowledge and vaccination status among health care workers of Bahir Dar City Administration, Northwest Ethiopia: a cross sectional study. BMC Infectious Diseases, 2015, 15, 30.	2.9	75
42	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
43	Factors affecting healthcare service utilization of mothers who had children with diarrhea in Ethiopia: evidence from a population based national survey. Rural and Remote Health, 2015, 15, 3493.	0.5	10
44	Factors Associated with Patientâ€™s Delay in Tuberculosis Treatment in Bahir Dar City Administration, Northwest Ethiopia. BioMed Research International, 2014, 2014, 1-6.	1.9	22
45	Factors associated with Institutional delivery service utilization among mothers in Bahir Dar City administration, Amhara region: a community based cross sectional study. Reproductive Health, 2014, 11, 22.	3.1	86
46	Sex trafficking awareness and associated factors among youth females in Bahir Dar town, North-West Ethiopia: a community based study. BMC Women's Health, 2014, 14, 85.	2.0	6
47	Occupational Exposure to Blood and Body Fluids Among Health Care Professionals in Bahir Dar Town, Northwest Ethiopia. Safety and Health at Work, 2014, 5, 17-22.	0.6	34
48	Assessment of Factors Associated with Breast Self-Examination among Health Extension Workers in West Gojjam Zone, Northwest Ethiopia. International Journal of Breast Cancer, 2013, 2013, 1-6.	1.2	42
49	Healthcare waste generation and its management system: the case of health centers in West Gojjam Zone, Amhara Region, Ethiopia. Ethiopian Journal of Health Development, 2010, 24, .	0.2	22