

Roger G Pertwee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8725700/publications.pdf>

Version: 2024-02-01

187
papers

24,709
citations

9775

73
h-index

7944

149
g-index

214
all docs

214
docs citations

214
times ranked

14844
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of an endogenous 2-monoglyceride, present in canine gut, that binds to cannabinoid receptors. <i>Biochemical Pharmacology</i> , 1995, 50, 83-90.	2.0	2,561
2	The diverse CB ₁ and CB ₂ receptor pharmacology of three plant cannabinoids: Δ^9 -tetrahydrocannabinol, cannabidiol and Δ^9 -tetrahydrocannabivarin. <i>British Journal of Pharmacology</i> , 2008, 153, 199-215.	2.7	1,463
3	International Union of Basic and Clinical Pharmacology. LXXIX. Cannabinoid Receptors and Their Ligands: Beyond CB ₁ and CB ₂ . <i>Pharmacological Reviews</i> , 2010, 62, 588-631.	7.1	1,425
4	Pharmacology of cannabinoid CB1 and CB2 receptors. , 1997, 74, 129-180.		1,245
5	Cannabinoid receptors and pain. <i>Progress in Neurobiology</i> , 2001, 63, 569-611.	2.8	680
6	Cannabinoid pharmacology: the first 66 years. <i>British Journal of Pharmacology</i> , 2006, 147, S163-S171.	2.7	578
7	Cannabinoids control spasticity and tremor in a multiple sclerosis model. <i>Nature</i> , 2000, 404, 84-87.	13.7	522
8	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2019, 176, S21-S141.	2.7	519
9	The pharmacology of cannabinoid receptors and their ligands: an overview. <i>International Journal of Obesity</i> , 2006, 30, S13-S18.	1.6	438
10	Pharmacology of Cannabinoid Receptor Ligands. <i>Current Medicinal Chemistry</i> , 1999, 6, 635-664.	1.2	431
11	Structure-Activity Relationships of Pyrazole Derivatives as Cannabinoid Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 769-776.	2.9	428
12	Are cannabidiol and Δ^9 -tetrahydrocannabivarin negative modulators of the endocannabinoid system? A systematic review. <i>British Journal of Pharmacology</i> , 2015, 172, 737-753.	2.7	412
13	Allosteric Modulation of the Cannabinoid CB1 Receptor. <i>Molecular Pharmacology</i> , 2005, 68, 1484-1495.	1.0	409
14	Inverse agonism and neutral antagonism at cannabinoid CB1 receptors. <i>Life Sciences</i> , 2005, 76, 1307-1324.	2.0	391
15	Emerging strategies for exploiting cannabinoid receptor agonists as medicines. <i>British Journal of Pharmacology</i> , 2009, 156, 397-411.	2.7	377
16	Endocannabinoids control spasticity in a multiple sclerosis model. <i>FASEB Journal</i> , 2001, 15, 300-302.	0.2	371
17	Agonist-inverse agonist characterization at CB1 and CB2 cannabinoid receptors of L759633, L759656 and AM630. <i>British Journal of Pharmacology</i> , 1999, 126, 665-672.	2.7	353
18	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2021, 178, S27-S156.	2.7	337

#	ARTICLE	IF	CITATIONS
19	Direct suppression of CNS autoimmune inflammation via the cannabinoid receptor CB1 on neurons and CB2 on autoreactive T cells. <i>Nature Medicine</i> , 2007, 13, 492-497.	15.2	326
20	(R)-Methanandamide: A Chiral Novel Anandamide Possessing Higher Potency and Metabolic Stability. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 1889-1893.	2.9	324
21	Overlap between the ligand recognition properties of the anandamide transporter and the VR1 vanilloid receptor: inhibitors of anandamide uptake with negligible capsaicin-like activity. <i>FEBS Letters</i> , 2000, 483, 52-56.	1.3	320
22	Targeting the endocannabinoid system with cannabinoid receptor agonists: pharmacological strategies and therapeutic possibilities. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 3353-3363.	1.8	289
23	Receptors and Channels Targeted by Synthetic Cannabinoid Receptor Agonists and Antagonists. <i>Current Medicinal Chemistry</i> , 2010, 17, 1360-1381.	1.2	283
24	Early phytocannabinoid chemistry to endocannabinoids and beyond. <i>Nature Reviews Neuroscience</i> , 2014, 15, 757-764.	4.9	278
25	Ligands that target cannabinoid receptors in the brain: from THC to anandamide and beyond. <i>Addiction Biology</i> , 2008, 13, 147-159.	1.4	276
26	The Perceived Effects of Smoked Cannabis on Patients with Multiple Sclerosis. <i>European Neurology</i> , 1997, 38, 44-48.	0.6	273
27	Cannabidiol for neurodegenerative disorders: important new clinical applications for this phytocannabinoid?. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 323-333.	1.1	254
28	Endocannabinoids and Their Pharmacological Actions. <i>Handbook of Experimental Pharmacology</i> , 2015, 231, 1-37.	0.9	230
29	Structure-activity relationship for the endogenous cannabinoid, anandamide, and certain of its analogues at vanilloid receptors in transfected cells and vas deferens. <i>British Journal of Pharmacology</i> , 2001, 132, 631-640.	2.7	214
30	Cannabidiol Targets Mitochondria to Regulate Intracellular Ca ²⁺ Levels. <i>Journal of Neuroscience</i> , 2009, 29, 2053-2063.	1.7	206
31	GPR55: a new member of the cannabinoid receptor clan?. <i>British Journal of Pharmacology</i> , 2007, 152, 984-986.	2.7	191
32	Cannabinoid receptor ligands: clinical and neuropharmacological considerations, relevant to future drug discovery and development. <i>Expert Opinion on Investigational Drugs</i> , 2000, 9, 1553-1571.	1.9	187
33	The therapeutic potential of drugs that target cannabinoid receptors or modulate the tissue levels or actions of endocannabinoids. <i>AAPS Journal</i> , 2005, 7, E625-E654.	2.2	186
34	Cannabinoids and multiple sclerosis. , 2002, 95, 165-174.		174
35	Phytocannabinoids beyond the <i>Cannabis</i> plant – do they exist?. <i>British Journal of Pharmacology</i> , 2010, 160, 523-529.	2.7	169
36	Actions of cannabinoid receptor ligands on rat cultured sensory neurones: implications for antinociception. <i>Neuropharmacology</i> , 2001, 40, 221-232.	2.0	167

#	ARTICLE	IF	CITATIONS
37	Agonist-Induced Internalization and Trafficking of Cannabinoid CB ₁ Receptors in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2001, 21, 2425-2433.	1.7	154
38	Evidence for the presence of CB ₂ -like cannabinoid receptors on peripheral nerve terminals. <i>European Journal of Pharmacology</i> , 1997, 339, 53-61.	1.7	151
39	Further evidence for the presence of cannabinoid CB ₁ receptors in guinea-pig small intestine. <i>British Journal of Pharmacology</i> , 1996, 118, 2199-2205.	2.7	145
40	Evidence that the plant cannabinoid Δ^9 -tetrahydrocannabivarin is a cannabinoid CB ₁ and CB ₂ receptor antagonist. <i>British Journal of Pharmacology</i> , 2005, 146, 917-926.	2.7	145
41	Interactions between synthetic vanilloids and the endogenous cannabinoid system. <i>FEBS Letters</i> , 1998, 436, 449-454.	1.3	143
42	Localisation of cannabinoid CB ₁ receptor immunoreactivity in the guinea pig and rat myenteric plexus. <i>Journal of Comparative Neurology</i> , 2002, 448, 410-422.	0.9	138
43	Inhibition by cannabinoid receptor agonists of acetylcholine release from the guinea-pig myenteric plexus. <i>British Journal of Pharmacology</i> , 1997, 121, 1557-1566.	2.7	135
44	AM630, a competitive cannabinoid receptor antagonist. <i>Life Sciences</i> , 1995, 56, 1949-1955.	2.0	130
45	(Δ^9)-Cannabidiol antagonizes cannabinoid receptor agonists and noradrenaline in the mouse vas deferens. <i>European Journal of Pharmacology</i> , 2002, 456, 99-106.	1.7	130
46	Cannabinoid receptor-dependent and -independent anti-proliferative effects of omega-3 ethanolamides in androgen receptor-positive and -negative prostate cancer cell lines. <i>Carcinogenesis</i> , 2010, 31, 1584-1591.	1.3	130
47	Modulation of $\text{I}\hat{1}\pm$ -Lysophosphatidylinositol/GPR55 Mitogen-activated Protein Kinase (MAPK) Signaling by Cannabinoids. <i>Journal of Biological Chemistry</i> , 2012, 287, 91-104.	1.6	128
48	Cannabidiolic acid prevents vomiting in <i>Suncus murinus</i> and nausea-induced behaviour in rats by enhancing 5-HT _{1A} receptor activation. <i>British Journal of Pharmacology</i> , 2013, 168, 1456-1470.	2.7	128
49	Inhibition of Human Neutrophil Chemotaxis by Endogenous Cannabinoids and Phytocannabinoids: Evidence for a Site Distinct from CB ₁ and CB ₂ . <i>Molecular Pharmacology</i> , 2008, 73, 441-450.	1.0	127
50	Neuroprotective Effects of the Nonpsychoactive Cannabinoid Cannabidiol in Hypoxic-Ischemic Newborn Piglets. <i>Pediatric Research</i> , 2008, 64, 653-658.	1.1	125
51	Synthetic and plant-derived cannabinoid receptor antagonists show hypophagic properties in fasted and non-fasted mice. <i>British Journal of Pharmacology</i> , 2009, 156, 1154-1166.	2.7	120
52	Effect of Sublingual Application of Cannabinoids on Intraocular Pressure: A Pilot Study. <i>Journal of Glaucoma</i> , 2006, 15, 349-353.	0.8	119
53	Effect of cannabis on glutamate signalling in the brain: A systematic review of human and animal evidence. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 64, 359-381.	2.9	117
54	Cannabidiol-induced intracellular Ca ²⁺ elevations in hippocampal cells. <i>Neuropharmacology</i> , 2006, 50, 621-631.	2.0	114

#	ARTICLE	IF	CITATIONS
55	The plant cannabinoid Δ^9 -tetrahydrocannabivarin can decrease signs of inflammation and inflammatory pain in mice. <i>British Journal of Pharmacology</i> , 2010, 160, 677-687.	2.7	112
56	Evidence for the presence of cannabinoid CB ₁ receptors in mouse urinary bladder. <i>British Journal of Pharmacology</i> , 1996, 118, 2053-2058.	2.7	110
57	Pharmacological Characterization of the Anandamide Cyclooxygenase Metabolite: Prostaglandin E ₂ Ethanolamide. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 900-907.	1.3	107
58	CB ₁ Receptor Allosteric Modulators Display Both Agonist and Signaling Pathway Specificity. <i>Molecular Pharmacology</i> , 2013, 83, 322-338.	1.0	107
59	Inhibition of nitric oxide production in RAW264.7 macrophages by cannabinoids and palmitoylethanolamide. <i>European Journal of Pharmacology</i> , 2000, 401, 121-130.	1.7	104
60	Positive Allosteric Modulation of Cannabinoid Receptor Type 1 Suppresses Pathological Pain Without Producing Tolerance or Dependence. <i>Biological Psychiatry</i> , 2018, 84, 722-733.	0.7	101
61	Differential effects of THC- or CBD-rich cannabis extracts on working memory in rats. <i>Neuropharmacology</i> , 2004, 47, 1170-1179.	2.0	98
62	Anti-inflammatory property of the cannabinoid receptor-2-selective agonist JWH-133 in a rodent model of autoimmune uveoretinitis. <i>Journal of Leukocyte Biology</i> , 2007, 82, 532-541.	1.5	96
63	Synthesis and Structure-Activity Relationships of Amide and Hydrazide Analogues of the Cannabinoid CB ₁ Receptor Antagonist N-(Piperidinyl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboxamide (SR141716). <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2708-2719.	2.9	94
64	Cannabinoid-mediated neuroprotection, not immunosuppression, may be more relevant to multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2008, 193, 120-129.	1.1	91
65	The evidence for the existence of cannabinoid receptors. <i>General Pharmacology</i> , 1993, 24, 811-824.	0.7	88
66	Inhibition of colon carcinogenesis by a standardized Cannabis sativa extract with high content of cannabidiol. <i>Phytomedicine</i> , 2014, 21, 631-639.	2.3	88
67	A possible role of lipoxygenase in the activation of vanilloid receptors by anandamide in the guinea-pig bronchus. <i>British Journal of Pharmacology</i> , 2001, 134, 30-37.	2.7	85
68	Neuroprotective effects of phytocannabinoid-based medicines in experimental models of Huntington's disease. <i>Journal of Neuroscience Research</i> , 2011, 89, 1509-1518.	1.3	84
69	Prevention by the cannabinoid antagonist, SR141716A, of cannabinoid-mediated blockade of long-term potentiation in the rat hippocampal slice. <i>British Journal of Pharmacology</i> , 1995, 115, 869-870.	2.7	83
70	The psychoactive plant cannabinoid, Δ^9 -tetrahydrocannabinol, is antagonized by Δ^8 - and Δ^9 -tetrahydrocannabivarin in mice in vivo. <i>British Journal of Pharmacology</i> , 2007, 150, 586-594.	2.7	83
71	Elevating endocannabinoid levels: pharmacological strategies and potential therapeutic applications. <i>Proceedings of the Nutrition Society</i> , 2014, 73, 96-105.	0.4	82
72	Sativex-like Combination of Phytocannabinoids is Neuroprotective in Malonate-Lesioned Rats, an Inflammatory Model of Huntington's Disease: Role of CB ₁ and CB ₂ Receptors. <i>ACS Chemical Neuroscience</i> , 2012, 3, 400-406.	1.7	81

#	ARTICLE	IF	CITATIONS
73	Inhibition of monoacylglycerol lipase and fatty acid amide hydrolase by analogues of 2-arachidonoylglycerol. <i>British Journal of Pharmacology</i> , 2004, 143, 774-784.	2.7	79
74	Cannabinoids and Multiple Sclerosis. <i>Molecular Neurobiology</i> , 2007, 36, 45-59.	1.9	78
75	Enantiospecific Allosteric Modulation of Cannabinoid 1 Receptor. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1188-1203.	1.7	78
76	Neuropharmacology and therapeutic potential of cannabinoids. <i>Addiction Biology</i> , 2000, 5, 37-46.	1.4	76
77	Cannabinoids and omega-3/6 endocannabinoids as cell death and anticancer modulators. <i>Progress in Lipid Research</i> , 2013, 52, 80-109.	5.3	76
78	Interaction between non-psychotropic cannabinoids in marihuana: effect of cannabigerol (CBG) on the anti-nausea or anti-emetic effects of cannabidiol (CBD) in rats and shrews. <i>Psychopharmacology</i> , 2011, 215, 505-512.	1.5	72
79	Evidence for the presence of CB1 cannabinoid receptors on peripheral neurones and for the existence of neuronal non-CB1 cannabinoid receptors. <i>Life Sciences</i> , 1999, 65, 597-605.	2.0	71
80	Design and synthesis of the CB1 selective cannabinoid antagonist AM281: A potential human SPECT ligand. <i>AAPS PharmSci</i> , 1999, 1, 39-45.	1.3	71
81	6 ^o -Azidohept-2 ^o -yne-cannabidiol: a potential neutral, competitive cannabinoid CB1 receptor antagonist. <i>European Journal of Pharmacology</i> , 2004, 487, 213-221.	1.7	71
82	Effect of phenylmethylsulphonyl fluoride on the potency of anandamide as an inhibitor of electrically evoked contractions in two isolated tissue preparations. <i>European Journal of Pharmacology</i> , 1995, 272, 73-78.	1.7	68
83	The action of synthetic cannabinoids on the induction of long-term potentiation in the rat hippocampal slice. <i>European Journal of Pharmacology</i> , 1994, 259, R7-R8.	1.7	65
84	Synthesis and Pharmacological Comparison of Dimethylheptyl and Pentyl Analogs of Anandamide. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3626-3634.	2.9	63
85	Pharmacological characterization of three novel cannabinoid receptor agonists in the mouse isolated vas deferens. <i>European Journal of Pharmacology</i> , 1995, 284, 241-247.	1.7	60
86	The Bioactive Conformation of Aminoalkylindoles at the Cannabinoid CB1 and CB2 Receptors: Insights Gained from (E)- and (Z)-Naphthylidene Indenes. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 5177-5187.	2.9	60
87	Increasing levels of the endocannabinoid 2-AG is neuroprotective in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease. <i>Experimental Neurology</i> , 2015, 273, 36-44.	2.0	58
88	Correlation between cannabinoid mediated effects on paired pulse depression and induction of long term potentiation in the rat hippocampal slice. <i>Neuropharmacology</i> , 1998, 37, 1123-1130.	2.0	57
89	Motor effects of the non-psychotropic phytocannabinoid cannabidiol that are mediated by 5-HT1A receptors. <i>Neuropharmacology</i> , 2013, 75, 155-163.	2.0	57
90	In-vivo pharmacological evaluation of the CB1-receptor allosteric modulator Org-27569. <i>Behavioural Pharmacology</i> , 2014, 25, 182-185.	0.8	55

#	ARTICLE	IF	CITATIONS
91	Structural determinants of the partial agonist-inverse agonist properties of 6-azidohept-8-tetrahydrocannabinol at cannabinoid receptors. <i>British Journal of Pharmacology</i> , 1999, 128, 735-743.	2.7	54
92	Pharmacological and therapeutic targets for Δ^9 tetrahydrocannabinol and cannabidiol. <i>Euphytica</i> , 2004, 140, 73-82.	0.6	53
93	Cannabidiolic acid methyl ester, a stable synthetic analogue of cannabidiolic acid, can produce 5-HT_{1A} receptor-mediated suppression of nausea and anxiety in rats. <i>British Journal of Pharmacology</i> , 2018, 175, 100-112.	2.7	53
94	AM630 behaves as a protean ligand at the human cannabinoid CB_2 receptor. <i>British Journal of Pharmacology</i> , 2012, 165, 2561-2574.	2.7	51
95	Δ^9 -tetrahydrocannabinol and anandamide enhance the ability of muscimol to induce catalepsy in the globus pallidus of rats. <i>European Journal of Pharmacology</i> , 1993, 250, 205-208.	1.7	50
96	Effects of two endogenous fatty acid ethanolamides on mouse vasa deferentia. <i>European Journal of Pharmacology</i> , 1994, 259, 115-120.	1.7	50
97	Pharmacophoric Requirements for the Cannabinoid Side Chain. Probing the Cannabinoid Receptor Subsite at C1 . <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3221-3229.	2.9	50
98	Hippocampal endocannabinoids inhibit spatial learning and limit spatial memory in rats. <i>Psychopharmacology</i> , 2008, 198, 551-563.	1.5	50
99	CB2 cannabinoid receptor agonist enantiomers HU-433 and HU-308: An inverse relationship between binding affinity and biological potency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8774-8779.	3.3	50
100	O-1057, a potent water-soluble cannabinoid receptor agonist with antinociceptive properties. <i>British Journal of Pharmacology</i> , 2000, 129, 1577-1584.	2.7	49
101	Novel Electrophilic and Photoaffinity Covalent Probes for Mapping the Cannabinoid 1 Receptor Allosteric Site(s). <i>Journal of Medicinal Chemistry</i> , 2016, 59, 44-60.	2.9	49
102	Evidence that methyl arachidonyl fluorophosphonate is an irreversible cannabinoid receptor antagonist. <i>British Journal of Pharmacology</i> , 1997, 121, 1716-1720.	2.7	48
103	Identification of the First Synthetic Allosteric Modulator of the CB_2 Receptors and Evidence of Its Efficacy for Neuropathic Pain Relief. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 276-287.	2.9	47
104	Comparison of cannabinoid binding sites in guinea-pig forebrain and small intestine. <i>British Journal of Pharmacology</i> , 1998, 125, 1345-1351.	2.7	46
105	WIN55,212-2 induced deficits in spatial learning are mediated by cholinergic hypofunction. <i>Behavioural Brain Research</i> , 2010, 208, 584-592.	1.2	46
106	Comparison of novel cannabinoid partial agonists and SR141716A in the guinea-pig small intestine. <i>British Journal of Pharmacology</i> , 2000, 129, 645-652.	2.7	45
107	Investigations on the 4-Quinolone-3-carboxylic Acid Motif. 3. Synthesis, Structure-Affinity Relationships, and Pharmacological Characterization of 6-Substituted 4-Quinolone-3-carboxamides as Highly Selective Cannabinoid-2 Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 5915-5928.	2.9	43
108	The phytocannabinoid, Δ^9 -tetrahydrocannabivarin, can act through 5-HT_{1A} receptors to produce antipsychotic effects. <i>British Journal of Pharmacology</i> , 2015, 172, 1305-1318.	2.7	43

#	ARTICLE	IF	CITATIONS
109	Influence of the degree of unsaturation of the acyl side chain upon the interaction of analogues of 1-arachidonoylglycerol with monoacylglycerol lipase and fatty acid amide hydrolase. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 104-109.	1.0	42
110	Agonist-antagonist characterization of 6 μ -cyanohept-2 μ - Δ^8 -tetrahydrocannabinol in two isolated tissue preparations. <i>European Journal of Pharmacology</i> , 1996, 315, 195-201.	1.7	41
111	Application of Fluorine- and Nitrogen-Walk Approaches: Defining the Structural and Functional Diversity of 2-Phenylindole Class of Cannabinoid 1 Receptor Positive Allosteric Modulators. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 542-568.	2.9	40
112	Differential effects of cannabis extracts and pure plant cannabinoids on hippocampal neurones and glia. <i>Neuroscience Letters</i> , 2006, 408, 236-241.	1.0	38
113	Δ^8 -Tetrahydrocannabivarin prevents hepatic ischaemia/reperfusion injury by decreasing oxidative stress and inflammatory responses through cannabinoid CB ₂ receptors. <i>British Journal of Pharmacology</i> , 2012, 165, 2450-2461.	2.7	38
114	Further evidence for the presence of cannabinoid CB1 receptors in mouse vas deferens. <i>European Journal of Pharmacology</i> , 1996, 296, 169-172.	1.7	34
115	Known Pharmacological Actions of Delta-9-Tetrahydrocannabinol and of Four Other Chemical Constituents of Cannabis that Activate Cannabinoid Receptors. , 2014, , 115-136.		34
116	Relative pharmacological potency in mice of optical isomers of Δ^1 -tetrahydrocannabinol. <i>Biochemical Pharmacology</i> , 1974, 23, 439-446.	2.0	33
117	Effects of Δ^9 -THC and WIN-55,212-2 on place preference in the water maze in rats. <i>Psychopharmacology</i> , 2003, 166, 40-50.	1.5	32
118	Pure Δ^9 -tetrahydrocannabivarin and a Cannabis sativa extract with high content in Δ^9 -tetrahydrocannabivarin inhibit nitrite production in murine peritoneal macrophages. <i>Pharmacological Research</i> , 2016, 113, 199-208.	3.1	32
119	Evidence that cannabinoid-induced inhibition of electrically evoked contractions of the myenteric plexus - longitudinal muscle preparation of guinea-pig small intestine can be modulated by Ca ²⁺ and camp. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 340-346.	0.7	30
120	Mapping Cannabinoid 1 Receptor Allosteric Site(s): Critical Molecular Determinant and Signaling Profile of GAT100, a Novel, Potent, and Irreversibly Binding Probe. <i>ACS Chemical Neuroscience</i> , 2016, 7, 776-798.	1.7	30
121	Scopolamine and MK801-induced working memory deficits in rats are not reversed by CBD-rich cannabis extracts. <i>Behavioural Brain Research</i> , 2006, 168, 307-311.	1.2	28
122	Interactions of cannabidiol with endocannabinoid signalling in hippocampal tissue. <i>European Journal of Neuroscience</i> , 2007, 25, 2093-2102.	1.2	28
123	Synthesis of long-chain amide analogs of the cannabinoid CB1 receptor antagonist N-(piperidinyl)-5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazole-3-carboxamide (SR141716) with unique binding selectivities and pharmacological activities. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 5463-5474.	1.4	27
124	Novel Compounds That Interact with Both Leukotriene B4 Receptors and Vanilloid TRPV1 Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 955-965.	1.3	27
125	In vitro and in vivo pharmacological characterization of two novel selective cannabinoid CB2 receptor inverse agonists. <i>Pharmacological Research</i> , 2010, 61, 349-354.	3.1	27
126	Structural and pharmacological analysis of O-2050, a putative neutral cannabinoid CB1 receptor antagonist. <i>European Journal of Pharmacology</i> , 2011, 651, 96-105.	1.7	27

#	ARTICLE	IF	CITATIONS
127	Investigations on the 4-Quinolone-3-Carboxylic Acid Motif Part 5: Modulation of the Physicochemical Profile of a Set of Potent and Selective Cannabinoid Receptor Ligands through a Bioisosteric Approach. <i>ChemMedChem</i> , 2012, 7, 920-934.	1.6	27
128	Anticancer effects of n-3 EPA and DHA and their endocannabinoid derivatives on breast cancer cell growth and invasion. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020, 156, 102024.	1.0	27
129	First hybrid ligands of vanilloid TRPV1 and cannabinoid CB2 receptors and non-polyunsaturated fatty acid-derived CB2-selective ligands. <i>FEBS Letters</i> , 2006, 580, 568-574.	1.3	26
130	Evidence that (Δ ⁹)-7-hydroxy-Δ ⁸ -dimethylheptyl-cannabidiol activates a non-CB1, non-CB2, non-TRPV1 target in the mouse <i>vas deferens</i> . <i>Neuropharmacology</i> , 2005, 48, 1139-1146.	2.0	25
131	Investigations on the 4-quinolone-3-carboxylic acid motif. 6. Synthesis and pharmacological evaluation of 7-substituted quinolone-3-carboxamide derivatives as high affinity ligands for cannabinoid receptors. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 30-43.	2.6	24
132	Big conductance calcium-activated potassium channel openers control spasticity without sedation. <i>British Journal of Pharmacology</i> , 2017, 174, 2662-2681.	2.7	22
133	Characterization of cannabinoid receptor ligands in tissues natively expressing cannabinoid CB2 receptors. <i>British Journal of Pharmacology</i> , 2013, 169, 887-899.	2.7	21
134	Modulation of food consumption and sleep-wake cycle in mice by the neutral CB1 antagonist ABD459. <i>Behavioural Pharmacology</i> , 2015, 26, 289-303.	0.8	21
135	The In Vivo Effects of the CB1-Positive Allosteric Modulator GAT229 on Intraocular Pressure in Ocular Normotensive and Hypertensive Mice. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2017, 33, 582-590.	0.6	21
136	Action of Δ ⁹ -tetrahydrocannabinol on GABA _A receptor-mediated responses in a grease-gap recording preparation of the rat hippocampal slice. <i>Neuropharmacology</i> , 1997, 36, 1387-1392.	2.0	20
137	Development of agonists, partial agonists and antagonists in the Δ ⁸ -Tetrahydrocannabinol series. <i>Tetrahedron</i> , 1999, 55, 13907-13926.	1.0	20
138	The First Photochromic Affinity Switch for the Human Cannabinoid Receptor 2. <i>Advanced Therapeutics</i> , 2018, 1, 1700032.	1.6	20
139	Lipoxin A ₄ is an allosteric endocannabinoid that strengthens anandamide-induced CB1 receptor activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20781-20782.	3.3	19
140	Known Pharmacological Actions of Nine Nonpsychotropic Phytocannabinoids. , 2014, , 137-156.		19
141	A preliminary investigation of the mechanisms underlying cannabinoid tolerance in the mouse <i>vas deferens</i> . <i>European Journal of Pharmacology</i> , 1995, 272, 67-72.	1.7	18
142	Fatty acid suppression of glial activation prevents central neuropathic pain after spinal cord injury. <i>Pain</i> , 2019, 160, 2724-2742.	2.0	18
143	Discovery of a Biased Allosteric Modulator for Cannabinoid 1 Receptor: Preclinical Anti-Glaucoma Efficacy. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 8104-8126.	2.9	18
144	Importance of the C-1 Substituent in Classical Cannabinoids to CB2 Receptor Selectivity: Synthesis and Characterization of a Series of O-2-Propano-Δ ⁸ -tetrahydrocannabinol Analogs. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3312-3318.	2.9	17

#	ARTICLE	IF	CITATIONS
145	Conformationally Constrained Fatty Acid Ethanolamides as Cannabinoid and Vanilloid Receptor Probes. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3001-3009.	2.9	17
146	Disruption of an enhancer associated with addictive behaviour within the cannabinoid receptor-1 gene suggests a possible role in alcohol intake, cannabinoid response and anxiety-related behaviour. <i>Psychoneuroendocrinology</i> , 2019, 109, 104407.	1.3	17
147	Tricyclic Fused Pyrazoles with a κ -Click™ 1,2,3-Triazole Substituent in Position 3 Are Nanomolar CB1 Receptor Ligands. <i>Synthesis</i> , 2015, 47, 817-826.	1.2	15
148	Therapeutic Potential of Cannabidiol, Cannabidiolic Acid, and Cannabidiolic Acid Methyl Ester as Treatments for Nausea and Vomiting. <i>Cannabis and Cannabinoid Research</i> , 2021, 6, 266-274.	1.5	15
149	Design, Synthesis, and Biological Activity of New CB2 Receptor Ligands: from Orthosteric and Allosteric Modulators to Dualsteric/Bitopic Ligands. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 9918-9938.	2.9	15
150	Effect of δ^9 -tetrahydrocannabinol on circling in rats induced by intranigral muscimol administration. <i>European Journal of Pharmacology</i> , 1995, 282, 251-254.	1.7	14
151	Structure-affinity relationships and pharmacological characterization of new alkyl-resorcinol cannabinoid receptor ligands: Identification of a dual cannabinoid receptor/TRPA1 channel agonist. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 4770-4783.	1.4	13
152	Indomethacin Enhances Type 1 Cannabinoid Receptor Signaling. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 257.	1.4	12
153	δ^8 -Tetrahydrocannabivarin has potent anti-nicotine effects in several rodent models of nicotine dependence. <i>British Journal of Pharmacology</i> , 2019, 176, 4773-4784.	2.7	11
154	Cannabidiol as a potential medicine. , 2005, , 47-65.		11
155	Evidence that cannabinoid-induced inhibition of electrically evoked contractions of the myenteric plexus - longitudinal muscle preparation of guinea-pig small intestine can be modulated by Ca^{2+} and camp. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 340-346.	0.7	11
156	Prescribing Cannabinoids for Multiple Sclerosis. <i>CNS Drugs</i> , 1999, 11, 327-334.	2.7	10
157	Therapeutic Applications for Agents that Act at CB1 and CB2 Receptors. , 2009, , 361-392.		9
158	Disease-associated polymorphisms within the conserved ECR1 enhancer differentially regulate the tissue-specific activity of the cannabinoid $CB1$ receptor gene promoter; implications for cannabinoid pharmacogenetics. <i>Human Mutation</i> , 2020, 41, 291-298.	1.1	9
159	Sleep and neurochemical modulation by cannabidiolic acid methyl ester in rats. <i>Brain Research Bulletin</i> , 2020, 155, 166-173.	1.4	8
160	Cannabinoid receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	8
161	Effects on the post-translational modification of H3K4Me3, H3K9ac, H3K9Me2, H3K27Me3, and H3K36Me2 levels in cerebral cortex, hypothalamus and pons of rats after a systemic administration of cannabidiol: A Preliminary Study. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2020, 20, 142-147.	0.5	7
162	Editorial: Central & Peripheral Nervous Systems: Cannabinoid receptor ligands: clinical and neuropharmacological considerations relevant to future drug discovery and development. <i>Expert Opinion on Investigational Drugs</i> , 1996, 5, 1245-1253.	1.9	6

#	ARTICLE	IF	CITATIONS
163	Synthesis, radio-synthesis and in vitro evaluation of terminally fluorinated derivatives of HU-210 and HU-211 as novel candidate PET tracers. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 2086-2096.	1.5	6
164	Osteogenic growth peptide is a potent anti-inflammatory and bone preserving hormone via cannabinoid receptor type 2. <i>ELife</i> , 0, 11, .	2.8	6
165	Inverse agonism at cannabinoid receptors. <i>International Congress Series</i> , 2003, 1249, 75-86.	0.2	5
166	Pyrazoles with a 4-[N-(4-fluorobutyl)-1,2,3-triazole] substituent in position 3 are nanomolar CB1 receptor ligands. <i>Journal of Fluorine Chemistry</i> , 2014, 167, 184-191.	0.9	5
167	Variously substituted 2-oxopyridine derivatives: Extending the structure-activity relationships for allosteric modulation of the cannabinoid CB2 receptor. <i>European Journal of Medicinal Chemistry</i> , 2021, 211, 113116.	2.6	5
168	The Therapeutic Potential of Drugs that Target Cannabinoid Receptors or Modulate the Tissue Levels or Actions of Endocannabinoids. , 2008, , 637-686.		5
169	The Cyclic AMP Assay Using Human Cannabinoid CB2 Receptor-Transfected Cells. <i>Methods in Molecular Biology</i> , 2016, 1412, 85-93.	0.4	4
170	Design, synthesis, and pharmacological profiling of cannabinoid 1 receptor allosteric modulators: Preclinical efficacy of C2-group GAT211 congeners for reducing intraocular pressure. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 50, 116421.	1.4	4
171	Cannabinoid Receptors and Their Ligands in Brain and Other Tissues. , 1999, , 177-185.		4
172	CB1 and CB2 Receptor Pharmacology. , 2008, , 91-99.		3
173	Synthetic bioactive olivetol-related amides: The influence of the phenolic group in cannabinoid receptor activity. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115513.	1.4	3
174	Synthesis and In Vitro Characterization of Selective Cannabinoid CB2 Receptor Agonists: Biological Evaluation against Neuroblastoma Cancer Cells. <i>Molecules</i> , 2022, 27, 3019.	1.7	3
175	Brain levels and relative potency of the 1,2-dimethylheptyl analogue of Δ^9 -tetrahydrocannabinol in mice. <i>Biochemical Pharmacology</i> , 1974, 23, 3017-3027.	2.0	2
176	Exploring the Benzimidazole Ring as a Substitution for Indole in Cannabinoid Allosteric Modulators. <i>Cannabis and Cannabinoid Research</i> , 2016, 1, 196-201.	1.5	2
177	Assessing the treatment of cannabidiolic acid methyl ester: a stable synthetic analogue of cannabidiolic acid on c-Fos and NeuN expression in the hypothalamus of rats. <i>Journal of Cannabis Research</i> , 2021, 3, 31.	1.5	2
178	CB1 receptor binding sites for NAM and PAM: A first approach for studying, new n-butyl diphenylcarboxamides as allosteric modulators. <i>European Journal of Pharmaceutical Sciences</i> , 2022, 169, 106088.	1.9	2
179	The function of the endocannabinoid system. , 0, , 23-34.		1
180	The Displacement Binding Assay Using Human Cannabinoid CB2 Receptor-Transfected Cells. <i>Methods in Molecular Biology</i> , 2016, 1412, 57-63.	0.4	1

#	ARTICLE	IF	CITATIONS
181	PSNCBAM-1 analogs: Structural evolutions and allosteric properties at cannabinoid CB1 receptor. European Journal of Medicinal Chemistry, 2020, 203, 112606.	2.6	1
182	. ADVANCES IN CANNABINOID RECEPTOR PHARMACOLOGY., 0, , .		1
183	Motor-like Tics are Mediated by CB2 Cannabinoid Receptor-dependent and Independent Mechanisms Associated with Age and Sex. Molecular Neurobiology, 2022, 59, 5070-5083.	1.9	1
184	New developments in the pharmacology of cannabinoids. Pharmacochimistry Library, 2002, , 249-258.	0.1	0
185	Pharmacology and potential therapeutic uses of some cannabinoids. Future Neurology, 2019, 14, FNL28.	0.9	0
186	The 90th Birthday of Professor Raphael Mechoulam, a Top Cannabinoid Scientist and Pioneer. International Journal of Molecular Sciences, 2020, 21, 7653.	1.8	0
187	Cannabinoids. , 2003, , .		0