

Michael Mastalerz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8727701/publications.pdf>

Version: 2024-02-01

122
papers

7,534
citations

61984

43
h-index

56724

83
g-index

137
all docs

137
docs citations

137
times ranked

4274
citing authors

#	ARTICLE	IF	CITATIONS
1	A Series of Soluble Thieno-Fused Coronene Nanoribbons of Precise Lengths. <i>Journal of the American Chemical Society</i> , 2022, 144, 9883-9892.	13.7	23
2	Highly Selective Adsorption of Perfluorinated Greenhouse Gases by Porous Organic Cages. <i>Advanced Materials</i> , 2022, 34, .	21.0	33
3	Synthesis and Optoelectronic Properties of a Quinoxalino-Phenanthrophenazine (QPP) Extended Tribenzotriquinacene (TBTQ). <i>Chemistry - A European Journal</i> , 2021, 27, 2043-2049.	3.3	10
4	A Giant [8+12] Boronic Ester Cage with 48 Terminal Alkene Units in the Periphery for Postsynthetic Alkene Metathesis. <i>Chemistry - A European Journal</i> , 2021, 27, 233-237.	3.3	18
5	Cucurbitimines – imine cages with concave walls. <i>Organic Chemistry Frontiers</i> , 2021, 8, 3668-3674.	4.5	5
6	Benzo-Fused Perylene Oligomers with up to 13 Linearly Annulated Rings. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7941-7946.	13.8	41
7	Benzo-Fused Perylene Oligomers with up to 13 Linearly Annulated Rings. <i>Angewandte Chemie</i> , 2021, 133, 8020-8025.	2.0	11
8	Chiral Self-Sorting of Giant Cubic [8+12] Salicylimine Cage Compounds. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 8896-8904.	13.8	70
9	Chiral Self-Sorting of Giant Cubic [8+12] Salicylimine Cage Compounds. <i>Angewandte Chemie</i> , 2021, 133, 8978-8986.	2.0	25
10	Proving Triptycene Homoconjugation with the Same Chromophore but Different Connectivity to the Core. <i>Organic Materials</i> , 2021, 03, 097-102.	2.0	6
11	Soluble Congeners of Prior Insoluble Shape-Persistent Imine Cages. <i>Chemistry - A European Journal</i> , 2021, 27, 9383-9390.	3.3	17
12	Contorted Heteroannulated Tetraareno[a , d , j , m]coronenes. <i>Chemistry - A European Journal</i> , 2021, 27, 14345-14352.	3.3	7
13	Quinoxalinophenanthrophenazine Based Cruciforms. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 4816-4823.	2.4	4
14	Triptycene End-Capping as Strategy in Materials Chemistry to Control Crystal Packing and Increase Solubility. <i>Chemical Record</i> , 2021, 21, 558-573.	5.8	15
15	Isostructural Charge-Transfer Cocrystals Based on Triptycene End-Capped Quinoxalinophenanthrophenazine. <i>Crystal Growth and Design</i> , 2021, 21, 1329-1341.	3.0	5
16	Triptycene End-Capped Indigo Derivatives – Turning Insoluble Pigments to Soluble Dyes. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 72-76.	2.4	7
17	A Chiral Polycyclic Aromatic Hydrocarbon Monkey Saddle. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 270-274.	13.8	71
18	Bright, stable, and efficient red light-emitting electrochemical cells using contorted nanographenes. <i>Nanoscale Horizons</i> , 2020, 5, 473-480.	8.0	18

#	ARTICLE	IF	CITATIONS
19	A Chiral Polycyclic Aromatic Hydrocarbon Monkey Saddle. <i>Angewandte Chemie</i> , 2020, 132, 276-280.	2.0	24
20	Metal Salen- and Salphen-Containing Organic Polymers: Synthesis and Applications. <i>Organic Materials</i> , 2020, 02, 182-203.	2.0	10
21	Examination of the Dynamic Covalent Chemistry of [2 + 3]-Imine Cages. <i>Journal of Organic Chemistry</i> , 2020, 85, 13757-13771.	3.2	33
22	Desymmetrization Strategy to Achieve Triptycene-Based 3,6-Dimethoxytriphenylenes via Oxidative Cyclodehydrogenation. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 6255-6258.	2.4	1
23	Homoconjugation and Intramolecular Charge Transfer in Extended Aromatic Triptycenes with Different π -Planes. <i>Journal of Organic Chemistry</i> , 2020, 85, 15256-15272.	3.2	24
24	Triptycene End-Capped Benzothienobenzothiophene and Naphthothienobenzothiophene. <i>Chemistry - A European Journal</i> , 2020, 26, 12596-12605.	3.3	4
25	Di- and Tetracyano-Substituted Pyrene-Fused Pyrazaacenes: Aggregation in the Solid State. <i>Chemistry - A European Journal</i> , 2020, 26, 11634-11642.	3.3	11
26	An Isosteric Triaza Analogue of a Polycyclic Aromatic Hydrocarbon Monkey Saddle. <i>Chemistry - A European Journal</i> , 2020, 26, 14560-14564.	3.3	25
27	A Robust Porous Quinoline Cage: Transformation of a [4+6] Salicylimine Cage by Povarov Cyclization. <i>Angewandte Chemie</i> , 2020, 132, 19843-19847.	2.0	16
28	A Robust Porous Quinoline Cage: Transformation of a [4+6] Salicylimine Cage by Povarov Cyclization. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19675-19679.	13.8	52
29	A Triptycene-Based Enantiopure Bis(Diazadibenzoanthracene) by a Chirality-Assisted Synthesis Approach. <i>Chemistry - A European Journal</i> , 2020, 26, 16036-16042.	3.3	12
30	Solvent-Controlled Racemic Resolution of C_3 -Symmetric Trihydroxytribenzotriquinacenes. <i>Journal of Organic Chemistry</i> , 2020, 85, 3981-3989.	3.2	12
31	Host-Guest Chemistry of Truncated Tetrahedral Imine Cages with Ammonium Ions. <i>ChemistryOpen</i> , 2020, 9, 183-190.	1.9	12
32	2,7,11,16-Tetra- <i>tert</i> -Butyl Tetraindenopyrene Revisited by an α -Inverse-Synthetic Approach. <i>Chemistry - A European Journal</i> , 2020, 26, 10585-10590.	3.3	14
33	Pyrene-Based Diarynes as Precursors for Twisted Fused Polycyclic Aromatic Hydrocarbons: A Comparison of Two Routes. <i>Organic Materials</i> , 2020, 02, 358-361.	2.0	5
34	Metal-Assisted Salphen Organic Frameworks (MaSOFs) with Trinuclear Metal Units for Synergic Gas Sorption. <i>Chemistry of Materials</i> , 2019, 31, 6210-6223.	6.7	15
35	Functionalized Contorted Polycyclic Aromatic Hydrocarbons by a One-Step Cyclopentannulation and Regioselective Triflyloxylolation. <i>Angewandte Chemie</i> , 2019, 131, 10760-10764.	2.0	14
36	Contorted Polycyclic Aromatic Hydrocarbons with Two Embedded Azulene Units. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17577-17582.	13.8	98

#	ARTICLE	IF	CITATIONS
37	Contorted Polycyclic Aromatic Hydrocarbons with Two Embedded Azulene Units. <i>Angewandte Chemie</i> , 2019, 131, 17741-17746.	2.0	48
38	Functionalized Contorted Polycyclic Aromatic Hydrocarbons by a One-Step Cyclopentannulation and Regioselective Triflyloxylation. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10650-10654.	13.8	30
39	Triptycene End-Capped Quinoxalinophenanthrophenazines (QPPs): Influence of Substituents and Conditions on Aggregation in the Solid State. <i>Chemistry - A European Journal</i> , 2019, 25, 11121-11134.	3.3	23
40	Quinoxalinophenanthrophenazines (QPPs) and Hexabenzoovalenes (HBOs) – Proving the Solubility Enhancement by Triptycene End-Capping. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 4891-4896.	2.4	13
41	Transformation of a [4+6] Salicylbisimine Cage to Chemically Robust Amide Cages. <i>Angewandte Chemie</i> , 2019, 131, 8911-8915.	2.0	21
42	Transformation of a [4+6] Salicylbisimine Cage to Chemically Robust Amide Cages. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8819-8823.	13.8	58
43	Microporous Triptycene-Based Affinity Materials on Quartz Crystal Microbalances for Tracing of Illicit Compounds. <i>ChemPlusChem</i> , 2019, 84, 1239-1244.	2.8	14
44	Triptycene End-Capped Quinoxalinophenanthrophenazines with Aromatic Substituents – Synthesis, Characterization, and Single-Crystal Structure Analysis. <i>Organic Materials</i> , 2019, 01, 050-062.	2.0	9
45	Transformation of Imine Cages into Hydrocarbon Cages. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 1768-1773.	13.8	53
46	Transformation of Imine Cages into Hydrocarbon Cages. <i>Angewandte Chemie</i> , 2019, 131, 1782-1787.	2.0	20
47	Gulf-Selective Postsynthetic Functionalization of a Soluble Hexabenzoovalene. <i>Chemistry - A European Journal</i> , 2018, 24, 8751-8755.	3.3	14
48	Shape-Persistent [4+4] Imine Cages with a Truncated Tetrahedral Geometry. <i>Chemistry - A European Journal</i> , 2018, 24, 1816-1820.	3.3	60
49	Benzopyrano-Fused N-Heterocyclic Polyaromatics. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 532-536.	2.4	14
50	Triptycene-Based Porous Metal-Assisted Salphen Organic Frameworks: Influence of the Metal Ions on Formation and Gas Sorption. <i>Chemistry of Materials</i> , 2018, 30, 2781-2790.	6.7	27
51	Ln(III) complexes with triptycene based tripodal ligands: speciation and equilibria. <i>New Journal of Chemistry</i> , 2018, 42, 7803-7809.	2.8	5
52	Optical Properties and Sequence Information of Tin-Centered Conjugated Microporous Polymers. <i>Chemistry - A European Journal</i> , 2018, 24, 1674-1680.	3.3	8
53	Cata-Condensed Heteroannulated Coronenes via Selective Bromination of Diarenoperylene as the Key Step. <i>Organic Letters</i> , 2018, 20, 7270-7273.	4.6	17
54	Porous Shape-Persistent Organic Cage Compounds of Different Size, Geometry, and Function. <i>Accounts of Chemical Research</i> , 2018, 51, 2411-2422.	15.6	272

#	ARTICLE	IF	CITATIONS
55	A Nickel α -Salphen Type Complex with a Heteropicene Backbone. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 606-610.	1.2	0
56	Discrete Triptycene α -Based Hexakis(metalsalphens): Extrinsic Soluble Porous Molecules of Isostructural Constitution. Chemistry - A European Journal, 2018, 24, 11433-11437.	3.3	16
57	Switching the Statistical C_3/C_1 Ratio in the Threefold Aromatic Substitution of Tribenzotriquinacenes towards the C_3 Isomer. Angewandte Chemie, 2018, 130, 11491-11494.	2.0	14
58	Switching the Statistical C_3/C_1 Ratio in the Threefold Aromatic Substitution of Tribenzotriquinacenes towards the C_3 Isomer. Angewandte Chemie - International Edition, 2018, 57, 11321-11324.	13.8	22
59	Shape α -Persistent Tetrahedral [4+6] Boronic Ester Cages with Different Degrees of Fluoride Substitution. Chemistry - A European Journal, 2018, 24, 11438-11443.	3.3	47
60	Triptycene-trisaroyleneimidazoles as non-fullerene acceptors α Influence of side-chains on solubility, device morphology and performance. Organic Electronics, 2017, 47, 211-219.	2.6	15
61	Planar versus triptycylene end-capped aroyleneimidazoles as electron acceptors in organic photovoltaics. Organic Chemistry Frontiers, 2017, 4, 834-838.	4.5	16
62	Chiral Self α -Sorting of [2+3] Salicylimine Cage Compounds. Angewandte Chemie - International Edition, 2017, 56, 1244-1248.	13.8	153
63	Chiral Self α -Sorting of [2+3] Salicylimine Cage Compounds. Angewandte Chemie, 2017, 129, 1264-1268.	2.0	78
64	K α -Region α -Extended [C_3] α Heteroannulated Pyrenes. Chemistry - A European Journal, 2017, 23, 17817-17822.	3.3	21
65	Triptycene α -Bis(aroyleneimidazole)s as Non α -Fullerene Acceptors: The Missing Links. ChemPlusChem, 2017, 82, 1390-1395.	2.8	5
66	Transforming a chemically labile [2+3] imine cage into a robust carbamate cage. Chemical Communications, 2017, 53, 8616-8619.	4.1	54
67	Boroquinol Complexes with Fused Extended Aromatic Backbones: Synthesis and Optical Properties. Chemistry - A European Journal, 2017, 23, 935-945.	3.3	18
68	Attractive Dispersion Interactions Versus Steric Repulsion of <i>tert</i> -Butyl groups in the Crystal Packing of a D_3h -Symmetric Tris(quinoxalinophenanthrophenazine). Chemistry - A European Journal, 2016, 22, 646-655.	3.3	43
69	Rigid Conjugated Twisted Truxene Dimers and Trimers as Electron Acceptors. Angewandte Chemie, 2016, 128, 4045-4049.	2.0	12
70	Chirality α -Assisted Synthesis of a Very Large Octameric Hydrogen α -Bonded Capsule. Angewandte Chemie, 2016, 128, 15828-15832.	2.0	31
71	Innentitelbild: A Conformationally Stable Contorted Hexabenzoovalene (Angew. Chem. 50/2016). Angewandte Chemie, 2016, 128, 15672-15672.	2.0	0
72	A Conformationally Stable Contorted Hexabenzoovalene. Angewandte Chemie, 2016, 128, 15823-15827.	2.0	40

#	ARTICLE	IF	CITATIONS
73	Synthesis and Chiral Resolution of C_3 -Symmetric Tribenzotriquinacenes. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 4470-4472.	2.4	27
74	Hydrogen-Bonded Chains and Networks of Triptycene-Based Triboronic Acid and Tripyridinone. <i>Crystal Growth and Design</i> , 2016, 16, 5542-5548.	3.0	12
75	A Conformationally Stable Contorted Hexabenzoovalene. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15594-15598.	13.8	74
76	Facile Synthetic Approach to a Large Variety of Soluble Diarenoperylenees. <i>Chemistry - A European Journal</i> , 2016, 22, 14840-14845.	3.3	56
77	Chirality-Assisted Synthesis of a Very Large Octameric Hydrogen-Bonded Capsule. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15599-15603.	13.8	72
78	Fused π -Extended Truxenes via a Threefold Borylation as the Key Step. <i>Chemistry - A European Journal</i> , 2016, 22, 3084-3093.	3.3	29
79	Rigid Conjugated Twisted Truxene Dimers and Trimers as Electron Acceptors. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3977-3981.	13.8	34
80	Single-Handed Towards Nanosized Organic Molecules. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 45-47.	13.8	16
81	Substrate-Directed Growth of N -Heteropolycyclic Molecules on a Metal Surface. <i>Journal of Physical Chemistry C</i> , 2016, 120, 2866-2873.	3.1	19
82	π -Extended rigid triptycene-trisaroylenimidazoles as electron acceptors. <i>Chemical Communications</i> , 2016, 52, 1048-1051.	4.1	35
83	Crystal Structures of a Molecule Designed Not To Pack Tightly. <i>Chemistry - A European Journal</i> , 2015, 21, 17308-17313.	3.3	66
84	Efficient, Scalable Syntheses of Important Intermediates in Tribenzotriquinacene Chemistry. <i>Synthesis</i> , 2015, 47, 3846-3848.	2.3	10
85	An Oxidative Macrobicyclic Ring Opening of a Triptycene to a Highly Functionalized Fluorene Derivative. <i>Journal of Organic Chemistry</i> , 2015, 80, 8881-8886.	3.2	7
86	Synthesis of p -Aryl-Substituted Salicylaldehydes. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3274-3285.	2.4	9
87	A Pyrene-Fused N -Heteroacene with Eleven Rectilinearly Annulated Aromatic Rings. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6051-6056.	13.8	113
88	Synthesis of Triphenylene-Based Triptycenes via Suzuki-Miyaura Cross-Coupling and Subsequent Scholl Reaction. <i>Journal of Organic Chemistry</i> , 2015, 80, 9342-9348.	3.2	33
89	Liquefied molecular holes. <i>Nature</i> , 2015, 527, 174-175.	27.8	35
90	Synthesis of a Rigid C_3 -Symmetric Trisalicylaldehyde as a Precursor for a Highly Porous Molecular Cube. <i>Chemistry - A European Journal</i> , 2014, 20, 16707-16720.	3.3	83

#	ARTICLE	IF	CITATIONS
91	Rigid π -Extended Triptycenes via a Hexaketone Precursor. <i>Organic Letters</i> , 2014, 16, 704-707.	4.6	84
92	A Permanent Mesoporous Organic Cage with an Exceptionally High Surface Area. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1516-1520.	13.8	363
93	Selective Even-Numbered Bromination of Triptycene Tris(thiadiazoles). <i>Organic Letters</i> , 2014, 16, 5596-5599.	4.6	12
94	A Shape-Persistent Quadruply Interlocked Giant Cage Catenane with Two Distinct Pores in the Solid State. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 5126-5130.	13.8	194
95	Organic cage compounds – from shape-persistency to function. <i>Chemical Society Reviews</i> , 2014, 43, 1934-1947.	38.1	551
96	Direct gravimetric sensing of GBL by a molecular recognition process in organic cage compounds. <i>Chemical Communications</i> , 2013, 49, 8398.	4.1	80
97	Covalent crystal growth. <i>Nature Chemistry</i> , 2013, 5, 810-811.	13.6	9
98	Modular Synthesis of Shape-Persistent Organic Cage Compounds: Molecular Precursors for a New Class of Permanent Porous Materials. <i>Synlett</i> , 2013, 24, 781-786.	1.8	38
99	Post-Modification of the Interior of Porous Shape-Persistent Organic Cage Compounds. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3611-3615.	13.8	138
100	Uniform porous nanospheres of discrete shape-persistent organic cage compounds. <i>Journal of Materials Chemistry</i> , 2012, 22, 7113.	6.7	31
101	Metal-assisted salphen organic frameworks (MaSOFs) with high surface areas and narrow pore-size distribution. <i>Chemical Communications</i> , 2012, 48, 130-132.	4.1	45
102	A shape-persistent exo-functionalized [4 + 6] imine cage compound with a very high specific surface area. <i>Chemical Communications</i> , 2012, 48, 9861.	4.1	90
103	Porous Organic Cage Compounds as Highly Potent Affinity Materials for Sensing by Quartz Crystal Microbalances. <i>Advanced Materials</i> , 2012, 24, 6049-6052.	21.0	200
104	Building large supramolecular nanocapsules with europium cations. <i>Chemical Communications</i> , 2012, 48, 1281-1283.	4.1	55
105	Permanent Porous Materials from Discrete Organic Molecules – Towards Ultra-High Surface Areas. <i>Chemistry - A European Journal</i> , 2012, 18, 10082-10091.	3.3	201
106	Rational Construction of an Extrinsic Porous Molecular Crystal with an Extraordinary High Specific Surface Area. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5252-5255.	13.8	445
107	Inside Back Cover: Rational Construction of an Extrinsic Porous Molecular Crystal with an Extraordinary High Specific Surface Area (<i>Angew. Chem. Int. Ed.</i> 21/2012). <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5257-5257.	13.8	1
108	Exo-Functionalized Shape-Persistent [2+3] Cage Compounds: Influence of Molecular Rigidity on Formation and Permanent Porosity. <i>Chemistry - A European Journal</i> , 2012, 18, 4156-4160.	3.3	106

#	ARTICLE	IF	CITATIONS
109	Periphery-Substituted [4+6] Salicylbisimine Cage Compounds with Exceptionally High Surface Areas: Influence of the Molecular Structure on Nitrogen Sorption Properties. <i>Chemistry - A European Journal</i> , 2012, 18, 836-847.	3.3	148
110	Rational Design of Multifunctional Nanopores by Mixing Matching Molecules. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 584-586.	13.8	17
111	Two-Step Synthesis of Hexaammonium Triptycene: An Air-Stable Building Block for Condensation Reactions to Extended Triptycene Derivatives. <i>Journal of Organic Chemistry</i> , 2011, 76, 6389-6393.	3.2	45
112	Supramolecular single-stranded calix[4]arene helices towards a crystal engineering approach of homochiral assemblies. <i>CrystEngComm</i> , 2011, 13, 3979.	2.6	6
113	Synthesis of Tetrahedral Shape-Persistent Tetranuclear Metal-salphenes. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 5971-5980.	2.4	28
114	A Salicylbisimine Cage Compound with High Surface Area and Selective CO ₂ /CH ₄ Adsorption. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1046-1051.	13.8	377
115	Shape-Persistent Organic Cage Compounds by Dynamic Covalent Bond Formation. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5042-5053.	13.8	386
116	Tetrapyridoxycalix[4]arene and its copper(II) complex: an ionic crystal engineering tecton for self-inclusion polymers. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2009, 64, 157-161.	1.6	0
117	Conjugated Oligothieryl Dendrimers Based on a Pyrazino[2,3- <i>g</i>]quinoxaline Core. <i>Organic Letters</i> , 2009, 11, 4500-4503.	4.6	51
118	The Next Generation of Shape-Persistent Zeolite Analogues: Covalent Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 445-447.	13.8	175
119	One-pot synthesis of a shape-persistent endo-functionalised nano-sized adamantoid compound. <i>Chemical Communications</i> , 2008, , 4756.	4.1	168
120	Pyridoxycalix[4]arene palladium(II) complexes as tectons for self-inclusion polymers. <i>CrystEngComm</i> , 2008, 10, 1120.	2.6	7
121	Synthesis of Large [2+3] Salicylimine Cages with Embedded Metal-salphen Units. <i>European Journal of Inorganic Chemistry</i> , 0, , .	2.0	3
122	A Hexagonal Shape-Persistent Nanobelt of Elongated Rhombic Symmetry with Orthogonal Planes by a One-Pot Reaction. <i>European Journal of Organic Chemistry</i> , 0, , .	2.4	2