

Nic J A Van Der Wee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8729429/publications.pdf>

Version: 2024-02-01

63
papers

4,352
citations

218677

26
h-index

128289

60
g-index

65
all docs

65
docs citations

65
times ranked

8001
citing authors

#	ARTICLE	IF	CITATIONS
1	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	27.8	772
2	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	12.6	450
3	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	4.8	365
4	Social brain, social dysfunction and social withdrawal. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 10-33.	6.1	216
5	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	14.8	213
6	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	21.4	192
7	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.7	152
8	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3â€“90â€™years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	3.6	143
9	MECHANISMS IN ENDOCRINOLOGY: Cushing's syndrome causes irreversible effects on the human brain: a systematic review of structural and functional magnetic resonance imaging studies. <i>European Journal of Endocrinology</i> , 2015, 173, R1-R14.	3.7	141
10	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	7.9	136
11	Aberrant restingâ€“state functional connectivity in limbic and salience networks in treatmentâ€“naïve clinically depressed adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1317-1327.	5.2	124
12	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
13	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 2026-2033.	3.0	96
14	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3â€“90â€™years. <i>Human Brain Mapping</i> , 2022, 43, 452-469.	3.6	72
15	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	7.9	69
16	How stable is activation in the amygdala and prefrontal cortex in adolescence? A study of emotional face processing across three measurements. <i>Developmental Cognitive Neuroscience</i> , 2013, 4, 65-76.	4.0	67
17	Enhanced orienting of attention in response to emotional gaze cues after oxytocin administration in healthy young men. <i>Psychoneuroendocrinology</i> , 2013, 38, 1797-1802.	2.7	59
18	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021, 26, 4331-4343.	7.9	52

#	ARTICLE	IF	CITATIONS
19	<scp>Mega-analysis</scp> methods in <scp>ENIGMA</scp>: The experience of the generalized anxiety disorder working group. Human Brain Mapping, 2022, 43, 255-277.	3.6	51
20	Neuroimaging in children, adolescents and young adults with psychological trauma. European Child and Adolescent Psychiatry, 2013, 22, 745-755.	4.7	50
21	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. Social Cognitive and Affective Neuroscience, 2016, 11, 1841-1852.	3.0	45
22	The Netherlands Obsessive Compulsive Disorder Association (NOCD) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. International Journal of Methods in Psychiatric Research, 2012, 21, 273-285.	2.1	44
23	Resting-State Functional Connectivity in Patients with Long-Term Remission of Cushing's Disease. Neuropsychopharmacology, 2015, 40, 1888-1898.	5.4	44
24	Amygdala activation during emotional face processing in adolescents with affective disorders: the role of underlying depression and anxiety symptoms. Frontiers in Human Neuroscience, 2014, 8, 393.	2.0	33
25	Neural correlates of social decision-making in severely antisocial adolescents. Social Cognitive and Affective Neuroscience, 2014, 9, 2059-2066.	3.0	31
26	<scp>ENIGMA-anxiety</scp> working group: Rationale for and organization of <scp>large-scale</scp> neuroimaging studies of anxiety disorders. Human Brain Mapping, 2022, 43, 83-112.	3.6	31
27	How embarrassing! The behavioral and neural correlates of processing social norm violations. PLoS ONE, 2017, 12, e0176326.	2.5	30
28	Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. Scientific Reports, 2020, 10, 194.	3.3	29
29	Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. Biological Psychiatry, 2021, 90, 243-252.	1.3	29
30	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. Translational Psychiatry, 2020, 10, 211.	4.8	27
31	Fairness decisions in response to emotions: a functional MRI study among criminal justice-involved boys with conduct disorder. Social Cognitive and Affective Neuroscience, 2016, 11, 674-682.	3.0	25
32	Chronic obsessive-compulsive disorder: prognostic factors. Psychological Medicine, 2018, 48, 2213-2222.	4.5	25
33	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. Depression and Anxiety, 2016, 33, 35-44.	4.1	24
34	Four-year course of quality of life and obsessive-compulsive disorder. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 989-1000.	3.1	24
35	Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. Translational Psychiatry, 2021, 11, 502.	4.8	24
36	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. World Journal of Biological Psychiatry, 2013, 14, 565-573.	2.6	21

#	ARTICLE	IF	CITATIONS
37	Amygdala habituation to emotional faces in adolescents with internalizing disorders, adolescents with childhood sexual abuse related PTSD and healthy adolescents. <i>Developmental Cognitive Neuroscience</i> , 2016, 21, 15-25.	4.0	20
38	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 87-93.	6.1	20
39	Recent advances in the brain imaging of social anxiety disorder. <i>Human Psychopharmacology</i> , 2013, 28, 102-105.	1.5	19
40	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 38-46.	6.1	19
41	Mortality in patients with systemic lupus erythematosus and neuropsychiatric involvement: A retrospective analysis from a tertiary referral center in the Netherlands. <i>Lupus</i> , 2020, 29, 1892-1901.	1.6	19
42	Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning: a multiplex, multigenerational fMRI study on social anxiety endophenotypes. <i>NeuroImage: Clinical</i> , 2020, 26, 102247.	2.7	18
43	Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021, 46, 1627-1634.	5.4	18
44	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 2454-2463.	5.4	17
45	The Leiden Family Lab study on Social Anxiety Disorder: A multiplex, multigenerational family study on neurocognitive endophenotypes. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1616.	2.1	17
46	Fatigue in patients with systemic lupus erythematosus and neuropsychiatric symptoms is associated with anxiety and depression rather than inflammatory disease activity. <i>Lupus</i> , 2021, 30, 1124-1132.	1.6	17
47	Unresolved "Disorganized Attachment is Associated With Smaller Hippocampus and Increased Functional Connectivity Beyond Psychopathology. <i>Journal of Traumatic Stress</i> , 2019, 32, 742-752.	1.8	15
48	Advances in the neuroimaging of panic disorder. <i>Human Psychopharmacology</i> , 2013, 28, 608-611.	1.5	14
49	Longitudinal brain changes in MDD during emotional encoding: effects of presence and persistence of symptomatology. <i>Psychological Medicine</i> , 2020, 50, 1316-1326.	4.5	13
50	Cerebral magnetic resonance imaging in quiescent Crohn's disease patients with fatigue. <i>World Journal of Gastroenterology</i> , 2017, 23, 1018.	3.3	12
51	Not intended, still embarrassed: Social anxiety is related to increased levels of embarrassment in response to unintentional social norm violations. <i>European Psychiatry</i> , 2018, 52, 15-21.	0.2	10
52	Impaired neural habituation to neutral faces in families genetically enriched for social anxiety disorder. <i>Depression and Anxiety</i> , 2019, 36, 1143-1153.	4.1	10
53	Why we need more research into the placebo response in psychiatry. <i>Psychological Medicine</i> , 2020, 50, 2317-2323.	4.5	10
54	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110463.	4.8	10

#	ARTICLE	IF	CITATIONS
55	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2022, 145, 302-308.	3.1	9
56	Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimer's disease. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 264-277.	2.6	8
57	Unresolved "disorganized attachment adjusted for a general psychopathology factor associated with atypical amygdala resting-state functional connectivity. <i>HÅgskole Utbildning</i> , 2019, 10, 1583525.	3.0	7
58	Exploring the course of adolescent anxiety and depression: associations with white matter tract microstructure. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 849-858.	3.2	4
59	No indications for altered EEG oscillatory activity in patients with chronic post-burn itch compared to healthy controls. <i>Scientific Reports</i> , 2022, 12, 5184.	3.3	3
60	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and Alzheimer's disease patients. <i>PLoS ONE</i> , 2022, 17, e0263769.	2.5	3
61	Structural Brain Correlates of Childhood Inhibited Temperament: An ENIGMA-Anxiety Mega-analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 1182-1188.	0.5	2
62	Age-related characteristics of outpatients with anxiety disorders: the Leiden routine outcome monitoring study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 307-313.	2.4	1
63	Cortical Thickness in Dutch Police Officers: An Examination of Factors Associated with Resilience. <i>Journal of Traumatic Stress</i> , 2020, 33, 181-189.	1.8	1