

# Nic J A Van Der Wee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8729429/publications.pdf>

Version: 2024-02-01

63  
papers

4,352  
citations

218677

26  
h-index

128289

60  
g-index

65  
all docs

65  
docs citations

65  
times ranked

8001  
citing authors

#	ARTICLE	IF	CITATIONS
1	<scp>ENIGMAâ€œanxiety</scp> working group: Rationale for and organization of <scp>largeâ€œscale</scp> neuroimaging studies of anxiety disorders. Human Brain Mapping, 2022, 43, 83-112.	3.6	31
2	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. Journal of Psychiatric Research, 2022, 145, 302-308.	3.1	9
3	<scp>Megaâ€œanalysis</scp> methods in <scp>ENIGMA</scp>: The experience of the generalized anxiety disorder working group. Human Brain Mapping, 2022, 43, 255-277.	3.6	51
4	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3â€œ90â€œ%years. Human Brain Mapping, 2022, 43, 431-451.	3.6	143
5	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3â€œ90â€œ%years. Human Brain Mapping, 2022, 43, 452-469.	3.6	72
6	Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimerâ€œs disease. World Journal of Biological Psychiatry, 2022, 23, 264-277.	2.6	8
7	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110463.	4.8	10
8	Exploring the course of adolescent anxiety and depression: associations with white matter tract microstructure. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 849-858.	3.2	4
9	No indications for altered EEG oscillatory activity in patients with chronic post-burn itch compared to healthy controls. Scientific Reports, 2022, 12, 5184.	3.3	3
10	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimerâ€œs disease patients. PLoS ONE, 2022, 17, e0263769.	2.5	3
11	Structural Brain Correlates of Childhood Inhibited Temperament: An ENIGMA-Anxiety Mega-analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 1182-1188.	0.5	2
12	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. Molecular Psychiatry, 2021, 26, 4315-4330.	7.9	69
13	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. Molecular Psychiatry, 2021, 26, 4331-4343.	7.9	52
14	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. Molecular Psychiatry, 2021, 26, 5124-5139.	7.9	136
15	Fatigue in patients with systemic lupus erythematosus and neuropsychiatric symptoms is associated with anxiety and depression rather than inflammatory disease activity. Lupus, 2021, 30, 1124-1132.	1.6	17
16	Genetic underpinnings of sociability in the general population. Neuropsychopharmacology, 2021, 46, 1627-1634.	5.4	18
17	Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. Biological Psychiatry, 2021, 90, 243-252.	1.3	29
18	Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. Translational Psychiatry, 2021, 11, 502.	4.8	24

#	ARTICLE	IF	CITATIONS
19	Longitudinal brain changes in MDD during emotional encoding: effects of presence and persistence of symptomatology. <i>Psychological Medicine</i> , 2020, 50, 1316-1326.	4.5	13
20	Four-year course of quality of life and obsessive-compulsive disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 989-1000.	3.1	24
21	Why we need more research into the placebo response in psychiatry. <i>Psychological Medicine</i> , 2020, 50, 2317-2323.	4.5	10
22	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. <i>Translational Psychiatry</i> , 2020, 10, 211.	4.8	27
23	Mortality in patients with systemic lupus erythematosus and neuropsychiatric involvement: A retrospective analysis from a tertiary referral center in the Netherlands. <i>Lupus</i> , 2020, 29, 1892-1901.	1.6	19
24	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	4.8	121
25	Cortical Thickness in Dutch Police Officers: An Examination of Factors Associated with Resilience. <i>Journal of Traumatic Stress</i> , 2020, 33, 181-189.	1.8	1
26	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	4.8	365
27	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	12.6	450
28	Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. <i>Scientific Reports</i> , 2020, 10, 194.	3.3	29
29	Amygdala hyperreactivity to faces conditioned with a social-evaluative meaning a multiplex, multigenerational fMRI study on social anxiety endophenotypes. <i>NeuroImage: Clinical</i> , 2020, 26, 102247.	2.7	18
30	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 87-93.	6.1	20
31	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 38-46.	6.1	19
32	Unresolved Disorganized Attachment is Associated With Smaller Hippocampus and Increased Functional Connectivity Beyond Psychopathology. <i>Journal of Traumatic Stress</i> , 2019, 32, 742-752.	1.8	15
33	Impaired neural habituation to neutral faces in families genetically enriched for social anxiety disorder. <i>Depression and Anxiety</i> , 2019, 36, 1143-1153.	4.1	10
34	Unresolved disorganized attachment adjusted for a general psychopathology factor associated with atypical amygdala resting-state functional connectivity. <i>Hogrefe Utbildning</i> , 2019, 10, 1583525.	3.0	7
35	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	21.4	192
36	Social brain, social dysfunction and social withdrawal. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 10-33.	6.1	216

#	ARTICLE	IF	CITATIONS
37	Not intended, still embarrassed: Social anxiety is related to increased levels of embarrassment in response to unintentional social norm violations. <i>European Psychiatry</i> , 2018, 52, 15-21.	0.2	10
38	Chronic obsessive-compulsive disorder: prognostic factors. <i>Psychological Medicine</i> , 2018, 48, 2213-2222.	4.5	25
39	The Leiden Family Lab study on Social Anxiety Disorder: A multiplex, multigenerational family study on neurocognitive endophenotypes. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1616.	2.1	17
40	Age-related characteristics of outpatients with anxiety disorders: the Leiden routine outcome monitoring study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 307-313.	2.4	1
41	How embarrassing! The behavioral and neural correlates of processing social norm violations. <i>PLoS ONE</i> , 2017, 12, e0176326.	2.5	30
42	Cerebral magnetic resonance imaging in quiescent Crohn's disease patients with fatigue. <i>World Journal of Gastroenterology</i> , 2017, 23, 1018.	3.3	12
43	Fairness decisions in response to emotions: a functional MRI study among criminal justice-involved boys with conduct disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 674-682.	3.0	25
44	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1841-1852.	3.0	45
45	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	14.8	213
46	Amygdala habituation to emotional faces in adolescents with internalizing disorders, adolescents with childhood sexual abuse related PTSD and healthy adolescents. <i>Developmental Cognitive Neuroscience</i> , 2016, 21, 15-25.	4.0	20
47	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. <i>Depression and Anxiety</i> , 2016, 33, 35-44.	4.1	24
48	MECHANISMS IN ENDOCRINOLOGY: Cushing's syndrome causes irreversible effects on the human brain: a systematic review of structural and functional magnetic resonance imaging studies. <i>European Journal of Endocrinology</i> , 2015, 173, R1-R14.	3.7	141
49	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	27.8	772
50	Resting-State Functional Connectivity in Patients with Long-Term Remission of Cushing's Disease. <i>Neuropsychopharmacology</i> , 2015, 40, 1888-1898.	5.4	44
51	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 2454-2463.	5.4	17
52	Amygdala activation during emotional face processing in adolescents with affective disorders: the role of underlying depression and anxiety symptoms. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 393.	2.0	33
53	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 2026-2033.	3.0	96
54	Aberrant resting-state functional connectivity in limbic and salience networks in treatment-naïve clinically depressed adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1317-1327.	5.2	124

#	ARTICLE	IF	CITATIONS
55	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.7	152
56	Neural correlates of social decision-making in severely antisocial adolescents. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 2059-2066.	3.0	31
57	Neuroimaging in children, adolescents and young adults with psychological trauma. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 745-755.	4.7	50
58	How stable is activation in the amygdala and prefrontal cortex in adolescence? A study of emotional face processing across three measurements. <i>Developmental Cognitive Neuroscience</i> , 2013, 4, 65-76.	4.0	67
59	Recent advances in the brain imaging of social anxiety disorder. <i>Human Psychopharmacology</i> , 2013, 28, 102-105.	1.5	19
60	Enhanced orienting of attention in response to emotional gaze cues after oxytocin administration in healthy young men. <i>Psychoneuroendocrinology</i> , 2013, 38, 1797-1802.	2.7	59
61	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 565-573.	2.6	21
62	Advances in the neuroimaging of panic disorder. <i>Human Psychopharmacology</i> , 2013, 28, 608-611.	1.5	14
63	The Netherlands Obsessive Compulsive Disorder Association (NOCD) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 273-285.	2.1	44