

# Guillaume Fond

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8736167/publications.pdf>

Version: 2024-02-01

214  
papers

5,681  
citations

109137

35  
h-index

114278

63  
g-index

253  
all docs

253  
docs citations

253  
times ranked

7411  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Mortality among inpatients with bipolar disorders and COVID-19: a propensity score matching analysis in a national French cohort study. <i>Psychological Medicine</i> , 2023, 53, 1979-1988.  | 2.7 | 5         |
| 2  | Barriers in psychiatrists' mind to active smoking cessation promotion in severe psychiatric disorders. <i>L'Encephale</i> , 2023, 49, 21-26.  | 0.3 | 0         |
| 3  | The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort. <i>Psychological Medicine</i> , 2022, 52, 1501-1508.   | 2.7 | 7         |
| 4  | Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 382-394.  | 2.3 | 7         |
| 5  | The Covid-19 infection: An opportunity to develop systematic vitamin D supplementation in psychiatry. <i>L'Encephale</i> , 2022, 48, 102-104.   | 0.3 | 5         |
| 6  | Which antipsychotics should be chosen for the treatment of schizo-obsessive disorder?. <i>L'Encephale</i> , 2022, 48, 349-350.  | 0.3 | 1         |
| 7  | Anxiety and depression in young physicians: Prevalence and associated factors. The MESSIAEN national study. <i>L'Encephale</i> , 2022, 48, 26-30.   | 0.3 | 13        |
| 8  | Peripheral inflammation is associated with brain SPECT perfusion changes in schizophrenia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 905-912.   | 3.3 | 6         |
| 9  | Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 827-838.  | 1.8 | 3         |
| 10 | Risk factors for burnout and depression in healthcare workers: The national AMADEUS study protocol. <i>L'Encephale</i> , 2022, 48, 247-253.   | 0.3 | 9         |
| 11 | Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 114, 110479. | 2.5 | 7         |
| 12 | The Validity of the SQoL-18 in Patients with Bipolar and Depressive Disorders: A Psychometric Study from the PREMIUM Project. <i>Journal of Clinical Medicine</i> , 2022, 11, 743.  | 1.0 | 3         |
| 13 | Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 703-714.  | 1.3 | 2         |
| 14 | Psychotic symptomatology and medication adherence in patients with schizophrenia: The mediating effect of awareness of mental disorder. <i>Schizophrenia Research</i> , 2022, 241, 110-112.   | 1.1 | 0         |
| 15 | Early-life factors associated with increased risk of disability pension in the national real-world schizophrenia FACE-SZ cohort study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1379-1384.   | 1.8 | 2         |
| 16 | Work environment and mental health in nurse assistants, nurses and health executives: Results from the AMADEUS study. <i>Journal of Nursing Management</i> , 2022, 30, 2268-2277.   | 1.4 | 8         |
| 17 | Development and Calibration of the PREMIUM Item Bank for Measuring Respect and Dignity for Patients with Severe Mental Illness. <i>Journal of Clinical Medicine</i> , 2022, 11, 1644.   | 1.0 | 3         |
| 18 | ADHD and addictive behavior in crack-cocaine users. <i>L'Encephale</i> , 2022, , .  | 0.3 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2022, 22, 100436.   | 1.3 | 2         |
| 20 | Barriers and opportunities for the continuous training of healthcare professionals in the post-Covid era. <i>L'Encephale</i> , 2022, 48, 117.  | 0.3 | 2         |
| 21 | Intensive end-of-life care in acute leukemia from a French national hospital database study (2017-2018). <i>BMC Palliative Care</i> , 2022, 21, 45.  | 0.8 | 0         |
| 22 | Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 49-68.  | 0.7 | 2         |
| 23 | Handedness as a neurodevelopmental marker in schizophrenia: Results from the FACE-SZ cohort. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 525-536.  | 1.3 | 5         |
| 24 | Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 1.   | 1.8 | 2         |
| 25 | Septic shock: incidence, mortality and hospital readmission rates in French intensive care units from 2014 to 2018. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101082.  | 0.6 | 13        |
| 26 | ADHD prevalence in patients with hypersexuality and paraphilic disorders: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1413-1420.  | 1.8 | 7         |
| 27 | Incidence, prevalence, and global burden of autism spectrum disorder from 1990 to 2019 across 204 countries. <i>Molecular Psychiatry</i> , 2022, 27, 4172-4180.  | 4.1 | 52        |
| 28 | Schizophrenia pregnancies should be given greater health priority in the global health agenda: results from a large-scale meta-analysis of 43,611 deliveries of women with schizophrenia and 40,948,272 controls. <i>Molecular Psychiatry</i> , 2022, 27, 3294-3305. | 4.1 | 8         |
| 29 | Hazardous drinking is associated with hypnotic consumption in medical students in the BOURBON nationwide study: psychological factors explored. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 883-889.                               | 1.8 | 3         |
| 30 | Prevalence and associated factors of cannabis consumption in medical students: the BOURBON nationwide study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 857-864.  | 1.8 | 3         |
| 31 | Repeated bullying at the workplace in medical students and young doctors: the MESSIAEN national study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1123-1131.  | 1.8 | 7         |
| 32 | Disparities in Intensive Care Unit Admission and Mortality Among Patients With Schizophrenia and COVID-19: A National Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 624-634.   | 2.3 | 72        |
| 33 | Unplanned readmission and survival after video-assisted thoracic surgery and open thoracotomy in patients with non-small-cell lung cancer: a 12-month nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 59, 987-995.               | 0.6 | 10        |
| 34 | Comorbid Major Depressive Disorder in Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021, 47, 298-308.   | 2.3 | 45        |
| 35 | Depressive symptoms and chronic peripheral inflammation are associated with impaired functional remission in schizophrenia independently of psychotic remission.. <i>Journal of Affective Disorders</i> , 2021, 280, 267-271.  | 2.0 | 7         |
| 36 | A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access &amp; Health Policy</i> , 2021, 9, 1885789.                          | 0.8 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The association between initial motivation for medical studies and specialty choice in young French physicians. <i>L'Encephale</i> , 2021, 47, 1-3.   | 0.3 | 1         |
| 38 | You get psychotropic drugs, so you don't need vaccination against Covid 19?. <i>L'Encephale</i> , 2021, 47, 87-88.  | 0.3 | 1         |
| 39 | Increased in-hospital mortality from COVID-19 in patients with schizophrenia. <i>L'Encephale</i> , 2021, 47, 89-95.   | 0.3 | 33        |
| 40 | End of life breast cancer care in women with severe mental illnesses. <i>Scientific Reports</i> , 2021, 11, 10167.  | 1.6 | 8         |
| 41 | Outcome prediction with a social cognitive battery: a multicenter longitudinal study. <i>NPJ Schizophrenia</i> , 2021, 7, 30.   | 2.0 | 4         |
| 42 | Association Between Mental Health Disorders and Mortality Among Patients With COVID-19 in 7 Countries. <i>JAMA Psychiatry</i> , 2021, 78, 1208.   | 6.0 | 155       |
| 43 | Cross-Cultural Adaptation and Validation of the Quality of Life Questionnaire for Caregivers of Patients with Schizophrenia (S-CGQoL) in Latin America. <i>L'Encephale</i> , 2021, 47, 291-298.   | 0.3 | 0         |
| 44 | Psychonutritional intervention for autism spectrum disorders. <i>L'Encephale</i> , 2021, 47, 289-290.   | 0.3 | 0         |
| 45 | Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110275. | 2.5 | 3         |
| 46 | Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021, 303, 114044.   | 1.7 | 5         |
| 47 | Pregnancy, delivery and neonatal complications in women with schizophrenia: a national population-based cohort study. <i>Lancet Regional Health - Europe</i> , The, 2021, 10, 100209.   | 3.0 | 17        |
| 48 | Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110335.  | 2.5 | 3         |
| 49 | Immune Signatures of Treatment-Resistant Schizophrenia: A Fundamental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab012.   | 0.9 | 20        |
| 50 | Fasting Interventions for Stress, Anxiety and Depressive Symptoms: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2021, 13, 3947.  | 1.7 | 35        |
| 51 | Malformations and pregnancy with schizophrenia – Authors' reply. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100257.  | 3.0 | 1         |
| 52 | Relationships between social stigma, stigma experience and self-stigma and impaired quality of life in schizophrenia across three Latin-American countries. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 513-520.  | 1.8 | 17        |
| 53 | Trauma-related mortality of patients with severe psychiatric disorders: population-based study from the French national hospital database. <i>British Journal of Psychiatry</i> , 2020, 217, 568-574.   | 1.7 | 7         |
| 54 | Abnormal C-reactive protein blood levels as a specific biomarker of major depression and non-remission under antidepressants in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 97, 109800.  | 2.5 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Sexual dysfunctions in schizophrenia: Beyond antipsychotics. A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 98, 109804.  | 2.5 | 31        |
| 56 | Mise en place et évaluation de sances éthique appliquée dans un service de psychiatrie générale en France. <i>Annales Medico-Psychologiques</i> , 2020, 178, 884-890.  | 0.2 | 2         |
| 57 | Assessing metacognitive and help-seeking strategies in schizophrenia: design and psychometric validation of the Versailles Metacognitive Strategies Evaluation Questionnaire. <i>Clinical Rehabilitation</i> , 2020, 34, 263-275.  | 1.0 | 3         |
| 58 | Recurrent major depressive disorder's impact on end-of-life care of cancer: A nationwide study. <i>Journal of Affective Disorders</i> , 2020, 263, 326-335.  | 2.0 | 8         |
| 59 | Improving diet for psychiatric patients: High potential benefits and evidence for safety. <i>Journal of Affective Disorders</i> , 2020, 265, 567-569.  | 2.0 | 14        |
| 60 | Use of artificial nutrition near the end of life: Results from a French national population-based study of hospitalized cancer patients. <i>Cancer Medicine</i> , 2020, 9, 530-540.  | 1.3 | 13        |
| 61 | Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 2147-2161.  | 0.8 | 32        |
| 62 | Palliative and high-intensity end-of-life care in schizophrenia patients with lung cancer: results from a French national population-based study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 271, 1571-1578.                                   | 1.8 | 8         |
| 63 | Adherence to Antipsychotic Medication and Quality of Life in Latin-American Patients Diagnosed with Schizophrenia. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 1595-1604.   | 0.8 | 8         |
| 64 | End-of-Life Care Among Patients With Bipolar Disorder and Cancer: A Nationwide Cohort Study. <i>Psychosomatic Medicine</i> , 2020, 82, 722-732.  | 1.3 | 7         |
| 65 | Machine-learning prediction of unplanned 30-day rehospitalization using the French hospital medico-administrative database. <i>Medicine (United States)</i> , 2020, 99, e22361.  | 0.4 | 7         |
| 66 | Effectiveness of a housing support team intervention with a recovery-oriented approach on hospital and emergency department use by homeless people with severe mental illness: a randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e169. | 1.8 | 40        |
| 67 | Sexual harassment exposure and impaired mental health in medical students. The MESSIAEN national study. <i>Journal of Affective Disorders</i> , 2020, 274, 276-281.  | 2.0 | 9         |
| 68 | Sexual-orientation based discrimination is associated with anxiety and depression in young physicians. A national study. <i>Journal of Affective Disorders</i> , 2020, 274, 964-968.   | 2.0 | 11        |
| 69 | Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109927.  | 2.5 | 11        |
| 70 | The role of neighbourhood socioeconomic status in large for gestational age. <i>PLoS ONE</i> , 2020, 15, e0233416.   | 1.1 | 12        |
| 71 | Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020, 11, 502.   | 2.7 | 16        |
| 72 | Early and very early-onset schizophrenia compared with adult-onset schizophrenia: French FACE-SZ database. <i>Brain and Behavior</i> , 2020, 10, e01495.   | 1.0 | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | First-year French medical students consume antidepressants and anxiolytics while second-years consume non-medical drugs.. Journal of Affective Disorders, 2020, 265, 71-76.   | 2.0 | 7         |
| 74 | Brain PET metabolic substrate of TMS response in pharmaco-resistant depression. Brain Stimulation, 2020, 13, 683-685.   | 0.7 | 6         |
| 75 | The Role of Inflammation in the Treatment of Schizophrenia. Frontiers in Psychiatry, 2020, 11, 160.   | 1.3 | 84        |
| 76 | Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort.. Journal of Affective Disorders, 2020, 274, 617-623.   | 2.0 | 11        |
| 77 | Improving the treatment and remission of major depression in homeless people with severe mental illness: The multicentric French Housing First (FHF) program. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 99, 109877.           | 2.5 | 7         |
| 78 | How to treat inflammatory schizophrenia?. L'Encephale, 2020, 46, 411-413.   | 0.3 | 0         |
| 79 | Brain SPECT perfusion and PET metabolism as discordant biomarkers in major depressive disorder. EJNMMI Research, 2020, 10, 121.   | 1.1 | 7         |
| 80 | Hypovitaminosis D is associated with negative symptoms, suicide risk, agoraphobia, impaired functional remission, and antidepressant consumption in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 879-886.         | 1.8 | 12        |
| 81 | The need to improve detection and treatment of physical pain of homeless people with schizophrenia and bipolar disorders. Results from the French Housing First Study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 88, 175-180. | 2.5 | 9         |
| 82 | Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 985-992.   | 1.8 | 39        |
| 83 | A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. Schizophrenia Research, 2019, 204, 38-45.   | 1.1 | 7         |
| 84 | Screening for cognitive deficits with the Evaluation of Cognitive Processes involved in Disability in Schizophrenia scale. Clinical Rehabilitation, 2019, 33, 113-119.  | 1.0 | 3         |
| 85 | Modeling the Longitudinal Effects of Insight on Depression, Quality of Life and Suicidality in Schizophrenia Spectrum Disorders: Results from the FACE-SZ Cohort. Journal of Clinical Medicine, 2019, 8, 1196.  | 1.0 | 9         |
| 86 | Microbiote et dépression: une piste thérapeutique prometteuse. Annales Medico-Psychologiques, 2019, 177, 695-697.   | 0.2 | 0         |
| 87 | End-of-life care among patients with schizophrenia and cancer: a population-based cohort study from the French national hospital database. Lancet Public Health, The, 2019, 4, e583-e591.   | 4.7 | 56        |
| 88 | Confirmation of a Two-Factor Solution to the Questionnaire of Cognitive and Affective Empathy in a French Population of Patients With Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2019, 10, 751.   | 1.3 | 6         |
| 89 | Stratification and prediction of remission in first-episode psychosis patients: the OPTiMISE cohort study. Translational Psychiatry, 2019, 9, 20.   | 2.4 | 52        |
| 90 | Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109654. | 2.5 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Anxiolytic consumption is associated with tobacco smoking and severe nicotine dependence. Results from the national French medical students (BOURBON) study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109645.  | 2.5 | 19        |
| 92  | Driving us mad: the association of <i>Toxoplasma gondii</i> with suicide attempts and traffic accidents – a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1608-1623.   | 2.7 | 47        |
| 93  | Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019, 208, 90-96.   | 1.1 | 10        |
| 94  | High-intensity end-of-life care among children, adolescents, and young adults with cancer who die in the hospital: A population-based study from the French national hospital database. <i>Cancer</i> , 2019, 125, 2300-2308.   | 2.0 | 29        |
| 95  | Towards an improved access to psychiatric rehabilitation: availability and effectiveness at 1-year follow-up of psychoeducation, cognitive remediation therapy, cognitive behaviour therapy and social skills training in the FondaMental Advanced Centers of Expertise-Schizophrenia (FACE-SZ) national cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> . 2019, 269, 599-610. | 1.8 | 14        |
| 96  | The Patient-Reported Experience Measure for Improving Quality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 165-177.   | 0.8 | 26        |
| 97  | The Latin American version of the internalized stigma of mental illness scale (LA-ISMI): a multicentric validation study from three Latin American countries. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 175.   | 1.0 | 7         |
| 98  | Prescription of potentially inappropriate psychotropic drugs in homeless people with schizophrenia and bipolar disorders. Results from the French Housing First (FHF) program. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 84-89.   | 2.5 | 13        |
| 99  | Burnout in French physicians: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 246, 132-147.  | 2.0 | 96        |
| 100 | Machine learning for predicting psychotic relapse at 2 years in schizophrenia in the national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 8-18.   | 2.5 | 27        |
| 101 | Psychiatric and psychological follow-up of undergraduate and postgraduate medical students: Prevalence and associated factors. Results from the national BOURBON study. <i>Psychiatry Research</i> , 2019, 272, 425-430.  | 1.7 | 22        |
| 102 | Inflammatory Depression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2019, 245, 468-474.  | 2.0 | 7         |
| 103 | Illness and drug modifiable factors associated with violent behavior in homeless people with severe mental illness: results from the French Housing First (FHF) program. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 90, 92-96.   | 2.5 | 12        |
| 104 | Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 226-234.   | 2.5 | 12        |
| 105 | Tobacco smoking is associated with antipsychotic medication, physical aggressiveness, and alcohol use disorder in schizophrenia: results from the FACE-SZ national cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 449-457.   | 1.8 | 22        |
| 106 | Prevalence of and Risk Factors for Extrapyramidal Side Effects of Antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .   | 1.1 | 23        |
| 107 | Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 62-68.  | 2.5 | 14        |
| 108 | Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. <i>European Neuropsychopharmacology</i> , 2018, 28, 24-36.  | 0.3 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Benzodiazepine long-term administration is associated with impaired attention/working memory in schizophrenia: results from the national multicentre FACE-SZ data set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 17-26.                        | 1.8 | 23        |
| 110 | Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 195, 357-365.  | 1.1 | 9         |
| 111 | Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2018, 195, 529-533.  | 1.1 | 15        |
| 112 | Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 541-553.  | 1.8 | 29        |
| 113 | Victimization and posttraumatic stress disorder in homeless women with mental illness are associated with depression, suicide, and quality of life. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 2269-2279.  | 1.0 | 38        |
| 114 | Le microbiote intestinal gouverne-t-il notre cerveau? <i>Annales Medico-Psychologiques</i> , 2018, 176, 824-830.   | 0.2 | 0         |
| 115 | Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort. <i>Psychiatry Research</i> , 2018, 270, 104-110.   | 1.7 | 14        |
| 116 | Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 201, 373-380.   | 1.1 | 27        |
| 117 | Gender differences in schizophrenia: A multicentric study from three Latin-America countries. <i>Psychiatry Research</i> , 2018, 266, 65-71.   | 1.7 | 11        |
| 118 | Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018, 201, 196-203. | 1.1 | 4         |
| 119 | Venus and Mars on the benches of the faculty: Influence of gender on mental health and behavior of medical students. Results from the BOURBON national study. <i>Journal of Affective Disorders</i> , 2018, 239, 146-151.  | 2.0 | 22        |
| 120 | C-Reactive Protein as a Peripheral Biomarker in Schizophrenia. An Updated Systematic Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 392.  | 1.3 | 53        |
| 121 | Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018, 213, 464-470.   | 1.7 | 35        |
| 122 | Psychiatry: A discipline at specific risk of mental health issues and addictive behavior? Results from the national BOURBON study. <i>Journal of Affective Disorders</i> , 2018, 238, 534-538.   | 2.0 | 19        |
| 123 | Metabolic Syndrome and Illness Severity Predict Relapse at 1-Year Follow-Up in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .  | 1.1 | 21        |
| 124 | L'immuno-psychiatrie existe-t-elle ?. <i>Phytotherapie</i> , 2018, 16, 347-352.  | 0.1 | 0         |
| 125 | Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2017, 185, 173-181.  | 1.1 | 48        |
| 126 | Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 465-472.                            | 1.8 | 18        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017, 254, 218-223.                                     | 1.7 | 7         |
| 128 | Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 567-577. | 1.8 | 21        |
| 129 | Would I take antipsychotics, if I had psychotic symptoms? Examining determinants of the decision to take antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 155-163.            | 2.5 | 8         |
| 130 | Homeless women with schizophrenia reported lower adherence to their medication than men: results from the French Housing First experience. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1113-1122.        | 1.6 | 7         |
| 131 | Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia. Results from the Face-SZ dataset. <i>European Psychiatry</i> , 2017, 41, s831-s831.                                      | 0.1 | 0         |
| 132 | Current Smoking in Real World Schizophrenia: Relationship to Psychopathology and Clinical Characteristics. Results from the FACE Dataset. <i>European Psychiatry</i> , 2017, 41, S98-S98.                                      | 0.1 | 0         |
| 133 | Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. <i>Journal of Psychiatric Research</i> , 2017, 94, 62-69.   | 1.5 | 14        |
| 134 | Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 332-339.       | 2.5 | 31        |
| 135 | Validation study of the Medication Adherence Rating Scale. Results from the FACE-SZ national dataset. <i>Schizophrenia Research</i> , 2017, 182, 84-89.  | 1.1 | 41        |
| 136 | C-reactive protein as a differential biomarker of bipolar II depression versus major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 71-72.   | 1.3 | 5         |
| 137 | Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 587-594.   | 1.8 | 17        |
| 138 | Psychometric properties of the Ruminative Response Scale-short form in a clinical sample of patients with major depressive disorder. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 929-937.                       | 0.8 | 42        |
| 139 | Medication nonadherence among South American patients with schizophrenia. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1737-1744.  | 0.8 | 10        |
| 140 | Disparities in suicide mortality trends between United States of America and 25 European countries: retrospective analysis of WHO mortality database. <i>Scientific Reports</i> , 2016, 6, 20256.                              | 1.6 | 27        |
| 141 | Dealing with current tobacco smoking in real world schizophrenia. Results from the Face-Schizophrenia dataset. <i>European Neuropsychopharmacology</i> , 2016, 26, S578-S579.  | 0.3 | 0         |
| 142 | Cognitive impairment associated with benzodiazepine long-term administration in schizophrenia, results from the multicentre FACE-SZ dataset. <i>European Neuropsychopharmacology</i> , 2016, 26, S326.                         | 0.3 | 0         |
| 143 | Chronic peripheral inflammation is associated with cognitive impairment in schizophrenia, results from the multicentric FACE-SZ dataset. <i>European Neuropsychopharmacology</i> , 2016, 26, S499.                             | 0.3 | 0         |
| 144 | Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ dataset. <i>European Psychiatry</i> , 2016, 33, S98-S98.                                     | 0.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Medication and aggressiveness in "real world" schizophrenia: current issues and perspectives. <i>Psychopharmacology</i> , 2016, 233, 2421-2423.   | 1.5 | 2         |
| 146 | Differential effects of childhood trauma and cannabis use disorders in patients suffering from schizophrenia. <i>Schizophrenia Research</i> , 2016, 175, 161-167.   | 1.1 | 26        |
| 147 | Potentially inappropriate psychotropic prescription at discharge is associated with lower functioning in the elderly psychiatric inpatients. A cross-sectional study. <i>Psychopharmacology</i> , 2016, 233, 2549-2558. | 1.5 | 14        |
| 148 | Motives And Behaviors of Medical Students (mis)using Prescription Stimulants. <i>European Psychiatry</i> , 2016, 33, S448-S448.   | 0.1 | 0         |
| 149 | The Prevalence of Mental Disorders Among Children and Adolescents in the Child Welfare System. <i>Medicine (United States)</i> , 2016, 95, e2622.   | 0.4 | 194       |
| 150 | Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. <i>Schizophrenia Bulletin</i> , 2016, 42, 1290-1302.                           | 2.3 | 82        |
| 151 | Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2016, 33, s242-s243.  | 0.1 | 0         |
| 152 | WAIS-IV Seven-Subtest Short Form: Validity and Clinical Use in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 915-925.  | 0.3 | 17        |
| 153 | Attitudes toward antipsychotic medications as a useful feature in exploring medication non-adherence in schizophrenia. <i>Schizophrenia Research</i> , 2016, 178, 1-5.  | 1.1 | 9         |
| 154 | Violent behavior and aggression in schizophrenia: Prevalence and risk factors. A multicentric study from three Latin-America countries. <i>Schizophrenia Research</i> , 2016, 178, 23-28.                               | 1.1 | 31        |
| 155 | Interleukin-1 $\beta$ -targeted treatment strategies in inflammatory depression: toward personalized care. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 469-484.  | 2.2 | 44        |
| 156 | A Bayesian framework systematic review and meta-analysis of anesthetic agents effectiveness/tolerability profile in electroconvulsive therapy for major depression. <i>Scientific Reports</i> , 2016, 6, 19847.         | 1.6 | 29        |
| 157 | Validation of the Medication Adherence Rating Scale in homeless patients with schizophrenia: Results from the French Housing First experience. <i>Scientific Reports</i> , 2016, 6, 31598.                              | 1.6 | 19        |
| 158 | (Mis)use of prescribed stimulants in the medical student community: Motives and behaviors. A population-based cross-sectional study. <i>European Neuropsychopharmacology</i> , 2016, 26, S348-S349.                     | 0.3 | 2         |
| 159 | Akathisia: Prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the multi-center FACE-SZ Dataset. <i>European Psychiatry</i> , 2016, 33, S96-S97.                    | 0.1 | 1         |
| 160 | Pharmacoterrorism: the potential role of psychoactive drugs in the Paris and Tunisian attacks. <i>Psychopharmacology</i> , 2016, 233, 933-935.  | 1.5 | 6         |
| 161 | Birth by cesarean section and schizophrenia. Results from the multi-center FACE-SZ dataset. <i>European Psychiatry</i> , 2016, 33, S98-S98.   | 0.1 | 0         |
| 162 | (Mis)use of Prescribed Stimulants in the Medical Student Community. <i>Medicine (United States)</i> , 2016, 95, e3366.  | 0.4 | 50        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | A structural equation modelling approach to explore the determinants of quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016, 171, 27-34.   | 1.1 | 61        |
| 164 | Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. <i>Journal of Affective Disorders</i> , 2016, 191, 209-215.                   | 2.0 | 37        |
| 165 | Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>Psychopharmacology</i> , 2016, 233, 571-578.  | 1.5 | 21        |
| 166 | Determination of Adherence Profiles in Schizophrenia Using Self-Reported Adherence. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1130-e1136.  | 1.1 | 31        |
| 167 | Anti-inflammatory drugs add-on therapy in major psychiatric disorders. <i>European Psychiatry</i> , 2015, 30, S24-S25.  | 0.1 | 0         |
| 168 | Abnormal C-reactive protein (CRP) levels in schizophrenia and schizoaffective disorders. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S112-S112.  | 0.1 | 4         |
| 169 | Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S153-S154.  | 0.1 | 0         |
| 170 | Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2015, 168, 388-394.  | 1.1 | 57        |
| 171 | Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2015, 169, 255-261.                               | 1.1 | 34        |
| 172 | Prevalence and Smoking Behavior Characteristics of Nonselected Smokers With Childhood and/or Adult Self-Reported ADHD Symptoms in a Smoking-Cessation Program. <i>Journal of Attention Disorders</i> , 2015, 19, 293-300. | 1.5 | 18        |
| 173 | Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2015, 63, 58-64.              | 1.5 | 39        |
| 174 | Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 613-616.   | 1.7 | 30        |
| 175 | Innovative mechanisms of action for pharmaceutical cognitive enhancement: A systematic review. <i>Psychiatry Research</i> , 2015, 229, 12-20.   | 1.7 | 36        |
| 176 | A National Network of Schizophrenia Expert Centres: an Innovative Tool to Bridge the Research-Practice Gap. <i>European Psychiatry</i> , 2015, 30, 728-735.   | 0.1 | 82        |
| 177 | Elevated C-reactive protein is associated with sensory gating deficit in schizophrenia. <i>Schizophrenia Research</i> , 2015, 165, 94-96.   | 1.1 | 24        |
| 178 | Beyond the association. <i>Toxoplasma gondii</i> in schizophrenia, bipolar disorder, and addiction: systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 161-179.                      | 2.2 | 346       |
| 179 | The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2015, 41, 559-573.  | 2.3 | 93        |
| 180 | Google Trends®: Ready for real-time suicide prevention or just a Zeta-Jones effect? An exploratory study. <i>Psychiatry Research</i> , 2015, 228, 913-917.  | 1.7 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | A double amino-acid change in the HLA-A peptide-binding groove is associated with response to psychotropic treatment in patients with schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e608-e608.  | 2.4 | 22        |
| 182 | The World Health Organization (WHO) dataset for guiding suicide prevention policies: A 3-decade French national survey. <i>Journal of Affective Disorders</i> , 2015, 188, 232-238.   | 2.0 | 6         |
| 183 | Ketamine vs other anesthetic agents for electroconvulsive therapy (ECT) in major depression. <i>Journal of Psychiatric Research</i> , 2015, 68, 226-227.  | 1.5 | 0         |
| 184 | Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S130-S130.   | 0.1 | 2         |
| 185 | The "psychomicrobiotic": Targeting microbiota in major psychiatric disorders: A systematic review. <i>Pathologie Et Biologie</i> , 2015, 63, 35-42.   | 2.2 | 158       |
| 186 | Ketamine's effectiveness in unipolar versus bipolar depression. <i>Psychopharmacology</i> , 2014, 231, 4417-4418.   | 1.5 | 4         |
| 187 | Do the treasures of "big data" combined with behavioural intervention therapies contain the key to the mystery of large psychiatric issues?. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 406-407.  | 2.2 | 6         |
| 188 | Effectiveness and tolerance of anti-inflammatory drugs' add-on therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 163-179.  | 2.2 | 140       |
| 189 | EEG neurofeedback treatments in children with ADHD: an updated meta-analysis of randomized controlled trials. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 906.  | 1.0 | 115       |
| 190 | Aspirin for prevention of cardiovascular events in bipolar disorders. <i>Psychiatry Research</i> , 2014, 219, 238-239.  | 1.7 | 1         |
| 191 | Comparative analysis of anti-toxoplasmic activity of antipsychotic drugs and valproate. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 179-183.  | 1.8 | 46        |
| 192 | Recently discovered properties of aspirin may be doubly helpful in bipolar disorders. <i>Medical Hypotheses</i> , 2014, 82, 640-641.  | 0.8 | 3         |
| 193 | Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 651-660.   | 1.8 | 440       |
| 194 | Inflammation in psychiatric disorders. <i>European Psychiatry</i> , 2014, 29, 551-552.  | 0.1 | 4         |
| 195 | Ketamine administration in depressive disorders: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2014, 231, 3663-3676.   | 1.5 | 278       |
| 196 | D2 and D3 dopamine receptor affinity predicts effectiveness of antipsychotic drugs in obsessive-compulsive disorders: a metaregression analysis. <i>Psychopharmacology</i> , 2014, 231, 3765-3770.  | 1.5 | 39        |
| 197 | Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 379-389. | 1.8 | 7         |
| 198 | Paradoxical severe agitation induced by add-on high-doses quetiapine in schizo-affective disorder. <i>Psychiatry Research</i> , 2014, 216, 286-287.   | 1.7 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | The covariation of independent and dependant variables in neurofeedback: A proposal framework to identify cognitive processes and brain activity variables. <i>Consciousness and Cognition</i> , 2014, 26, 162-168. | 0.8 | 11        |
| 200 | A preliminary study on cognitive enhancer consumption behaviors and motives of French Medicine and Pharmacology students. <i>European Review for Medical and Pharmacological Sciences</i> , 2014, 18, 1875-8.       | 0.5 | 37        |
| 201 | Self-reported major depressive symptoms at baseline impact abstinence prognosis in smoking cessation program. A one-year prospective study. <i>Journal of Affective Disorders</i> , 2013, 149, 418-421.             | 2.0 | 26        |
| 202 | Fasting in mood disorders: neurobiology and effectiveness. A review of the literature. <i>Psychiatry Research</i> , 2013, 209, 253-258.   | 1.7 | 108       |
| 203 | Nanopsychiatryâ€”The potential role of nanotechnologies in the future of psychiatry: A systematic review. <i>European Neuropsychopharmacology</i> , 2013, 23, 1067-1071.  | 0.3 | 21        |
| 204 | P.1.f.001 Drug repositioning of anti-inflammatory drugs in major psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2013, 23, S185.   | 0.3 | 0         |
| 205 | Troubles obsessionnels compulsifs rÃ©sistants et antipsychotiquesÂ: donnÃ©es neurobiologiques et thÃ©rapeutiques actuelles. <i>Annales Medico-Psychologiques</i> , 2013, 171, 725-732.                              | 0.2 | 0         |
| 206 | Cognitive insight as an indicator of competence to consent to treatment in schizophrenia. <i>Schizophrenia Research</i> , 2013, 144, 118-121.   | 1.1 | 25        |
| 207 | A further evaluation of decision-making under risk and under ambiguity in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 249-257.                                     | 1.8 | 53        |
| 208 | Utilisation des antidÃ©presseurs de seconde gÃ©nÃ©ration (SGA) dans la pratique quotidienne du mÃ©decinÂ: une synthÃ©se Ã  l'usage du clinicien. <i>Annales Medico-Psychologiques</i> , 2013, 171, 198-203.         | 0.2 | 0         |
| 209 | Cyborg psychiatry to ensure agency and autonomy in mental disorders. A proposal for neuromodulation therapeutics. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 463.  | 1.0 | 13        |
| 210 | Physical Activity as a Protective Factor in Relapse Following Smoking Cessation in Participants with a Depressive Disorder. <i>American Journal on Addictions</i> , 2012, 21, 348-355.                              | 1.3 | 13        |
| 211 | Antipsychotic drugs: Pro-cancer or anti-cancer? A systematic review. <i>Medical Hypotheses</i> , 2012, 79, 38-42.   | 0.8 | 70        |
| 212 | Treating patients with schizophrenia deficit with erythropoietin?. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 375-382.  | 1.0 | 15        |
| 213 | The need to consider mood disorders, and especially chronic mania, in cases of Diogenes syndrome (squalor syndrome). <i>International Psychogeriatrics</i> , 2011, 23, 505-507.                                     | 0.6 | 19        |
| 214 | Psychiatry Has to Take Care of Its Image On-Screen. primary care companion for CNS disorders, <i>The</i> , 2011, 13, .  | 0.2 | 1         |