

Soo-Jin Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8738350/publications.pdf>

Version: 2024-02-01

46
papers

2,595
citations

257450
24
h-index

233421
45
g-index

46
all docs

46
docs citations

46
times ranked

1959
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Profiles of Non-aureus Staphylococci in Retail Pork and Slaughterhouse Carcasses: Prevalence, Antimicrobial Resistance, and Genetic Determinant of Fusidic Acid Resistance. <i>Food Science of Animal Resources</i> , 2022, 42, 225-239. | 4.1 | 10 |
| 2 | Co-occurrence of cfr-mediated linezolid-resistance in ST398 LA-MRSA and non-aureus staphylococci isolated from a pig farm. <i>Veterinary Microbiology</i> , 2022, 266, 109336. | 1.9 | 10 |
| 3 | Multilocus sequence type-dependent activity of human and animal cathelicidins against community-, hospital-, and livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> isolates. <i>Journal of Animal Science and Technology</i> , 2022, 64, 515-530. | 2.5 | 2 |
| 4 | Profiles of coagulase-positive and -negative staphylococci in retail pork: prevalence, antimicrobial resistance, enterotoxigenicity, and virulence factors. <i>Animal Bioscience</i> , 2021, 34, 734-742. | 2.0 | 2 |
| 5 | Profiles of coagulase-positive and -negative staphylococci in retail pork: prevalence, antimicrobial resistance, enterotoxigenicity, and virulence factors. <i>Animal Bioscience</i> , 2021, 34, 734-742. | 2.0 | 3 |
| 6 | Genomic Information on Linezolid-Resistant Sequence-Type 398 Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated from a Pig. <i>Foodborne Pathogens and Disease</i> , 2021, 18, 378-387. | 1.8 | 4 |
| 7 | Role of the <i>Staphylococcus aureus</i> Extracellular Loop of GraS in Resistance to Distinct Human Defense Peptides in PMN and Invasive Cardiovascular infections. <i>Infection and Immunity</i> , 2021, 89, e0034721. | 2.2 | 5 |
| 8 | Type I Interferons Are Involved in the Intracellular Growth Control of <i>Mycobacterium abscessus</i> by Mediating NOD2-Induced Production of Nitric Oxide in Macrophages. <i>Frontiers in Immunology</i> , 2021, 12, 738070. | 4.8 | 9 |
| 9 | Comparative assessment of genotypic and phenotypic correlates of <i>Staphylococcus pseudintermedius</i> strains isolated from dogs with otitis externa and healthy dogs. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 70, 101376. | 1.6 | 8 |
| 10 | Genetic Factors Associated with Increased Host Defense Antimicrobial Peptide Resistance in Sequence Type 5 Healthcare-Associated MRSA Clinical Isolates. <i>Biomolecules</i> , 2020, 10, 1415. | 4.0 | 0 |
| 11 | Species Distribution, Antimicrobial Resistance, and Enterotoxigenicity of Non-aureus Staphylococci in Retail Chicken Meat. <i>Antibiotics</i> , 2020, 9, 809. | 3.7 | 14 |
| 12 | Livestock-associated methicillin-resistant <i>Staphylococcus aureus</i> in Korea: antimicrobial resistance and molecular characteristics of LA-MRSA strains isolated from pigs, pig farmers, and farm environment. <i>Journal of Veterinary Science</i> , 2020, 21, e2. | 1.3 | 30 |
| 13 | Occurrence and Characteristics of Methicillin-Resistant and -Susceptible <i>Staphylococcus aureus</i> Isolated from the Beef Production Chain in Korea. <i>Food Science of Animal Resources</i> , 2020, 40, 401-414. | 4.1 | 11 |
| 14 | Complete genome sequence of a methicillin-resistant <i>Staphylococcus schleiferi</i> strain from canine otitis externa in Korea. <i>Journal of Veterinary Science</i> , 2020, 21, e11. | 1.3 | 3 |
| 15 | Carriage of <i>Staphylococcus schleiferi</i> from canine otitis externa: antimicrobial resistance profiles and virulence factors associated with skin infection. <i>Journal of Veterinary Science</i> , 2019, 20, e6. | 1.3 | 26 |
| 16 | Potential role of host defense antimicrobial peptide resistance in increased virulence of health care-associated MRSA strains of sequence type (ST) 5 versus livestock-associated and community-associated MRSA strains of ST72. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019, 62, 13-18. | 1.6 | 12 |
| 17 | Prevalence and characteristics of livestock-associated methicillin-susceptible <i>Staphylococcus aureus</i> in the pork production chain in Korea. <i>Journal of Veterinary Science</i> , 2019, 20, e69. | 1.3 | 11 |
| 18 | Impact of Multiple Single-Nucleotide Polymorphisms Within <i>mprF</i> on Daptomycin Resistance in <i>Staphylococcus aureus</i> . <i>Microbial Drug Resistance</i> , 2018, 24, 1075-1081. | 2.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Emergence of Daptomycin-Nonsusceptible Methicillin-Resistant <i>Staphylococcus aureus</i> Clinical Isolates Among Daptomycin-Naïve Patients in Korea. <i>Microbial Drug Resistance</i> , 2018, 24, 534-541. | 2.0 | 5 |
| 20 | Adaptations of Vancomycin-Intermediate Sequence Type 72 Methicillin-Resistant <i>Staphylococcus aureus</i> for Daptomycin Nonsusceptibility. <i>Microbial Drug Resistance</i> , 2018, 24, 1489-1496. | 2.0 | 2 |
| 21 | Phenotypic and genotypic correlates of daptomycin-resistant methicillin-susceptible <i>Staphylococcus aureus</i> clinical isolates. <i>Journal of Microbiology</i> , 2017, 55, 153-159. | 2.8 | 34 |
| 22 | Nucleotide-Binding Oligomerization Domain 2 Contributes to Limiting Growth of <i>Mycobacterium abscessus</i> in the Lung of Mice by Regulating Cytokines and Nitric Oxide Production. <i>Frontiers in Immunology</i> , 2017, 8, 1477. | 4.8 | 28 |
| 23 | Mechanisms of quinolone resistance in <i>Escherichia coli</i> isolated from companion animals, pet-owners, and non-pet-owners. <i>Journal of Veterinary Science</i> , 2017, 18, 449. | 1.3 | 21 |
| 24 | Isolation and characterization of antimicrobial-resistant <i>Escherichia coli</i> from national horse racetracks and private horse-riding courses in Korea. <i>Journal of Veterinary Science</i> , 2016, 17, 199. | 1.3 | 15 |
| 25 | Genotypic and Phenotypic Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated from Bovine Mastitic Milk in Korea. <i>Journal of Food Protection</i> , 2016, 79, 1725-1732. | 1.7 | 28 |
| 26 | Dysregulation of <i>mprF</i> and <i>dltABCD</i> expression among daptomycin-non-susceptible MRSA clinical isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2100-2104. | 3.0 | 44 |
| 27 | Antimicrobial resistance and virulence profiles of <i>Enterococcus</i> spp. isolated from horses in Korea. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016, 48, 6-13. | 1.6 | 17 |
| 28 | The GraS Sensor in <i>Staphylococcus aureus</i> Mediates Resistance to Host Defense Peptides Differing in Mechanisms of Action. <i>Infection and Immunity</i> , 2016, 84, 459-466. | 2.2 | 33 |
| 29 | Frequency and Distribution of Single-Nucleotide Polymorphisms within <i>mprF</i> in Methicillin-Resistant <i>Staphylococcus aureus</i> Clinical Isolates and Their Role in Cross-Resistance to Daptomycin and Host Defense Antimicrobial Peptides. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4930-4937. | 3.2 | 102 |
| 30 | Site-Specific Mutation of the Sensor Kinase GraS in <i>Staphylococcus aureus</i> Alters the Adaptive Response to Distinct Cationic Antimicrobial Peptides. <i>Infection and Immunity</i> , 2014, 82, 5336-5345. | 2.2 | 41 |
| 31 | Heterogeneity of <i>mprF</i> Sequences in Methicillin-Resistant <i>Staphylococcus aureus</i> Clinical Isolates: Role in Cross-Resistance between Daptomycin and Host Defense Antimicrobial Peptides. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 7462-7467. | 3.2 | 59 |
| 32 | Phenotypic and Genotypic Characterization of Daptomycin-Resistant Methicillin-Resistant <i>Staphylococcus aureus</i> Strains: Relative Roles of <i>mprF</i> and <i>dlt</i> Operons. <i>PLoS ONE</i> , 2014, 9, e107426. | 2.5 | 105 |
| 33 | Role of the LytSR Two-Component Regulatory System in Adaptation to Cationic Antimicrobial Peptides in <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 3875-3882. | 3.2 | 46 |
| 34 | Causal Role of Single Nucleotide Polymorphisms within the <i>mprF</i> Gene of <i>Staphylococcus aureus</i> in Daptomycin Resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 5658-5664. | 3.2 | 76 |
| 35 | Increased Cell Wall Teichoic Acid Production and D-alanylation Are Common Phenotypes among Daptomycin-Resistant Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Clinical Isolates. <i>PLoS ONE</i> , 2013, 8, e67398. | 2.5 | 86 |
| 36 | Emergence of Daptomycin Resistance in Daptomycin-Naïve Rabbits with Methicillin-Resistant <i>Staphylococcus aureus</i> Prosthetic Joint Infection Is Associated with Resistance to Host Defense Cationic Peptides and <i>mprF</i> Polymorphisms. <i>PLoS ONE</i> , 2013, 8, e71151. | 2.5 | 76 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The Staphylococcus aureus Two-Component Regulatory System, GraRS, Senses and Confers Resistance to Selected Cationic Antimicrobial Peptides. Infection and Immunity, 2012, 80, 74-81. | 2.2 | 159 |
| 38 | Correlation of Daptomycin Resistance in a Clinical <i>Staphylococcus aureus</i> Strain with Increased Cell Wall Teichoic Acid Production and <i>scpA</i> -Alanylation. Antimicrobial Agents and Chemotherapy, 2011, 55, 3922-3928. | 3.2 | 117 |
| 39 | Cell Wall Thickening Is Not a Universal Accompaniment of the Daptomycin Nonsusceptibility Phenotype in <i>Staphylococcus aureus</i> : Evidence for Multiple Resistance Mechanisms. Antimicrobial Agents and Chemotherapy, 2010, 54, 3079-3085. | 3.2 | 128 |
| 40 | The Bacterial Defensin Resistance Protein MprF Consists of Separable Domains for Lipid Lysinylation and Antimicrobial Peptide Repulsion. PLoS Pathogens, 2009, 5, e1000660. | 4.7 | 283 |
| 41 | Enhanced Expression of <i>dltABCD</i> Is Associated with the Development of Daptomycin Nonsusceptibility in a Clinical Endocarditis Isolate of <i>Staphylococcus aureus</i> . Journal of Infectious Diseases, 2009, 200, 1916-1920. | 4.0 | 147 |
| 42 | Analysis of Cell Membrane Characteristics of In Vitro-Selected Daptomycin-Resistant Strains of Methicillin-Resistant <i>Staphylococcus aureus</i> . Antimicrobial Agents and Chemotherapy, 2009, 53, 2312-2318. | 3.2 | 210 |
| 43 | Regulation of <i>mprF</i> in Daptomycin-Nonsusceptible <i>Staphylococcus aureus</i> Strains. Antimicrobial Agents and Chemotherapy, 2009, 53, 2636-2637. | 3.2 | 117 |
| 44 | Failures in Clinical Treatment of <i>Staphylococcus aureus</i> Infection with Daptomycin Are Associated with Alterations in Surface Charge, Membrane Phospholipid Asymmetry, and Drug Binding. Antimicrobial Agents and Chemotherapy, 2008, 52, 269-278. | 3.2 | 305 |
| 45 | The role of proton motive force in expression of the <i>Staphylococcus aureus</i> <i>cid</i> and <i>lrg</i> operons. Molecular Microbiology, 2006, 59, 1395-1404. | 2.5 | 80 |
| 46 | Antimicrobial resistance in <i>Salmonella enterica</i> serovars Enteritidis and Typhimurium isolated from animals in Korea: comparison of phenotypic and genotypic resistance characterization. Veterinary Microbiology, 2002, 86, 295-301. | 1.9 | 55 |