

Hsin Fang Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8742060/publications.pdf>

Version: 2024-02-01

43
papers

1,332
citations

394421

19
h-index

377865

34
g-index

44
all docs

44
docs citations

44
times ranked

1975
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between reproductive lifespan and risk of incident type 2 diabetes and hypertension in postmenopausal women: Findings from a 20-year prospective study. <i>Maturitas</i> , 2022, 159, 52-61.	2.4	3
2	Infertility, Miscarriage, Stillbirth, and the Risk of Stroke Among Women: A Systematic Review and Meta-Analysis. <i>Stroke</i> , 2022, 53, 328-337.	2.0	16
3	Menopause, hysterectomy, menopausal hormone therapy and cause-specific mortality: cohort study of UK Biobank participants. <i>Human Reproduction</i> , 2022, 37, 2175-2185.	0.9	5
4	Age at menarche and risk of vasomotor menopausal symptoms: a pooled analysis of six studies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 603-613.	2.3	12
5	Duration of estrogen exposure during reproductive years, age at menarche and age at menopause, and risk of cardiovascular disease events, all-cause and cardiovascular mortality: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 809-821.	2.3	53
6	The association between menstrual symptoms and hypertension among young women: A prospective longitudinal study. <i>Maturitas</i> , 2021, 143, 17-24.	2.4	7
7	Association of the length of oestrogen exposure with risk of incident stroke in postmenopausal women: Insights from a 20-year prospective study. <i>International Journal of Cardiology</i> , 2021, 328, 206-214.	1.7	12
8	Epidemiological Studies of the Association between Reproductive Lifespan Characteristics and Risk of Type 2 Diabetes and Hypertension: A Systematic Review. <i>Maturitas</i> , 2021, 155, 14-23.	2.4	12
9	Meta-analysis for individual participant data with a continuous exposure: A case study. <i>Journal of Clinical Epidemiology</i> , 2021, 140, 79-92.	5.0	3
10	260Smoking, body mass index, and risk of vasomotor symptoms: a pooled analysis of eight studies. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
11	Age at menopause and risk of lung cancer: A systematic review and meta-analysis. <i>Maturitas</i> , 2021, 153, 1-10.	2.4	5
12	Obesity, smoking, and risk of vasomotor menopausal symptoms: a pooled analysis of eight cohort studies. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 478.e1-478.e17.	1.3	27
13	Association Between Reproductive Life Span and Incident Nonfatal Cardiovascular Disease. <i>JAMA Cardiology</i> , 2020, 5, 1410.	6.1	34
14	Vasomotor menopausal symptoms and risk of cardiovascular disease: a pooled analysis of six prospective studies. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 898.e1-898.e16.	1.3	46
15	Type of menopause, age of menopause and variations in the risk of incident cardiovascular disease: pooled analysis of individual data from 10 international studies. <i>Human Reproduction</i> , 2020, 35, 1933-1943.	0.9	68
16	DURATION OF OESTROGEN EXPOSURE DURING REPRODUCTIVE YEARS, AGE AT MENARCHE, AGE AT MENOPAUSE, AND RISK OF CARDIOVASCULAR DISEASE EVENTS, ALL-CAUSE AND CARDIOVASCULAR MORTALITY, A SYSTEMATIC REVIEW. <i>Journal of the American College of Cardiology</i> , 2020, 75, 3528.	2.8	0
17	Abstract P120: Women With Menopause After Age 45 and Take Hormone Therapy After Age 60 Increase the Risk of Cardiovascular Disease. <i>Circulation</i> , 2020, 141, .	1.6	0
18	Age at natural menopause and risk of incident cardiovascular disease: a pooled analysis of individual patient data. <i>Lancet Public Health</i> , The, 2019, 4, e553-e564.	10.0	252

#	ARTICLE	IF	CITATIONS
19	Premenopausal cardiovascular disease and age at natural menopause: a pooled analysis of over 170,000 women. <i>European Journal of Epidemiology</i> , 2019, 34, 235-246.	5.7	48
20	EMAS position statement: Predictors of premature and early natural menopause. <i>Maturitas</i> , 2019, 123, 82-88.	2.4	80
21	Variations in reproductive events across life: a pooled analysis of data from 505 147 women across 10 countries. <i>Human Reproduction</i> , 2019, 34, 881-893.	0.9	73
22	Soy intake and vasomotor menopausal symptoms among midlife women: a pooled analysis of five studies from the InterLACE consortium. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1501-1511.	2.9	4
23	Blood biomarkers of various dietary patterns correlated with metabolic indicators in Taiwanese type 2 diabetes. <i>Food and Nutrition Research</i> , 2019, 63, .	2.6	4
24	Abstract MP28: Early Menopause is Associated With Early-Onset Cardiovascular Disease Before Age of 60 Years. <i>Circulation</i> , 2019, 139, .	1.6	1
25	Body mass index and age at natural menopause: an international pooled analysis of 11 prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 699-710.	5.7	82
26	The role of sleep difficulties in the vasomotor menopausal symptoms and depressed mood relationships: an international pooled analysis of eight studies in the InterLACE consortium. <i>Psychological Medicine</i> , 2018, 48, 2550-2561.	4.5	27
27	Female reproductive history and risk of type 2 diabetes: A prospective analysis of 126 721 women. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2103-2112.	4.4	31
28	Relationships between intensity, duration, cumulative dose, and timing of smoking with age at menopause: A pooled analysis of individual data from 17 observational studies. <i>PLoS Medicine</i> , 2018, 15, e1002704.	8.4	81
29	The role of smoking in the relationship between intimate partner violence and age at natural menopause: a mediation analysis. <i>Women's Midlife Health</i> , 2018, 4, 1.	1.5	12
30	Dietary patterns, dietary biomarkers, and kidney disease in patients with type 2 diabetes: a repeated-measure study in Taiwan. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 366-374.	0.4	6
31	Early menarche, nulliparity and the risk for premature and early natural menopause. <i>Human Reproduction</i> , 2017, 32, 679-686.	0.9	122
32	Obesity, weight change, and chronic kidney disease in patients with type 2 diabetes mellitus: A longitudinal study in Taiwan. <i>Journal of Diabetes</i> , 2017, 9, 983-993.	1.8	37
33	FADS Gene Polymorphisms, Fatty Acid Desaturase Activities, and HDL-C in Type 2 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 572.	2.6	26
34	Interleukin-6 gene polymorphisms correlate with the progression of nephropathy in Chinese patients with type 2 diabetes: A prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 15-23.	2.8	15
35	The InterLACE study: Design, data harmonization and characteristics across 20 studies on women's health. <i>Maturitas</i> , 2016, 92, 176-185.	2.4	34
36	Association of n-3 polyunsaturated fatty acids and inflammatory indicators with renal function decline in type 2 diabetes. <i>Clinical Nutrition</i> , 2015, 34, 229-234.	5.0	19

#	ARTICLE	IF	CITATIONS
37	Associations between Plasma Folate and Kidney Dysfunction in Type 2 Diabetes. FASEB Journal, 2015, 29, 758.3.	0.5	0
38	Adiponectin gene (ADIPOQ) polymorphisms correlate with the progression of nephropathy in Taiwanese male patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2014, 105, 261-270.	2.8	17
39	Relationships between changes in leptin and insulin resistance levels in obese individuals following weight loss. Kaohsiung Journal of Medical Sciences, 2013, 29, 436-443.	1.9	29
40	Plasma n-3/n-6 PUFAs interact with FADS2 genetic variations to affect blood cholesterol concentrations in type 2 diabetes. FASEB Journal, 2013, 27, 1072.8.	0.5	0
41	Increased Ferritin Concentrations Correlate with Insulin Resistance in Female Type 2 Diabetic Patients. Annals of Nutrition and Metabolism, 2012, 61, 32-40.	1.9	11
42	The association of ADIPOQ gene polymorphisms and clinical risk factors with nephropathy progression in type 2 diabetes. FASEB Journal, 2012, 26, 831.3.	0.5	0
43	Infertility, recurrent pregnancy loss, and risk of stroke: pooled analysis of individual patient data of 618 women. BMJ, The, 0, , e070603.	6.0	18