
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8748205/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Anti-spastic effect of low-frequency rTMS applied with occupational therapy in post-stroke patients with upper limb hemiparesis. Brain Injury, 2011, 25, 496-502.	1.2	91
2	Effect of Early Rehabilitation by Physical Therapists on In-hospital Mortality After Aspiration Pneumonia in the Elderly. Archives of Physical Medicine and Rehabilitation, 2015, 96, 205-209.	0.9	73
3	Randomized, Multicenter, Comparative Study of NEURO versus CIMT in Poststroke Patients with Upper Limb Hemiparesis: The NEURO-VERIFY Study. International Journal of Stroke, 2014, 9, 607-612.	5.9	63
4	Nutritional Status Changes and Activities of Daily Living after Hip Fracture in Convalescent Rehabilitation Units: A Retrospective Observational Cohort Study from the Japan Rehabilitation Nutrition Database. Journal of the Academy of Nutrition and Dietetics, 2018, 118, 1270-1276.	0.8	63
5	Low-frequency repetitive transcranial magnetic stimulation and intensive occupational therapy for poststroke patients with upper limb hemiparesis: preliminary study of a 15-day protocol. International Journal of Rehabilitation Research, 2010, 33, 339-345.	1.3	55
6	Role of Brain-Derived Neurotrophic Factor in Beneficial Effects of Repetitive Transcranial Magnetic Stimulation for Upper Limb Hemiparesis after Stroke. PLoS ONE, 2016, 11, e0152241.	2.5	52
7	Therapeutic application of 6-Hz-primed low-frequency rTMS combined with intensive speech therapy for post-stroke aphasia. Brain Injury, 2011, 25, 1242-1248.	1.2	46
8	The effects of resistance training of swallowing muscles on dysphagia in older people: A cluster, randomized, controlled trial. Nutrition, 2018, 48, 111-116.	2.4	45
9	Combination Treatment of Low-Frequency rTMS and Occupational Therapy with Levodopa Administration: An Intensive Neurorehabilitative Approach for Upper Limb Hemiparesis After Stroke. International Journal of Neuroscience, 2011, 121, 373-378.	1.6	40
10	High-frequency rTMS applied over bilateral leg motor areas combined with mobility training for gait disturbance after stroke: A preliminary study. Brain Injury, 2013, 27, 1080-1086.	1.2	39
11	Effect of dysphagia rehabilitation on oral intake in elderly patients with aspiration pneumonia. Geriatrics and Gerontology International, 2015, 15, 694-699.	1.5	38
12	Clinical practice guidelines for rehabilitation nutrition in cerebrovascular disease, hip fracture, cancer, and acute illness: 2020 update. Clinical Nutrition ESPEN, 2021, 43, 90-103.	1.2	37
13	Bilateral Repetitive Transcranial Magnetic Stimulation Combined with Intensive Swallowing Rehabilitation for Chronic Stroke Dysphagia: A Case Series Study. Case Reports in Neurology, 2014, 6, 60-67.	0.7	34
14	Very Early versus Delayed Rehabilitation for Acute Ischemic Stroke Patients with Intravenous Recombinant Tissue Plasminogen Activator: A Nationwide Retrospective Cohort Study. Cerebrovascular Diseases, 2016, 42, 41-48.	1.7	32
15	Nutritional status change and activities of daily living in elderly pneumonia patients admitted to acute care hospital: A retrospective cohort study from the Japan Rehabilitation Nutrition Database. Nutrition, 2020, 71, 110613.	2.4	30
16	Clinical Management Provided by Board-Certificated Physiatrists in Early Rehabilitation Is a Significant Determinant of Functional Improvement in Acute Stroke Patients: A Retrospective Analysis of Japan Rehabilitation Database. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1019-1024.	1.6	29
17	Predictive factors for oral intake after aspiration pneumonia in older adults. Geriatrics and Gerontology International, 2016, 16, 556-560.	1.5	29
18	Swallowing Analysis for Semisolid Food Texture in Poststroke Dysphagic Patients. Journal of Stroke and Cerebrovascular Diseases. 2013. 22. 267-270.	1.6	28

#	Article	IF	CITATIONS
19	Functional Magnetic Stimulation Using a Parabolic Coil for Dysphagia After Stroke. Neuromodulation, 2014, 17, 637-641.	0.8	28
20	Association Between 7 Days Per Week Rehabilitation and Functional Recovery of Patients With Acute Stroke: A Retrospective Cohort Study Based on the Japan Rehabilitation Database. Archives of Physical Medicine and Rehabilitation, 2017, 98, 701-706.	0.9	27
21	Vitamin D Supplementation and Post-Stroke Rehabilitation: A Randomized, Double-Blind, Placebo-Controlled Trial. Nutrients, 2019, 11, 1295.	4.1	27
22	Botulinum Toxin Therapy Combined with Rehabilitation for Stroke: A Systematic Review of Effect on Motor Function. Toxins, 2019, 11, 707.	3.4	26
23	Nutritional Assessment in Adult Patients with Dysphagia: A Scoping Review. Nutrients, 2021, 13, 778.	4.1	26
24	Effectiveness of Intensive Rehabilitation Therapy on Functional Outcomes After Stroke: A Propensity Score Analysis Based on Japan Rehabilitation Database. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 2537-2542.	1.6	24
25	Pharmacotherapy and the Role of Pharmacists in Rehabilitation Medicine. Progress in Rehabilitation Medicine, 2022, 7, n/a.	0.9	23
26	Application of combined 6-Hz primed low-frequency rTMS and intensive occupational therapy for upper limb hemiparesis after stroke. NeuroRehabilitation, 2011, 29, 365-371.	1.3	22
27	Baseline Severity of Upper Limb Hemiparesis Influences the Outcome of Lowâ€Frequency rTMS Combined With Intensive Occupational Therapy in Patients Who Have Had a Stroke. PM and R, 2011, 3, 516-522.	1.6	22
28	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. Archives of Gerontology and Geriatrics, 2020, 87, 104009.	3.0	21
29	Effects of Ankle–Foot Orthoses on Functional Recovery after Stroke: A Propensity Score Analysis Based on Japan Rehabilitation Database. PLoS ONE, 2015, 10, e0122688.	2.5	21
30	Impact of boardâ€certificated physiatrists on rehabilitation outcomes in elderly patients after hip fracture: An observational study using the <scp>J</scp> apan <scp>R</scp> ehabilitation <scp>D</scp> atabase. Geriatrics and Gerontology International, 2016, 16, 963-968.	1.5	20
31	Predictive Validity of Body Mass Index Cutoff Values Used in the Global Leadership Initiative on Malnutrition Criteria for Discriminating Severe and Moderate Malnutrition Based on Inâ€Patients With Pneumonia in Asians. Journal of Parenteral and Enteral Nutrition, 2020, 45, 941-950.	2.6	20
32	Effect of early versus delayed mobilization by physical therapists on oral intake in patients with sarcopenic dysphagia after pneumonia. European Geriatric Medicine, 2019, 10, 603-607.	2.8	18
33	Repetitive peripheral magnetic stimulation for impairment and disability in people after stroke. The Cochrane Library, 2019, 2019, CD011968.	2.8	18
34	Impact of Body Mass Index on Activities of Daily Living in Inpatients with Acute Heart Failure. Journal of Nutrition, Health and Aging, 2019, 23, 151-156.	3.3	18
35	Energy Intake at Admission for Improving Activities of Daily Living and Nutritional Status among Convalescent Stroke Patients. Neurologia Medico-Chirurgica, 2019, 59, 313-320.	2.2	17
36	Hospital Frailty Risk Score predicts adverse events in older patients with hip fractures after surgery: Analysis of a nationwide inpatient database in Japan. Archives of Gerontology and Geriatrics, 2022, 98, 104552.	3.0	17

#	Article	IF	CITATIONS
37	Proton Pump Inhibitors versus Histamine-2 Receptor Antagonists and Risk of Pneumonia in Patients with Acute Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1035-1040.	1.6	16
38	Repetitive peripheral magnetic stimulation for activities of daily living and functional ability in people after stroke. The Cochrane Library, 2017, 6, CD011968.	2.8	16
39	Shorter Interval between Onset and Admission to Convalescent Rehabilitation Wards Is Associated with Improved Outcomes in Ischemic Stroke Patients. Tohoku Journal of Experimental Medicine, 2020, 252, 15-22.	1.2	16
40	Rehabilitative management for aspiration pneumonia in elderly patients. Journal of General and Family Medicine, 2017, 18, 12-15.	0.8	16
41	Sarcopenia is associated with incontinence and recovery of independence in urination and defecation in post-acute rehabilitation patients. Nutrition, 2021, 91-92, 111397.	2.4	15
42	Low-frequency rTMS combined with intensive occupational therapy for upper limb hemiparesis after brain tumour resection. Brain Injury, 2010, 24, 1505-1510.	1.2	14
43	Atomoxetine administration combined with intensive speech therapy for post-stroke aphasia: evaluation by a novel SPECT method. International Journal of Neuroscience, 2016, 126, 829-838.	1.6	14
44	Effectiveness of weekend physical rehabilitation for functional recovery in geriatric patients with hip fracture. Geriatrics and Gerontology International, 2018, 18, 1143-1146.	1.5	14
45	Stored Energy Increases Body Weight and Skeletal Muscle Mass in Older, Underweight Patients after Stroke. Nutrients, 2021, 13, 3274.	4.1	14
46	Which Cortical Area Is Related to the Development of Dysphagia after Stroke? A Single Photon Emission Computed Tomography Study Using Novel Analytic Methods. European Neurology, 2012, 67, 74-80.	1.4	13
47	Repetitive Peripheral Magnetic Stimulation With Intensive Swallowing Rehabilitation for Poststroke Dysphagia: An Open-Label Case Series. Neuromodulation, 2015, 18, 630-635.	0.8	13
48	Assignment of Dental Hygienists Improves Outcomes in Japanese Rehabilitation Wards: A Retrospective Cohort Study. Journal of Nutrition, Health and Aging, 2020, 24, 28-36.	3.3	13
49	High-frequency rTMS for the Treatment of Chronic Fatigue Syndrome: A Case Series. Internal Medicine, 2016, 55, 3515-3519.	0.7	12
50	Diffusion Tensor Imaging Evaluation of Neural Network Development in Patients Undergoing Therapeutic Repetitive Transcranial Magnetic Stimulation following Stroke. Neural Plasticity, 2018, 2018, 1-8.	2.2	12
51	Relationship between nutritional status and improved ADL in individuals with cervical spinal cord injury in a convalescent rehabilitation ward. Spinal Cord, 2019, 57, 501-508.	1.9	12
52	Effectiveness of Early Rehabilitation for Acute Heart Failure. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E23-E25.	2.1	12
53	Predictive validity of the Mini Nutritional Assessment Shortâ€Form for rehabilitation patients: A retrospective analysis of the Japan Rehabilitation Nutrition Database. Journal of Human Nutrition and Dietetics, 2021, 34, 881-889.	2.5	12
54	Effectiveness of preoperative physical therapy for older patients with hip fracture. Geriatrics and Gerontology International, 2018, 18, 1003-1008.	1.5	11

#	Article	IF	CITATIONS
55	Construction and Quality Evaluation of the Japanese Rehabilitation Nutrition Database. Journal of Nutritional Science and Vitaminology, 2018, 64, 251-257.	0.6	11
56	Impact of Multiple Texture-Modified Diets on Oral Intake and Nutritional Status in Older Patients with Pneumonia: A Retrospective Cohort Study. Dysphagia, 2020, 35, 574-582.	1.8	11
57	Nutritional Therapy in Older Patients With Hip Fractures Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2020, 21, 1364-1364.e6.	2.5	11
58	Applicability of the Two-Step Thickened Water Test in Patients With Poststroke Dysphagia: A Novel Assessment Tool for Paste Food Aspiration. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, 817-821.	1.6	10
59	Comparison of the Effect of Low-Frequency Repetitive Transcranial Magnetic Stimulation with That of Theta Burst Stimulation on Upper Limb Motor Function in Poststroke Patients. BioMed Research International, 2017, 2017, 1-7.	1.9	10
60	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. Nutrients, 2019, 11, 2369.	4.1	10
61	Nutritional supplementation for activities of daily living and functional ability of older people in residential facilities: A systematic review. Geriatrics and Gerontology International, 2018, 18, 197-210.	1.5	9
62	Impact of Number of Drug Types on Clinical Outcome in Patients with Acute Hip Fracture. Journal of Nutrition, Health and Aging, 2019, 23, 937-942.	3.3	9
63	Preoperative rehabilitation for patients undergoing colorectal cancer surgery: a retrospective cohort study. Supportive Care in Cancer, 2020, 28, 2293-2297.	2.2	9
64	Effectiveness of Early Rehabilitation for Vertebral Compression Fractures: A Retrospective Cohort Study. Journal of Geriatric Physical Therapy, 2021, 44, 139-143.	1.1	9
65	Noninvasive brain stimulation for dysphagia after acquired brain injury: a systematic review. Journal of Medical Investigation, 2016, 63, 153-158.	0.5	8
66	Therapeutic administration of atomoxetine combined with rTMS and occupational therapy for upper limb hemiparesis after stroke: a case series study of three patients. Acta Neurologica Belgica, 2016, 116, 31-37.	1.1	8
67	Clinical Effectiveness of Board-certificated Physiatrists on Functional Recovery in Elderly Stroke Patients During Convalescence: A Retrospective Cohort Study. International Journal of Gerontology, 2017, 11, 7-11.	0.6	8
68	Impact of Nutrition Therapy and Rehabilitation on Acute and Critical Illness: A Systematic Review. Journal of UOEH, 2019, 41, 303-315.	0.6	8
69	Influence of Antipsychotics on Functional Prognosis After Geriatric Hip Fracture. Journal of Nutrition, Health and Aging, 2019, 23, 381-385.	3.3	8
70	Conclusiveness of Cochrane Reviews in physiotherapy: a systematic search and analytical review. International Journal of Rehabilitation Research, 2019, 42, 97-105.	1.3	8
71	Impact of Energy intake at One Week after Hospitalization on Prognosis for Older Adults with Pneumonia. Journal of Nutrition, Health and Aging, 2020, 24, 119-124.	3.3	8
72	<scp>Hospital Frailty Risk Score</scp> predicts adverse events in older patients with vertebral compression fractures: Analysis of data in a nationwide inâ€patient database in <scp>Japan</scp> . Geriatrics and Gerontology International, 2022, 22, 233-239.	1.5	8

#	Article	IF	CITATIONS
73	Rehabilitation Characteristics in High-Performance Hospitals after Acute Stroke. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2431-2435.	1.6	7
74	Effects of Nutrition Therapy in Older Stroke Patients Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. Journal of Nutrition, Health and Aging, 2019, 23, 21-26.	3.3	7
75	Effectiveness of acute inâ€hospital occupational therapy for older patients with hip fracture. Geriatrics and Gerontology International, 2019, 19, 611-615.	1.5	7
76	Diagnostic reasoning in rehabilitation nutrition: Position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). Journal of General and Family Medicine, 2022, 23, 205-216.	0.8	7
77	Influence of repetitive peripheral magnetic stimulation on neural plasticity in the motor cortex related to swallowing. International Journal of Rehabilitation Research, 2016, 39, 263-266.	1.3	6
78	Repetitive Peripheral Magnetic Stimulation for Patients After Stroke. Stroke, 2020, 51, e105-e106.	2.0	6
79	Virtual reality applied to home-visit rehabilitation for hemiplegic shoulder pain in a stroke patient: a case report. Journal of Rural Medicine: JRM, 2021, 16, 174-178.	0.5	6
80	Body mass index affects postoperative daily activities of older patients after gastrectomy. European Geriatric Medicine, 2021, 12, 825-835.	2.8	6
81	Impact of orthotic therapy for improving activities of daily living in individuals with spinal cord injury: a retrospective cohort study. Spinal Cord, 2018, 56, 790-795.	1.9	5
82	Home visits by occupational therapists in acute hospital care: a systematic review. International Journal of Rehabilitation Research, 2019, 42, 205-210.	1.3	5
83	Semi-Solid Nutrients for Prevention of Enteral Tube Feeding-Related Complications in Japanese Population: A Systematic Review and Meta-Analysis. Nutrients, 2020, 12, 1687.	4.1	5
84	Effectiveness of Early Versus Delayed Physical Rehabilitation on Inâ€Hospital Mortality in Interstitial Pneumonia: A Retrospective Cohort Study. PM and R, 2020, 12, 1081-1085.	1.6	5
85	Effects of Testosterone Levels on Functional Recovery with Rehabilitation in Stroke Patients. Neurologia Medico-Chirurgica, 2014, 54, 794-798.	2.2	4
86	Characteristics of rehabilitation services in high-FIM efficiency hospitals after hip fracture. Journal of Medical Investigation, 2019, 66, 324-327.	0.5	4
87	Impact of oral health status on oral intake ability prognosis after pneumonia in older patients: a retrospective cohort study. European Geriatric Medicine, 2019, 10, 899-903.	2.8	4
88	Nasogastric Tube Feeding Versus Total Parenteral Nutrition in Older Dysphagic Patients with Pneumonia: Retrospective Cohort Study. Journal of Nutrition, Health and Aging, 2020, 24, 883-887.	3.3	4
89	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. BMC Geriatrics, 2020, 20, 36.	2.7	4
90	A Machine Learning-Based Screening Test for Sarcopenic Dysphagia Using Image Recognition. Nutrients, 2021, 13, 4009.	4.1	4

#	Article	IF	CITATIONS
91	Calf circumference and stroke are independent predictors for an improvement in the food intake level scale in the Japanese sarcopenic dysphagia database. European Geriatric Medicine, 0, , .	2.8	4
92	Development of a Point System to Predict Discharge to Home for Acute Stroke Patients. PM and R, 2021, 13, 38-44.	1.6	3
93	Factors Associated with Difficulty in Returning to School in Students After Traumatic Brain Injury. Journal of UOEH, 2018, 40, 299-305.	0.6	2
94	Impact of Rehabilitation Dose on Nutritional Status at Discharge from a Convalescent Rehabilitation Ward in Malnourished Patients with Hip Fracture. Healthcare (Switzerland), 2021, 9, 722.	2.0	2
95	Relationship Between Performance Improvement in Activities of Daily Living and Energy Intake in Older Patients With Hip Fracture Undergoing Rehabilitation. Annals of Rehabilitation Medicine, 2019, 43, 562-569.	1.6	2
96	Association between the number of board-certified physiatrists and volume of rehabilitation provided in Japan: an ecological study. Journal of Rural Medicine: JRM, 2022, 17, 73-78.	0.5	2
97	Causal inference from an observational study of geriatric rehabilitation pharmacotherapy. Geriatrics and Gerontology International, 2018, 18, 1307-1308.	1.5	1
98	Effectiveness of self-exercise on elderly patients after hip fracture : A retrospective cohort study. Journal of Medical Investigation, 2019, 66, 178-181.	0.5	1
99	Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. Healthcare (Switzerland), 2020, 8, 385.	2.0	1
100	Impact of Number of Drugs on Rehabilitation Outcomes in Patients after Traumatic Brain Injury: A Retrospective Cohort Study. PM and R, 2021, 13, 496-502.	1.6	1
101	Strategies for Effective Home Modification in Older Adults. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110207.	1.4	1
102	Comparing post-hospital care pathways following hip fracture. Disability and Rehabilitation, 2021, , 1-1.	1.8	1
103	Comment on: Geriatric coâ€management for cardiology patients in the hospital: A quasiâ€experimental study. Journal of the American Geriatrics Society, 2021, 69, 2364-2365.	2.6	1
104	Community-Based Integrated Care Units: Intermediate Care Units for Older Adults in Japan. Journal of the American Medical Directors Association, 2021, 22, 1774-1775.	2.5	1
105	Barriers and Strategies for Early Mobilization in Acute Cardiovascular Disease. Canadian Journal of Cardiology, 2021, 37, 1300.	1.7	1
106	Physical Therapy: Does Physical Therapy Have Therapeutic Roles in Aspiration Pneumonia?. Respiratory Disease Series, 2020, , 187-191.	0.0	1
107	Effects of In-Hospital Rehabilitation on Preventing Hospital Readmissions in Patients With Cirrhosis: A Retrospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1730-1737.	0.9	1
108	RE: Progression of Frailty in Survivors of Childhood Cancer: A St. Jude Lifetime Cohort Report. Journal of the National Cancer Institute, 2022, , .	6.3	1

RYO MOMOSAKI

#	Article	IF	CITATIONS
109	Relationship of body mass index on activities of daily living in hospitalized patients with chronic obstructive pulmonary disease. Respiratory Medicine and Research, 2022, 81, 100899.	0.6	1
110	Comments on Selected Recent Dysphagia Literature. Dysphagia, 2014, 29, 286-293.	1.8	0
111	Board-certificated Physiatrists and Functional Recovery after Hip Fracture. The Japanese Journal of Rehabilitation Medicine, 2016, 53, 202-206.	0.0	0
112	Epidemiology of Dysphagia Pandemic. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 4-10.	0.0	0
113	Types of Geriatric Assessment and Management Approaches to Hip Fracture. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932199861.	1.4	0
114	Association of Speech Therapy Time and Cognitive Recovery in Stroke Patients: A Comparison of Studies. Journal of the American Medical Directors Association, 2021, 22, 1327-1328.	2.5	0
115	Strategies to Improve Exercise Adherence in Patients With Cirrhosis. American Journal of Gastroenterology, 2021, Publish Ahead of Print, 2153.	0.4	0
116	Re: Logan G. Briggs, Chanan Reitblat, Paul A. Bain, et al. Prehabilitation Exercise Before Urologic Cancer Surgery: A Systematic and Interdisciplinary Review. Eur Urol. In press. https://doi.org/10.1016/j.eururo.2021.05.015. European Urology, 2021, 80, e139-e140.	1.9	0
117	Enabling physical activity for people living with disabilities. Lancet, The, 2021, 398, 2073.	13.7	0
118	In response to study results concerning the impact of antidepressants in older adults with major depressive disorder relating to frailty. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, , .	3.6	0
119	Karaoke as a feasible alternative therapy for pulmonary rehabilitation for COPD. European Respiratory Journal, 2021, , 2103113.	6.7	0
120	Trends in outpatient rehabilitation practices in Japan: analysis using the National Database of Health Insurance Claims Open Data. Journal of Rural Medicine: JRM, 2022, 17, 125-130.	0.5	0