
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8752306/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An In Vivo Stable Isotope Labeling Method to Investigate Individual Matrix Protein Synthesis, Ribosomal Biogenesis, and Cellular Proliferation in Murine Articular Cartilage. Function, 2022, 3, zqac008.	2.3	8
2	Mechanotherapy Reprograms Aged Muscle Stromal Cells to Remodel the Extracellular Matrix during Recovery from Disuse. Function, 2022, 3, zqac015.	2.3	4
3	Antecedent Metabolic Health and Metformin (ANTHEM) Aging Study: Rationale and Study Design for a Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 2373-2377.	3.6	3
4	Mechanotherapy does not Enhance Recovery Following Muscle Disuse Atrophy in Female Rats. FASEB Journal, 2022, 36, .	0.5	0
5	Myonuclei Can Replicate DNA. FASEB Journal, 2022, 36, .	0.5	0
6	Intrinsic Mitochondrial Function Impacts the Outcomes of Metformin Treatment on Skeletal Muscle Mitochondrial Morphology in Aged Rat. FASEB Journal, 2022, 36, .	0.5	0
7	Impaired Proteostasis, not Protein Synthesis, Limits Recovery of Aged Skeletal Muscle After Disuse Atrophy. FASEB Journal, 2022, 36, .	0.5	0
8	Muscle from aged rats is resistant to mechanotherapy during atrophy and reloading. GeroScience, 2021, 43, 65-83.	4.6	7
9	Sex differences in changes of protein synthesis with rapamycin treatment are minimized when metformin is added to rapamycin. GeroScience, 2021, 43, 809-828.	4.6	21
10	Ribosome biogenesis and degradation regulate translational capacity during muscle disuse and reloading. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 130-143.	7.3	32
11	A Novel Stable Isotope Approach Demonstrates Surprising Degree of Age-Related Decline in Skeletal Muscle Collagen Proteostasis. Function, 2021, 2, zqab028.	2.3	30
12	Physiologic Responses to Dietary Sulfur Amino Acid Restriction in Mice Are Influenced by Atf4 Status and Biological Sex. Journal of Nutrition, 2021, 151, 785-799.	2.9	24
13	The ketogenic diet preserves skeletal muscle with aging in mice. Aging Cell, 2021, 20, e13322.	6.7	42
14	Massage as a Mechanotherapy for Skeletal Muscle. Exercise and Sport Sciences Reviews, 2021, 49, 107-114.	3.0	7
15	Assessing the Dynamic Mitochondrial Fission and Fusion Events in Skeletal Muscle <i>in vivo</i> . FASEB Journal, 2021, 35, .	0.5	0
16	Tumor burden negatively impacts protein turnover as a proteostatic process in non-cancerous liver, heart, and muscle, but not brain. Journal of Applied Physiology, 2021, 131, 72-82.	2.5	8
17	Heterochronic Plasma Transfer Alters Proteostatic Maintenance in Skeletal Muscle. FASEB Journal, 2021, 35, .	0.5	0
18	Age-Related Susceptibility to Muscle Damage Following Mechanotherapy in Rats Recovering From Disuse Atrophy. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2132-2140.	3.6	6

#	Article	IF	CITATIONS
19	Determining the contributions of protein synthesis and breakdown to muscle atrophy requires nonâ€steadyâ€state equations. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 1764-1775.	7.3	15
20	Systemic delivery of a mitochondria targeted antioxidant partially preserves limb muscle mass and grip strength in response to androgen deprivation. Molecular and Cellular Endocrinology, 2021, 535, 111391.	3.2	3
21	Oklahoma Nathan Shock Aging Center — assessing the basic biology of aging from genetics to protein and function. GeroScience, 2021, 43, 2183-2203.	4.6	2
22	Necroptosis contributes to chronic inflammation and fibrosis in aging liver. Aging Cell, 2021, 20, e13512.	6.7	66
23	Short-term Calorie Restriction and 17α-Estradiol Administration Elicit Divergent Effects on Proteostatic Processes and Protein Content in Metabolically Active Tissues. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 849-857.	3.6	28
24	Brain Protein Synthesis Rates in the UM-HET3 Mouse Following Treatment With Rapamycin or Rapamycin With Metformin. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 40-49.	3.6	17
25	Differential Effects of Rapamycin and Metformin in Combination With Rapamycin on Mechanisms of Proteostasis in Cultured Skeletal Myotubes. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 32-39.	3.6	13
26	Cognitive function is preserved in aged mice following long-term Î ² -hydroxy Î ² -methylbutyrate supplementation. Nutritional Neuroscience, 2020, 23, 170-182.	3.1	5
27	Glutathione as a mediator of cartilage oxidative stress resistance and resilience during aging and osteoarthritis. Connective Tissue Research, 2020, 61, 34-47.	2.3	27
28	Inducible cell-specific mouse models for paired epigenetic and transcriptomic studies of microglia and astroglia. Communications Biology, 2020, 3, 693.	4.4	27
29	Exercise-Pharmacology Interactions: Metformin, Statins, and Healthspan. Physiology, 2020, 35, 338-347.	3.1	15
30	Cancer cachexia in a mouse model of oxidative stress. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 1688-1704.	7.3	31
31	Molecular changes associated with spinal cord aging. GeroScience, 2020, 42, 765-784.	4.6	25
32	CORP: The use of deuterated water for the measurement of protein synthesis. Journal of Applied Physiology, 2020, 128, 1163-1176.	2.5	42
33	Massage as a mechanotherapy promotes skeletal muscle protein and ribosomal turnover but does not mitigate muscle atrophy during disuse in adult rats. Acta Physiologica, 2020, 229, e13460.	3.8	27
34	Serum extracellular vesicle miR-203a-3p content is associated with skeletal muscle mass and protein turnover during disuse atrophy and regrowth. American Journal of Physiology - Cell Physiology, 2020, 319, C419-C431.	4.6	18
35	Mitochondrial adaptations to exercise do not require Bcl2â€mediated autophagy but occur with BNIP3/Parkin activation. FASEB Journal, 2020, 34, 4602-4618.	0.5	12
36	Utilization of biomarkers as predictors of skeletal muscle mitochondrial content after physiological intervention and in clinical settings. American Journal of Physiology - Endocrinology and Metabolism, 2020, 318, E886-E889.	3.5	13

#	Article	IF	CITATIONS
37	Muscleâ€specific changes in protein synthesis with aging and reloading after disuse atrophy. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 1195-1209.	7.3	60
38	The combination of exercise training and sodium-glucose cotransporter-2 inhibition improves glucose tolerance and exercise capacity in a rodent model of type 2 diabetes. Metabolism: Clinical and Experimental, 2019, 97, 68-80.	3.4	14
39	Long-term aerobic exercise preserves muscle mass and function with age. Current Opinion in Physiology, 2019, 10, 70-74.	1.8	18
40	Six Weeks of Low-Load Blood Flow Restricted and High-Load Resistance Exercise Training Produce Similar Increases in Cumulative Myofibrillar Protein Synthesis and Ribosomal Biogenesis in Healthy Males. Frontiers in Physiology, 2019, 10, 649.	2.8	34
41	Taming expectations of metformin as a treatment to extend healthspan. GeroScience, 2019, 41, 101-108.	4.6	27
42	Effect of Blood Flow Restricted Resistance Exercise and Remote Ischemic Conditioning on Functional Capacity and Myocellular Adaptations in Patients With Heart Failure. Circulation: Heart Failure, 2019, 12, e006427.	3.9	33
43	Metformin inhibits mitochondrial adaptations to aerobic exercise training in older adults. Aging Cell, 2019, 18, e12880.	6.7	135
44	Enhanced skeletal muscle regrowth and remodelling in massaged and contralateral nonâ€massaged hindlimb. Journal of Physiology, 2018, 596, 83-103.	2.9	56
45	Targeting mitochondrial function and proteostasis to mitigate dynapenia. European Journal of Applied Physiology, 2018, 118, 1-9.	2.5	31
46	Short-term changes in diet composition do not affect in vivo hepatic protein synthesis in rats. American Journal of Physiology - Endocrinology and Metabolism, 2018, 314, E241-E250.	3.5	5
47	Impact of dairy protein during limb immobilization and recovery on muscle size and protein synthesis; a randomized controlled trial. Journal of Applied Physiology, 2018, 124, 717-728.	2.5	35
48	Skeletal Muscle Mitochondrial Protein Synthesis and Respiration Increase With Low-Load Blood Flow Restricted as Well as High-Load Resistance Training. Frontiers in Physiology, 2018, 9, 1796.	2.8	55
49	Differential effects of vitamin C or protandim on skeletal muscle adaptation to exercise. Journal of Applied Physiology, 2018, 125, 661-671.	2.5	22
50	Mitochondria as a Target for Mitigating Sarcopenia. Frontiers in Physiology, 2018, 9, 1883.	2.8	96
51	Influence of Nrf2 activators on subcellular skeletal muscle protein and DNA synthesis rates after 6Âweeks of milk protein feeding in older adults. GeroScience, 2017, 39, 175-186.	4.6	41
52	Dietary Methionine Restriction Regulates Liver Protein Synthesis and Gene Expression Independently of Eukaryotic Initiation Factor 2 Phosphorylation in Mice. Journal of Nutrition, 2017, 147, 1031-1040.	2.9	39
53	Mechanisms of In Vivo Ribosome Maintenance Change in Response to Nutrient Signals. Molecular and Cellular Proteomics, 2017, 16, 243-254.	3.8	67
54	Skeletal muscle mitochondrial protein synthesis and respiration in response to the energetic stress of an ultra-endurance race. Journal of Applied Physiology, 2017, 123, 1516-1524.	2.5	21

#	Article	IF	CITATIONS
55	Mitochondrial proteostasis as a shared characteristic of slowed aging: the importance of considering cell proliferation. Journal of Physiology, 2017, 595, 6401-6407.	2.9	29
56	Long-term rates of mitochondrial protein synthesis are increased in mouse skeletal muscle with high-fat feeding regardless of insulin-sensitizing treatment. American Journal of Physiology - Endocrinology and Metabolism, 2017, 313, E552-E562.	3.5	21
57	A viewpoint on considering physiological principles to study stress resistance and resilience with aging. Ageing Research Reviews, 2017, 38, 1-5.	10.9	32
58	Longer lifespan in male mice treated with a weakly estrogenic agonist, an antioxidant, an αâ€glucosidase inhibitor or a Nrf2â€inducer. Aging Cell, 2016, 15, 872-884.	6.7	277
59	The rigorous study of exercise adaptations: why mRNA might not be enough. Journal of Applied Physiology, 2016, 121, 594-596.	2.5	40
60	Longâ€lived Snell dwarf mice display increased proteostatic mechanisms that are not dependent on decreased <scp>mTORC</scp> 1 activity. Aging Cell, 2015, 14, 474-482.	6.7	45
61	Modeling the contribution of individual proteins to mixed skeletal muscle protein synthetic rates over increasing periods of label incorporation. Journal of Applied Physiology, 2015, 118, 655-661.	2.5	58
62	Assessment of protein synthesis in highly aerobic canine species at the onset and during exercise training. Journal of Applied Physiology, 2015, 118, 811-817.	2.5	11
63	Circulating protein synthesis rates reveal skeletal muscle proteome dynamics. Journal of Clinical Investigation, 2015, 126, 288-302.	8.2	72
64	Long-lived crowded-litter mice have an age-dependent increase in protein synthesis to DNA synthesis ratio and mTORC1 substrate phosphorylation. American Journal of Physiology - Endocrinology and Metabolism, 2014, 307, E813-E821.	3.5	36
65	The measurement of protein synthesis for assessing proteostasis in studies of slowed aging. Ageing Research Reviews, 2014, 18, 106-111.	10.9	46
66	Greater muscle protein synthesis and mitochondrial biogenesis in males compared with females during sprint interval training. FASEB Journal, 2014, 28, 2705-2714.	0.5	128
67	Calorie Restriction Does Not Increase Short-term or Long-term Protein Synthesis. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 530-538.	3.6	49
68	Assessment of Mitochondrial Biogenesis and mTORC1 Signaling During Chronic Rapamycin Feeding in Male and Female Mice. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1493-1501.	3.6	84
69	A perspective on the determination of mitochondrial biogenesis. American Journal of Physiology - Endocrinology and Metabolism, 2012, 302, E496-E499.	3.5	71
70	A comprehensive assessment of mitochondrial protein synthesis and cellular proliferation with age and caloric restriction. Aging Cell, 2012, 11, 150-161.	6.7	117
71	β-Adrenergic receptor blockade blunts postexercise skeletal muscle mitochondrial protein synthesis rates in humans. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 301, R327-R334.	1.8	25
72	Longâ€ŧerm synthesis rates of skeletal muscle DNA and protein are higher during aerobic training in older humans than in sedentary young subjects but are not altered by protein supplementation. FASEB Journal, 2011, 25, 3240-3249.	0.5	114

#	Article	lF	CITATIONS
73	Tendon collagen synthesis at rest and after exercise in women. Journal of Applied Physiology, 2007, 102, 541-546.	2.5	135
74	No effect of menstrual cycle on myofibrillar and connective tissue protein synthesis in contracting skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E163-E168.	3.5	89
75	Hematological and acid-base changes in men during prolonged exercise with and without sodium-lactate infusion. Journal of Applied Physiology, 2005, 98, 856-865.	2.5	35
76	Coordinated collagen and muscle protein synthesis in human patella tendon and quadriceps muscle after exercise. Journal of Physiology, 2005, 567, 1021-1033.	2.9	469