

Homayon Ghiasi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8756219/publications.pdf>

Version: 2024-02-01

110
papers

3,289
citations

159358

30
h-index

189595

50
g-index

111
all docs

111
docs citations

111
times ranked

1571
citing authors

#	ARTICLE	IF	CITATIONS
1	Herpes Simplex Virus 1 Small Noncoding RNAs 1 and 2 Activate the Herpesvirus Entry Mediator Promoter. <i>Journal of Virology</i> , 2022, 96, JVI0198521.	1.5	7
2	Absence of signal peptide peptidase in peripheral sensory neurons affects latency-reactivation in HSV-1 ocularly infected mice. <i>PLoS Pathogens</i> , 2022, 18, e1010281.	2.1	4
3	Small Noncoding RNA (sncRNA1) within the Latency-Associated Transcript Modulates Herpes Simplex Virus 1 Virulence and the Host Immune Response during Acute but Not Latent Infection. <i>Journal of Virology</i> , 2022, 96, e0005422.	1.5	3
4	Protocol for a mouse CNS demyelination model induced by a combination of HSV-1 and IL-2. <i>STAR Protocols</i> , 2021, 2, 100287.	0.5	1
5	Blocking HSV-1 glycoprotein K binding to signal peptide peptidase reduces virus infectivity in vitro and in vivo. <i>PLoS Pathogens</i> , 2021, 17, e1009848.	2.1	2
6	Absence of CD28-CTLA4-PD-L1 Costimulatory Molecules Reduces Herpes Simplex Virus 1 Reactivation. <i>MBio</i> , 2021, 12, e0117621.	1.8	2
7	Suppression of CD80 Expression by ICP22 Affects Herpes Simplex Virus Type 1 Replication and CD8 ⁺ IFN- γ ⁺ Infiltrates in the Eyes of Infected Mice but Not Latency Reactivation. <i>Journal of Virology</i> , 2021, 95, e0103621.	1.5	7
8	Essential role of M1 macrophages in blocking cytokine storm and pathology associated with murine HSV-1 infection. <i>PLoS Pathogens</i> , 2021, 17, e1009999.	2.1	16
9	Impact of a Demyelination-Inducing Central Nervous System Virus on Expression of Demyelination Genes in Type 2 Lymphoid Cells. <i>Journal of Virology</i> , 2021, 95, .	1.5	1
10	CD80 Plays a Critical Role in Increased Inflammatory Responses in Herpes Simplex Virus 1-Infected Mouse Corneas. <i>Journal of Virology</i> , 2020, 94, .	1.5	12
11	Type 2 Innate Lymphoid Cells Induce CNS Demyelination in an HSV-IL-2 Mouse Model of Multiple Sclerosis. <i>IScience</i> , 2020, 23, 101549.	1.9	14
12	Increased phagocytosis in the presence of enhanced M2-like macrophage responses correlates with increased primary and latent HSV-1 infection. <i>PLoS Pathogens</i> , 2020, 16, e1008971.	2.1	46
13	Expression of Murine CD80 by Herpes Simplex Virus 1 in Place of Latency-Associated Transcript (LAT) Can Compensate for Latency Reactivation and Anti-apoptotic Functions of LAT. <i>Journal of Virology</i> , 2020, 94, .	1.5	13
14	Role of TH17 Responses in Increasing Herpetic Keratitis in the Eyes of Mice Infected with HSV-1. , 2020, 61, 20.		4
15	Restoring Herpesvirus Entry Mediator (HVEM) Immune Function in HVEM ^{-/-} Mice Rescues Herpes Simplex Virus 1 Latency and Reactivation Independently of Binding to Glycoprotein D. <i>Journal of Virology</i> , 2020, 94, .	1.5	10
16	Title is missing!. , 2020, 16, e1008971.		0
17	Title is missing!. , 2020, 16, e1008971.		0
18	Title is missing!. , 2020, 16, e1008971.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 16, e1008971.		0
20	Loss of ICP22 in HSV-1 Elicits Immune Infiltration and Maintains Stromal Keratitis Despite Reduced Primary and Latent Virus Infectivity. , 2019, 60, 3398.		20
21	CCR2+ migratory macrophages with M1 status are the early-responders in the cornea of HSV-1 infected mice. PLoS ONE, 2019, 14, e0215727.	1.1	14
22	The Absence of Lymphotoxin- β , a Herpesvirus Entry Mediator (HVEM) Ligand, Affects Herpes Simplex Virus 1 Infection In Vivo Differently than the Absence of Other HVEM Cellular Ligands. Journal of Virology, 2019, 93, .	1.5	11
23	Roles of Type 1, 2, and 3 Innate Lymphoid Cells in Herpes Simplex Virus 1 Infection In Vitro and In Vivo. Journal of Virology, 2019, 93, .	1.5	14
24	The Latency-Associated Transcript Inhibits Apoptosis via Downregulation of Components of the Type I Interferon Pathway during Latent Herpes Simplex Virus 1 Ocular Infection. Journal of Virology, 2019, 93, .	1.5	24
25	Absence of Signal Peptide Peptidase, an Essential Herpes Simplex Virus 1 Glycoprotein K Binding Partner, Reduces Virus Infectivity In Vivo. Journal of Virology, 2019, 93, .	1.5	11
26	Herpes Simplex Virus 1 ICP22 Suppresses CD80 Expression by Murine Dendritic Cells. Journal of Virology, 2019, 93, .	1.5	39
27	An M2 Rather than a T H 2 Response Contributes to Better Protection against Latency Reactivation following Ocular Infection of Naive Mice with a Recombinant Herpes Simplex Virus 1 Expressing Murine Interleukin-4. Journal of Virology, 2018, 92, .	1.5	8
28	The Absence of DHHC3 Affects Primary and Latent Herpes Simplex Virus 1 Infection. Journal of Virology, 2018, 92, .	1.5	13
29	Role of Herpes Simplex Virus Type 1 (HSV-1) Glycoprotein K (gK) Pathogenic CD8+ T Cells in Exacerbation of Eye Disease. Frontiers in Immunology, 2018, 9, 2895.	2.2	27
30	Herpes Simplex Virus 1 Latency and the Kinetics of Reactivation Are Regulated by a Complex Network of Interactions between the Herpesvirus Entry Mediator, Its Ligands (gD, BTLA, LIGHT, and CD160), and the Latency-Associated Transcript. Journal of Virology, 2018, 92, .	1.5	21
31	Deficiency of GATA3-Positive Macrophages Improves Cardiac Function Following Myocardial Infarction or Pressure Overload Hypertrophy. Journal of the American College of Cardiology, 2018, 72, 885-904.	1.2	43
32	Roles of M1 and M2 Macrophages in Herpes Simplex Virus 1 Infectivity. Journal of Virology, 2017, 91, .	1.5	42
33	Reply to "Herpes Simplex Virus 1, Macrophages, and the Cornea". Journal of Virology, 2017, 91, .	1.5	0
34	Binding of Herpes Simplex Virus 1 UL20 to GODZ (DHHC3) Affects Its Palmitoylation and Is Essential for Infectivity and Proper Targeting and Localization of UL20 and Glycoprotein K. Journal of Virology, 2017, 91, .	1.5	17
35	Highly Efficacious Novel Vaccine, Humoral Immunity, and Ocular Herpes Simplex Virus 1: Reality or Myth?. Journal of Virology, 2017, 91, .	1.5	0
36	Suppression of IL-12p70 formation by IL-2 or following macrophage depletion causes T-cell autoreactivity leading to CNS demyelination in HSV-1-infected mice. PLoS Pathogens, 2017, 13, e1006401.	2.1	13

#	ARTICLE	IF	CITATIONS
37	Remembrance of Professor Steven Wechsler (1948â€“2016). <i>Journal of NeuroVirology</i> , 2016, 22, 553-554.	1.0	1
38	Interrelationship of Primary Virus Replication, Level of Latency, and Time to Reactivation in the Trigeminal Ganglia of Latently Infected Mice. <i>Journal of Virology</i> , 2016, 90, 9533-9542.	1.5	19
39	CD8 ⁺ T Cells Play a Bystander Role in Mice Latently Infected with Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2016, 90, 5059-5067.	1.5	31
40	Batf3 deficiency is not critical for the generation of CD8 ⁺ dendritic cells. <i>Immunobiology</i> , 2015, 220, 518-524.	0.8	18
41	Mutations within the Pathogenic Region of Herpes Simplex Virus 1 gK Signal Sequences Alter Cell Surface Expression and Neurovirulence. <i>Journal of Virology</i> , 2015, 89, 2530-2542.	1.5	10
42	Inclusion of CD80 in HSV Targets the Recombinant Virus to PD-L1 on DCs and Allows Productive Infection and Robust Immune Responses. <i>PLoS ONE</i> , 2014, 9, e87617.	1.1	23
43	Overexpression of Herpes Simplex Virus Glycoprotein K (gK) Alters Expression of HSV Receptors in Ocularly-Infected Mice. , 2014, 55, 2442.		17
44	Remembrance of Professor James Milton Hill (1942â€“2013). <i>Current Eye Research</i> , 2014, 39, 103-103.	0.7	0
45	Role of CD8 ⁺ T Cells and Lymphoid Dendritic Cells in Protection from Ocular Herpes Simplex Virus 1 Challenge in Immunized Mice. <i>Journal of Virology</i> , 2014, 88, 8016-8027.	1.5	21
46	Coregulatory Interactions among CD8 ⁺ Dendritic Cells, the Latency-Associated Transcript, and Programmed Death 1 Contribute to Higher Levels of Herpes Simplex Virus 1 Latency. <i>Journal of Virology</i> , 2014, 88, 6599-6610.	1.5	17
47	Interactions between Herpesvirus Entry Mediator (TNFRSF14) and Latency-Associated Transcript during Herpes Simplex Virus 1 Latency. <i>Journal of Virology</i> , 2014, 88, 1961-1971.	1.5	36
48	Temozolomide Does Not Impair Gene Therapy-Mediated Antitumor Immunity in Syngeneic Brain Tumor Models. <i>Clinical Cancer Research</i> , 2014, 20, 1555-1565.	3.2	32
49	Inhibitors of signal peptide peptidase (SPP) affect HSV-1 infectivity <i>in vitro</i> and <i>in vivo</i> . <i>Experimental Eye Research</i> , 2014, 123, 8-15.	1.2	14
50	Binding of HSV-1 Glycoprotein K (gK) to Signal Peptide Peptidase (SPP) Is Required for Virus Infectivity. <i>PLoS ONE</i> , 2014, 9, e85360.	1.1	30
51	CD8 ⁺ Dendritic Cells Drive Establishment of HSV-1 Latency. <i>PLoS ONE</i> , 2014, 9, e93444.	1.1	25
52	Role of Interleukin-2 and Herpes Simplex Virus 1 in Central Nervous System Demyelination in Mice. <i>Journal of Virology</i> , 2013, 87, 12102-12109.	1.5	15
53	Macrophage IL-12p70 Signaling Prevents HSV-1-Induced CNS Autoimmunity Triggered by Autoaggressive CD4 ⁺ Tregs. , 2011, 52, 2321.		15
54	CD11c Controls Herpes Simplex Virus 1 Responses To Limit Virus Replication during Primary Infection. <i>Journal of Virology</i> , 2011, 85, 9945-9955.	1.5	20

#	ARTICLE	IF	CITATIONS
55	Adaptive and Innate Transforming Growth Factor β Signaling Impact Herpes Simplex Virus 1 Latency and Reactivation. <i>Journal of Virology</i> , 2011, 85, 11448-11456.	1.5	18
56	The Role of LAT in Increased CD8 ⁺ T Cell Exhaustion in Trigeminal Ganglia of Mice Latently Infected with Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2011, 85, 4184-4197.	1.5	103
57	IL-2 Suppression of IL-12p70 by a Recombinant HSV-1 Expressing IL-2 Induces T-Cell Auto-Reactivity and CNS Demyelination. <i>PLoS ONE</i> , 2011, 6, e16820.	1.1	12
58	Exacerbation of corneal scarring in HSV-1 gK-immunized mice correlates with elevation of CD8 ⁺ CD25 ⁺ T cells in corneas of ocularly infected mice. <i>Virology</i> , 2010, 399, 11-22.	1.1	21
59	Immunization with Different Viral Antigens Alters the Pattern of T Cell Exhaustion and Latency in Herpes Simplex Virus Type 1-Infected Mice. <i>Journal of Virology</i> , 2010, 84, 12315-12324.	1.5	21
60	Involvement of STAT4 in IgG subtype switching and ocular HSV-1 replication in mice. <i>Molecular Vision</i> , 2010, 16, 98-104.	1.1	5
61	Ocular infection of mice with an avirulent recombinant HSV-1 expressing IL-4 and an attenuated HSV-1 strain generates virulent recombinants in vivo. <i>Molecular Vision</i> , 2010, 16, 2153-62.	1.1	5
62	The Role of a Glycoprotein K (gK) CD8 ⁺ T-Cell Epitope of Herpes Simplex Virus on Virus Replication and Pathogenicity. , 2009, 50, 2903.		44
63	Optic Neuritis in Different Strains of Mice by a Recombinant HSV-1 Expressing Murine Interleukin-2. , 2009, 50, 3275.		18
64	Level of Herpes Simplex Virus Type 1 Latency Correlates with Severity of Corneal Scarring and Exhaustion of CD8 ⁺ T Cells in Trigeminal Ganglia of Latently Infected Mice. <i>Journal of Virology</i> , 2009, 83, 2246-2254.	1.5	79
65	A role for the JAK-STAT1 pathway in blocking replication of HSV-1 in dendritic cells and macrophages. <i>Virology Journal</i> , 2009, 6, 56.	1.4	35
66	Role of Dendritic Cells in Enhancement of Herpes Simplex Virus Type 1 Latency and Reactivation in Vaccinated Mice. <i>Vaccine Journal</i> , 2008, 15, 1859-1867.	3.2	41
67	Lymphoid-Related CD11c ⁺ CD8 β ⁺ Dendritic Cells Are Involved in Enhancing Herpes Simplex Virus Type 1 Latency. <i>Journal of Virology</i> , 2008, 82, 9870-9879.	1.5	36
68	Macrophages Are Important Determinants of Acute Ocular HSV-1 Infection in Immunized Mice. , 2007, 48, 5605.		25
69	Role of Anti-“Glycoproteins D (Anti-“gD) and K (Anti-“gK) IgGs in Pathology of Herpes Stromal Keratitis in Humans. , 2007, 48, 2185.		22
70	A Recombinant Herpes Simplex Virus Type 1 Expressing Two Additional Copies of gK Is More Pathogenic than Wild-Type Virus in Two Different Strains of Mice. <i>Journal of Virology</i> , 2007, 81, 12962-12972.	1.5	59
71	Epitope mapping of HSV-1 glycoprotein K (gK) reveals a T cell epitope located within the signal domain of gK. <i>Virus Research</i> , 2007, 128, 71-80.	1.1	27
72	The corneas of naive mice contain both CD4 ⁺ and CD8 ⁺ T cells. <i>Molecular Vision</i> , 2007, 13, 1802-12.	1.1	30

#	ARTICLE	IF	CITATIONS
73	Treatment of Mice with Anti-CD86 mAb Reduces CD8+T Cell-Mediated CTL Activity and Enhances Ocular Viral Replication in HSV-1-Infected Mice. <i>Ocular Immunology and Inflammation</i> , 2005, 13, 159-167.	1.0	7
74	Recombinant Herpes Simplex Virus Type 1 (HSV-1) Codelivering Interleukin-12p35 as a Molecular Adjuvant Enhances the Protective Immune Response against Ocular HSV-1 Challenge. <i>Journal of Virology</i> , 2005, 79, 3297-3308.	1.5	27
75	Prospects for Developing an Effective Vaccine Against Ocular Herpes Simplex Virus Infection. <i>Current Eye Research</i> , 2005, 30, 929-942.	0.7	47
76	CD8+-dependent CNS demyelination following ocular infection of mice with a recombinant HSV-1 expressing murine IL-2. <i>Experimental Neurology</i> , 2005, 193, 1-18.	2.0	27
77	Improved Protection from Primary Ocular HSV-1 Infection and Establishment of Latency Using Multigenic DNA Vaccines. , 2004, 45, 506.		31
78	Involvement of CD8+T-cells in exacerbation of corneal scarring in mice. <i>Current Eye Research</i> , 2004, 29, 145-151.	0.7	26
79	Comparison of Adjuvant Efficacy of Herpes Simplex Virus Type 1 Recombinant Viruses Expressing T H 1 and T H 2 Cytokine Genes. <i>Journal of Virology</i> , 2003, 77, 5774-5783.	1.5	49
80	Overexpression of Interleukin-2 by a Recombinant Herpes Simplex Virus Type 1 Attenuates Pathogenicity and Enhances Antiviral Immunity. <i>Journal of Virology</i> , 2002, 76, 9069-9078.	1.5	26
81	A Gene Capable of Blocking Apoptosis Can Substitute for the Herpes Simplex Virus Type 1 Latency-Associated Transcript Gene and Restore Wild-Type Reactivation Levels. <i>Journal of Virology</i> , 2002, 76, 1224-1235.	1.5	96
82	The role of TH1 and TH2 cytokines in HSV-1-induced corneal scarring. <i>Ocular Immunology and Inflammation</i> , 2002, 10, 105-116.	1.0	23
83	Reduced severity of HSV-1-induced corneal scarring in IL-12-deficient mice. <i>Virus Research</i> , 2002, 90, 317-326.	1.1	23
84	Infection of BALB/c Mice with a Herpes Simplex Virus Type 1 Recombinant Virus Expressing IFN- β Driven by the LAT Promoter. <i>Virology</i> , 2002, 302, 144-154.	1.1	20
85	Enhanced Clearance of Herpes Simplex Virus Type 1 and Reduced Herpetic Eye Disease in STAT6 Knockout Mice Is Associated with Increased IL-2. <i>Virology</i> , 2002, 302, 286-293.	1.1	5
86	Three Herpes Simplex Virus Type 1 Latency-Associated Transcript Mutants with Distinct and Asymmetric Effects on Virulence in Mice Compared with Rabbits. <i>Journal of Virology</i> , 2001, 75, 9018-9028.	1.5	38
87	Recombinant Herpes Simplex Virus Type 1 Expressing Murine Interleukin-4 Is Less Virulent than Wild-Type Virus in Mice. <i>Journal of Virology</i> , 2001, 75, 9029-9036.	1.5	31
88	Region of Herpes Simplex Virus Type 1 Latency-Associated Transcript Sufficient for Wild-Type Spontaneous Reactivation Promotes Cell Survival in Tissue Culture. <i>Journal of Virology</i> , 2001, 75, 3636-3646.	1.5	129
89	The effect of latency-associated transcript on the herpes simplex virus type 1 latency-reactivation phenotype is mouse strain-dependent. <i>Journal of General Virology</i> , 2001, 82, 1117-1122.	1.3	34
90	The role of natural killer cells in protection of mice against death and corneal scarring following ocular HSV-1 infection. <i>Antiviral Research</i> , 2000, 45, 33-45.	1.9	65

#	ARTICLE	IF	CITATIONS
91	The Latency-Associated Transcript Gene Enhances Establishment of Herpes Simplex Virus Type 1 Latency in Rabbits. <i>Journal of Virology</i> , 2000, 74, 1885-1891.	1.5	106
92	Antibody-dependent enhancement of HSV-1 infection by anti-gK sera. <i>Virus Research</i> , 2000, 68, 137-144.	1.1	15
93	Virus-Induced Neuronal Apoptosis Blocked by the Herpes Simplex Virus Latency-Associated Transcript. <i>Science</i> , 2000, 287, 1500-1503.	6.0	419
94	The Role of Interleukin (IL)â€² and ILâ€´ in Herpes Simplex Virus Type 1 Ocular Replication and Eye Disease. <i>Journal of Infectious Diseases</i> , 1999, 179, 1086-1093.	1.9	51
95	Specific and Nonspecific Immune Stimulation of MHC-II-Deficient Mice Results in Chronic HSV-1 Infection of the Trigeminal Ganglia Following Ocular Challenge. <i>Virology</i> , 1999, 258, 208-216.	1.1	15
96	Vaccination with different HSV-1 glycoproteins induces different patterns of ocular cytokine responses following HSV-1 challenge of vaccinated mice. <i>Vaccine</i> , 1999, 17, 2576-2582.	1.7	28
97	Perforin pathway is essential for protection of mice against lethal ocular HSV-1 challenge but not corneal scarring. <i>Virus Research</i> , 1999, 65, 97-101.	1.1	27
98	Either a CD4+or CD8+T cell function is sufficient for clearance of infectious virus from trigeminal ganglia and establishment of herpes simplex virus type 1 latency in mice. <i>Microbial Pathogenesis</i> , 1999, 27, 387-394.	1.3	26
99	Herpes Simplex Virus Type 1 Serum Neutralizing Antibody Titers Increase during Latency in Rabbits Latently Infected with Latency-Associated Transcript (LAT)-Positive but Not LAT-Negative Viruses. <i>Journal of Virology</i> , 1999, 73, 9669-9672.	1.5	12
100	A Herpes Simplex Virus Type 1 Latency-Associated Transcript Mutant with Increased Virulence and Reduced Spontaneous Reactivation. <i>Journal of Virology</i> , 1999, 73, 920-929.	1.5	54
101	The US5 Open Reading Frame of Herpes simplex Virus Type 1 Does Encode a Glycoprotein (gI). <i>Intervirology</i> , 1998, 41, 91-97.	1.2	26
102	MHC-II but not MHC-I responses are required for vaccine-induced protection against ocular challenge with HSV-1. <i>Current Eye Research</i> , 1997, 16, 1152-1158.	0.7	26
103	Vaccination with Herpes Simplex Virus Type 1 Glycoprotein K Impairs Clearance of Virus from the Trigeminal Ganglia Resulting in Chronic Infection. <i>Virology</i> , 1996, 224, 330-333.	1.1	24
104	Baculovirus expressed herpes simplex virus type 1 glycoprotein C protects mice from lethal HSV-1 infection. <i>Antiviral Research</i> , 1992, 18, 291-302.	1.9	30
105	Expression of herpes simplex virus type 1 glycoprotein B in insect cells. <i>Virus Research</i> , 1992, 22, 25-39.	1.1	53
106	Baculovirus-expressed glycoprotein E (gE) of herpes simplex virus type-1 (HSV-1) protects mice against lethal intraperitoneal and lethal ocular HSV-1 challenge. <i>Virology</i> , 1992, 188, 469-476.	1.1	43
107	Baculovirus-expressed glycoprotein g of herpes simplex virus type 1 partially protects vaccinated mice against lethal HSV-1 challenge. <i>Virology</i> , 1992, 190, 233-239.	1.1	28
108	Identification of a major regulatory sequence in the latency associated transcript (LAT) promoter of herpes simplex virus type 1 (HSV-1). <i>Virology</i> , 1991, 182, 287-297.	1.1	107

#	ARTICLE	IF	CITATIONS
109	Immunoselection of recombinant baculoviruses expressing high levels of biologically active herpes simplex virus type 1 glycoprotein D. <i>Archives of Virology</i> , 1991, 121, 163-178.	0.9	49
110	The complete sequence of bluetongue virus serotype 10 segment 3 and its predicted VP3 polypeptide compared with those of BTV serotype 17. <i>Virus Research</i> , 1985, 3, 181-190.	1.1	42