

Werner Held

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8756677/publications.pdf>

Version: 2024-02-01

94
papers

9,132
citations

53794

45
h-index

43889

91
g-index

97
all docs

97
docs citations

97
times ranked

11217
citing authors

#	ARTICLE	IF	CITATIONS
1	Stem-cell-like T ^h cells have a specific entry gate to the tumor. <i>Cancer Cell</i> , 2022, 40, 243-245.	16.8	4
2	Not All Tumor-Infiltrating CD8 ⁺ T Cells Are Created Equal. <i>Cancer Cell</i> , 2021, 39, 145-147.	16.8	5
3	Metabolic reprogramming of terminally exhausted CD8 ⁺ T cells by IL-10 enhances anti-tumor immunity. <i>Nature Immunology</i> , 2021, 22, 746-756.	14.5	160
4	PD-1 ⁺ Tcf1 ⁺ CD8 ⁺ T cells from established chronic infection can form memory while retaining a stable imprint of persistent antigen exposure. <i>Cell Reports</i> , 2021, 36, 109672.	6.4	8
5	Central memory CD8 ⁺ T ^h cells derive from stem-like Tcf7hi effector cells in the absence of cytotoxic differentiation. <i>Immunity</i> , 2020, 53, 985-1000.e11.	14.3	107
6	Tcf1 ⁺ cells are required to maintain the inflationary T cell pool upon MCMV infection. <i>Nature Communications</i> , 2020, 11, 2295.	12.8	34
7	Deciphering the transcriptomic landscape of tumor-infiltrating CD8 lymphocytes in B16 melanoma tumors with single-cell RNA-Seq. <i>Oncot Immunology</i> , 2020, 9, 1737369.	4.6	42
8	Intratumoral CD8 ⁺ T cells with stem cell-like properties: Implications for cancer immunotherapy. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	42
9	Defining "T cell exhaustion"™. <i>Nature Reviews Immunology</i> , 2019, 19, 665-674.	22.7	879
10	β-Catenin-Dependent Signals Maintain BCR-ABL1 ⁺ B Cell Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2019, 35, 649-663.e10.	16.8	20
11	Shp-2 is critical for ERK and metabolic engagement downstream of IL-15 receptor in NK cells. <i>Nature Communications</i> , 2019, 10, 1444.	12.8	29
12	Intratumoral Tcf1 ⁺ PD-1 ⁺ CD8 ⁺ T Cells with Stem-like Properties Promote Tumor Control in Response to Vaccination and Checkpoint Blockade Immunotherapy. <i>Immunity</i> , 2019, 50, 195-211.e10.	14.3	924
13	Type I interferon/IRF7 axis instigates chemotherapy-induced immunological dormancy in breast cancer. <i>Oncogene</i> , 2019, 38, 2814-2829.	5.9	85
14	Suppression of Tcf1 by Inflammatory Cytokines Facilitates Effector CD8 ⁺ T Cell Differentiation. <i>Cell Reports</i> , 2018, 22, 2107-2117.	6.4	121
15	Transcriptional regulation of murine natural killer cell development, differentiation and maturation. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 3371-3379.	5.4	12
16	TCF1 ⁺ hepatitis C virus-specific CD8 ⁺ T cells are maintained after cessation of chronic antigen stimulation. <i>Nature Communications</i> , 2017, 8, 15050.	12.8	185
17	The Transcription Factor Tcf1 Contributes to Normal NK Cell Development and Function by Limiting the Expression of Granzymes. <i>Cell Reports</i> , 2017, 20, 613-626.	6.4	67
18	Long-Term Engraftment of Primary Bone Marrow Stromal Cells Repairs Niche Damage and Improves Hematopoietic Stem Cell Transplantation. <i>Cell Stem Cell</i> , 2017, 21, 241-255.e6.	11.1	105

#	ARTICLE	IF	CITATIONS
19	Feeling Exhausted? Tuning Irf4 Energizes Dysfunctional T Cells. <i>Immunity</i> , 2017, 47, 1009-1011.	14.3	8
20	NK Cells Respond to Haptens by the Activation of Calcium Permeable Plasma Membrane Channels. <i>PLoS ONE</i> , 2016, 11, e0151031.	2.5	6
21	Activation by SLAM Family Receptors Contributes to NK Cell Mediated "Missing-Self" Recognition. <i>PLoS ONE</i> , 2016, 11, e0153236.	2.5	10
22	Phage Selection of Peptide Macrocyycles against β -Catenin To Interfere with Wnt Signaling. <i>ChemMedChem</i> , 2016, 11, 834-839.	3.2	28
23	NLRC5 shields T lymphocytes from NK-cell-mediated elimination under inflammatory conditions. <i>Nature Communications</i> , 2016, 7, 10554.	12.8	40
24	T Cell Factor 1-Expressing Memory-like CD8+ T Cells Sustain the Immune Response to Chronic Viral Infections. <i>Immunity</i> , 2016, 45, 415-427.	14.3	721
25	Modulation of mTOR Signalling Triggers the Formation of Stem Cell-like Memory T Cells. <i>EBioMedicine</i> , 2016, 4, 50-61.	6.1	89
26	Phage Selection of Chemically Stabilized β -Helical Peptide Ligands. <i>ACS Chemical Biology</i> , 2016, 11, 1422-1427.	3.4	63
27	Rapid Sequestration of <i>Leishmania mexicana</i> by Neutrophils Contributes to the Development of Chronic Lesion. <i>PLoS Pathogens</i> , 2015, 11, e1004929.	4.7	103
28	Inhibitory Receptor-Mediated Regulation of Natural Killer Cells. <i>Critical Reviews in Immunology</i> , 2014, 34, 455-465.	0.5	10
29	Differences in the Transduction of Canonical Wnt Signals Demarcate Effector and Memory CD8 T Cells with Distinct Recall Proliferation Capacity. <i>Journal of Immunology</i> , 2014, 193, 2784-2791.	0.8	35
30	Adaptations of Natural Killer Cells to Self-MHC Class I. <i>Frontiers in Immunology</i> , 2014, 5, 349.	4.8	25
31	Malt1 protease inactivation efficiently dampens immune responses but causes spontaneous autoimmunity. <i>EMBO Journal</i> , 2014, 33, 2765-2781.	7.8	129
32	Inhibitory Receptors and Their Mode of Action: Key Insights from NK Cells. <i>Journal of Immunology</i> , 2013, 191, 3489-3490.	0.8	0
33	MicroRNA-155 Is Required for Effector CD8+ T Cell Responses to Virus Infection and Cancer. <i>Immunity</i> , 2013, 38, 742-753.	14.3	278
34	Education of Murine NK Cells Requires Both <i>cis</i> and <i>trans</i> Recognition of MHC Class I Molecules. <i>Journal of Immunology</i> , 2013, 191, 5044-5051.	0.8	39
35	Caspase-3 Protects Stressed Organs against Cell Death. <i>Molecular and Cellular Biology</i> , 2012, 32, 4523-4533.	2.3	63
36	Nonclassical NK cell education. <i>Nature Immunology</i> , 2012, 13, 1135-1137.	14.5	4

#	ARTICLE	IF	CITATIONS
37	The Interaction with H-2Dd in cis is Associated with a Conformational Change in the Ly49A NK Cell Receptor. <i>Frontiers in Immunology</i> , 2011, 2, 55.	4.8	10
38	Cis-trans interactions of cell surface receptors: biological roles and structural basis. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3469-3478.	5.4	40
39	The function of natural killer cells: education, reminders and some good memories. <i>Current Opinion in Immunology</i> , 2011, 23, 228-233.	5.5	17
40	Ly49D-Mediated ITAM Signaling in Immature Thymocytes Impairs Development by Bypassing the Pre-TCR Checkpoint. <i>Journal of Immunology</i> , 2011, 187, 110-117.	0.8	4
41	Natural Killer Cell Mediated Missing-Self Recognition Can Protect Mice from Primary Chronic Myeloid Leukemia In Vivo. <i>PLoS ONE</i> , 2011, 6, e27639.	2.5	14
42	Essential role of the Wnt pathway effector Tcf-1 for the establishment of functional CD8 T cell memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 9777-9782.	7.1	294
43	Constitutive Activation of Wnt Signaling Favors Generation of Memory CD8 T Cells. <i>Journal of Immunology</i> , 2010, 184, 1191-1199.	0.8	157
44	Distinct Conformations of Ly49 Natural Killer Cell Receptors Mediate MHC Class I Recognition in Trans and Cis. <i>Immunity</i> , 2009, 31, 598-608.	14.3	52
45	A Role for cis Interaction between the Inhibitory Ly49A Receptor and MHC Class I for Natural Killer Cell Education. <i>Immunity</i> , 2009, 30, 337-347.	14.3	111
46	Tolerance and reactivity of NK cells: Two sides of the same coin?. <i>European Journal of Immunology</i> , 2008, 38, 2930-2933.	2.9	11
47	Cis interactions of immunoreceptors with MHC and non-MHC ligands. <i>Nature Reviews Immunology</i> , 2008, 8, 269-278.	22.7	92
48	Sustained NKG2D engagement induces cross-tolerance of multiple distinct NK cell activation pathways. <i>Blood</i> , 2008, 111, 3571-3578.	1.4	154
49	Long-term, multilineage hematopoiesis occurs in the combined absence of β -catenin and γ -catenin. <i>Blood</i> , 2008, 111, 142-149.	1.4	199
50	Stable masking by H-2Dd cis ligand limits Ly49A relocalization to the site of NK cell/target cell contact. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3978-3983.	7.1	48
51	Interactions of Ly49 Family Receptors with MHC Class I Ligands in <i>trans</i> and <i>cis</i> . <i>Journal of Immunology</i> , 2007, 178, 1277-1284.	0.8	84
52	Regulation of β Versus γ T Lymphocyte Differentiation by the Transcription Factor SOX13. <i>Science</i> , 2007, 315, 230-233.	12.6	156
53	The role of the NKG2D receptor for tumor immunity. <i>Seminars in Cancer Biology</i> , 2006, 16, 333-343.	9.6	125
54	T and B lymphocytes exert distinct effects on the homeostasis of NK cells. <i>European Journal of Immunology</i> , 2006, 36, 2725-2734.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Transcriptional Regulation of CD4 Gene Expression by T Cell Factor-1/ β -Catenin Pathway. Journal of Immunology, 2006, 176, 4880-4887.	0.8	40
56	Regulation of natural killer cell function: a role for the NK cell's own MHC class I molecules. Medical Microbiology and Immunology, 2005, 194, 169-174.	4.8	3
57	MHC Class I-Related Chain A Conjugated to Antitumor Antibodies Can Sensitize Tumor Cells to Specific Lysis by Natural Killer Cells. Clinical Cancer Research, 2005, 11, 7516-7522.	7.0	39
58	Cis association of Ly49A with MHC class I restricts natural killer cell inhibition. Nature Immunology, 2004, 5, 328-336.	14.5	179
59	Redundant functions of TCF-1 and LEF-1 during T and NK cell development, but unique role of TCF-1 for Ly49 NK cell receptor acquisition. European Journal of Immunology, 2003, 33, 1393-1398.	2.9	64
60	The NK cell receptor repertoire: formation, adaptation and exploitation. Current Opinion in Immunology, 2003, 15, 233-237.	5.5	28
61	Initiation and Limitation of Ly-49A NK Cell Receptor Acquisition by T Cell Factor-1. Journal of Immunology, 2003, 171, 769-775.	0.8	14
62	Cutting Edge: Stimulation with the Cognate Self-Antigen Induces Expression of the Ly49A Receptor on Self-Reactive T Cells Which Modulates Their Responsiveness. Journal of Immunology, 2003, 171, 6334-6338.	0.8	7
63	Ligand-dependent Inhibition of CD1d-restricted NKT Cell Development in Mice Transgenic for the Activating Receptor Ly49D. Journal of Experimental Medicine, 2003, 197, 919-925.	8.5	39
64	The lymphoproliferative defect in CTLA-4-deficient mice is ameliorated by an inhibitory NK cell receptor. Blood, 2002, 99, 4509-4516.	1.4	10
65	Mouse CD11c+ B220+ Gr1+ plasmacytoid dendritic cells develop independently of the T-cell lineage. Blood, 2002, 100, 2852-2857.	1.4	44
66	A role for the src family kinase Fyn in NK cell activation and the formation of the repertoire of Ly49 receptors. European Journal of Immunology, 2002, 32, 773.	2.9	54
67	T Cell Receptor Specificity Is Critical for the Development of Epidermal β T Cells. Journal of Experimental Medicine, 2001, 194, 1473-1483.	8.5	40
68	Inactivation of Notch1 in immature thymocytes does not perturb CD4 or CD8 T cell development. Nature Immunology, 2001, 2, 235-241.	14.5	274
69	The β -catenin-TCF-1 pathway ensures CD4+CD8+ thymocyte survival. Nature Immunology, 2001, 2, 691-697.	14.5	225
70	CD8+ T cell development: CD4 to the rescue. Nature Immunology, 2001, 2, 1091-1092.	14.5	1
71	H-2D Ligand Expression by Ly49A+ Natural Killer (NK) Cells Precludes Ligand Uptake from Environmental Cells. Journal of Experimental Medicine, 2001, 194, 1531-1539.	8.5	79
72	Positive and Negative Roles of the <i>Trans</i> -Acting T Cell Factor-1 for the Acquisition of Distinct Ly-49 MHC Class I Receptors by NK Cells. Journal of Immunology, 2001, 166, 6181-6187.	0.8	26

#	ARTICLE	IF	CITATIONS
73	Cre Recombinase-Mediated Inactivation of H-2Dd Transgene Expression: Evidence for Partial Missing Self-Recognition by Ly49A NK Cells. <i>Journal of Immunology</i> , 2001, 167, 6256-6262.	0.8	26
74	Positive Impact of Inhibitory Ly49 Receptor-MHC Class I Interaction on NK Cell Development. <i>Journal of Immunology</i> , 2000, 165, 91-95.	0.8	24
75	Impaired Natural Killing of MHC Class I-Deficient Targets by NK Cells Expressing a Catalytically Inactive Form of SHP-1. <i>Journal of Immunology</i> , 2000, 165, 1314-1321.	0.8	53
76	Transgenic Expression of Ly49A on T Cells Impairs a Specific Antitumor Response. <i>Journal of Immunology</i> , 2000, 165, 1871-1876.	0.8	22
77	Clonal Acquisition of the Ly49A NK Cell Receptor Is Dependent on the trans-Acting Factor TCF-1. <i>Immunity</i> , 1999, 11, 433-442.	14.3	81
78	Mono-allelic Ly49 NK cell receptor expression. <i>Seminars in Immunology</i> , 1999, 11, 349-355.	5.6	16
79	An allele-specific, stochastic gene expression process controls the expression of multiple Ly49 family genes and generates a diverse, MHC-specific NK cell receptor repertoire. <i>European Journal of Immunology</i> , 1998, 28, 2407-2416.	2.9	74
80	Developmentally Regulated Extinction of Ly-49 Receptor Expression Permits Maturation and Selection of NK1.1+ T Cells. <i>Journal of Experimental Medicine</i> , 1998, 187, 2109-2114.	8.5	61
81	Ly49A Transgenic Mice Provide Evidence for a Major Histocompatibility Complex-dependent Education Process in Natural Killer Cell Development. <i>Journal of Experimental Medicine</i> , 1997, 185, 2079-2088.	8.5	87
82	The MHC Reactivity of the T Cell Repertoire Prior to Positive and Negative Selection. <i>Cell</i> , 1997, 88, 627-636.	28.9	295
83	Specificity, tolerance and developmental regulation of natural killer cells defined by expression of class I-specific Ly49 receptors. <i>Immunological Reviews</i> , 1997, 155, 41-52.	6.0	212
84	Expression of the Ly49A gene in murine natural killer cell clones is predominantly but not exclusively mono-allelic. <i>European Journal of Immunology</i> , 1997, 27, 2876-2884.	2.9	51
85	Major histocompatibility complex class I-dependent skewing of the natural killer cell Ly49 receptor repertoire. <i>European Journal of Immunology</i> , 1996, 26, 2286-2292.	2.9	148
86	Quantitation of endogenous mouse mammary tumor virus superantigen expression by lymphocyte subsets. <i>European Journal of Immunology</i> , 1995, 25, 2632-2637.	2.9	17
87	Allelic exclusion of Ly49-family genes encoding class I MHC-specific receptors on NK cells. <i>Nature</i> , 1995, 376, 355-358.	27.8	182
88	Natural killer cell receptors: The offs and ons of NK cell recognition. <i>Cell</i> , 1995, 82, 697-700.	28.9	169
89	MHC class II hierarchy of superantigen presentation predicts efficiency of infection with mouse mammary tumor virus. <i>International Immunology</i> , 1994, 6, 1403-1407.	4.0	31
90	Perforin and Tumor Necrosis Factor β in the Pathogenesis of Experimental Allergic Encephalomyelitis: Comparison of Autoantigen Induced and Transferred Disease in Lewis Rats. <i>Journal of Autoimmunity</i> , 1993, 6, 311-322.	6.5	19

#	ARTICLE	IF	CITATIONS
91	Superantigen-induced immune stimulation amplifies mouse mammary tumor virus infection and allows virus transmission. <i>Cell</i> , 1993, 74, 529-540.	28.9	205
92	Expression of T cell receptor genes in the thymus: localization of transcripts in situ and comparison of mature and immature subsets. <i>European Journal of Immunology</i> , 1990, 20, 2133-2136.	2.9	18
93	Expression of genes encoding cytotoxic cell-associated serine proteases in thymocytes. <i>International Immunology</i> , 1990, 2, 57-62.	4.0	24
94	Detection of perforin and granzyme A mRNA in infiltrating cells during infection of mice with lymphocytic choriomeningitis virus. <i>European Journal of Immunology</i> , 1989, 19, 1253-1259.	2.9	87