
Christina M Marciniak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8760445/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intramuscular Injection of Botulinum Toxin for the Treatment of Wrist and Finger Spasticity after a Stroke. New England Journal of Medicine, 2002, 347, 395-400.	27.0	544
2	Safety and efficacy of abobotulinumtoxinA for hemiparesis in adults with upper limb spasticity after stroke or traumatic brain injury: a double-blind randomised controlled trial. Lancet Neurology, The, 2015, 14, 992-1001.	10.2	174
3	Literature review of the usefulness of repetitive nerve stimulation and single fiber EMG in the electrodiagnostic evaluation of patients with suspected myasthenia gravis or Lambertâ€Eaton myasthenic syndrome. Muscle and Nerve, 2001, 24, 1239-1247.	2.2	146
4	Functional outcome following rehabilitation of the cancer patient. Archives of Physical Medicine and Rehabilitation, 1996, 77, 54-57.	0.9	137
5	Practice parameter for repetitive nerve stimulation and single fiber EMG evaluation of adults with suspected myasthenia gravis or Lambert–Eaton myasthenic syndrome: Summary statement. Muscle and Nerve, 2001, 24, 1236-1238.	2.2	121
6	Wii Fit Balance Board Playing Improves Balance and Gait in Parkinson Disease. PM and R, 2013, 5, 769-777.	1.6	103
7	Functional outcomes of persons with brain tumors after inpatient rehabilitation. Archives of Physical Medicine and Rehabilitation, 2001, 82, 457-463.	0.9	102
8	Repeated dosing of botulinum toxin type A for upper limb spasticity following stroke. Neurology, 2004, 63, 1971-1973.	1.1	87
9	Fibular (Peroneal) Neuropathy. Physical Medicine and Rehabilitation Clinics of North America, 2013, 24, 121-137.	1.3	73
10	Poststroke Hypertonicity: Upper Limb Assessment and Treatment. Topics in Stroke Rehabilitation, 2011, 18, 179-194.	1.9	67
11	Practice parameter: Utility of electrodiagnostic techniques in evaluating patients with suspected peroneal neuropathy: An evidence-based review. Muscle and Nerve, 2005, 31, 520-527.	2.2	62
12	Randomized, placeboâ€controlled trial of incobotulinumtoxina for upperâ€limb postâ€stroke spasticity. Muscle and Nerve, 2016, 53, 415-421.	2.2	56
13	Does Botulinum Toxin Type A Decrease Pain and Lessen Disability in Hemiplegic Survivors of Stroke with Shoulder Pain and Spasticity?. American Journal of Physical Medicine and Rehabilitation, 2012, 91, 1007-1019.	1.4	55
14	Longâ€ŧerm Intrathecal Baclofen: Outcomes After More than 10 Years of Treatment. PM and R, 2014, 6, 506.	1.6	53
15	Prevalence of Clostridium Difficile Colonization at Admission to Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1086-1090.	0.9	48
16	Functional outcomes of childhood dorsal rhizotomy in adults and adolescents with cerebral palsy. Journal of Neurosurgery: Pediatrics, 2013, 11, 380-388.	1.3	48
17	Intrathecal Versus Oral Baclofen: A Matched Cohort Study of Spasticity, Pain, Sleep, Fatigue, and Quality of Life. PM and R, 2016, 8, 553-562.	1.6	42
18	Examination of Selected Clinical Factors and Medication Use as Risk Factors for Pneumonia During Stroke Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 30-38.	1.4	40

#	Article	IF	CITATIONS
19	The Use of Botulinum Toxin for Spasticity After Spinal Cord Injury. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 312-317.	1.4	39
20	Daily Vs Twice Daily Enoxaparin in the Prevention of Venous Thromboembolic Disorders During Rehabilitation Following Acute Spinal Cord Injury. Journal of Spinal Cord Medicine, 2004, 27, 236-240.	1.4	38
21	Ultrasound Structural Changes in Triceps Surae After a 1-Year Daily Self-stretch Program: A Prospective Randomized Controlled Trial in Chronic Hemiparesis. Neurorehabilitation and Neural Repair, 2019, 33, 245-259.	2.9	33
22	Acute flaccid paralysis associated with West Nile virus: Motor and functional improvement in 4 patients. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1933-1938.	0.9	30
23	Lubiprostone <i>vs Senna</i> in postoperative orthopedic surgery patients with opioid-induced constipation: A double-blind, active-comparator trial. World Journal of Gastroenterology, 2014, 20, 16323.	3.3	29
24	Spasticity and pain in adults with cerebral palsy. Developmental Medicine and Child Neurology, 2020, 62, 379-385.	2.1	28
25	An examination of motor unit number index in adults with cerebral palsy. Journal of Electromyography and Kinesiology, 2015, 25, 444-450.	1.7	24
26	Osteoporosis in adults with cerebral palsy: feasibility of DXA screening and risk factors for low bone density. Osteoporosis International, 2016, 27, 1477-1484.	3.1	23
27	Pain Reduction and Repeat Injections After Transforaminal Epidural Injection With Particulate Versus Nonparticulate Steroid for the Treatment of Chronic Painful Lumbosacral Radiculopathy. PM and R, 2016, 8, 1039-1045.	1.6	21
28	Urinary Incontinence in Adults With Cerebral Palsy: Prevalence, Type, and Effects on Participation. PM and R, 2014, 6, 110-120.	1.6	20
29	Effect on Passive Range of Motion and Functional Correlates After a Longâ€Term Lower Limb Selfâ€Stretch Program in Patients With Chronic Spastic Paresis. PM and R, 2018, 10, 1020-1031.	1.6	18
30	Cross-Sectional Study of Bowel Symptoms in Adults With Cerebral Palsy: Prevalence and Impact on Quality of Life. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2176-2183.	0.9	17
31	Efficacy and Safety of AbobotulinumtoxinA (Dysport) for the Treatment of Hemiparesis in Adults With Upper Limb Spasticity Previously Treated With Botulinum Toxin: Subanalysis From a Phase 3 Randomized Controlled Trial. PM and R, 2017, 9, 1181-1190.	1.6	17
32	Physical rehabilitation of the cancer patient. Cancer Treatment and Research, 1999, 100, 75-89.	0.5	16
33	Highâ€Resolution Median Nerve Sonographic Measurements. Journal of Ultrasound in Medicine, 2013, 32, 2091-2098.	1.7	15
34	IncobotulinumtoxinA Efficacy and Safety in Adults with Upper-Limb Spasticity Following Stroke: Results from the Open-Label Extension Period of a Phase 3 Study. Advances in Therapy, 2019, 36, 187-199.	2.9	15
35	EXTRACTION OF NEURAL CONTROL COMMANDS USING MYOELECTRIC PATTERN RECOGNITION: A NOVEL APPLICATION IN ADULTS WITH CEREBRAL PALSY. International Journal of Neural Systems, 2014, 24, 1450022.	5.2	13
36	Using Implementation Frameworks to Provide Proactive Physical Therapy for People With Parkinson Disease: Case Report. Physical Therapy, 2019, 99, 1644-1655.	2.4	13

#	Article	IF	CITATIONS
37	Breast cancer screening in women with cerebral palsy: Could care delivery be improved?. Disability and Health Journal, 2018, 11, 435-441.	2.8	12
38	Diet quality in adults with cerebral palsy: a modifiable risk factor for cardiovascular disease prevention. Developmental Medicine and Child Neurology, 2021, 63, 1221-1228.	2.1	10
39	Enoxaparin Versus Tinzaparin for Venous Thromboembolic Prophylaxis During Rehabilitation After Acute Spinal Cord Injury: A Retrospective Cohort Study Comparing Safety and Efficacy. PM and R, 2012, 4, 11-17.	1.6	9
40	A complication of nasogastric tube removal. Archives of Physical Medicine and Rehabilitation, 1989, 70, 702-4.	0.9	9
41	Do Co-Morbidities and Cognition Impact Functional Change and Discharge Needs in Parkinson Disease?. American Journal of Physical Medicine and Rehabilitation, 2011, 90, 272-280.	1.4	8
42	Longâ€Term Dosing of Intrathecal Baclofen in the Treatment of Spasticity After Acquired Brain Injury. PM and R, 2017, 9, 556-562.	1.6	8
43	Effect of Interelectrode Distance on Sural Nerve Action Potential Parameters. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 183-188.	1.4	7
44	Breast Health Experiences in Women with Cerebral Palsy: A Qualitative Approach. Women S Health Reports, 2021, 2, 195-200.	0.8	7
45	Blood pressure in adults with cerebral palsy: a systematic review and meta-analysis of individual participant data. Journal of Hypertension, 2021, 39, 1942-1955.	0.5	7
46	IncobotulinumtoxinA Treatment in Upperâ€Limb Poststroke Spasticity in the Openâ€Label Extension Period of PURE: Efficacy in Passive Function, Caregiver Burden, and Quality of Life. PM and R, 2020, 12, 491-499.	1.6	6
47	Do Muscle Changes Contribute to the Neurological Disorder in Spastic Paresis?. Frontiers in Neurology, 2022, 13, 817229.	2.4	6
48	Excitability properties of motor axons in adults with cerebral palsy. Frontiers in Human Neuroscience, 2015, 9, 329.	2.0	5
49	Unusual Electromyographic Findings Associated With Colchicine Neuromyopathy: A Case Report. PM and R, 2016, 8, 1016-1019.	1.6	5
50	Serial Electrodiagnostic Studies in West Nile Virus–Associated Acute Flaccid Paralysis. American Journal of Physical Medicine and Rehabilitation, 2005, 84, 904-910.	1.4	4
51	Sustained efficacy of incobotulinumtoxina repeated injections for upper-limb post-stroke spasticity: A post hoc analysis. Journal of Rehabilitation Medicine, 2021, 53, jrm00138.	1.1	4
52	Myotonic dystrophy presenting as new-onset hand weakness and recurrent pneumonia in a patient with paraplegia: A case reportaaNo commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and	0.9	3
53	Rehabilitation, 2004, 85, 1896-1898. Bleeding Events in Thrombocytopenic Patients With Cancer Undergoing Acute Rehabilitation. Rehabilitation Process and Outcome, 2018, 7, 117957271876137.	1.6	3
54	Duration of Treatment Effect Using IncobotulinumtoxinA for Upper-limb Spasticity: A Post-hoc Analysis. Frontiers in Neurology, 2020, 11, 615706.	2.4	2

#	Article	IF	CITATIONS
55	Women with cerebral palsy: A qualitative study about their experiences with sexual and reproductive health education and services. Journal of Pediatric Rehabilitation Medicine, 2021, 14, 285-293.	0.5	2
56	Poster 81 Unusual EMG Findings Associated with Colchicine Neuromyopathy: A Case Report. PM and R, 2014, 6, S210-S211.	1.6	1
57	Mobility in Individuals with Cerebral Palsy: What is the Impact on Anthropometric Weight and Quantitative Body Composition Measures?. Archives of Physical Medicine and Rehabilitation, 2016, 97, e54.	0.9	1
58	Association Between Daily Physical Activity and Clinical Anthropomorphic Measures in Adults With Cerebral Palsy. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1777-1785.	0.9	1
59	Poster 246: The Falling Young Female Athlete: A Unique Presentation of Peripheral Neuropathy in a Patient With Benign Hypergammaglobulinemia of Waldenström. Archives of Physical Medicine and Rehabilitation, 2007, 88, E80-E81.	0.9	Ο
60	Poster 204: Median Nerve High-Resolution Ultrasonographic Measures: Correlates With Median Nerve Conduction Studies in Normal Subjects. Archives of Physical Medicine and Rehabilitation, 2008, 89, e86-e87.	0.9	0
61	Poster 217: The Effects of Demographic and Anthropomorphic Characteristics on Median Ultrasonographic Measurements. Archives of Physical Medicine and Rehabilitation, 2008, 89, e90-e91.	0.9	Ο
62	A Randomized Double-Blind Placebo-Controlled Trial of Botulinum Toxin Type A in the Treatment of Hemiplegic Shoulder Pain and Spasticity. PM and R, 2009, 1, S100-S100.	1.6	0
63	Poster 343: Enoxaparin versus Tinzaparin for Venous Thromboembolic Prophylaxis during Rehabilitation Following Acute Spinal Cord Injury: A Retrospective Comparative Analysis of Safety and Efficacy. PM and R, 2009, 1, S253-S253.	1.6	Ο
64	Poster 394: Generalized Weakness with Neuromuscular Junction Disorder and Urinary Incontinence Following Botulinum Toxin Type A Injections for Spasticity: Potentiation by Steroid Injection? A Case Report. PM and R, 2009, 1, S275-S276.	1.6	0
65	RE: EXAMINATION OF SELECTED CLINICAL FACTORS AND MEDICATION USE AS RISK FACTORS FOR PNEUMONIA DURING STROKE REHABILITATION: A CASE-CONTROL STUDY. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 1037.	1.4	Ο
66	Could Kinesiotaping Function as a Geste Antagoniste in Anterocollis? A Case Report. PM and R, 2013, 5, S257-S257.	1.6	0
67	Introduction. PM and R, 2013, 5, S1-2.	1.6	Ο
68	Does Long-term Intrathecal Baclofen Dose Impact Spasticity Pain, Sleepiness, Fatigue, and Life Satisfaction?. PM and R, 2013, 5, S249-S249.	1.6	0
69	sustained incobotulinumtoxinA (Xeomin) efficacy in upper limb poststroke spasticity over 48 weeks in A phase 3, placebo-controlled study with an open-label extension. Toxicon, 2016, 123, S47-S48.	1.6	Ο
70	A comparison of goal selection and achievement between botulinum toxin A (BoNT-A) naÃ ⁻ ve and non-naÃ-ve patients in the upper limb international spasticity (ULIS)-II study. Toxicon, 2016, 123, S59-S60.	1.6	0
71	Safety, Tolerability, and Sensorimotor Effects of Extended-release Dalfampridine in Adults With Cerebral Palsy: A Pilot Study. Clinical Therapeutics, 2017, 39, 337-346.	2.5	0
72	Poster 70: IncobotulinumtoxinA Sustainably Improves Upper Limb Spasticity – Pooled Analysis of Two Phase 3 Trials. PM and R, 2017, 9, S159.	1.6	0

#	Article	IF	CITATIONS
73	Efficacy of incobotulinumtoxinA in upper-limb spasticity following stroke: results from the open-label extension period of pure. Toxicon, 2018, 156, S73-S74.	1.6	Ο
74	Technology-based Forced Paced Cycling in Parkinson's Disease: Is it Feasible and Effective?. Archives of Physical Medicine and Rehabilitation, 2019, 100, e126.	0.9	0