

Hong-Xiang Lou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8760524/publications.pdf>

Version: 2024-02-01

252
papers

6,191
citations

76326

40
h-index

123424

61
g-index

256
all docs

256
docs citations

256
times ranked

7556
citing authors

#	ARTICLE	IF	CITATIONS
1	Perylenequinone derivatives from the endolichenic fungus <i>Phialocephala fortinii</i> . Natural Product Research, 2023, 37, 1527-1535.	1.8	1
2	Chemical constituents of <i>Viscum coloratum</i> (Kom.) Nakai and their cytotoxic activities. Natural Product Research, 2022, 36, 1927-1933.	1.8	3
3	Three new terpenoids from <i>Chonemorpha megacalyx</i> . Natural Product Research, 2022, 36, 714-718.	1.8	1
4	Molecular cloning and characterization of two distinct caffeoyl CoA O-methyltransferases (CCoAOMTs) from the liverwort <i>Marchantia paleacea</i> . Plant Science, 2022, 314, 111102.	3.6	5
5	Bioactive specialised metabolites from the endophytic fungus <i>Xylaria</i> sp. of <i>Cudrania tricuspidata</i> . Phytochemistry, 2022, 196, 113079.	2.9	6
6	Palmarumycin P3 Reverses Mrr1-Mediated Azole Resistance by Blocking the Efflux Pump Mdr1. Antimicrobial Agents and Chemotherapy, 2022, 66, aac0212621.	3.2	5
7	The alleviative effect of flavonol-type Nrf2 activator rhamnazin from <i>Physalis alkekengi</i> L. var. <i>franchetii</i> (Mast.) Makino on pulmonary disorders. Phytotherapy Research, 2022, 36, 1692-1707.	5.8	1
8	Diels-Alder adducts of a labdane diterpenoid from the Chinese liverwort <i>Pallavicinia subciliata</i> . Organic Chemistry Frontiers, 2022, 9, 1790-1796.	4.5	4
9	Old fusidane-type antibiotics for new challenges: Chemistry and biology. Chinese Journal of Natural Medicines, 2022, 20, 81-101.	1.3	2
10	Synthesis of 3-O-Acetyl-11-keto- Δ^2 -boswellic Acid (AKBA)-Derived Amides and Their Mitochondria-Targeted Antitumor Activities. ACS Omega, 2022, 7, 9853-9866.	3.5	10
11	Identification and Characterization of Two Bibenzyl Glycosyltransferases from the Liverwort <i>Marchantia polymorpha</i> . Antioxidants, 2022, 11, 735.	5.1	4
12	Pinguisane Sesquiterpenoids from the Chinese Liverwort <i>Trocholejeunea sandvicensis</i> and Their Anti-Inflammatory Activity. Journal of Natural Products, 2022, 85, 205-214.	3.0	4
13	Three new compounds from the twigs and leaves of <i>Nageia fleuryi</i> Hickel. Natural Product Research, 2022, , 1-7.	1.8	1
14	Naphtho-Gamma-Pyrones (N^3Ps) with Obvious Cholesterol Absorption Inhibitory Activity from the Marine-Derived Fungus <i>Aspergillus niger</i> S-48. Molecules, 2022, 27, 2514.	3.8	3
15	Selective Metal Chelation by a Thiosemicarbazone Derivative Interferes with Mitochondrial Respiration and Ribosome Biogenesis in <i>Candida albicans</i> . Microbiology Spectrum, 2022, 10, e0195121.	3.0	12
16	Structurally Various Sorbicillinoids From an Endophytic Fungus <i>Acremonium citrinum</i> SS-g13. Frontiers in Microbiology, 2022, 13, 800626.	3.5	3
17	Mitochondrial metabolism mediated macrophage polarization in chronic lung diseases. , 2022, 239, 108208.		13
18	Discovery of lysosome-targeted covalent anticancer agents based on isosteviol skeleton. European Journal of Medicinal Chemistry, 2021, 209, 112896.	5.5	7

#	ARTICLE	IF	CITATIONS
19	Steffimycin F, a new steffimycin-type derivative from the lichen-derived actinomycetes <i>steptomycetes</i> sp.. <i>Journal of Molecular Structure</i> , 2021, 1227, 129352.	3.6	3
20	Regioselective benzylation of unprotected 2-glycopyranosides with benzoyl cyanide and an amine catalyst – application to saponin synthesis. <i>Organic Chemistry Frontiers</i> , 2021, 8, 260-265.	4.5	4
21	Synthesis of nature product kinsenoside analogues with anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 29, 115854.	3.0	3
22	Two New Quinazoline Derivatives from the Moss Endophytic Fungus <i>Aspergillus</i> sp. and Their Anti-inflammatory Activity. <i>Natural Products and Bioprospecting</i> , 2021, 11, 105-110.	4.3	8
23	Fusidic acid derivatives from the endophytic fungus <i>Acremonium pilosum</i> F47. <i>Journal of Asian Natural Products Research</i> , 2021, 23, 1148-1155.	1.4	10
24	Terpenoids from Chinese Liverworts <i>Scapania</i> spp. <i>Journal of Natural Products</i> , 2021, 84, 1210-1215.	3.0	5
25	Rimonabant potentiates the antifungal activity of amphotericin B by increasing cellular oxidative stress and cell membrane permeability. <i>FEMS Yeast Research</i> , 2021, 21, .	2.3	8
26	Diverse Prenylated Bibenzyl Enantiomers from the Chinese Liverwort <i>Radula apiculata</i> and Their Cytotoxic Activities. <i>Journal of Natural Products</i> , 2021, 84, 1459-1468.	3.0	5
27	Molecular Mechanisms of Azole Resistance in Four Clinical <i>Candida albicans</i> Isolates. <i>Microbial Drug Resistance</i> , 2021, 27, 1641-1651.	2.0	3
28	Azole-triphenylphosphonium conjugates combat antifungal resistance and alleviate the development of drug-resistance. <i>Bioorganic Chemistry</i> , 2021, 110, 104771.	4.1	11
29	<i>Thesium chinense</i> Turcz.: An ethnomedical, phytochemical and pharmacological review. <i>Journal of Ethnopharmacology</i> , 2021, 273, 113950.	4.1	8
30	Hinokitiol chelates intracellular iron to retard fungal growth by disturbing mitochondrial respiration. <i>Journal of Advanced Research</i> , 2021, 34, 65-77.	9.5	25
31	Targeting of VPS18 by the lysosomotropic agent RDN reverses TFE3-mediated drug resistance. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 224.	17.1	5
32	Enantioselective Total Syntheses of Manginoids A and C and Guignardones A and C. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15286-15290.	13.8	8
33	Enantioselective Total Syntheses of Manginoids A and C and Guignardones A and C. <i>Angewandte Chemie</i> , 2021, 133, 15414-15418.	2.0	1
34	ent-Kaurane diterpenoids induce apoptosis and ferroptosis through targeting redox resetting to overcome cisplatin resistance. <i>Redox Biology</i> , 2021, 43, 101977.	9.0	50
35	New Xanthones with Antiagricultural Fungal Pathogen Activities from the Endophytic Fungus <i>Diaporthe goulteri</i> L17. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 11216-11224.	5.2	11
36	Cloning and functional characterization of three flavonoid O-glucosyltransferase genes from the liverworts <i>Marchantia emarginata</i> and <i>Marchantia paleacea</i> . <i>Plant Physiology and Biochemistry</i> , 2021, 166, 495-504.	5.8	8

#	ARTICLE	IF	CITATIONS
37	Xylarins Aâ€“D, Two Pairs of Diastereoisomeric Isoindoline Alkaloids from the Endolichenic Fungus <i>Xylaria</i> sp.. <i>Organic Letters</i> , 2021, 23, 7751-7754.	4.6	7
38	Dolabrane Diterpenoids from the Chinese Liverwort <i>Notoscyphus lutescens</i> . <i>Journal of Natural Products</i> , 2021, 84, 2929-2936.	3.0	1
39	Prenylated bibenzyls from the Chinese liverwort <i>Radula apiculata</i> . <i>Journal of Asian Natural Products Research</i> , 2021, , 1-7.	1.4	0
40	Antitumor and toxicity study of mitochondria-targeted triptolide derivatives using triphenylphosphine (TPP+) as a carrier. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 50, 116466.	3.0	9
41	Functional and Structural Investigation of Chalcone Synthases Based on Integrated Metabolomics and Transcriptome Analysis on Flavonoids and Anthocyanins Biosynthesis of the Fern <i>Cyclosorus parasiticus</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 757516.	3.6	5
42	Photoredox-Catalyzed Cascade Reactions Involving Aryl Radical: Total Synthesis of (±)-Norascyronone A and (±)-Eudesmol. <i>Organic Letters</i> , 2021, 23, 9073-9077.	4.6	7
43	Cytotoxic Activities of 9,10- <i>seco</i> -Cycloartane-Type Triterpenoids from the Chinese Liverwort <i>Lepidozia reptans</i> . <i>Journal of Natural Products</i> , 2021, 84, 3020-3028.	3.0	4
44	Fupyrones A and B, two new $\hat{\pm}$ -pyrones from an endophytic fungus, <i>Fusarium</i> sp. F20. <i>Natural Product Research</i> , 2020, 34, 335-340.	1.8	11
45	Acrepyrone A, a new $\hat{\pm}$ -pyrone derivative from an endophytic fungus, <i>Acremonium citrinum</i> SS-g13. <i>Natural Product Research</i> , 2020, 34, 1091-1096.	1.8	9
46	Two new triterpenoids from the fungus <i>Diplodia cupressi</i> . <i>Natural Product Research</i> , 2020, 34, 2179-2185.	1.8	8
47	Identification and evolutionary analysis of chalcone isomerase-fold proteins in ferns. <i>Journal of Experimental Botany</i> , 2020, 71, 290-304.	4.8	37
48	Polyketides from the endolichenic fungus <i>Eupenicillium javanicum</i> and their anti-inflammatory activities. <i>Phytochemistry</i> , 2020, 170, 112191.	2.9	13
49	Induced production of zinniol analogues by co-cultivation of two endophytic fungi in the same ecological niche. <i>Phytochemistry Letters</i> , 2020, 35, 206-210.	1.2	6
50	Probing the Interconversion of Labdane Lactones from the Chinese Liverwort <i>Pallavicinia ambigua</i> . <i>Organic Letters</i> , 2020, 22, 510-514.	4.6	12
51	Withanolides from the genus <i>Physalis</i> : a review on their phytochemical and pharmacological aspects. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 649-669.	2.4	53
52	Trans-4,4â€²-dihydroxystilbene ameliorates cigarette smoke-induced progression of chronic obstructive pulmonary disease via inhibiting oxidative stress and inflammatory response. <i>Free Radical Biology and Medicine</i> , 2020, 152, 525-539.	2.9	14
53	Molecular Basis for Chemical Evolution of Flavones to Flavonols and Anthocyanins in Land Plants. <i>Plant Physiology</i> , 2020, 184, 1731-1743.	4.8	40
54	New terpenoids and triketides from culture of the fungus <i>Botryosphaeria laricina</i> . <i>FÃƒ-toterapÃƒ-Ãƒ</i> , 2020, 147, 104758.	2.2	6

#	ARTICLE	IF	CITATIONS
55	Anticancer Effects of Honokiol via Mitochondrial Dysfunction Are Strongly Enhanced by the Mitochondria-Targeting Carrier Berberine. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 11786-11800.	6.4	23
56	Elevated levels of circulating short-chain fatty acids and bile acids in type 2 diabetes are linked to gut barrier disruption and disordered gut microbiota. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108418.	2.8	45
57	Divergent Total Synthesis of Euphoranginolâ€¦C, Euphoranginoneâ€¦D, entâ€¦Trachylobanâ€¦ol, entâ€¦Trachylobanâ€¦one, Excoecarinâ€¦E, and entâ€¦16â€¦Hydroxyâ€¦atisaneâ€¦one. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19919-19923.	11.6	1
58	Isolation and functional characterization of four microbial type terpene synthases from ferns. <i>Plant Physiology and Biochemistry</i> , 2020, 155, 716-724.	5.8	2
59	Divergent Total Synthesis of Euphoranginolâ€¦C, Euphoranginoneâ€¦D, entâ€¦Trachylobanâ€¦ol, entâ€¦Trachylobanâ€¦one, Excoecarinâ€¦E, and entâ€¦16â€¦Hydroxyâ€¦atisaneâ€¦one. <i>Angewandte Chemie</i> , 2020, 132, 1320091-20095.	13.0	13
60	Chemical Constituents from <i>Physalis Calyx seu Fructus</i> and Their Inhibitory Effects against Oxidative Stress and Inflammatory Response. <i>Planta Medica</i> , 2020, 86, 1191-1203.	1.3	11
61	Cytotoxic Heptaketides from the Endolichenic Fungus <i>Ulospora bilgramii</i> . <i>Journal of Natural Products</i> , 2020, 83, 1623-1633.	3.0	10
62	Terpenoids from the Liverwort <i>Plagiochila fruticosa</i> and Their Antivirulence Activity against <i>Candida albicans</i> . <i>Journal of Natural Products</i> , 2020, 83, 1766-1777.	3.0	12
63	Lignans from <i>Euphorbia hirta</i> L.. <i>Natural Product Research</i> , 2020, , 1-11.	1.8	7
64	Terpenoids from the Chinese liverwort <i>Heteroscyphus coalitus</i> and their anti-virulence activity against <i>Candida albicans</i> . <i>Phytochemistry</i> , 2020, 174, 112324.	2.9	10
65	4 ^H -Hydroxywithanolide E from Goldenberry (Whole Fruits of <i>Physalis peruviana</i> L.) as a Promising Agent against Chronic Obstructive Pulmonary Disease. <i>Journal of Natural Products</i> , 2020, 83, 1217-1228.	3.0	16
66	Functional characterization of UDP-glycosyltransferases from the liverwort <i>Plagiochasma appendiculatum</i> and their potential for biosynthesizing flavonoid 7-O-glucosides. <i>Plant Science</i> , 2020, 299, 110577.	3.6	15
67	Three new triterpenoids from <i>Mallotus macrostachyus</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 142, 104498.	2.2	6
68	Two pairs of diastereoisomeric isoflavone glucosides from the roots of <i>Pueraria lobata</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 144, 104594.	2.2	4
69	Terpenoids from the Chinese liverwort <i>Odontoschisma grosseverrucosum</i> and their antifungal virulence activity. <i>Phytochemistry</i> , 2020, 174, 112341.	2.9	6
70	Novel secondary metabolites from the endobryophytic fungus <i>Botryosphaeria laricina</i> and their biological activity. <i>FÄ-toterapÄ-Äç</i> , 2020, 143, 104599.	2.2	2
71	(Ä±)-Ulodione A, a pair of unprecedented cyclopentanones from <i>Ulospora bilgramii</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151732.	1.4	5
72	Dolabellane and Clerodane Diterpenoids from the Twigs and Leaves of <i>Casearia kurzii</i> . <i>Journal of Natural Products</i> , 2020, 83, 2817-2830.	3.0	7

#	ARTICLE	IF	CITATIONS
73	Artocarmitin B enhances intracellular antioxidant capacity via activation of Nrf2 signaling pathway in human lung epithelial cells. <i>Chemico-Biological Interactions</i> , 2019, 310, 108741.	4.0	4
74	Dimeric 1,4-benzoquinone Derivatives with Cytotoxic Activities from the Marine-Derived Fungus <i>Penicillium</i> sp. L129. <i>Marine Drugs</i> , 2019, 17, 383.	4.6	17
75	Prenylated Bibenzyls from the Chinese Liverwort <i>Radula constricta</i> and Their Mitochondria-Derived Paraptotic Cytotoxic Activities. <i>Journal of Natural Products</i> , 2019, 82, 1741-1751.	3.0	24
76	Two natural molecules preferentially inhibit azole-resistant <i>Candida albicans</i> with MDR1 hyperactivation. <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 209-217.	1.3	3
77	Comprehensive relationships between gut microbiome and faecal metabolome in individuals with type 2 diabetes and its complications. <i>Endocrine</i> , 2019, 66, 526-537.	2.3	135
78	Functional characterization of a liverworts bHLH transcription factor involved in the regulation of bisbibenzyls and flavonoids biosynthesis. <i>BMC Plant Biology</i> , 2019, 19, 497.	3.6	28
79	Botrysphin D attenuates arsenic-induced oxidative stress in human lung epithelial cells via activating Nrf2/ARE signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2019, 518, 526-532.	2.1	4
80	Inactivation of TFEB and NF- κ B by marchantin M alleviates the chemotherapy-driven pro-tumorigenic senescent secretion. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 923-936.	12.0	9
81	Isolation and functional characterization of two Caffeoyl Coenzyme A 3-O-methyltransferases from the fern species <i>Polypodiodes amoena</i> . <i>Plant Physiology and Biochemistry</i> , 2019, 136, 169-177.	5.8	14
82	Cytotoxic Pregnane Steroidal Glycosides from <i>Chonemorpha megacalyx</i> . <i>Journal of Natural Products</i> , 2019, 82, 1542-1549.	3.0	6
83	Novel diterpenoid-type activators of the Keap1/Nrf2/ARE signaling pathway and their regulation of redox homeostasis. <i>Free Radical Biology and Medicine</i> , 2019, 141, 21-33.	2.9	19
84	Asperunguisins A-F, Cytotoxic Asperane Sesterterpenoids from the Endolichenic Fungus <i>Aspergillus unguis</i> . <i>Journal of Natural Products</i> , 2019, 82, 1527-1534.	3.0	11
85	Anti-cancer effect of marchantin C via inducing lung cancer cellular senescence associated with less secretory phenotype. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 1443-1457.	2.4	6
86	Heptaketides from the endophytic fungus <i>Pleosporales</i> sp. F46 and their antifungal and cytotoxic activities. <i>RSC Advances</i> , 2019, 9, 12913-12920.	3.6	17
87	Photoinduced Skeletal Rearrangements Reveal Radical-Mediated Synthesis of Terpenoids. <i>Chem</i> , 2019, 5, 1671-1681.	11.7	47
88	New coumarins and monoterpene galloylglycoside from the stem bark of <i>Sapium baccatum</i> . <i>FÄ-toterapÄ-Äç</i> , 2019, 134, 435-442.	2.2	9
89	Prenyl bibenzyls isolated from Chinese liverwort <i>Radula amoena</i> and their cytotoxic activities. <i>Phytochemistry Letters</i> , 2019, 31, 53-57.	1.2	9
90	Sacculatane diterpenoids from the Chinese liverwort <i>Pellia epiphylla</i> with protection against H ₂ O ₂ -induced apoptosis of PC12 cells. <i>Phytochemistry</i> , 2019, 162, 173-182.	2.9	6

#	ARTICLE	IF	CITATIONS
91	Chamiside A, a Cytochalasan with a Tricyclic Core Skeleton from the Endophytic Fungus <i>Chaetomium nigricolor</i> F5. <i>Organic Letters</i> , 2019, 21, 3319-3322.	4.6	38
92	Induced production of steroids by co-cultivation of two endophytes from <i>Mahonia fortunei</i> . <i>Steroids</i> , 2019, 145, 1-4.	1.8	22
93	An isopentenyl-substituted flavonoid norartocarpin activates Nrf2 signalling pathway and prevents oxidative insults in human lung epithelial cells. <i>Free Radical Research</i> , 2019, 53, 348-358.	3.3	4
94	Visible-light-mediated de-aminative alkylation of <i>N</i> -arylamines with alkyl Katritzky salts. <i>Organic Chemistry Frontiers</i> , 2019, 6, 3902-3905.	4.5	38
95	Pleosporalins H and I, two new heptaketides from the endophytic fungus <i>Pleosporales</i> sp. F46 by using OSMAC strategy. <i>Natural Product Research</i> , 2019, 35, 1-7.	1.8	4
96	Acetyl-11-keto- Δ^2 -boswellic acid suppresses docetaxel-resistant prostate cancer cells in vitro and in vivo by blocking Akt and Stat3 signaling, thus suppressing chemoresistant stem cell-like properties. <i>Acta Pharmacologica Sinica</i> , 2019, 40, 689-698.	6.1	28
97	Lignan and flavonoid support the prevention of cinnamon against oxidative stress related diseases. <i>Phytomedicine</i> , 2019, 53, 143-153.	5.3	35
98	Targeting the lysosome by an aminomethylated Riccardin D triggers DNA damage through cathepsin B-mediated degradation of BRCA1. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 1798-1812.	3.6	15
99	Diterpenoids from the Chinese liverwort <i>Frullania hamatiliba</i> and their Nrf2 inducing activities. <i>Phytochemistry</i> , 2019, 158, 77-85.	2.9	8
100	The identification and functional characterization of three liverwort class I O-methyltransferases. <i>Phytochemistry</i> , 2019, 159, 190-198.	2.9	6
101	Secondary metabolites from the endolichenic fungus <i>Ophiosphaerella korrae</i> . <i>RSC Advances</i> , 2019, 9, 4140-4149.	3.6	19
102	A bHLH Transcription Factor Regulates Bisbibenzyl Biosynthesis in the Liverwort <i>Plagiochasma appendiculatum</i> . <i>Plant and Cell Physiology</i> , 2018, 59, 1187-1199.	3.1	19
103	STAT3 contributes to lysosomal-mediated cell death in a novel derivative of riccardin D-treated breast cancer cells in association with TFEB. <i>Biochemical Pharmacology</i> , 2018, 150, 267-279.	4.4	26
104	Investigation of constituents from <i>Cinnamomum camphora</i> (L.) J. Presl and evaluation of their anti-inflammatory properties in lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>Journal of Ethnopharmacology</i> , 2018, 221, 37-47.	4.1	46
105	Design and synthesis of furyl/thineyl pyrroloquinolones based on natural alkaloid perlolyrine, lead to the discovery of potent and selective PDE5 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2018, 150, 30-38.	5.5	18
106	Structural and biochemical characterization of the plant type III polyketide synthases of the liverwort <i>Marchantia paleacea</i> . <i>Plant Physiology and Biochemistry</i> , 2018, 125, 95-105.	5.8	11
107	Chiloscyphenol A derived from Chinese liverworts exerts fungicidal action by eliciting both mitochondrial dysfunction and plasma membrane destruction. <i>Scientific Reports</i> , 2018, 8, 326.	3.3	14
108	Pro-metastatic activity of AGR2 interrupts angiogenesis target bevacizumab efficiency via direct interaction with VEGFA and activation of NF- κ B pathway. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1622-1633.	3.8	32

#	ARTICLE	IF	CITATIONS
109	Floricolin C elicits intracellular reactive oxygen species accumulation and disrupts mitochondria to exert fungicidal action. <i>FEMS Yeast Research</i> , 2018, 18, .	2.3	16
110	Ophiosphaerellins A–I, Polyketide-Derived Compounds from the Endolichenic Fungus <i>Ophiosphaerella korrae</i> . <i>ACS Omega</i> , 2018, 3, 176-180.	3.5	14
111	Terpenoids isolated from Chinese liverworts <i>Lepidozia reptans</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 2392-2400.	3.0	17
112	Strategies to diversify natural products for drug discovery. <i>Medicinal Research Reviews</i> , 2018, 38, 1255-1294.	10.5	187
113	Identification of chalcone isomerase in the basal land plants reveals an ancient evolution of enzymatic cyclization activity for synthesis of flavonoids. <i>New Phytologist</i> , 2018, 217, 909-924.	7.3	62
114	Structural and biological diversity of natural <i>p</i> -terphenyls. <i>Journal of Asian Natural Products Research</i> , 2018, 20, 1-13.	1.4	46
115	<i>Physalis alkekengi</i> L. var. <i>franchetii</i> (Mast.) Makino: An ethnomedical, phytochemical and pharmacological review. <i>Journal of Ethnopharmacology</i> , 2018, 210, 260-274.	4.1	65
116	Identification of novel Nrf2 activators from <i>Cinnamomum chartophyllum</i> H.W. Li and their potential application of preventing oxidative insults in human lung epithelial cells. <i>Redox Biology</i> , 2018, 14, 154-163.	9.0	32
117	Polyphenolic compounds from <i>Malus hupehensis</i> and their free radical scavenging effects. <i>Natural Product Research</i> , 2018, 32, 2152-2158.	1.8	20
118	Chemical constituents of hemp (<i>Cannabis sativa</i> L.) seed with potential anti-neuroinflammatory activity. <i>Phytochemistry Letters</i> , 2018, 23, 57-61.	1.2	73
119	Triterpenoid saponins from the pulp of <i>Sapindus mukorossi</i> and their antifungal activities. <i>Phytochemistry</i> , 2018, 147, 1-8.	2.9	43
120	Cyperane and eudesmane-type sesquiterpenoids from Chinese liverwort and their anti-diabetic nephropathy potential. <i>RSC Advances</i> , 2018, 8, 39091-39097.	3.6	7
121	Efflux pump-mediated resistance to antifungal compounds can be prevented by conjugation with triphenylphosphonium cation. <i>Nature Communications</i> , 2018, 9, 5102.	12.8	50
122	Hemp (<i>Cannabis sativa</i> L.) Seed Phenylpropionamides Composition and Effects on Memory Dysfunction and Biomarkers of Neuroinflammation Induced by Lipopolysaccharide in Mice. <i>ACS Omega</i> , 2018, 3, 15988-15995.	3.5	41
123	Plagiochianins A and B, Two <i>ent</i> -2,3- <i>seco</i> -Aromadendrane Derivatives from the Liverwort <i>Plagiochila duthiana</i> . <i>Organic Letters</i> , 2018, 20, 6550-6553.	4.6	13
124	Discovery of furyl/thienyl $\hat{2}$ -carboline derivatives as potent and selective PDE5 inhibitors with excellent vasorelaxant effect. <i>European Journal of Medicinal Chemistry</i> , 2018, 158, 767-780.	5.5	11
125	Discovery of natural flavonoids as activators of Nrf2-mediated defense system: Structure-activity relationship and inhibition of intracellular oxidative insults. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5140-5150.	3.0	31
126	Molecular Diversity of Alkenal Double Bond Reductases in the Liverwort <i>Marchantia paleacea</i> . <i>Molecules</i> , 2018, 23, 1630.	3.8	4

#	ARTICLE	IF	CITATIONS
127	Protective effect of the ethanol extract from <i>Ligusticum chuanxiong</i> rhizome against streptozotocin-induced diabetic nephropathy in mice. <i>Journal of Ethnopharmacology</i> , 2018, 227, 166-175.	4.1	40
128	Ingredients from <i>Litsea garrettii</i> as Potential Preventive Agents against Oxidative Insult and Inflammatory Response. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	4.0	7
129	Isolation and functional characterization of hydroxycinnamoyltransferases from the liverworts <i>Plagiochasma appendiculatum</i> and <i>Marchantia paleacea</i> . <i>Plant Physiology and Biochemistry</i> , 2018, 129, 400-410.	5.8	9
130	Therapeutic Potential of <i>Salvia Miltiorrhizae Radix et Rhizoma</i> against Human Diseases Based on Activation of Nrf2-Mediated Antioxidant Defense System: Bioactive Constituents and Mechanism of Action. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	4.0	23
131	Terpenoids with vasorelaxant effects from the Chinese liverwort <i>Scapania carinthiaca</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 4320-4328.	3.0	9
132	Structural Diversity and Biological Activities of Novel Secondary Metabolites from Endophytes. <i>Molecules</i> , 2018, 23, 646.	3.8	75
133	Cloning and Functional Characterization of Two 4-Coumarate: CoA Ligase Genes from <i>Selaginella moellendorffii</i> . <i>Molecules</i> , 2018, 23, 595.	3.8	18
134	Clerodane diterpenoids from the Chinese liverwort <i>Jamesoniella autumnalis</i> and their anti-inflammatory activity. <i>Phytochemistry</i> , 2018, 154, 85-93.	2.9	17
135	Anti-inflammatory activities and potential mechanisms of phenolic acids isolated from <i>Salvia miltiorrhiza</i> f. <i>alba</i> roots in THP-1 macrophages. <i>Journal of Ethnopharmacology</i> , 2018, 222, 201-207.	4.1	57
136	Cytotoxic p-Terphenyls from the Endolichenic Fungus <i>Floricola striata</i> . <i>Journal of Natural Products</i> , 2018, 81, 2041-2049.	3.0	31
137	Diterpenoids from Liverworts and their Biological Activities. <i>Current Organic Chemistry</i> , 2018, 22, 1847-1860.	1.6	5
138	Anti-neuroinflammatory effects of grossamide from hemp seed via suppression of TLR-4-mediated NF- κ B signaling pathways in lipopolysaccharide-stimulated BV2 microglia cells. <i>Molecular and Cellular Biochemistry</i> , 2017, 428, 129-137.	3.1	63
139	Design, synthesis, biological evaluation and molecular modeling study of novel macrocyclic bisbibenzyl analogues as antitubulin agents. <i>European Journal of Medicinal Chemistry</i> , 2017, 129, 186-208.	5.5	7
140	Two new $\hat{\pm}$ -pyrone derivatives from an endolichenic fungus <i>Tolypocladium</i> sp.. <i>Journal of Asian Natural Products Research</i> , 2017, 19, 786-792.	1.4	9
141	Solasodine-3-O- $\hat{1}^2$ -d-glucopyranoside kills <i>Candida albicans</i> by disrupting the intracellular vacuole. <i>Food and Chemical Toxicology</i> , 2017, 106, 139-146.	3.6	22
142	The isolation and functional characterization of three liverwort genes encoding cinnamate 4-hydroxylase. <i>Plant Physiology and Biochemistry</i> , 2017, 117, 42-50.	5.8	20
143	Design, synthesis and biological evaluation of nitrogen-containing macrocyclic bisbibenzyl derivatives as potent anticancer agents by targeting the lysosome. <i>European Journal of Medicinal Chemistry</i> , 2017, 136, 603-618.	5.5	21
144	Botrysphones C and Botrysphins F, Triketides and Diterpenoids from the Fungus <i>Botryspheeria laricina</i> . <i>Journal of Natural Products</i> , 2017, 80, 1791-1797.	3.0	15

#	ARTICLE	IF	CITATIONS
145	Biatrisporin D displays anti-virulence activity through decreasing the intracellular cAMP levels. <i>Toxicology and Applied Pharmacology</i> , 2017, 322, 104-112.	2.8	30
146	Eudesmane sesquiterpenes from Chinese liverwort are substrates of Cdrs and display antifungal activity by targeting Erg6 and Erg11 of <i>Candida albicans</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 5764-5771.	3.0	28
147	Solasodine-3-O- β -D-glucopyranoside is hydrolyzed by a membrane glucosidase into active molecule solasodine against <i>Candida albicans</i> . <i>Food and Chemical Toxicology</i> , 2017, 109, 356-362.	3.6	5
148	Discovery of Potent Orally Active Protease-Activated Receptor 1 (PAR1) Antagonists Based on Andrographolide. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7166-7185.	6.4	16
149	Bibenzyl-Based Meroterpenoid Enantiomers from the Chinese Liverwort <i>Radula sumatrana</i> . <i>Journal of Natural Products</i> , 2017, 80, 3143-3150.	3.0	32
150	Mitochondria-Targeted Lupane Triterpenoid Derivatives and Their Selective Apoptosis-Inducing Anticancer Mechanisms. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 6353-6363.	6.4	101
151	Ring A-modified Derivatives from the Natural Triterpene 3-O-acetyl-11-keto- β -Boswellic Acid and their Cytotoxic Activity. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017, 17, 1153-1167.	1.7	8
152	Chemical constituents from <i>Phyllanthus emblica</i> and the cytoprotective effects on H ₂ O ₂ -induced PC12 cell injuries. <i>Archives of Pharmacal Research</i> , 2016, 39, 1202-1211.	6.3	32
153	Als1 and Als3 regulate the intracellular uptake of copper ions when <i>Candida albicans</i> biofilms are exposed to metallic copper surfaces. <i>FEMS Yeast Research</i> , 2016, 16, .	2.3	7
154	Screening of traditional Chinese medicines with therapeutic potential on chronic obstructive pulmonary disease through inhibiting oxidative stress and inflammatory response. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 360.	3.7	27
155	Quinone derivatives isolated from the endolichenic fungus <i>Phialocephala fortinii</i> are Mdr1 modulators that combat azole resistance in <i>Candida albicans</i> . <i>Scientific Reports</i> , 2016, 6, 33687.	3.3	49
156	Three new drimane-type sesquiterpenoids, chaetothyriins A-C, from an endolichenic fungus <i>Chaetothyriales</i> sp.. <i>Journal of Asian Natural Products Research</i> , 2016, 18, 409-414.	1.4	7
157	Evaluation of the anti-inflammatory activities of tanshinones isolated from <i>Salvia miltiorrhiza</i> var. <i>alba</i> roots in THP-1 macrophages. <i>Journal of Ethnopharmacology</i> , 2016, 188, 193-199.	4.1	82
158	Functional characterization of a Mg ²⁺ -dependent O-methyltransferase with coumarin as preferred substrate from the liverwort <i>Plagiochasma appendiculatum</i> . <i>Plant Physiology and Biochemistry</i> , 2016, 106, 269-277.	5.8	15
159	Jungermannone A and B induce ROS- and cell cycle-dependent apoptosis in prostate cancer cells in vitro. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 814-824.	6.1	22
160	Novel Benzo[<i>a</i>]quinolizidine Analogs Induce Cancer Cell Death through Paraptosis and Apoptosis. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5063-5076.	6.4	39
161	Riccardin D-N induces lysosomal membrane permeabilization by inhibiting acid sphingomyelinase and interfering with sphingomyelin metabolism in vivo. <i>Toxicology and Applied Pharmacology</i> , 2016, 310, 175-184.	2.8	11
162	Notolutesin K and P, dolabrane-type diterpenoids from the Chinese liverwort <i>Notoscyphus collenchymatosus</i> . <i>Phytochemistry Letters</i> , 2016, 17, 226-231.	1.2	5

#	ARTICLE	IF	CITATIONS
163	Hapmnioides Aâ€“C, Rearranged Labdane-Type Diterpenoids from the Chinese Liverwort <i>Haplomitrium mnioides</i> . <i>Organic Letters</i> , 2016, 18, 4274-4276.	4.6	16
164	Heptaketides from an Endolichenic Fungus <i>Biatriospora</i> sp. and Their Antifungal Activity. <i>Journal of Natural Products</i> , 2016, 79, 2149-2157.	3.0	48
165	p-Terphenyl Derivatives from the Endolichenic Fungus <i>Floricola striata</i> . <i>Journal of Natural Products</i> , 2016, 79, 2188-2194.	3.0	38
166	Diketopiperazine indole alkaloids from hemp seed. <i>Phytochemistry Letters</i> , 2016, 18, 77-82.	1.2	19
167	Four New Kaurane Diterpenoids from the Chinese Liverwort <i>Jungermannia comata</i> <i>Nees</i> . <i>Chemistry and Biodiversity</i> , 2016, 13, 1685-1690.	2.1	2
168	Cloning and functional characterization of a phenolic acid decarboxylase from the liverwort <i>Conocephalum japonicum</i> . <i>Biochemical and Biophysical Research Communications</i> , 2016, 481, 239-244.	2.1	10
169	Targeting autophagy augments the activity of DHA-E3 to overcome p-gp mediated multi-drug resistance. <i>Biomedicine and Pharmacotherapy</i> , 2016, 84, 1610-1616.	5.6	9
170	Preparative Scale MS-Guided Isolation of Bioactive Compounds Using High-Resolution Flash Chromatography: Antifungals from <i>Chiloscyphus polyanthus</i> as a Case Study. <i>Planta Medica</i> , 2016, 82, 1051-1057.	1.3	11
171	Design, synthesis and biological evaluation of novel macrocyclic bisbibenzyl analogues as tubulin polymerization inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2016, 121, 484-499.	5.5	12
172	ent-Eudesmane-Type Sesquiterpenoids from the Chinese Liverwort <i>Chiloscyphus polyanthus</i> var. <i>rivularis</i> . <i>Planta Medica</i> , 2016, 82, 1128-1133.	1.3	10
173	Bisbibenzyls, novel proteasome inhibitors, suppress androgen receptor transcriptional activity and expression accompanied by activation of autophagy in prostate cancer LNCaP cells. <i>Pharmaceutical Biology</i> , 2016, 54, 364-374.	2.9	13
174	A sensitive LCâ€“MS/MS method to quantify methylephedrine in human plasma and its application to a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1011, 62-68.	2.3	7
175	Malformin A1 promotes cell death through induction of apoptosis, necrosis and autophagy in prostate cancer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 63-75.	2.3	20
176	Terpenoids from <i>Diplophyllum taxifolium</i> with quinone reductase-inducing activity. <i>FÃ–toterapÃ–</i> , 2016, 109, 1-7.	2.2	14
177	Trapping toxins within lipid droplets is a resistance mechanism in fungi. <i>Scientific Reports</i> , 2015, 5, 15133.	3.3	55
178	New Metabolites from Endolichenic Fungus <i>Pleosporales</i> sp.. <i>Chemistry and Biodiversity</i> , 2015, 12, 1095-1104.	2.1	21
179	Secondary Metabolites from <i>Aspergillus fumigatus</i> , an Endophytic Fungus from the Liverwort <i>Heteroscyphus tener</i> (<i>Steph</i>) <i>Schiffn</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1313-1321.	2.1	30
180	Synthesis and Biological Evaluation of Curcumin Derivatives with Water-Soluble Groups as Potential Antitumor Agents: An in Vitro Investigation Using Tumor Cell Lines. <i>Molecules</i> , 2015, 20, 21501-21514.	3.8	24

#	ARTICLE	IF	CITATIONS
181	Lichen endophyte derived pyridoxatin inactivates <i>Candida</i> growth by interfering with ergosterol biosynthesis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 1762-1771.	2.4	27
182	A New Fatty Acid from the Endolichenic Fungus <i>Massarina</i> sp.. <i>Chemistry of Natural Compounds</i> , 2015, 51, 415-417.	0.8	7
183	Flow Cytometry-Based Method To Detect Persisters in <i>Candida albicans</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5044-5048.	3.2	6
184	Characterization of Lignanamides from Hemp (<i>Cannabis sativa</i> L.) Seed and Their Antioxidant and Acetylcholinesterase Inhibitory Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10611-10619.	5.2	120
185	Scapaundulin C, a novel labdane diterpenoid isolated from Chinese liverwort <i>Scapania undulate</i> , inhibits acetylcholinesterase activity. <i>Chinese Journal of Natural Medicines</i> , 2015, 13, 933-936.	1.3	7
186	Cloning and functional characterization of a 4-coumarate CoA ligase from liverwort <i>Plagiochasma appendiculatum</i> . <i>Phytochemistry</i> , 2015, 111, 48-58.	2.9	85
187	The genus <i>Litsea</i> in traditional Chinese medicine: An ethnomedical, phytochemical and pharmacological review. <i>Journal of Ethnopharmacology</i> , 2015, 164, 256-264.	4.1	48
188	Scapairins A-Q, Labdane-Type Diterpenoids from the Chinese Liverwort <i>Scapania irrigua</i> and Their Cytotoxic Activity. <i>Journal of Natural Products</i> , 2015, 78, 2087-2094.	3.0	16
189	Highly Rigid Labdane-Type Diterpenoids from a Chinese Liverwort and Light-Driven Structure Diversification. <i>Organic Letters</i> , 2015, 17, 3560-3563.	4.6	23
190	Synergistic and drug-resistant reversing effects of diorcinol D combined with fluconazole against <i>Candida albicans</i> . <i>FEMS Yeast Research</i> , 2015, 15, .	2.3	30
191	Highly Enantioselective Catalytic Cross-Dehydrogenative Coupling of <i>N</i> -Carbamoyl Tetrahydroisoquinolines and Terminal Alkynes. <i>Organic Letters</i> , 2015, 17, 1684-1687.	4.6	142
192	Organocatalytic Enantioselective Oxidative C-H Alkenylation and Arylation of <i>N</i> -Carbamoyl Tetrahydropyridines and Tetrahydrocarbolines. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6012-6015.	13.8	92
193	The PI3K/AKT Pathway and Renal Cell Carcinoma. <i>Journal of Genetics and Genomics</i> , 2015, 42, 343-353.	3.9	267
194	The cleavage of perylenequinones through photochemical oxidation acts as a detoxification mechanism for the producer. <i>RSC Advances</i> , 2015, 5, 28187-28189.	3.6	3
195	Organocatalytic Asymmetric C-H Vinylation and Arylation of <i>N</i> -Acyl Tetrahydroisoquinolines. <i>Organic Letters</i> , 2015, 17, 2396-2399.	4.6	67
196	<i>ent</i> -Kaurane Diterpenoids from Chinese Liverworts and Their Antitumor Activities through Michael Addition As Detected in Situ by a Fluorescence Probe. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 3944-3956.	6.4	58
197	Synthetic studies towards \pm -hydroxysolasodine from diosgenin and the unexpected tetrahydrofuran ring opening in the Birch reduction process. <i>Steroids</i> , 2015, 104, 214-219.	1.8	5
198	Diterpenoids from the twigs and leaves of <i>Croton caudatus</i> var. <i>tomentosus</i> . <i>F-terap</i> , 2015, 107, 54-59.	2.2	21

#	ARTICLE	IF	CITATIONS
199	Natural product solasodine-3-O- β -D-glucopyranoside inhibits the virulence factors of <i>Candida albicans</i> . <i>FEMS Yeast Research</i> , 2015, 15, fov060.	2.3	34
200	Functional characterization of a plastidal cation-dependent O-methyltransferase from the liverwort <i>Plagiochasma appendiculatum</i> . <i>Phytochemistry</i> , 2015, 118, 33-41.	2.9	13
201	Tetramic Acids and Pyridone Alkaloids from the Endolichenic Fungus <i>Tolypocladium cylindrosporium</i> . <i>Journal of Natural Products</i> , 2015, 78, 2155-2160.	3.0	46
202	Diorcinol D Exerts Fungicidal Action against <i>Candida albicans</i> through Cytoplasm Membrane Destruction and ROS Accumulation. <i>PLoS ONE</i> , 2015, 10, e0128693.	2.5	62
203	The Function and Catalysis of 2-Oxoglutarate-Dependent Oxygenases Involved in Plant Flavonoid Biosynthesis. <i>International Journal of Molecular Sciences</i> , 2014, 15, 1080-1095.	4.1	100
204	Plant Extracts of the Family Lauraceae: A Potential Resource for Chemopreventive Agents that Activate the Nuclear Factor-Erythroid 2-Related Factor 2/Antioxidant Response Element Pathway. <i>Planta Medica</i> , 2014, 80, 426-434.	1.3	24
205	Plant Extracts of the Family Lauraceae: A Potential Resource for Chemopreventive Agents that Activate the Nuclear Factor-Erythroid 2-Related Factor 2/Antioxidant Response Element Pathway. <i>Planta Medica</i> , 2014, 80, 1664-1664.	1.3	0
206	Anti-inflammatory effect of Marchantin M contributes to sensitization of prostate cancer cells to docetaxel. <i>Cancer Letters</i> , 2014, 348, 126-134.	7.2	16
207	Practical Metal-Free C(sp ³) ₂ H Functionalization: Construction of Structurally Diverse β -Substituted Benzyl and Allyl Carbamates. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 3904-3908.	13.8	111
208	Molecular cloning and functional characterization of a phenylalanine ammonia-lyase from liverwort <i>Plagiochasma appendiculatum</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 2014, 117, 265-277.	2.3	23
209	Conversion of salvianolic acid B into salvianolic acid A in tissues of <i>Radix Salviae Miltiorrhizae</i> using high temperature, high pressure and high humidity. <i>Phytomedicine</i> , 2014, 21, 906-911.	5.3	23
210	Synthesis and cytotoxic effect of pseudodiosgenyl saponins with thio-ring F. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1600-1604.	2.2	11
211	Chemical constituents of <i>Lobelia chinensis</i> . <i>Fä-toterapÄ-Äç</i> , 2014, 93, 168-174.	2.2	31
212	Bexarotene nanocrystal—Oral and parenteral formulation development, characterization and pharmacokinetic evaluation. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2014, 87, 160-169.	4.3	65
213	Total synthesis of plagiochin G and derivatives as potential cancer chemopreventive agents. <i>Tetrahedron Letters</i> , 2014, 55, 6500-6503.	1.4	9
214	Identification of purine-derived compounds, ustilagomaydisin A—C, from the plant pathogen <i>Ustilago maydis</i> and their modulating effects on multidrug-resistant (MDR) tumors. <i>Phytochemistry Letters</i> , 2014, 10, 193-197.	1.2	8
215	Phytotoxic cis-clerodane diterpenoids from the Chinese liverwort <i>Scapania stephanii</i> . <i>Phytochemistry</i> , 2014, 105, 85-91.	2.9	10
216	Notolutesins A—J, Dolabrane-Type Diterpenoids from the Chinese Liverwort <i>Notoscyphus lutescens</i> . <i>Journal of Natural Products</i> , 2014, 77, 2081-2087.	3.0	14

#	ARTICLE	IF	CITATIONS
217	Two New Sesquiterpenoids from the Rhizomes of <i>Curcuma xanthorrhiza</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1295-1300.	1.6	17
218	Diterpenoids from the Chinese Liverwort <i>Heteroscyphus tener</i> and Their Antiproliferative Effects. <i>Journal of Natural Products</i> , 2014, 77, 1336-1344.	3.0	17
219	Marsupellins A-F, Longipinane-Type Sesquiterpenoids from the Chinese Liverwort <i>Marsupella alpine</i> with Acetylcholinesterase Inhibitory Activity. <i>Journal of Natural Products</i> , 2014, 77, 1031-1036.	3.0	26
220	Cembrane-Type Diterpenoids from the Chinese Liverworts <i>Chandonanthus hirtellus</i> and <i>C. birmensis</i> . <i>Journal of Natural Products</i> , 2014, 77, 339-345.	3.0	12
221	Myrrhanolide D and Myrrhasin A, New Germacrane-Type Sesquiterpenoids from the Resin of <i>Commiphora opobalsamum</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 881-886.	1.6	4
222	Podoimbricatin A, a cytotoxic diterpenoid with an unprecedented 6/6/5/6-fused tetracyclic ring system from the twigs and leaves of <i>Podocarpus imbricatus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3326-3328.	2.2	17
223	Functional characterization of a <i>Plagiochasma appendiculatum</i> flavone synthase I showing flavanone 2-hydroxylase activity. <i>FEBS Letters</i> , 2014, 588, 2307-2314.	2.8	41
224	DHA2, a synthesized derivative of bisbibenzyl, exerts antitumor activity against ovarian cancer through inhibition of XIAP and Akt/mTOR pathway. <i>Food and Chemical Toxicology</i> , 2014, 69, 163-174.	3.6	13
225	Regulation of SOD2 and β -arrestin1 by interleukin-6 contributes to the increase of IGF-1R expression in docetaxel resistant prostate cancer cells. <i>European Journal of Cell Biology</i> , 2014, 93, 289-298.	3.6	16
226	Cytotoxic Clerodane Diterpenoids from the Leaves and Twigs of <i>Casearia balansae</i> . <i>Journal of Natural Products</i> , 2013, 76, 1573-1579.	3.0	35
227	Metabolites from <i>Penicillium</i> sp., an endophytic fungus from the liverwort <i>Riccardia multifida</i> (L.) S. Gray. <i>Phytochemistry Letters</i> , 2013, 6, 14-17.	1.2	24
228	Xanthone derivatives from <i>Aspergillus sydowii</i> , an endophytic fungus from the liverwort <i>Scapania ciliata</i> S. Lac and their immunosuppressive activities. <i>Phytochemistry Letters</i> , 2013, 6, 318-321.	1.2	63
229	Diterpenoids from the aerial parts of <i>Orthosiphon aristatus</i> var. <i>aristatus</i> . <i>Phytochemistry Letters</i> , 2013, 6, 412-417.	1.2	9
230	Riccardin D Exerts Its Antitumor Activity by Inducing DNA Damage in PC-3 Prostate Cancer Cells In Vitro and In Vivo. <i>PLoS ONE</i> , 2013, 8, e74387.	2.5	6
231	Retigeric Acid B Enhances the Efficacy of Azoles Combating the Virulence and Biofilm Formation of <i>Candida albicans</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 1794-1801.	1.4	32
232	Interconversion of the Pallambins through Photoinduced Rearrangement. <i>Organic Letters</i> , 2012, 14, 5624-5627.	4.6	16
233	Pallambins A and B, Unprecedented Hexacyclic 19-nor-Secolabdane Diterpenoids from the Chinese Liverwort <i>Pallavicinia ambigua</i> . <i>Organic Letters</i> , 2012, 14, 1102-1105.	4.6	44
234	Phaeosphaerins A-F, Cytotoxic Perylenequinones from an Endolichenic Fungus, <i>Phaeosphaeria</i> sp.. <i>Journal of Natural Products</i> , 2012, 75, 142-147.	3.0	54

#	ARTICLE	IF	CITATIONS
235	Bisbibenzyls, a New Type of Antifungal Agent, Inhibit Morphogenesis Switch and Biofilm Formation through Upregulation of DPP3 in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2011, 6, e28953.	2.5	45
236	Phenolic Glycosides from the Chinese Liverwort <i>Reboulia hemisphaerica</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 1146-1152.	1.6	4
237	Stereochemical Investigation of Macrocyclic Bisbibenzyls with a Stereogenic Center at One of the Ethylene Bridges. <i>Helvetica Chimica Acta</i> , 2011, 94, 2077-2086.	1.6	1
238	Insights into Research on Natural Products. <i>Drug Discoveries and Therapeutics</i> , 2011, 5, 157-158.	1.5	1
239	Determination of atropisomeric configurations of macrocyclic bisbibenzyls by HPLC-CD/UV and quantum chemical calculations. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 312-318.	1.4	7
240	Allelochemicals of the invasive neophyte <i>Polygonum cuspidatum</i> Sieb. & Zucc. (Polygonaceae). <i>Chemoecology</i> , 2010, 20, 223-227.	1.1	48
241	A New Cadinane Sesquiterpenoid Lactone from <i>Lepidozia reptans</i> . <i>Chinese Journal of Natural Medicines</i> , 2010, 8, 177-179.	1.3	3
242	Scaparvin A, A Novel Caged <i>cis</i> -Clerodane with an Unprecedented C-6/C-11 Bond, and Related Diterpenoids from the Liverwort <i>Scapania parva</i> . <i>Organic Letters</i> , 2010, 12, 4404-4407.	4.6	38
243	A Triterpenoid and Sesquiterpenoids from the Resinous Exudates of <i>Commiphora myrrha</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 645-652.	1.6	36
244	Secondary Metabolites in Bryophytes: An Ecological Aspect. <i>Chemistry and Biodiversity</i> , 2009, 6, 303-312.	2.1	110
245	Reversal of p-glycoprotein-mediated multidrug resistance by macrocyclic bisbibenzyl derivatives in adriamycin-resistant human myelogenous leukemia (K562/A02) cells. <i>Toxicology in Vitro</i> , 2009, 23, 29-36.	2.4	40
246	Sesquiterpenoids from the Resinous Exudates of <i>Commiphora opobalsamum</i> (Burseraceae). <i>Helvetica Chimica Acta</i> , 2008, 91, 881-887.	1.6	24
247	Oridonin Confers Protection against Arsenic-Induced Toxicity through Activation of the Nrf2-Mediated Defensive Response. <i>Environmental Health Perspectives</i> , 2008, 116, 1154-1161.	6.0	89
248	Rearranged Calamenene and Eudesmane Sesquiterpenoids from two Chinese Liverworts. <i>Helvetica Chimica Acta</i> , 2007, 90, 52-57.	1.6	18
249	Three New Bibenzyl Derivatives from the Chinese Liverwort <i>Marchantia polymorpha</i> L.. <i>Helvetica Chimica Acta</i> , 2007, 90, 748-752.	1.6	19
250	Absolute configuration determination of angular dihydrocoumarins from <i>Peucedanum praeruptorum</i> . <i>Journal of Asian Natural Products Research</i> , 2004, 6, 177-184.	1.4	13
251	A cytotoxic diterpenoid and antifungal phenolic compounds from <i>Frullania muscicola</i> steph. <i>Journal of Asian Natural Products Research</i> , 2002, 4, 87-94.	1.4	29
252	Isolation, Biosynthesis, and Biological Activity of Polycyclic Xanthonones From Actinomycetes. <i>Frontiers in Microbiology</i> , 0, 13, .	3.5	4