M A Neergaard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8764984/publications.pdf

Version: 2024-02-01

394286 197736 2,629 60 19 49 citations g-index h-index papers 61 61 61 3541 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Qualitative description – the poor cousin of health research?. BMC Medical Research Methodology, 2009, 9, 52. | 1.4 | 1,202 |
| 2 | Do we need to change our understanding of anticipatory grief in caregivers? A systematic review of caregiver studies during end-of-life caregiving and bereavement. Clinical Psychology Review, 2016, 44, 75-93. | 6.0 | 142 |
| 3 | Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 540-550. | 0.6 | 140 |
| 4 | Palliative care for cancer patients in a primary health care setting: Bereaved relatives' experience, a qualitative group interview study. BMC Palliative Care, 2008, 7, 1. | 0.8 | 69 |
| 5 | Congruence between preferred and actual place of care and death among Danish cancer patients. Palliative Medicine, 2013, 27, 155-164. | 1.3 | 69 |
| 6 | Randomised clinical trial of early specialist palliative care plus standard care versus standard care alone in patients with advanced cancer: The Danish Palliative Care Trial. Palliative Medicine, 2017, 31, 814-824. | 1.3 | 67 |
| 7 | Looking beyond the mean in grief trajectories: A prospective, population-based cohort study. Social Science and Medicine, 2019, 232, 460-469. | 1.8 | 66 |
| 8 | Preloss grief in family caregivers during endâ€ofâ€life cancer care: A nationwide populationâ€based cohort study. Psycho-Oncology, 2017, 26, 2048-2056. | 1.0 | 58 |
| 9 | Preference for placeâ€ofâ€death among terminally ill cancer patients in Denmark. Scandinavian Journal of Caring Sciences, 2011, 25, 627-636. | 1.0 | 55 |
| 10 | Associations between home death and GP involvement in palliative cancer care. British Journal of General Practice, 2009, 59, 671-677. | 0.7 | 54 |
| 11 | Preferred Place of Care and Death in Terminally Ill Patients with Lung and Heart Disease Compared to Cancer Patients. Journal of Palliative Medicine, 2017, 20, 1217-1224. | 0.6 | 54 |
| 12 | Psychological distress, health, and socio-economic factors in caregivers of terminally ill patients: a nationwide population-based cohort study. Supportive Care in Cancer, 2016, 24, 3057-67. | 1.0 | 53 |
| 13 | Shared Care in Basic Level Palliative Home Care: Organizational and Interpersonal Challenges. Journal of Palliative Medicine, 2010, 13, 1071-1077. | 0.6 | 40 |
| 14 | Who is the key worker in palliative home care?. Scandinavian Journal of Primary Health Care, 2011, 29, 150-156. | 0.6 | 37 |
| 15 | Is admittance to specialised palliative care among cancer patients related to sex, age and cancer diagnosis? A nation-wide study from the Danish Palliative Care Database (DPD). BMC Palliative Care, 2017, 16, 21. | 0.8 | 31 |
| 16 | The Impact of "Modern Telecommunication―in Palliative Careâ€"The Views of the Professionals. Telemedicine Journal and E-Health, 2014, 20, 24-31. | 1.6 | 27 |
| 17 | Associations between successful palliative trajectories, place of death and GP involvement. Scandinavian Journal of Primary Health Care, 2010, 28, 138-145. | 0.6 | 24 |
| 18 | Intensive care at the end of life in patients dying due to non-cancer chronic diseases versus cancer: a nationwide study in Denmark. Critical Care, 2015, 19, 413. | 2.5 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Caregivers' active role in palliative home care $\hat{a} \in \hat{u}$ to encourage or to dissuade? A qualitative descriptive study. BMC Palliative Care, 2008, 7, 15. | 0.8 | 21 |
| 20 | What socio-economic factors determine place of death for people with life-limiting illness? A systematic review and appraisal of methodological rigour. Palliative Medicine, 2019, 33, 900-925. | 1.3 | 21 |
| 21 | Access to Outreach Specialist Palliative Care Teams among Cancer Patients in Denmark. Journal of Palliative Medicine, 2013, 16, 951-957. | 0.6 | 20 |
| 22 | Advance care planning and place of death, hospitalisation and actual place of death in lung, heart and cancer disease: a randomised controlled trial. BMJ Supportive and Palliative Care, 2020, 10, e37-e37. | 0.8 | 20 |
| 23 | Factors associated with preference for dying at home among terminally ill patients with cancer. Scandinavian Journal of Caring Sciences, 2016, 30, 466-476. | 1.0 | 19 |
| 24 | Detailed statistical analysis plan for the Danish Palliative Care Trial (DanPaCT). Trials, 2014, 15, 376. | 0.7 | 18 |
| 25 | Admittance to specialized palliative care (SPC) of patients with an assessed need: a study from the Danish palliative care database (DPD). Acta Oncolųgica, 2017, 56, 1210-1217. | 0.8 | 18 |
| 26 | A randomised, multicentre clinical trial of specialised palliative care plus standard treatment versus standard treatment alone for cancer patients with palliative care needs: the Danish palliative care trial (DanPaCT) protocol. BMC Palliative Care, 2013, 12, 37. | 0.8 | 17 |
| 27 | Talking about sensitive topics during the advance care planning discussion: A peek into the black box. Palliative and Supportive Care, 2015, 13, 1669-1676. | 0.6 | 17 |
| 28 | The diverse impact of advance care planning: a long-term follow-up study on patients' and relatives' experiences: TableÂ1. BMJ Supportive and Palliative Care, 2017, 7, bmjspcare-2015-000886. | 0.8 | 16 |
| 29 | Danish general practitioners' self-reported competences in end-of-life care. Scandinavian Journal of Primary Health Care, 2016, 34, 420-427. | 0.6 | 16 |
| 30 | Socioeconomic position and place of death of cancer patients. BMJ Supportive and Palliative Care, 2012, 2, 133-139. | 0.8 | 14 |
| 31 | Exploratory analyses of the Danish Palliative Care Trial (DanPaCT): a randomized trial of early specialized palliative care plus standard care versus standard care in advanced cancer patients. Supportive Care in Cancer, 2020, 28, 2145-2155. | 1.0 | 13 |
| 32 | Associations between successful palliative cancer pathways and community nurse involvement. BMC Palliative Care, 2009, 8, 18. | 0.8 | 12 |
| 33 | Advance care planning for patients with lung, heart and cancer diseases and their relatives. International Journal of Palliative Nursing, 2019, 25, 112-127. | 0.2 | 12 |
| 34 | The nature of nausea: prevalence, etiology, and treatment in patients with advanced cancer not receiving antineoplastic treatment. Supportive Care in Cancer, 2019, 27, 3071-3080. | 1.0 | 12 |
| 35 | Death in nursing homes: a Danish qualitative study. International Journal of Palliative Nursing, 2013, 19, 236-242. | 0.2 | 11 |
| 36 | Antiemetic use of olanzapine in patients with advanced cancer: results from an open-label multicenter study. Supportive Care in Cancer, 2019, 27, 2849-2856. | 1.0 | 11 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Predictors for place of death among children: A systematic review and meta-analyses of recent literature. European Journal of Pediatrics, 2020, 179, 1227-1238. | 1.3 | 11 |
| 38 | Translation, adaptation and data quality of a <scp>D</scp> anish version of the <scp>B</scp> urden <scp>S</scp> cale for <scp>F</scp> amily <scp>C</scp> aregivers. Scandinavian Journal of Caring Sciences, 2013, 27, 1018-1026. | 1.0 | 10 |
| 39 | Measuring the quality of end-of-life care: Development, testing, and cultural validation of the Danish version of Views of Informal Carers' Evaluation of Services–Short Form. Palliative Medicine, 2018, 32, 804-814. | 1.3 | 10 |
| 40 | Propensity for paying home visits among general practitioners and the associations with cancer patients' place of care and death: a register-based cohort study. Palliative Medicine, 2018, 32, 376-383. | 1.3 | 9 |
| 41 | Poor physical and mental health predicts prolonged grief disorder: A prospective, population-based cohort study on caregivers of patients at the end of life. Palliative Medicine, 2020, 34, 1416-1424. | 1.3 | 9 |
| 42 | Remaining Lifetime After Recognition of Terminal Illness Depends on Diagnosis: A Nationwide Population-Based Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 116-123. | 0.6 | 8 |
| 43 | Cohabitation Status Influenced Admittance to Specialized Palliative Care for Cancer Patients: A Nationwide Study from the Danish Palliative Care Database. Journal of Palliative Medicine, 2019, 22, 164-172. | 0.6 | 8 |
| 44 | Advance care planning and longer survival in the terminally ill: a randomised controlled trial unexpected finding. BMJ Supportive and Palliative Care, 2020, 10, 221-222. | 0.8 | 8 |
| 45 | Screening Tools for Depression and Anxiety in Patients with Chronic Obstructive Pulmonary Disease – A Systematic Review. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2021, 18, 683-689. | 0.7 | 8 |
| 46 | Hospitalisation at the end of life among cancer and non-cancer patients in Denmark: a nationwide register-based cohort study. BMJ Open, 2020, 10, e033493. | 0.8 | 7 |
| 47 | Are Cancer Patients' Socioeconomic and Cultural Factors Associated with Contact to General Practitioners in the Last Phase of Life?. International Journal of Family Medicine, 2015, 2015, 1-8. | 1.2 | 6 |
| 48 | Socioeconomic inequality in drug reimbursement during end-of-life care: a nationwide study. Journal of Epidemiology and Community Health, 2019, 73, 435-442. | 2.0 | 6 |
| 49 | Promoting palliative care in the community: a toolkit to improve and develop primary palliative care throughout Europe. Scandinavian Journal of Primary Health Care, 2016, 34, 3-4. | 0.6 | 5 |
| 50 | Asking terminally ill patients about their preferences concerning place of care and death. International Journal of Palliative Nursing, 2018, 24, 124-131. | 0.2 | 5 |
| 51 | Development, modelling, and pilot testing of a complex intervention to support end-of-life care provided by Danish general practitioners. BMC Family Practice, 2018, 19, 91. | 2.9 | 5 |
| 52 | Grief symptoms and primary care use: a prospective study of family caregivers. BJGP Open, 2020, 4, bjgpopen20X101063. | 0.9 | 5 |
| 53 | Disparities in intensity of treatment at endâ€ofâ€life among children according to the underlying cause of death. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 1673-1681. | 0.7 | 3 |
| 54 | The First Steps Taken to Implement Palliative Care in Advanced Heart Disease: A Position Statement from Denmark. Journal of Palliative Medicine, 2020, 23, 1159-1166. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Inequality in place-of-death among children: a Danish nationwide study. European Journal of Pediatrics, 2022, 181, 609-617. | 1.3 | 2 |
| 56 | Geographical variation in palliative cancer care in a tax-based healthcare system: drug reimbursement in Denmark. European Journal of Public Health, 2020, 30, 223-229. | 0.1 | 1 |
| 57 | Medical students do not feel confident in managing palliative care as future doctors. Progress in Palliative Care, 2020, 28, 201-206. | 0.7 | 1 |
| 58 | Early specialised palliative care: interventions, symptoms, problems. BMJ Supportive and Palliative Care, 2021, 11, 444-453. | 0.8 | 1 |
| 59 | Danish medical schools do not meet international recommendations for teaching palliative medicine. Danish Medical Journal, 2018, 65, . | 0.5 | 1 |
| 60 | Home death versus hospital death: are they comparable at all?. Evidence-based Nursing, 2016, 19, 94-94. | 0.1 | 0 |