

# Vaclav Martinek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8770627/publications.pdf>

Version: 2024-02-01

50  
papers

1,690  
citations

331670

21  
h-index

289244

40  
g-index

52  
all docs

52  
docs citations

52  
times ranked

1759  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sudan I is a potential carcinogen for humans: evidence for its metabolic activation and detoxication by human recombinant cytochrome P450 1A1 and liver microsomes. <i>Cancer Research</i> , 2002, 62, 5678-84.	0.9	200
2	Heme: emergent roles of heme in signal transduction, functional regulation and as catalytic centres. <i>Chemical Society Reviews</i> , 2019, 48, 5624-5657.	38.1	138
3	Environmental Pollutant and Potent Mutagen 3-Nitrobenzanthrone Forms DNA Adducts after Reduction by NAD(P)H:Quinone Oxidoreductase and Conjugation by Acetyltransferases and Sulfotransferases in Human Hepatic Cytosols. <i>Cancer Research</i> , 2005, 65, 2644-2652.	0.9	118
4	Ceramide kinase regulates growth and survival of A549 human lung adenocarcinoma cells. <i>FEBS Letters</i> , 2007, 581, 735-740.	2.8	110
5	Modifying the $\hat{2},\hat{3}$ Leaving-Group Bridging Oxygen Alters Nucleotide Incorporation Efficiency, Fidelity, and the Catalytic Mechanism of DNA Polymerase $\hat{2}\hat{a}\hat{e}$ . <i>Biochemistry</i> , 2007, 46, 461-471.	2.5	99
6	Expression of cytochrome P450 1A1 and its contribution to oxidation of a potential human carcinogen 1-phenylazo-2-naphthol (Sudan I) in human livers. <i>Cancer Letters</i> , 2005, 220, 145-154.	7.2	95
7	Decomposition of the Solvation Free Energies of Deoxyribonucleoside Triphosphates Using the Free Energy Perturbation Method. <i>Journal of Physical Chemistry B</i> , 2006, 110, 12782-12788.	2.6	75
8	Free Energy Simulations of Uncatalyzed DNA Replication Fidelity: $\hat{A}$ Structure and Stability of T $\hat{A}$ -G and dTTP $\hat{A}$ -G Terminal DNA Mismatches Flanked by a Single Dangling Nucleotide. <i>Journal of Physical Chemistry B</i> , 2006, 110, 10557-10566.	2.6	62
9	The mechanism of cytotoxicity and DNA adduct formation by the anticancer drug ellipticine in human neuroblastoma cells. <i>Biochemical Pharmacology</i> , 2009, 77, 1466-1479.	4.4	55
10	Enzymes Metabolizing Aristolochic Acid and their Contribution to the Development of Aristolochic Acid Nephropathy and Urothelial Cancer. <i>Current Drug Metabolism</i> , 2013, 14, 695-705.	1.2	48
11	Cytochrome b5 shifts oxidation of the anticancer drug ellipticine by cytochromes P450 1A1 and 1A2 from its detoxication to activation, thereby modulating its pharmacological efficacy. <i>Biochemical Pharmacology</i> , 2011, 82, 669-680.	4.4	42
12	The human carcinogen aristolochic acid I is activated to form DNA adducts by human NAD(P)H:quinone oxidoreductase without the contribution of acetyltransferases or sulfotransferases. <i>Environmental and Molecular Mutagenesis</i> , 2011, 52, 448-459.	2.2	42
13	Mechanisms of the Different DNA Adduct Forming Potentials of the Urban Air Pollutants 2-Nitrobenzanthrone and Carcinogenic 3-Nitrobenzanthrone. <i>Chemical Research in Toxicology</i> , 2010, 23, 1192-1201.	3.3	36
14	Cytochrome <i>b</i> <sub>5</sub> Increases Cytochrome P450 3A4-Mediated Activation of Anticancer Drug Ellipticine to 13-Hydroxyellipticine Whose Covalent Binding to DNA Is Elevated by Sulfotransferases and <i>N</i> , <i>O</i> -Acetyltransferases. <i>Chemical Research in Toxicology</i> , 2012, 25, 1075-1085.	3.3	34
15	Mechanisms of Enzyme-Catalyzed Reduction of Two Carcinogenic Nitro-Aromatics, 3-Nitrobenzanthrone and Aristolochic Acid I: Experimental and Theoretical Approaches. <i>International Journal of Molecular Sciences</i> , 2014, 15, 10271-10295.	4.1	34
16	DNA Duplex Stability: The Role of Preorganized Electrostatics. <i>Journal of Physical Chemistry B</i> , 2010, 114, 2876-2885.	2.6	32
17	A Mechanism of O-Demethylation of Aristolochic Acid I by Cytochromes P450 and Their Contributions to This Reaction in Human and Rat Livers: Experimental and Theoretical Approaches. <i>International Journal of Molecular Sciences</i> , 2015, 16, 27561-27575.	4.1	32
18	DNA polymerase $\hat{2}$ catalytic efficiency mirrors the Asn279-dCTP H-bonding strength. <i>FEBS Letters</i> , 2007, 581, 775-780.	2.8	25

#	ARTICLE	IF	CITATIONS
19	Highly conserved nucleotide phosphatase essential for membrane lipid homeostasis in <i>Streptococcus pneumoniae</i> . <i>Molecular Microbiology</i> , 2016, 101, 12-26.	2.5	24
20	Induced Expression of Cytochrome P450 1A and NAD(P)H:Quinone Oxidoreductase Determined at mRNA, Protein, and Enzyme Activity Levels in Rats Exposed to the Carcinogenic Azo Dye 1-Phenylazo-2-naphthol (Sudan I). <i>Chemical Research in Toxicology</i> , 2013, 26, 290-299.	3.3	23
21	Heme Peroxidases: Structure, Function, Mechanism and Involvement in Activation of Carcinogens. A Review. <i>Collection of Czechoslovak Chemical Communications</i> , 2000, 65, 297-325.	1.0	21
22	Mutagenic potential of nitrenium ions of nitrobenzanthrones: Correlation between theory and experiment. <i>Environmental and Molecular Mutagenesis</i> , 2008, 49, 659-667.	2.2	21
23	Glycosylation Protects Proteins against Free Radicals Generated from Toxic Xenobiotics. <i>Toxicological Sciences</i> , 2010, 117, 359-374.	3.1	19
24	Lipid molecules can induce an opening of membrane-facing tunnels in cytochrome P450 1A2. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 30344-30356.	2.8	19
25	Coordination and redox state-dependent structural changes of the heme-based oxygen sensor AfGcHK associated with intraprotein signal transduction. <i>Journal of Biological Chemistry</i> , 2017, 292, 20921-20935.	3.4	19
26	Structural characterization of the heme-based oxygen sensor, AfGcHK, its interactions with the cognate response regulator, and their combined mechanism of action in a bacterial two-component signaling system. <i>Proteins: Structure, Function and Bioinformatics</i> , 2016, 84, 1375-1389.	2.6	18
27	Flexible Docking-Based Molecular Dynamics/Steered Molecular Dynamics Calculations of Protein-Protein Contacts in a Complex of Cytochrome P450 1A2 with Cytochrome <i>b<sub>5</sub></i> . <i>Biochemistry</i> , 2014, 53, 6695-6705.	2.5	17
28	Comparison of activation of aristolochic acid I and II with NADPH:quinone oxidoreductase, sulphotransferases and N-acetyltransferases. <i>Neuroendocrinology Letters</i> , 2011, 32 Suppl 1, 57-70.	0.2	16
29	Preparation of a biologically active apo-cytochrome b5 via heterologous expression in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2009, 66, 203-209.	1.3	15
30	Active Site Mutations as a Suitable Tool Contributing to Explain a Mechanism of Aristolochic Acid I Nitroreduction by Cytochromes P450 1A1, 1A2 and 1B1. <i>International Journal of Molecular Sciences</i> , 2016, 17, 213.	4.1	15
31	Cytochrome b 5 plays a dual role in the reaction cycle of cytochrome P450 3A4 during oxidation of the anticancer drug ellipticine. <i>Monatshefte für Chemie</i> , 2017, 148, 1983-1991.	1.8	15
32	Metabolism of Carcinogenic Azo Dye Sudan I by Rat, Rabbit, Minipig and Human Hepatic Microsomes. <i>Collection of Czechoslovak Chemical Communications</i> , 2002, 67, 1883-1898.	1.0	14
33	Comparison of the oxidation of carcinogenic aristolochic acid I and II by microsomal cytochromes P450 in vitro: experimental and theoretical approaches. <i>Monatshefte für Chemie</i> , 2017, 148, 1971-1981.	1.8	14
34	Identification of Human Enzymes Oxidizing the Anti-Thyroid-Cancer Drug Vandetanib and Explanation of the High Efficiency of Cytochrome P450 3A4 in its Oxidation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3392.	4.1	13
35	Membrane-Anchored Cytochrome P450 1A2-Cytochrome <i>b<sub>5</sub></i> Complex Features an X-Shaped Contact between Antiparallel Transmembrane Helices. <i>Chemical Research in Toxicology</i> , 2016, 29, 626-636.	3.3	12
36	Mechanism of Formation of (Deoxy)guanosine Adducts Derived from Peroxidase-Catalyzed Oxidation of the Carcinogenic Nonaminoazo Dye 1-Phenylazo-2-hydroxynaphthalene (Sudan I). <i>Chemical Research in Toxicology</i> , 2009, 22, 1765-1773.	3.3	11

#	ARTICLE	IF	CITATIONS
37	Introduction of water into the heme distal side by Leu65 mutations of an oxygen sensor, YddV, generates verdoheme and carbon monoxide, exerting the heme oxygenase reaction. <i>Journal of Inorganic Biochemistry</i> , 2014, 140, 29-38.	3.5	11
38	Homozygous missense mutation in UQCRC2 associated with severe encephalomyopathy, mitochondrial complex III assembly defect and activation of mitochondrial protein quality control. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166147.	3.8	11
39	Enzymes Oxidizing the Azo Dye 1-Phenylazo-2-Naphthol (Sudan I) and their Contribution to its Genotoxicity and Carcinogenicity. <i>Current Drug Metabolism</i> , 2015, 15, 829-840.	1.2	11
40	Linear Energy Relationships for the Octahedral Preference of Mg, Ca and Transition Metal Ions. <i>Journal of Physical Chemistry A</i> , 2009, 113, 3588-3593.	2.5	10
41	Oxidation of the carcinogenic non-aminoazo dye 1-phenylazo-2-hydroxy-naphthalene (Sudan I) by cytochromes P450 and peroxidases: a comparative study. <i>Interdisciplinary Toxicology</i> , 2009, 2, 195-200.	1.0	10
42	<i>In Vivo</i> Metabolism of Aristolochic Acid I and II in Rats Is Influenced by Their Coexposure. <i>Chemical Research in Toxicology</i> , 2020, 33, 2804-2818.	3.3	10
43	Modulation of CYP1A1-mediated oxidation of carcinogenic azo dye Sudan I and its binding to DNA by cytochrome b5. <i>Neuroendocrinology Letters</i> , 2006, 27 Suppl 2, 35-9.	0.2	10
44	Theoretical investigation of differences in nitroreduction of aristolochic acid I by cytochromes P450 1A1, 1A2 and 1B1. <i>Neuroendocrinology Letters</i> , 2012, 33 Suppl 3, 25-32.	0.2	10
45	Mapping of cytochrome P450 2B4 substrate binding sites by photolabile probe 3-azidiamantane: Identification of putative substrate access regions. <i>Archives of Biochemistry and Biophysics</i> , 2007, 468, 82-91.	3.0	7
46	Optimization of preparation of apocytochrome b5 utilizing apo-myoglobin. <i>Interdisciplinary Toxicology</i> , 2008, 1, 190-2.	1.0	5
47	Kinetic analysis of a globin-coupled diguanylate cyclase, YddV: Effects of heme iron redox state, axial ligands, and heme distal mutations on catalysis. <i>Journal of Inorganic Biochemistry</i> , 2019, 201, 110833.	3.5	4
48	Mapping of interaction between cytochrome P450 2B4 and cytochrome b5: the first evidence of two mutual orientations. <i>Neuroendocrinology Letters</i> , 2012, 33 Suppl 3, 41-7.	0.2	4
49	Induced expression of microsomal cytochrome b 5 determined at mRNA and protein levels in rats exposed to ellipticine, benzo[a]pyrene, and 1-phenylazo-2-naphthol (Sudan I). <i>Monatshefte für Chemie</i> , 2016, 147, 897-904.	1.8	3
50	Ferrous and ferric state of cytochromes P450 in intact <i>Escherichia coli</i> cells: a possible role of cytochrome P450-flavodoxin interactions. <i>Neuroendocrinology Letters</i> , 2015, 36 Suppl 1, 29-37.	0.2	1