## J P Daniels

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8772162/publications.pdf

Version: 2024-02-01

		196777	87275
75	6,631	29	74
papers	citations	h-index	g-index
79	79	79	7681
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Uterine artery embolization or myomectomy for women with uterine fibroids: Four-year follow-up of a randomised controlled trial. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2022, 13, 100139.	0.6	14
2	Lactic acid gel versus metronidazole for recurrent bacterial vaginosis in women aged 16 years and over: the VITA RCT. Health Technology Assessment, 2022, 26, 1-170.	1.3	11
3	Rapid intrapartum test for maternal group B streptococcal colonisation and its effect on antibiotic use in labouring women with risk factors for early-onset neonatal infection (GBS2): cluster randomised trial with nested test accuracy study. BMC Medicine, 2022, 20, 9.	2.3	3
4	A rapid intrapartum test for group B Streptococcus to reduce antibiotic usage in mothers with risk factors: the GBS2 cluster RCT. Health Technology Assessment, 2022, 26, 1-82.	1.3	1
5	A randomized trial of synthetic osmotic cervical dilator for induction of labor vs dinoprostone vaginal insert. American Journal of Obstetrics & Synecology MFM, 2022, 4, 100628.	1.3	11
6	Uterine artery embolisation versus myomectomy for premenopausal women with uterine fibroids wishing to avoid hysterectomy: the FEMME RCT. Health Technology Assessment, 2022, 26, 1-74.	1.3	6
7	Uterine artery embolization versus surgical treatment in patients with symptomatic uterine fibroids: Protocol for a systematic review and meta-analysis of individual participant data. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 179-183.	0.5	5
8	Laparoscopic treatment of isolated superficial peritoneal endometriosis for managing chronic pelvic pain in women: study protocol for a randomised controlled feasibility trial (ESPriT1). Pilot and Feasibility Studies, 2021, 7, 19.	0.5	4
9	Premature ovarian insufficiency: the need for evidence on the effectiveness of hormonal therapy. Climacteric, 2021, 24, 453-458.	1.1	9
10	Uterine artery embolisation or myomectomy for women with uterine fibroids wishing to avoid hysterectomy: a cost–utility analysis of the FEMME trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1793-1802.	1,1	14
11	Pravastatin for earlyâ€onset preâ€eclampsia: a randomised, blinded, placeboâ€controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 478-488.	1.1	85
12	Universal testing for group B streptococcus during pregnancy: need for a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 693-693.	1.1	5
13	Uterine-Artery Embolization or Myomectomy for Uterine Fibroids. New England Journal of Medicine, 2020, 383, 440-451.	13.9	102
14	Gabapentin for chronic pelvic pain in women (GaPP2): a multicentre, randomised, double-blind, placebo-controlled trial. Lancet, The, 2020, 396, 909-917.	6.3	42
15	Authors' reply re: Universal screening versus riskâ€based protocols for antibiotic prophylaxis during childbirth to prevent earlyâ€onset group B streptococcal disease: a systematic review and metaâ€analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1040-1041.	1.1	0
16	The Prevalence of Thyroid Dysfunction and Autoimmunity in Women With History of Miscarriage or Subfertility. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2667-2677.	1.8	27
17	The costâ€effectiveness of progesterone in preventing miscarriages in women with early pregnancy bleeding: an economic evaluation based on the PRISM trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 757-767.	1.1	10
18	Feasibility of using an Early Warning Score for preterm or low birthweight infants in a low-resource setting: results of a mixed-methods study at a national referral hospital in Kenya. BMJ Open, 2020, 10, e039061.	0.8	9

#	Article	IF	Citations
19	Progesterone to prevent miscarriage in women with early pregnancy bleeding: the PRISM RCT. Health Technology Assessment, 2020, 24, 1-70.	1.3	23
20	Gabapentin to reduce pain in women aged between 18 and 50 years with chronic pelvic pain: the GaPP2 RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-60.	0.9	1
21	Antibiotic prophylaxis in the surgical management of miscarriage in low-income countries: a cost-effectiveness analysis of the AIMS trial. The Lancet Global Health, 2019, 7, e1280-e1286.	2.9	7
22	A Randomized Trial of Progesterone in Women with Bleeding in Early Pregnancy. New England Journal of Medicine, 2019, 380, 1815-1824.	13.9	107
23	Levothyroxine in Women with Thyroid Peroxidase Antibodies before Conception. New England Journal of Medicine, 2019, 380, 1316-1325.	13.9	208
24	A Randomized Trial of Prophylactic Antibiotics for Miscarriage Surgery. New England Journal of Medicine, 2019, 380, 1012-1021.	13.9	16
25	Research Priorities in Pelvic Venous Disorders in Women: Recommendations from a Multidisciplinary Research Consensus Panel. Journal of Vascular and Interventional Radiology, 2019, 30, 781-789.	0.2	68
26	Levothyroxine to increase live births in euthyroid women with thyroid antibodies trying to conceive: the TABLET RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-72.	0.9	4
27	Prophylactic antibiotics to reduce pelvic infection in women having miscarriage surgery – The AIMS (Antibiotics in Miscarriage Surgery) trial: study protocol for a randomized controlled trial. Trials, 2018, 19, 245.	0.7	6
28	A multi-centre, double-blind, placebo-controlled, randomised trial of combination methotrexate and gefitinib versus methotrexate alone to treat tubal ectopic pregnancies (GEM3): trial protocol. Trials, 2018, 19, 643.	0.7	5
29	Women's experiences of medical treatment for endometriosis and its impact on PRE-EMPT trial participation: a qualitative study. Pilot and Feasibility Studies, 2018, 4, 168.	0.5	5
30	Intravenous remifentanil patient-controlled analgesia versus intramuscular pethidine for pain relief in labour (RESPITE): an open-label, multicentre, randomised controlled trial. Lancet, The, 2018, 392, 662-672.	6.3	55
31	A randomised controlled trial and economic evaluation of intraoperative cell salvage during caesarean section in women at risk of haemorrhage: the SALVO (cell SALVage in Obstetrics) trial. Health Technology Assessment, 2018, 22, 1-88.	1.3	27
32	MRI versus laparoscopy to diagnose the main causes of chronic pelvic pain in women: a test-accuracy study and economic evaluation. Health Technology Assessment, 2018, 22, 1-92.	1.3	16
33	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. BMJ Open, 2018, 8, e014924.	0.8	3
34	Preventing recurrence of endometriosis by means of long-acting progestogen therapy (PRE-EMPT): report of an internal pilot, multi-arm, randomised controlled trial incorporating flexible entry design and adaption of design based on feasibility of recruitment. Trials, 2017, 18, 121.	0.7	6
35	Is gabapentin effective for women with unexplained chronic pelvic pain?. BMJ: British Medical Journal, 2017, 358, j3520.	2.4	7
36	Cell salvage and donor blood transfusion during cesarean section: A pragmatic, multicentre randomised controlled trial (SALVO). PLoS Medicine, 2017, 14, e1002471.	3.9	50

#	Article	IF	CITATIONS
37	The RESPITE trial: remifentanil intravenously administered patient-controlled analgesia (PCA) versus pethidine intramuscular injection for pain relief in labour: study protocol for a randomised controlled trial. Trials, 2016, 17, 591.	0.7	4
38	Clinical effectiveness of transversus abdominis plane (TAP) blocks for pain relief after caesarean section: a meta-analysis. International Journal of Obstetric Anesthesia, 2016, 28, 45-60.	0.2	83
39	Effectiveness of Embolization or Sclerotherapy of Pelvic Veins for Reducing Chronic Pelvic Pain: A Systematic Review. Journal of Vascular and Interventional Radiology, 2016, 27, 1478-1486.e8.	0.2	59
40	The relationship between pelvic vein incompetence and chronic pelvic pain in women: systematic reviews of diagnosis and treatment effectiveness. Health Technology Assessment, 2016, 20, 1-108.	1.3	78
41	Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. Health Technology Assessment, 2016, 20, 1-150.	1.3	25
42	Chronic pelvic pain. Current Opinion in Obstetrics and Gynecology, 2015, 27, 445-448.	0.9	16
43	Routine cell salvage during elective caesarean section: a pilot randomised trial. International Journal of Obstetric Anesthesia, 2015, 24, 86-87.	0.2	9
44	Outpatient versus inpatient uterine polyp treatment for abnormal uterine bleeding: randomised controlled non-inferiority study. BMJ, The, 2015, 350, h1398-h1398.	3.0	69
45	A randomised controlled trial of Outpatient versus inpatient Polyp Treatment (OPT) for abnormal uterine bleeding. Health Technology Assessment, 2015, 19, 1-194.	1.3	35
46	A randomised trial of treating fibroids with either embolisation or myomectomy to measure the effect on quality of life among women wishing to avoid hysterectomy (the FEMME study): study protocol for a randomised controlled trial. Trials, 2014, 15, 468.	0.7	20
47	Global causes of maternal death: a WHO systematic analysis. The Lancet Global Health, 2014, 2, e323-e333.	2.9	3,772
48	Comparison of Embolic Agents Used in Uterine Artery Embolisation: A Systematic Review and Meta-Analysis. CardioVascular and Interventional Radiology, 2014, 37, 1179-1190.	0.9	55
49	The challenges of interventional trials in fetal therapy. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F448-F450.	1.4	4
50	Levonorgestrel-Releasing Intrauterine System vs. Usual Medical Treatment for Menorrhagia: An Economic Evaluation Alongside a Randomised Controlled Trial. PLoS ONE, 2014, 9, e91891.	1.1	18
51	Levonorgestrel Intrauterine System versus Medical Therapy for Menorrhagia. New England Journal of Medicine, 2013, 368, 128-137.	13.9	144
52	The long-term outcomes of endometrial ablation in the treatment of heavy menstrual bleeding. Current Opinion in Obstetrics and Gynecology, 2013, 25, 320-326.	0.9	44
53	How do we define the term idiopathic?. Current Opinion in Obstetrics and Gynecology, 2013, 25, 468-473.	0.9	6
54	Feasibility of using microbiology diagnostic tests of moderate or high complexity at the point - of - care in a delivery suite. Journal of Obstetrics and Gynaecology, 2012, 32, 458-460.	0.4	8

#	Article	IF	CITATIONS
55	Second generation endometrial ablation techniques for heavy menstrual bleeding: network meta-analysis. BMJ, The, 2012, 344, e2564-e2564.	3.0	109
56	Psychological therapies for chronic pelvic pain: systematic review of randomized controlled trials. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 281-286.	1.3	20
57	Hysterectomy, endometrial ablation, and levonorgestrel releasing intrauterine system (Mirena) for treatment of heavy menstrual bleeding: cost effectiveness analysis. BMJ: British Medical Journal, 2011, 342, d2202-d2202.	2.4	111
58	Bipolar Radiofrequency Compared With Thermal Balloon Endometrial Ablation in the Office: A Randomized Controlled Trial. Obstetrics and Gynecology, 2011, 117, 1228.	1.2	40
59	Intrapartum tests for group B streptococcus: accuracy and acceptability of screening. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 257-265.	1.1	53
60	Bipolar Radiofrequency Compared With Thermal Balloon Endometrial Ablation in the Office. Obstetrics and Gynecology, 2011, 117, 109-118.	1,2	47
61	Hysterectomy, endometrial ablation and Mirena $\hat{A}^{\odot}$ for heavy menstrual bleeding: a systematic review of clinical effectiveness and cost-effectiveness analysis. Health Technology Assessment, 2011, 15, iii-xvi, 1-252.	1.3	95
62	Ultrasound scan and magnetic resonance imaging for the diagnosis of adenomyosis: systematic review comparing test accuracy. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 1374-1384.	1.3	186
63	Costâ€effectiveness of rapid tests and other existing strategies for screening and management of earlyâ€onset group B streptococcus during labour. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1616-1627.	1.1	28
64	Individual patient data meta-analysis of randomized evidence to assess the effectiveness of laparoscopic uterosacral nerve ablation in chronic pelvic pain. Human Reproduction Update, 2010, 16, 568-576.	5.2	31
65	Chronic pelvic pain in women. BMJ: British Medical Journal, 2010, 341, c4834-c4834.	2.4	104
66	Hysterectomy, endometrial destruction, and levonorgestrel releasing intrauterine system (Mirena) for heavy menstrual bleeding: systematic review and meta-analysis of data from individual patients. BMJ: British Medical Journal, 2010, 341, c3929-c3929.	2.4	137
67	Laparoscopic Uterosacral Nerve Ablation for Alleviating Chronic Pelvic Pain <subtitle>A Randomized Controlled Trial</subtitle> . JAMA - Journal of the American Medical Association, 2009, 302, 955.	3.8	112
68	Cell salvage at caesarean section: the need for an evidenceâ€based approach. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 743-747.	1.1	56
69	Rapid testing for group B streptococcus during labour: a test accuracy study with evaluation of acceptability and cost-effectiveness. Health Technology Assessment, 2009, 13, 1-154, iii-iv.	1.3	38
70	Metaâ€analysis using individual patient data from randomised trials to assess the effectiveness of laparoscopic uterosacral nerve ablation in the treatment of chronic pelvic pain: a proposed protocol. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 1580.	1.1	7
71	Health technology assessment in obstetrics and gynaecology. Part 1: an overview of the process. The Obstetrician and Gynaecologist, 2007, 9, 109-115.	0.2	1
72	Designing clinical trials in women's health. Reviews in Gynaecological and Perinatal Practice, 2006, 6, 33-39.	0.3	1

## J P DANIELS

#	Article	IF	CITATIONS
73	Assessing new interventions in women's health. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2006, 20, 713-728.	1.4	6
74	Variation in practice of laparoscopic uterosacral nerve ablation: a European survey. Journal of Obstetrics and Gynaecology, 2004, 24, 547-551.	0.4	10
75	Laparoscopic uterine nerve ablation: a survey of gynaecological practice in the UK. Gynaecological Endoscopy, 2000, 9, 157-159.	0.3	17