
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8772511/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	International Pediatric Multiple Sclerosis Study Group criteria for pediatric multiple sclerosis and immune-mediated central nervous system demyelinating disorders: revisions to the 2007 definitions. Multiple Sclerosis Journal, 2013, 19, 1261-1267.	3.0	883
2	Recommendations for a Brief International Cognitive Assessment for Multiple Sclerosis (BICAMS). Multiple Sclerosis Journal, 2012, 18, 891-898.	3.0	654
3	Cognitive Dysfunction in Early-Onset Multiple Sclerosis. Archives of Neurology, 2001, 58, 1602.	4.5	586
4	Multiple sclerosis-related cognitive changes: A review of cross-sectional and longitudinal studies. Journal of the Neurological Sciences, 2006, 245, 41-46.	0.6	465
5	ECTRIMS/EAN Guideline on the pharmacological treatment of people with multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 96-120.	3.0	458
6	Clinical and imaging assessment of cognitive dysfunction in multiple sclerosis. Lancet Neurology, The, 2015, 14, 302-317.	10.2	437
7	The Rao's Brief Repeatable Battery and Stroop test: normative values with age, education and gender corrections in an Italian population. Multiple Sclerosis Journal, 2006, 12, 787-793.	3.0	343
8	Cognitive Impairment in Early-Onset Multiple Sclerosis. Archives of Neurology, 1995, 52, 168.	4.5	329
9	Cognitive impairment in multiple sclerosis: clinical management, MRI, and therapeutic avenues. Lancet Neurology, The, 2020, 19, 860-871.	10.2	302
10	Neocortical volume decrease in relapsing–remitting MS patients with mild cognitive impairment. Neurology, 2004, 63, 89-93.	1.1	293
11	Defining secondary progressive multiple sclerosis. Brain, 2016, 139, 2395-2405.	7.6	281
12	Brief International Cognitive Assessment for MS (BICAMS): international standards for validation. BMC Neurology, 2012, 12, 55.	1.8	275
13	The prevalence of pain in multiple sclerosis. Neurology, 2004, 63, 919-921.	1.1	274
14	Radiologically Isolated Syndrome: 5-Year Risk for an Initial Clinical Event. PLoS ONE, 2014, 9, e90509.	2.5	254
15	New natural history of interferon-Î <sup>2</sup> -treated relapsing multiple sclerosis. Annals of Neurology, 2007, 61, 300-306.	5.3	251
16	Cognitive and psychosocial features of childhood and juvenile MS. Neurology, 2008, 70, 1891-1897.	1.1	251
17	Neuropsychological features in childhood and juvenile multiple sclerosis. Neurology, 2014, 83, 1432-1438.	1.1	227
18	Age and disability drive cognitive impairment in multiple sclerosis across disease subtypes. Multiple Sclerosis Journal, 2017, 23, 1258-1267.	3.0	209

#	Article	IF	CITATIONS
19	Comparison of fingolimod with interferon beta-1a in relapsing-remitting multiple sclerosis: a randomised extension of the TRANSFORMS study. Lancet Neurology, The, 2011, 10, 520-529.	10.2	204
20	Association of Neocortical Volume Changes With Cognitive Deterioration in Relapsing-Remitting Multiple Sclerosis. Archives of Neurology, 2007, 64, 1157.	4.5	203
21	Autologous hematopoietic stem cell transplantation in multiple sclerosis. Neurology, 2015, 84, 981-988.	1.1	201
22	Cognitive and psychosocial features in childhood and juvenile MS. Neurology, 2010, 75, 1134-1140.	1.1	198
23	Treatment of cognitive impairment in multiple sclerosis: position paper. Journal of Neurology, 2013, 260, 1452-1468.	3.6	189
24	Consensus statement: evaluation of new and existing therapeutics for pediatric multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 116-127.	3.0	186
25	Cognitive impairment and its relation with disease measures in mildly disabled patients with relapsing–remitting multiple sclerosis: baseline results from the Cognitive Impairment in Multiple Sclerosis Journal, 2009, 15, 779-788.	3.0	172
26	Association of MRI metrics and cognitive impairment in radiologically isolated syndromes. Neurology, 2012, 78, 309-314.	1.1	169
27	Geographical Variations in Sex Ratio Trends over Time in Multiple Sclerosis. PLoS ONE, 2012, 7, e48078.	2.5	166
28	Establishing pathological cut-offs of brain atrophy rates in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, jnnp-2014-309903.	1.9	162
29	Relevance of cognitive deterioration in early relapsing-remitting MS: a 3-year follow-up study. Multiple Sclerosis Journal, 2010, 16, 1474-1482.	3.0	157
30	Cognitive impairment in early stages of multiple sclerosis. Neurological Sciences, 2010, 31, 211-214.	1.9	153
31	Predictors and dynamics of postpartum relapses in women with multiple sclerosis. Multiple Sclerosis Journal, 2014, 20, 739-746.	3.0	148
32	Benign multiple sclerosis. Journal of Neurology, 2006, 253, 1054-1059.	3.6	147
33	<scp>ECTRIMS</scp> / <scp>EAN</scp> guideline on the pharmacological treatment of people with multiple sclerosis. European Journal of Neurology, 2018, 25, 215-237.	3.3	147
34	Cognitive impairment predicts conversion to multiple sclerosis in clinically isolated syndromes. Multiple Sclerosis Journal, 2010, 16, 62-67.	3.0	144
35	Pregnancy and fetal outcomes after interferon-Î <sup>2</sup> exposure in multiple sclerosis. Neurology, 2010, 75, 1794-1802.	1.1	142
36	Cognitive changes in multiple sclerosis. Expert Review of Neurotherapeutics, 2008, 8, 1585-1596.	2.8	141

#	Article	IF	CITATIONS
37	Sex as a determinant of relapse incidence and progressive course of multiple sclerosis. Brain, 2013, 136, 3609-3617.	7.6	140
38	Breastfeeding is not related to postpartum relapses in multiple sclerosis. Neurology, 2011, 77, 145-150.	1.1	135
39	Realâ€life impact of early interferonβ therapy in relapsing multiple sclerosis. Annals of Neurology, 2009, 66, 513-520.	5.3	132
40	Primary <scp>P</scp> rogressive <scp>M</scp> ultiple <scp>S</scp> clerosis <scp>E</scp> volving <scp>F</scp> rom <scp>R</scp> adiologically <scp>I</scp> solated <scp>S</scp> yndrome. Annals of Neurology, 2016, 79, 288-294.	5.3	130
41	Can the Expanded Disability Status Scale be assessed by telephone?. Multiple Sclerosis Journal, 2003, 9, 154-159.	3.0	123
42	Male Sex Is Independently Associated with Faster Disability Accumulation in Relapse-Onset MS but Not in Primary Progressive MS. PLoS ONE, 2015, 10, e0122686.	2.5	122
43	Autologous haematopoietic stem cell transplantation with an intermediate intensity conditioning regimen in multiple sclerosis: the Italian multi-centre experience. Multiple Sclerosis Journal, 2012, 18, 835-842.	3.0	115
44	Cognitive reserve and cortical atrophy in multiple sclerosis. Neurology, 2013, 80, 1728-1733.	1.1	113
45	A prospective study on the natural history of multiple sclerosis: clues to the conduct and interpretation of clinical trials. Journal of the Neurological Sciences, 1999, 168, 96-106.	0.6	112
46	Prevalence of neuromyelitis optica spectrum disorder and phenotype distribution. Journal of Neurology, 2009, 256, 1891-1898.	3.6	112
47	Coping strategies, psychological variables and their relationship with quality of life in multiple sclerosis. Neurological Sciences, 2009, 30, 15-20.	1.9	110
48	Spinal cord involvement in multiple sclerosis and neuromyelitis optica spectrum disorders. Lancet Neurology, The, 2019, 18, 185-197.	10.2	110
49	Pediatric multiple sclerosis. Neurology, 2016, 87, S74-81.	1.1	107
50	Cognitive assessment and quantitative magnetic resonance metrics can help to identify benign multiple sclerosis. Neurology, 2008, 71, 632-638.	1.1	104
51	Computer-assisted rehabilitation of attention in patients with multiple sclerosis: results of a randomized, double-blind trial. Multiple Sclerosis Journal, 2014, 20, 91-98.	3.0	103
52	Pregnancy decision-making in women with multiple sclerosis treated with natalizumab. Neurology, 2018, 90, e823-e831.	1.1	102
53	Environmental modifiable risk factors for multiple sclerosis: Report from the 2016 ECTRIMS focused workshop. Multiple Sclerosis Journal, 2018, 24, 590-603.	3.0	101
54	Comparison of Switch to Fingolimod or Interferon Beta/Glatiramer Acetate in Active Multiple Sclerosis. JAMA Neurology, 2015, 72, 405.	9.0	100

#	Article	IF	CITATIONS
55	Disease-modifying drugs in childhood-juvenile multiple sclerosis: results of an Italian co-operative study. Multiple Sclerosis Journal, 2005, 11, 420-424.	3.0	99
56	The brief international cognitive assessment for multiple sclerosis (BICAMS): normative values with gender, age and education corrections in the Italian population. BMC Neurology, 2014, 14, 171.	1.8	99
57	Radiologically Isolated Syndrome: <scp>10‥ear</scp> Risk Estimate of a Clinical Event. Annals of Neurology, 2020, 88, 407-417.	5.3	95
58	Towards personalized therapy for multiple sclerosis: prediction of individual treatment response. Brain, 2017, 140, 2426-2443.	7.6	94
59	Meeting Review: The management of multiple sclerosis in children: a European view. Multiple Sclerosis Journal, 2010, 16, 1258-1267.	3.0	91
60	Neuropsychological and MRI measures predict short-term evolution in benign multiple sclerosis. Neurology, 2009, 73, 498-503.	1.1	90
61	Effects of immunomodulatory treatment with subcutaneous interferon beta-1a oncognitive decline in mildly disabled patients with relapsing—remitting multiple sclerosis. Multiple Sclerosis Journal, 2010, 16, 68-77.	3.0	89
62	A prospective, randomized, controlled trial of autologous haematopoietic stem cell transplantation for aggressive multiple sclerosis: a position paper. Multiple Sclerosis Journal, 2012, 18, 825-834.	3.0	89
63	Efficacy and safety of cannabinoid oromucosal spray for multiple sclerosis spasticity. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 944-951.	1.9	88
64	Coping strategies, cognitive impairment, psychological variables and their relationship with quality of life in multiple sclerosis. Neurological Sciences, 2010, 31, 227-230.	1.9	87
65	Long-Term Adherence to Interferon β Therapy in Relapsing-Remitting Multiple Sclerosis. European Neurology, 2008, 59, 131-135.	1.4	86
66	Identifying the Distinct Cognitive Phenotypes in Multiple Sclerosis. JAMA Neurology, 2021, 78, 414.	9.0	86
67	Pregnancy and fetal outcomes after Glatiramer Acetate exposure in patients with multiple sclerosis: a prospective observational multicentric study. BMC Neurology, 2012, 12, 124.	1.8	82
68	Impact of Natalizumab on Cognitive Performances and Fatigue in Relapsing Multiple Sclerosis: A Prospective, Open-Label, Two Years Observational Study. PLoS ONE, 2012, 7, e35843.	2.5	82
69	The costs of multiple sclerosis: a cross-sectional, multicenter cost-of-illness study in Italy. Journal of Neurology, 2002, 249, 152-163.	3.6	81
70	Evolving expectations around early management of multiple sclerosis. Therapeutic Advances in Neurological Disorders, 2010, 3, 351-367.	3.5	81
71	Caregiver quality of life in multiple sclerosis: a multicentre Italian study. Multiple Sclerosis Journal, 2007, 13, 412-419.	3.0	78
72	Epidural analgesia and cesarean delivery in multiple sclerosis post-partum relapses: the Italian cohort study. BMC Neurology, 2012, 12, 165.	1.8	78

#	Article	IF	CITATIONS
73	Pediatric multiple sclerosis. Neurology, 2016, 87, S82-7.	1.1	78
74	Relevance of Brain Lesion Location to Cognition in Relapsing Multiple Sclerosis. PLoS ONE, 2012, 7, e44826.	2.5	78
75	Fatigue and its relationships with cognitive functioning and depression in paediatric multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 329-334.	3.0	77
76	Radiologically isolated syndrome or subclinical multiple sclerosis: MAGNIMS consensus recommendations. Multiple Sclerosis Journal, 2018, 24, 214-221.	3.0	77
77	Fingolimod versus interferon beta/glatiramer acetate after natalizumab suspension in multiple sclerosis. Brain, 2015, 138, 3275-3286.	7.6	76
78	Brain damage as detected by magnetization transfer imaging is less pronounced in benign than in early relapsing multiple sclerosis. Brain, 2006, 129, 2008-2016.	7.6	75
79	Fertility, Pregnancy and Childbirth in Patients with Multiple Sclerosis: Impact of Disease-Modifying Drugs. CNS Drugs, 2015, 29, 207-220.	5.9	75
80	Altered cerebellar functional connectivity mediates potential adaptive plasticity in patients with multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 840-846.	1.9	74
81	Pregnancy decision-making in women with multiple sclerosis treated with natalizumab. Neurology, 2018, 90, e832-e839.	1.1	74
82	Improving the Characterization of Radiologically Isolated Syndrome Suggestive of Multiple Sclerosis. PLoS ONE, 2011, 6, e19452.	2.5	74
83	Cortical lesions in radiologically isolated syndrome. Neurology, 2011, 77, 1896-1899.	1.1	73
84	Risk of relapse phenotype recurrence in multiple sclerosis. Multiple Sclerosis Journal, 2014, 20, 1511-1522.	3.0	73
85	Frequency and risk factors of mitoxantrone-induced amenorrhea in multiple sclerosis: the FEMIMS study. Multiple Sclerosis Journal, 2008, 14, 1225-1233.	3.0	72
86	Differences in mesenchymal stem cell cytokine profiles between MS patients and healthy donors: Implication for assessment of disease activity and treatment. Journal of Neuroimmunology, 2008, 199, 142-150.	2.3	71
87	Long-term results of immunomodulatory treatment in children and adolescents with multiple sclerosis: the Italian experience. Neurological Sciences, 2009, 30, 193-199.	1.9	68
88	Acute myeloid leukemia in Italian patients with multiple sclerosis treated with mitoxantrone. Neurology, 2011, 77, 1887-1895.	1.1	68
89	Seasonal variation of relapse rate in multiple sclerosis is latitude dependent. Annals of Neurology, 2014, 76, 880-890.	5.3	67
90	Pediatric multiple sclerosis. Neurology, 2016, 87, S97-S102.	1.1	67

#	Article	IF	CITATIONS
91	Postpartum relapses increase the risk of disability progression in multiple sclerosis: the role of disease modifying drugs. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 845-850.	1.9	66
92	Brain metabolic changes suggestive of axonal damage in radiologically isolated syndrome. Neurology, 2013, 80, 2090-2094.	1.1	63
93	Higher latitude is significantly associated with an earlier age of disease onset in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1343-1349.	1.9	63
94	Supportive strategies to improve adherence to IFN beta-1b in Multiple Sclerosis — Results of the BetaPlus observational cohort study. Journal of the Neurological Sciences, 2011, 307, 120-126.	0.6	59
95	The Italian multiple sclerosis register. Neurological Sciences, 2019, 40, 155-165.	1.9	59
96	Sex effects across the lifespan in women with multiple sclerosis. Therapeutic Advances in Neurological Disorders, 2020, 13, 175628642093616.	3.5	58
97	Treatment of early-onset multiple sclerosis with intramuscular interferonβ-1a: long-term results. Neurological Sciences, 2007, 28, 127-132.	1.9	57
98	Immunomodulatory treatment of early onset multiple sclerosis: results of an Italian Co-operative Study. Neurological Sciences, 2005, 26, s183-s186.	1.9	56
99	The brief neuropsychological battery for children: a screening tool for cognitive impairment in childhood and juvenile multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 620-626.	3.0	56
100	Immunoproteasome LMP2 60HH Variant Alters MBP Epitope Generation and Reduces the Risk to Develop Multiple Sclerosis in Italian Female Population. PLoS ONE, 2010, 5, e9287.	2.5	56
101	Posterior brain damage and cognitive impairment in pediatric multiple sclerosis. Neurology, 2014, 82, 1314-1321.	1.1	56
102	Early prediction of the long term evolution of multiple sclerosis: the Bayesian Risk Estimate for Multiple Sclerosis (BREMS) score. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 78, 757-759.	1.9	55
103	Quantification of impairment in MS: discussion of the scales in use. Multiple Sclerosis Journal, 1999, 5, 216-219.	3.0	54
104	Prevalence of patient-reported dysphagia in multiple sclerosis patients: An Italian multicenter study (using the DYMUS questionnaire). Journal of the Neurological Sciences, 2013, 331, 94-97.	0.6	53
105	Subcutaneous Interferon β-1a May Protect against Cognitive Impairment in Patients with Relapsing–Remitting Multiple Sclerosis: 5-Year Follow-up of the COGIMUS Study. PLoS ONE, 2013, 8, e74111.	2.5	53
106	Disease-modifying drugs can reduce disability progression in relapsing multiple sclerosis. Brain, 2020, 143, 3013-3024.	7.6	53
107	Reliability, practice effects, and change indices for Rao's brief repeatable battery. Multiple Sclerosis Journal, 2010, 16, 611-617.	3.0	52
108	Are there protective treatments for cognitive decline in MS?. Journal of the Neurological Sciences, 2006, 245, 183-186.	0.6	51

#	Article	IF	CITATIONS
109	Relevance of hypointense brain MRI lesions for long-term worsening of clinical disability in relapsing multiple sclerosis. Multiple Sclerosis Journal, 2014, 20, 214-219.	3.0	51
110	Anxiety state affects information processing speed in patients with multiple sclerosis. Neurological Sciences, 2014, 35, 559-563.	1.9	51
111	Withdrawal of fingolimod treatment for relapsing–remitting multiple sclerosis: report of six cases. Multiple Sclerosis Journal, 2012, 18, 1636-1639.	3.0	50
112	Highly active immunomodulatory therapy ameliorates accumulation of disability in moderately advanced and advanced multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 196-203.	1.9	49
113	Dysregulation of sphingosine 1 phosphate receptor-1 (S1P1) signaling and regulatory lymphocyte-dependent immunosuppression in a model of post-fingolimod MS rebound. Brain, Behavior, and Immunity, 2015, 50, 78-86.	4.1	48
114	Immunomodulatory therapies delay disease progression in multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 1732-1740.	3.0	48
115	Long-term disability trajectories in relapsing multiple sclerosis patients treated with early intensive or escalation treatment strategies. Therapeutic Advances in Neurological Disorders, 2021, 14, 175628642110195.	3.5	48
116	Impact of cognitive impairment on coping strategies in multiple sclerosis. Clinical Neurology and Neurosurgery, 2010, 112, 127-130.	1.4	47
117	Safety of the first dose of fingolimod for multiple sclerosis: results of an open-label clinical trial. BMC Neurology, 2014, 14, 65.	1.8	47
118	Management options in multiple sclerosis-associated fatigue. Expert Opinion on Pharmacotherapy, 2012, 13, 207-216.	1.8	46
119	Natalizumab may reduce cognitive changes and brain atrophy rate in relapsing–remitting multiple sclerosis: a prospective, †nonâ€randomized pilot study. European Journal of Neurology, 2013, 20, 986-990.	3.3	46
120	Influence of Apolipoprotein E ϵ4 Genotype on Brain Tissue Integrity in Relapsing-Remitting Multiple Sclerosis. Archives of Neurology, 2004, 61, 536.	4.5	45
121	Clinical outcome measures in multiple sclerosis. Journal of the Neurological Sciences, 2007, 259, 118-122.	0.6	45
122	Efficacy of fingolimod and interferon beta-1b on cognitive, MRI, and clinical outcomes in relapsing–remitting multiple sclerosis: an 18-month, open-label, rater-blinded, randomised, multicentre study (the GOLDEN study). Journal of Neurology, 2017, 264, 2436-2449.	3.6	44
123	Recommendations for the management of urinary disorders in multiple sclerosis: a consensus of the Italian Multiple Sclerosis Study Group. Neurological Sciences, 2011, 32, 1223-1231.	1.9	43
124	Quality of life, depression and fatigue in mildly disabled patients with relapsing–remitting multiple sclerosis receiving subcutaneous interferon beta-1a: 3-year results from the COGIMUS (COGnitive) Tj ETQq0 0 0	rg <b>B.T</b> 0/Ove	erlo <b>et</b> a 10 Tf 50
125	Predictors of disability worsening in clinically isolated syndrome. Annals of Clinical and Translational Neurology, 2015, 2, 479-491.	3.7	43

126Psychosocial issue in children and adolescents with multiple sclerosis. Neurological Sciences, 2010,<br/>31, 467-470.1.942

#	Article	IF	CITATIONS
127	Appraisal of Brain Connectivity in Radiologically Isolated Syndrome by Modeling Imaging Measures. Journal of Neuroscience, 2015, 35, 550-558.	3.6	42
128	Natalizumab, Fingolimod, and Dimethyl Fumarate Use and Pregnancy-Related Relapse and Disability in Women With Multiple Sclerosis. Neurology, 2021, 96, .	1.1	41
129	European validation of a standardized clinical description of multiple sclerosis. Journal of Neurology, 2004, 251, 1472-1480.	3.6	40
130	Absence of cerebrospinal fluid oligoclonal bands is associated with delayed disability progression in relapsing-remitting MS patients treated with interferon-β. Journal of the Neurological Sciences, 2006, 244, 97-102.	0.6	40
131	Intranetwork and internetwork functional connectivity abnormalities in pediatric multiple sclerosis. Human Brain Mapping, 2014, 35, 4180-4192.	3.6	40
132	Illness Perception and Well-Being Among Persons with Multiple Sclerosis and Their Caregivers. Journal of Clinical Psychology in Medical Settings, 2016, 23, 33-52.	1.4	39
133	Aging with multiple sclerosis: prevalence and profile of cognitive impairment. Neurological Sciences, 2019, 40, 1651-1657.	1.9	39
134	Aggressive multiple sclerosis (1): Towards a definition of the phenotype. Multiple Sclerosis Journal, 2020, 26, 1031-1044.	3.0	39
135	Changes in Neuropsychological Test Performance Over the Workday in Multiple Sclerosis. Clinical Neuropsychologist, 2003, 17, 551-560.	2.3	38
136	Long-term follow-up of pediatric MS patients starting treatment with injectable first-line agents: A multicentre, Italian, retrospective, observational study. Multiple Sclerosis Journal, 2019, 25, 399-407.	3.0	38
137	Safety and tolerability of cyclophosphamide â€~pulses' in multiple sclerosis: a prospective study in a clinical cohort. Multiple Sclerosis Journal, 2003, 9, 446-450.	3.0	37
138	Cerebrospinal fluid findings in Devic?s neuromyelitis optica. Neurological Sciences, 2004, 25, s368-s370.	1.9	37
139	A short version of Rao's Brief Repeatable Battery as a screening tool for cognitive impairment in multiple sclerosis. Clinical Neuropsychologist, 2009, 23, 268-275.	2.3	37
140	The coexistence of well- and ill-being in persons with multiple sclerosis, their caregivers and health professionals. Journal of the Neurological Sciences, 2014, 337, 67-73.	0.6	37
141	Long-term disability trajectories in primary progressive MS patients: A latent class growth analysis. Multiple Sclerosis Journal, 2018, 24, 642-652.	3.0	37
142	Cognitive assessment in multiple sclerosis—an Italian consensus. Neurological Sciences, 2018, 39, 1317-1324.	1.9	37
143	Comparative effectiveness of glatiramer acetate and interferon beta formulations in relapsing–remitting multiple sclerosis. Multiple Sclerosis Journal, 2015, 21, 1159-1171.	3.0	36
144	â€~Subclinical MS': followâ€up of four cases. European Journal of Neurology, 2008, 15, 858-861.	3.3	35

#	Article	IF	CITATIONS
145	The effect of oral immunomodulatory therapy on treatment uptake and persistence in multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 520-532.	3.0	34
146	Prognostic indicators in pediatric clinically isolated syndrome. Annals of Neurology, 2017, 81, 729-739.	5.3	34
147	Motor evoked potentials in multiple sclerosis patients without walking limitation: amplitude vs. conduction time abnormalities. Journal of Neurology, 2007, 254, 220-227.	3.6	33
148	Improving Compliance with Interferon-Î <sup>2</sup> Therapy in Patients with Multiple Sclerosis. CNS Drugs, 2009, 23, 453-462.	5.9	33
149	Multiple sclerosis in Italy: cost-of-illness study. Neurological Sciences, 2011, 32, 787-794.	1.9	33
150	Patients with paediatric-onset multiple sclerosis are at higher risk of cognitive impairment in adulthood: An Italian collaborative study. Multiple Sclerosis Journal, 2018, 24, 1234-1242.	3.0	33
151	The cognitive reserve theory in the setting of pediatric-onset multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 1741-1749.	3.0	32
152	Clinical outcome measures for progressive MS trials. Multiple Sclerosis Journal, 2017, 23, 1627-1635.	3.0	32
153	Cognitive impairment in multiple sclerosis: An exploratory analysis of environmental and lifestyle risk factors. PLoS ONE, 2019, 14, e0222929.	2.5	32
154	Early use of high-efficacy diseaseâ€ʿmodifying therapies makes the difference in people with multiple sclerosis: an expert opinion. Journal of Neurology, 2022, 269, 5382-5394.	3.6	32
155	The contribution of cerebrospinal fluid oligoclonal bands to the early diagnosis of multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 472-478.	3.0	31
156	The Rao's Brief Repeatable Battery version B: normative values with age, education and gender corrections in an Italian population. Neurological Sciences, 2014, 35, 79-82.	1.9	31
157	A comparison of the brief international cognitive assessment for multiple sclerosis and the brief repeatable battery in multiple sclerosis patients. BMC Neurology, 2015, 15, 204.	1.8	31
158	Impact of COVID-19 on multiple sclerosis care and management: Results from the European Committee for Treatment and Research in Multiple Sclerosis survey. Multiple Sclerosis Journal, 2022, 28, 132-138.	3.0	31
159	Performance of the 2017 and 2010 Revised McDonald Criteria in Predicting MS Diagnosis After a Clinically Isolated Syndrome. Neurology, 2022, 98, .	1.1	31
160	Risk of Getting COVID-19 in People With Multiple Sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2022, 9, .	6.0	31
161	Response to interferon-beta therapy in relapsing-remitting multiple sclerosis: a comparison of different clinical criteria. Multiple Sclerosis Journal, 2006, 12, 281-286.	3.0	30
162	Neocortical volume decrease in relapsing–remitting multiple sclerosis with mild cognitive impairment. Journal of the Neurological Sciences, 2006, 245, 195-199.	0.6	30

#	Article	IF	CITATIONS
163	Cortical functional reorganization and its relationship with brain structural damage in patients with benign multiple sclerosis. Multiple Sclerosis Journal, 2010, 16, 1326-1334.	3.0	30
164	Guidelines on the clinical use for the detection of neutralizing antibodies (NAbs) to IFN beta in multiple sclerosis therapy: report from the Italian Multiple Sclerosis Study group. Neurological Sciences, 2014, 35, 307-316.	1.9	30
165	Contribution of different relapse phenotypes to disability in multiple sclerosis. Multiple Sclerosis Journal, 2017, 23, 266-276.	3.0	30
166	Management of pregnancy-related issues in multiple sclerosis patients: the need for an interdisciplinary approach. Neurological Sciences, 2017, 38, 1849-1858.	1.9	30
167	Beyond Disease: Happiness, Goals, and Meanings among Persons with Multiple Sclerosis and Their Caregivers. Frontiers in Psychology, 2017, 8, 2216.	2.1	30
168	Study protocol: improving cognition in people with progressive multiple sclerosis: a multi-arm, randomized, blinded, sham-controlled trial of cognitive rehabilitation and aerobic exercise (COGEx). BMC Neurology, 2020, 20, 204.	1.8	30
169	Serum and CSF N-acetyl aspartate levels differ in multiple sclerosis and neuromyelitis optica. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1355-1359.	1.9	29
170	Three years of experience: the Italian registry and safety data update. Neurological Sciences, 2011, 31, 295-297.	1.9	28
171	Regional hippocampal involvement and cognitive impairment in pediatric multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 628-640.	3.0	28
172	A double blind, placebo-controlled, phase II, add-on study of cyclophosphamide (CTX) for 24 months in patients affected by multiple sclerosis on a background therapy with interferon-beta study denomination: CYCLIN. Journal of the Neurological Sciences, 2004, 223, 69-71.	0.6	27
173	The Italian Multiple Sclerosis Database Network (MSDN): the risk of worsening according to IFNβ exposure in multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 578-585.	3.0	27
174	Paternal therapy with disease modifying drugs in multiple sclerosis and pregnancy outcomes: a prospective observational multicentric study. BMC Neurology, 2014, 14, 114.	1.8	27
175	Identifying risk factors for cognitive issues in multiple sclerosis. Expert Review of Neurotherapeutics, 2019, 19, 333-347.	2.8	27
176	Persistence on Therapy and Propensity Matched Outcome Comparison of Two Subcutaneous Interferon Beta 1a Dosages for Multiple Sclerosis. PLoS ONE, 2013, 8, e63480.	2.5	26
177	Long-term assessment of no evidence of disease activity in relapsing-remitting MS. Neurology, 2015, 85, 1722-1723.	1.1	26
178	Thrombotic microangiopathy induced by interferon beta in patients with multiple sclerosis: three cases treated with eculizumab. CKJ: Clinical Kidney Journal, 2017, 10, 625-631.	2.9	26
179	Autologous hematopoietic stem cell transplantation for very active relapsing-remitting multiple sclerosis: report of two cases. Multiple Sclerosis Journal, 2007, 13, 676-678.	3.0	24
180	No evidence for an effect on brain atrophy rate of atorvastatin add-on to interferon β1b therapy in relapsing–remitting multiple sclerosis (the ARIANNA study). Multiple Sclerosis Journal, 2016, 22, 1163-1173.	3.0	24

#	Article	IF	CITATIONS
181	A 10-year follow-up of the European multicenter trial of interferon β-1b in secondary-progressive multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 533-543.	3.0	24
182	Delay from treatment start to full effect of immunotherapies for multiple sclerosis. Brain, 2020, 143, 2742-2756.	7.6	24
183	Intravenous mitoxantrone and cyclophosphamide as second-line therapy in multiple sclerosis: An open-label comparative study of efficacy and safety. Journal of the Neurological Sciences, 2008, 266, 25-30.	0.6	23
184	Post-marketing of disease modifying drugs in multiple sclerosis: An exploratory analysis of gender effect in interferon beta treatment. Journal of the Neurological Sciences, 2009, 286, 109-113.	0.6	23
185	Rebound after Fingolimod suspension in a pediatric-onset multiple sclerosis patient. Journal of Neurology, 2013, 260, 1675-1677.	3.6	23
186	Assessing executive function with the D-KEFS sorting test: normative data for a sample of the Italian adult population. Neurological Sciences, 2014, 35, 1895-1902.	1.9	23
187	The direct cost of patients with multiple sclerosis: a survey from Italian MS centres. Neurological Sciences, 2011, 32, 1035-1041.	1.9	22
188	Increased CD8+ T cell responses to apoptotic T cell-associated antigens in multiple sclerosis. Journal of Neuroinflammation, 2013, 10, 94.	7.2	22
189	APOE-ε4 is not associated with cognitive impairment in relapsing—remitting multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 1489-1494.	3.0	21
190	Cognitive impairment in pediatric multiple sclerosis. Neurological Sciences, 2010, 31, 215-218.	1.9	21
191	Cognitive impairment in paediatric multiple sclerosis patients is not related to cortical lesions. Multiple Sclerosis Journal, 2015, 21, 956-959.	3.0	21
192	Breastfeeding and post-partum relapses in multiple sclerosis patients. Multiple Sclerosis Journal, 2019, 25, 1211-1216.	3.0	21
193	Aggressive multiple sclerosis (2): Treatment. Multiple Sclerosis Journal, 2020, 26, 1045-1063.	3.0	21
194	Gray matter atrophy cannot be fully explained by white matter damage in patients with MS. Multiple Sclerosis Journal, 2021, 27, 39-51.	3.0	21
195	Italian studies on early-onset multiple sclerosis: the present and the future. Neurological Sciences, 2004, 25, s346-s349.	1.9	20
196	Truly benign multiple sclerosis is rare: let's stop fooling ourselves-Yes. Multiple Sclerosis Journal, 2012, 18, 13-14.	3.0	20
197	Endovascular treatment of CCSVI in patients with multiple sclerosis: clinical outcome of 462 cases. Neurological Sciences, 2013, 34, 1633-1637.	1.9	20
198	No association between chronic cerebrospinal venous insufficiency and pediatric-onset multiple sclerosis Journal, 2012, 18, 1791-1796.	3.0	19

#	Article	IF	CITATIONS
199	International Pediatric MS Study Group Global Members Symposium report. Neurology, 2016, 87, S110-6.	1.1	19
200	Pronounced Structural and Functional Damage in Early Adult Pediatric-Onset Multiple Sclerosis with No or Minimal Clinical Disability. Frontiers in Neurology, 2017, 8, 608.	2.4	19
201	Transition to secondary progression in relapsing-onset multiple sclerosis: Definitions and risk factors. Multiple Sclerosis Journal, 2021, 27, 430-438.	3.0	19
202	Cognitive Issues in Pediatric Multiple Sclerosis. Brain Sciences, 2021, 11, 442.	2.3	18
203	Natalizumab therapy of multiple sclerosis: recommendations of the Multiple Sclerosis Study Group—Italian Neurological Society. Neurological Sciences, 2011, 32, 351-358.	1.9	17
204	Current recommendations for multiple sclerosis treatment in pregnancy and puerperium. Expert Review of Clinical Immunology, 2013, 9, 683-692.	3.0	17
205	Adverse events after endovascular treatment of chronic cerebro-spinal venous insufficiency (CCSVI) in patients with multiple sclerosis. Multiple Sclerosis Journal, 2013, 19, 961-963.	3.0	17
206	Illness perceptions and psychological adjustment among persons with multiple sclerosis: the mediating role of coping strategies and social support. Disability and Rehabilitation, 2020, 42, 3780-3792.	1.8	17
207	The caring experience in multiple sclerosis: Caregiving tasks, coping strategies and psychological wellâ€being. Health and Social Care in the Community, 2020, 28, 236-246.	1.6	17
208	The Contribution of Illness Beliefs, Coping Strategies, and Social Support to Perceived Physical Health and Fatigue in Multiple Sclerosis. Journal of Clinical Psychology in Medical Settings, 2021, 28, 149-160.	1.4	17
209	The influence of high dose intravenous immunoglobulins on immunological and metabolic pattern in newly diagnosed type I diabetic patients. Journal of Autoimmunity, 1990, 3, 587-592.	6.5	16
210	Interobserver agreement on Poser's and the new McDonald's diagnostic criteria for multiple sclerosis. Multiple Sclerosis Journal, 2003, 9, 481-485.	3.0	16
211	The pharmacovigilance program on natalizumab in Italy: 2Âyears of experience. Neurological Sciences, 2009, 30, 163-165.	1.9	16
212	History of multiple sclerosis in 2 successive pregnancies. Neurology, 2016, 87, 1360-1367.	1.1	16
213	Abnormal cerebellar functional MRI connectivity in patients with paediatric multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 292-301.	3.0	16
214	The risk of infections for multiple sclerosis and neuromyelitis optica spectrum disorder disease-modifying treatments: Eighth European Committee for Treatment and Research in Multiple Sclerosis Focused Workshop Review. April 2021. Multiple Sclerosis Journal, 2022, 28, 1424-1456.	3.0	16
215	Effect of organizational features on patient satisfaction with care in Italian multiple sclerosis centres. European Journal of Neurology, 2017, 24, 631-637.	3.3	15
216	Effects of 2-year treatment with dimethyl fumarate on cognition and functional impairment in patients with relapsing remitting multiple sclerosis. Neurological Sciences, 2020, 41, 3185-3193.	1.9	15

#	Article	IF	CITATIONS
217	Effects of High- and Low-Efficacy Therapy in Secondary Progressive Multiple Sclerosis. Neurology, 2021, 97, e869-e880.	1.1	15
218	The heritage of glatiramer acetate and its use in multiple sclerosis. Multiple Sclerosis and Demyelinating Disorders, 2016, 1, .	1.1	14
219	MxA mRNA Quantification and Disability Progression in Interferon Beta-Treated Multiple Sclerosis Patients. PLoS ONE, 2014, 9, e94794.	2.5	14
220	Donepezil for memory impairment in multiple sclerosis. Lancet Neurology, The, 2005, 4, 72-73.	10.2	13
221	Cognitive rehabilitation in children and adolescents with multiple sclerosis. Neurological Sciences, 2010, 31, 275-278.	1.9	13
222	Cognitive impairment and event-related potentials in paediatric multiple sclerosis: 2-year study. Neurological Sciences, 2011, 32, 1043-1046.	1.9	13
223	MRI substrates of sustained attention system and cognitive impairment in pediatric MS patients. Neurology, 2017, 89, 1265-1273.	1.1	13
224	Early Predictors of 9‥ear Disability in Pediatric Multiple Sclerosis. Annals of Neurology, 2021, 89, 1011-1022.	5.3	13
225	The Brain-Derived Neurotrophic Factor Val66Met Polymorphism Can Protect Against Cognitive Impairment in Multiple Sclerosis. Frontiers in Neurology, 2021, 12, 645220.	2.4	13
226	Pregnancy in multiple sclerosis women with relapses in the year before conception increases the risk of long-term disability worsening. Multiple Sclerosis Journal, 2022, 28, 472-479.	3.0	13
227	Pharmacoeconomic considerations of multiple sclerosis therapy with the new disease-modifying agents. Expert Opinion on Pharmacotherapy, 2004, 5, 2115-2126.	1.8	12
228	Switching to Second-Line Therapies in Interferon-Beta-Treated Relapsing-Remitting Multiple Sclerosis Patients. European Neurology, 2009, 61, 177-182.	1.4	12
229	Defining the course of tumefactive multiple sclerosis: A large retrospective multicentre study. European Journal of Neurology, 2021, 28, 1299-1307.	3.3	12
230	Clinical correlations of CSF single IgG bands. Journal of Neurology, 2005, 252, 1274-1275.	3.6	11
231	Subcutaneous interferon beta-1a has a positive effect on cognitive performance in mildly disabled patients with relapsing—remitting multiple sclerosis: 2-year results from the COGIMUS study. Therapeutic Advances in Neurological Disorders, 2009, 2, 67-77.	3.5	11
232	ApolipoproteinE epsilon 4 allele is not associated with disease course and severity in multiple sclerosis. Acta Neurologica Scandinavica, 2009, 120, 439-441.	2.1	11
233	Changes in magnetic resonance imaging disease measures over 3 years in mildly disabled patients with relapsing-remitting multiple sclerosis receiving interferon β-1a in the COGnitive Impairment in MUltiple Sclerosis (COGIMUS) study. BMC Neurology, 2011, 11, 125.	1.8	11
234	Emotional and neutral verbal memory impairment in Multiple Sclerosis. Journal of the Neurological Sciences, 2014, 341, 28-31.	0.6	11

#	Article	IF	CITATIONS
235	Natalizumab: a country-based surveillance program. Neurological Sciences, 2008, 29, 235-237.	1.9	10
236	Neopterin production and tryptophan degradation during 24-months therapy with interferon beta-1a in multiple sclerosis patients. Journal of Translational Medicine, 2011, 9, 42.	4.4	10
237	Fluctuations of MS births and UV-light exposure. Acta Neurologica Scandinavica, 2013, 127, 301-308.	2.1	10
238	A case of Takotsubo syndrome during a multiple sclerosis brainstem relapse. Multiple Sclerosis and Related Disorders, 2018, 24, 1-2.	2.0	10
239	PML risk is the main factor driving the choice of discontinuing natalizumab in a large multiple sclerosis population: results from an Italian multicenter retrospective study. Journal of Neurology, 2022, 269, 933-944.	3.6	10
240	Cardiorespiratory fitness and free-living physical activity are not associated with cognition in persons with progressive multiple sclerosis: Baseline analyses from the CogEx study. Multiple Sclerosis Journal, 2022, 28, 1091-1100.	3.0	10
241	The agenda of the global patient reported outcomes for multiple sclerosis (PROMS) initiative: Progresses and open questions. Multiple Sclerosis and Related Disorders, 2022, 61, 103757.	2.0	10
242	Longitudinal changes in social functioning in mildly disabled patients with relapsing–remitting multiple sclerosis receiving subcutaneous interferon β-1a: results from the COGIMUS (COGnitive) Tj ETQq0 0 0	rg₿ <b>3.1</b> ∕Ove	rlo <b>c</b> k 10 Tf 50
243	A steroid-induced bilateral avascular necrosis of the femoral head in an underage patient affected by multiple sclerosis. Clinical Cases in Mineral and Bone Metabolism, 2015, 12, 257-9.	1.0	9
244	Injectable Versus Oral First-Line Disease-Modifying Therapies: Results from the Italian MS Register. Neurotherapeutics, 2021, 18, 905-919.	4.4	9
245	Secondary Prevention in Radiologically Isolated Syndromes and Prodromal Stages of Multiple Sclerosis. Frontiers in Neurology, 2022, 13, 787160.	2.4	9
246	Progress in multiple sclerosis — from diagnosis to therapy. Nature Reviews Neurology, 2018, 14, 72-74.	10.1	8
247	Disease modifying treatments and symptomatic drugs for cognitive impairment in multiple sclerosis: where do we stand?. Multiple Sclerosis and Demyelinating Disorders, 2017, 2, .	1.1	7
248	Disease-modifying therapy aids cognition in multiple sclerosis. Nature Reviews Neurology, 2020, 16, 525-526.	10.1	7
249	The introduction of new medications in pediatric multiple sclerosis: Open issues and challenges. Multiple Sclerosis Journal, 2021, 27, 479-482.	3.0	7
250	Safety and Efficacy of Eculizumab Therapy in Multiple Sclerosis: A Case Series. Brain Sciences, 2021, 11, 1341.	2.3	7
251	Long-term Cognitive Outcomes and Socioprofessional Attainment in People With Multiple Sclerosis With Childhood Onset. Neurology, 2022, 98, e1626-e1636.	1.1	7
252	The dilemma of benign multiple sclerosis: Can we predict the risk of losing the "benign status� A 12-year follow-up study. Multiple Sclerosis and Related Disorders, 2018, 26, 71-73.	2.0	6

#	Article	IF	CITATIONS
253	Comparing natural history of early and late onset pediatric multiple sclerosis. Annals of Neurology, 2022, , .	5.3	6
254	LONGITUDINAL FOLLOW-UP OF "BENIGN―MULTIPLE SCLEROSIS AT 20 YEARS. Neurology, 2007, 69, 938-93	391.1	5
255	Multiple sclerosis in Latin America: A different disease course severity? A collaborative study from the MSBase Registry. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2015, 1, 205521731560019.	1.0	5
256	Tracking cognitive impairment in multiple sclerosis using the Brain on Track test: a validation study. Neurological Sciences, 2020, 41, 183-191.	1.9	5
257	Current international trends in the treatment of multiple sclerosis in children—Impact of the COVID-19 pandemic. Multiple Sclerosis and Related Disorders, 2021, 56, 103277.	2.0	5
258	The Use of Immunosuppressant Therapy for Multiple Sclerosis in Italy: A Multicenter Retroprospective Study. PLoS ONE, 2016, 11, e0157721.	2.5	5
259	Cerebrospinal Fluid IgM and Oligoclonal IgG Bands in Multiple Sclerosis: A Meta-Analysis of Prevalence and Prognosis. Brain Sciences, 2021, 11, 1444.	2.3	5
260	The relationship between processing speed and verbal and non-verbal new learning and memory in progressive multiple sclerosis. Multiple Sclerosis Journal, 2022, , 135245852210881.	3.0	5
261	Confounders in natural history of interferonâ€Î²â€"treated relapsing multiple sclerosis. Annals of Neurology, 2008, 63, 126-126.	5.3	4
262	Gray matter atrophy correlates with MS disability progression measured with MSFC but not EDSS. Journal of the Neurological Sciences, 2009, 284, 223.	0.6	4
263	Is there a future for donepezil therapy in the treatment of multiple sclerosis-related cognitive impairment?. Expert Review of Neurotherapeutics, 2011, 11, 1243-1246.	2.8	4
264	Cognitive and Psychosocial Issues in Pediatric Multiple Sclerosis: Where We Are and Where We Need To Go. Neuropediatrics, 2012, 43, 174-175.	0.6	4
265	Immunohistochemistry analysis of bone marrow biopsies in multiple sclerosis patients undergoing autologous haematopoietic stem cells transplantation. Clinical Neurology and Neurosurgery, 2013, 115, 1044-1048.	1.4	4
266	Clinical case reviews in multiple sclerosis spasticity: experiences from around Europe. Expert Review of Neurotherapeutics, 2013, 13, 61-66.	2.8	4
267	Maturational Trajectory of Processing Speed Performance in Pediatric Multiple Sclerosis. Developmental Neuropsychology, 2017, 42, 299-308.	1.4	4
268	The still under-investigated role of cognitive deficits in PML diagnosis. Multiple Sclerosis and Demyelinating Disorders, 2017, 2, .	1.1	4
269	Author response: Pregnancy decision-making in women with multiple sclerosis treated with natalizumab: I: Fetal risks. Neurology, 2018, 91, 851-851.	1.1	4
270	A decline in cognitive function should lead to a change in disease-modifying therapy – Commentary. Multiple Sclerosis Journal, 2018, 24, 1685-1686.	3.0	4

#	Article	IF	CITATIONS
271	COGNITIVE AND PSYCHOSOCIAL FEATURES OF CHILDHOOD AND JUVENILE MS. Neurology, 2009, 72, 1189-1190.	1.1	3
272	Mild gray matter atrophy in patients with long-standing multiple sclerosis and favorable clinical course. Multiple Sclerosis Journal, 2022, 28, 154-159.	3.0	3
273	Less Frequent and Less Severe Flu-Like Syndrome in Interferon Beta-1a Treated Multiple Sclerosis Patients with at Least One Allele Bearing the G>C Polymorphism at Position -174 of the IL-6 Promoter Gene. PLoS ONE, 2015, 10, e0135441.	2.5	3
274	Natalizumab treatment and pregnancy in multiple sclerosis: A reappraisal of maternal and infant outcomes after 6 years. Multiple Sclerosis Journal, 2022, 28, 2137-2141.	3.0	3
275	Evidence for relative cortical sparing in benign multiple sclerosis: a longitudinal magnetic resonance imaging study. Multiple Sclerosis Journal, 2009, 15, 403-403.	3.0	2
276	Cognitive dysfunction in pediatric-onset multiple sclerosis. , 0, , 134-143.		2
277	Cognitive dysfunction in multiple sclerosis: current approaches to clinical management. Expert Review of Neurotherapeutics, 2002, 2, 731-742.	2.8	1
278	The diagnostic dilemma of multiple sclerosis presenting with isolated cognitive and behavioral disorders. Multiple Sclerosis Journal, 2017, 23, 1561-1563.	3.0	1
279	"Brain reserve―and "cognitive reserve―should always be taken into account when studying neurodegeneration – Commentary. Multiple Sclerosis Journal, 2018, 24, 577-578.	3.0	1
280	Retrospectively acquired cohort study to evaluate the long-term impact of two different treatment strategies on disability outcomes in patients with relapsing multiple sclerosis (RE.LO.DI.MS): data from the Italian MS Register. Journal of Neurology, 2019, 266, 3098-3107.	3.6	1
281	Understanding the pathophysiology of cognitive changes in MS: A step forward. Multiple Sclerosis Journal, 2021, 27, 4-5.	3.0	1
282	Etiological research in pediatric multiple sclerosis: A tool to assess environmental exposures (PEDiatric Italian Genetic and enviRonment ExposurE Questionnaire). Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2021, 7, 205521732110590.	1.0	1
283	Do patients' and referral centers' characteristics influence multiple sclerosis phenotypes? Results from the Italian multiple sclerosis and related disorders register. Neurological Sciences, 0, , .	1.9	1
284	Cognitive and Psychiatric Disorders in Multiple Sclerosis. Blue Books of Neurology, 2010, , 147-158.	0.1	0
285	A method to compare prospective and historical cohorts to evaluate drug effects. Application to the analysis of early treatment effectiveness of intramuscular interferon-l²1a in multiple sclerosis patients. Multiple Sclerosis and Related Disorders, 2020, 40, 101952.	2.0	0