

# Jurij Svete

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8779180/publications.pdf>

Version: 2024-02-01

192  
papers

3,673  
citations

159585

30  
h-index

214800

47  
g-index

203  
all docs

203  
docs citations

203  
times ranked

2399  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Mechanistic Insights into Annulation of Arylidene- <sup>2</sup> -Pyrrolin-4-ones by Cinchona Squaramide-Based Organocatalysts. <i>Advanced Synthesis and Catalysis</i> , 2022, 364, 980-993.                              | 4.3 | 5         |
| 2  | From tryptophan-based amides to tertiary amines: Optimization of a butyrylcholinesterase inhibitor series. <i>European Journal of Medicinal Chemistry</i> , 2022, 234, 114248.  | 5.5 | 11        |
| 3  | 2-Acyl-1-aryl-6,7-dihydro-1H,5H-pyrazolo[1,2-a]pyrazole derivatives: Versatile fluorescent probes with remarkably large Stokes shift. <i>Dyes and Pigments</i> , 2022, 201, 110224.                                       | 3.7 | 1         |
| 4  | Synthesis of 6,7-Dihydro-1H,5H-pyrazolo[1,2-a]pyrazoles by Azomethine Imine-Alkyne Cycloadditions Using Immobilized Cu(II)-Catalysts. <i>Molecules</i> , 2021, 26, 400.   | 3.8 | 7         |
| 5  | Efficient Chitosan/Nitrogen-Doped Reduced Graphene Oxide Composite Membranes for Direct Alkaline Ethanol Fuel Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1740.                                 | 4.1 | 21        |
| 6  | Visible-Light Driven Selective C-N Bond Scission in anti-Bimane-Like Derivatives. <i>Organic Letters</i> , 2021, 23, 5294-5298.   | 4.6 | 5         |
| 7  | Synthesis and kinetic characterization of hyperbolic inhibitors of human cathepsins K and S based on a succinimide scaffold. <i>Bioorganic Chemistry</i> , 2021, 115, 105213.   | 4.1 | 4         |
| 8  | Structure-activity relationship study of tryptophan-based butyrylcholinesterase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2020, 208, 112766.   | 5.5 | 17        |
| 9  | Double Spirocyclization of Arylidene- <sup>2</sup> -Pyrrolin-4-ones with 3-Isothiocyano Oxindoles. <i>Catalysts</i> , 2020, 10, 1211.   | 3.5 | 7         |
| 10 | Eosin Y-Catalyzed Visible-Light-Mediated Aerobic Transformation of Pyrazolidine-3-One Derivatives. <i>Catalysts</i> , 2020, 10, 981.  | 3.5 | 5         |
| 11 | Self-Assembly of Multinuclear Sandwich Silver(I) Complexes by Cooperation of Hexakis(azaheteroaryl)benzene Ligands, Argentophilic Interactions, and Fluoride Inclusion. <i>Inorganic Chemistry</i> , 2020, 59, 3993-4001. | 4.0 | 8         |
| 12 | Stereodivergent Synthesis of Camphor-Derived Diamines and Their Application as Thiourea Organocatalysts. <i>Molecules</i> , 2020, 25, 2978.   | 3.8 | 5         |
| 13 | Conformationally Driven Ru(II)-Catalyzed Multiple ortho-C-H Bond Activation in Diphenylpyrazine Derivatives in Water: Where Is the Limit?. <i>Catalysts</i> , 2020, 10, 421.  | 3.5 | 4         |
| 14 | The Influence of the Quinoline Moiety on Direct Pd-Catalyzed Arylation of Five-Membered Heterocycles. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 432-441.   | 2.4 | 6         |
| 15 | Chemical recycling of polyenaminones by transamination reaction via amino-enaminone polymerisation/depolymerisation. <i>European Polymer Journal</i> , 2019, 121, 109282.   | 5.4 | 4         |
| 16 | Synthesis of Spiro- <sup>2</sup> -Pyrrolin-4-one Pseudo Enantiomers via an Organocatalyzed Sulfa-Michael/Aldol Domino Sequence. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 5118-5126.                           | 4.3 | 15        |
| 17 | Tetrahydro-1H,5H-pyrazolo[1,2-a]pyrazole-1-carboxylates as inhibitors of Plasmodium falciparum dihydroorotate dehydrogenase. <i>Bioorganic Chemistry</i> , 2019, 89, 102982.  | 4.1 | 13        |
| 18 | Tryptophan-derived butyrylcholinesterase inhibitors as promising leads against Alzheimer's disease. <i>Chemical Communications</i> , 2019, 55, 3765-3768.   | 4.1 | 60        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Synthesis and biological evaluation of 7-(aminoalkyl)pyrazolo[1,5-a]pyrimidine derivatives as cathepsin K inhibitors. <i>Bioorganic Chemistry</i> , 2019, 84, 226-238.   | 4.1 | 12        |
| 20 | Construction of Vicinal Tetrasubstituted Stereogenic Centers <i>via</i> a Mannich-Type Organocatalyzed Addition of $\alpha$ -Pyrrolinones to Isatin Imines. <i>Advanced Synthesis and Catalysis</i> , 2018, 360, 1072-1076.                | 4.3 | 13        |
| 21 | Copper-Catalyzed Azomethine Imine-Alkyne Cycloadditions (CuAIAC). <i>Synthesis</i> , 2018, 50, 4501-4524.  | 2.3 | 17        |
| 22 | Metal-catalyzed [3+2] cycloadditions of azomethine imines. <i>Chemistry of Heterocyclic Compounds</i> , 2018, 54, 214-240.   | 1.2 | 20        |
| 23 | Synthesis of polyenaminones by acid-catalysed amino-enaminone "click" polymerisation. <i>European Polymer Journal</i> , 2018, 108, 603-616.  | 5.4 | 4         |
| 24 | Synthesis of Non-Racemic Pyrazolines and Pyrazolidines by [3+2] Cycloadditions of Azomethine Imines. <i>Molecules</i> , 2018, 23, 3.   | 3.8 | 31        |
| 25 | Ruthenium(II)-Catalyzed Microwave-Promoted Multiple C-H Activation in Synthesis of Hexa(heteroaryl)benzenes in Water. <i>Organic Letters</i> , 2018, 20, 5268-5273.  | 4.6 | 22        |
| 26 | Synthesis of functionalized pyrazole derivatives by regioselective [3+2] cycloadditions of N-Boc- $\alpha$ -amino acid-derived ynones. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2018, 73, 467-480. | 0.7 | 3         |
| 27 | Microwave-Promoted <i>ortho</i> -C-H Bond (Hetero)arylation of Arylpyrimidines in Water Catalyzed by Ruthenium(II) Carboxylate. <i>ChemCatChem</i> , 2018, 10, 3824-3832.  | 3.7 | 11        |
| 28 | Quinazoline-Directed C-H Bond Functionalization Catalyzed by Ruthenium(II) Carboxylate "Construction of Polyconjugated Aryl-Heteroaryl Systems. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 1855-1864.                      | 2.4 | 20        |
| 29 | Cu(0)-catalysed 1,3-dipolar cycloadditions of $\alpha$ -amino acid derived N,N-cyclic azomethine imines to ynones. <i>Tetrahedron</i> , 2017, 73, 3329-3337.   | 1.9 | 10        |
| 30 | Organocatalyzed Deracemization of $\alpha$ -Pyrrolinones. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 2288-2296.  | 4.3 | 11        |
| 31 | Synthesis and Reactivity of 2-Arylquinazoline Halidoruthenacycles in Arylation Reactions. <i>ChemCatChem</i> , 2017, 9, 3380-3387.   | 3.7 | 14        |
| 32 | Combinatorial Synthesis of Acacen-Type Ligands and Their Coordination Compounds. <i>ACS Combinatorial Science</i> , 2017, 19, 386-396.   | 3.8 | 10        |
| 33 | Dispersion of Nanoparticles in Different Media Importantly Determines the Composition of Their Protein Corona. <i>PLoS ONE</i> , 2017, 12, e0169552.   | 2.5 | 107       |
| 34 | Synthesis of Novel 5-(N-Boc-N-Benzyl-2-aminoethyl)-7-oxo-4,7-dihydropyrazolo[1,5-a]pyrimidin-3-carboxamides and Their Inhibition of Cathepsins B and K. <i>Acta Chimica Slovenica</i> , 2017, 64, 782-789.                                 | 0.6 | 2         |
| 35 | Synthesis and Reduction of 10-Phthalimidocamphor Oxime. <i>Acta Chimica Slovenica</i> , 2017, 64, 790-797.   | 0.6 | 1         |
| 36 | Transformations of $\alpha$ -aryl-N-Cbz- $\alpha$ , $\beta$ -didehydro- $\alpha$ -amino esters with hydrazine hydrate. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2016, 71, 623-631.                 | 0.7 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A simple synthesis of dimethyl 2-[(Z)-3-amino-1-oxo-1-(substituted)but-2-en-2-yl]fumarates: potential intermediates in the synthesis of polysubstituted five- and six-membered heterocycles. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2016, 71, 677-682. | 0.7 | 3         |
| 38 | Synthesis of 3D-Rich Heterocycles: Hexahydropyrazolo[1,5- <i>a</i> ]pyridin-2(1 <i>H</i> )-ones and Octahydro-2 <i>H</i> -2a,2a <sup>1</sup> -diazacyclopenta[ <i>c</i> ]inden-2-ones. <i>Journal of Organic Chemistry</i> , 2016, 81, 8920-8933.  | 3.2 | 11        |
| 39 | 1,3-Diamine-Derived Bifunctional Organocatalyst Prepared from Camphor. <i>Advanced Synthesis and Catalysis</i> , 2016, 358, 3786-3796.   | 4.3 | 32        |
| 40 | Absolute Configuration Determination of 2,3-Dihydro-1 <i>H</i> ,5 <i>H</i> -pyrazolo[1,2- <i>a</i> ]pyrazoles Using Chiroptical Methods at Different Wavelengths. <i>Journal of Organic Chemistry</i> , 2016, 81, 11802-11812.   | 3.2 | 10        |
| 41 | “Click” Chemistry: Application of Copper Metal in Cu-Catalyzed Azomethine Imine-Alkyne Cycloadditions. <i>Journal of Organic Chemistry</i> , 2016, 81, 5988-5997.  | 3.2 | 29        |
| 42 | Synthesis and preliminary biological evaluations of (+)-isocampholenic acid-derived amides. <i>Molecular Diversity</i> , 2016, 20, 667-676.  | 3.9 | 3         |
| 43 | Synthesis and Rotational Isomerism of 1-Substituted Methyl ( <i>S</i> )-[5-(2-Nitrophenyl)-1 <i>H</i> -pyrazole-4-carbonyl]alaninates. <i>Journal of Organic Chemistry</i> , 2016, 81, 146-161.  | 3.2 | 6         |
| 44 | A four-step synthesis of novel ( <i>S</i> )-1-(heteroaryl)ethan-1-amines from ( <i>S</i> )-Boc-alanine. <i>Acta Chimica Slovenica</i> , 2015, 62, 60-71.   | 0.6 | 4         |
| 45 | Synthesis of 6-Alkyl-7-oxo-4,5,6,7-tetrahydropyrazolo[1,5- <i>c</i> ]pyridine-3-carboxamides. <i>Synthesis</i> , 2015, 47, 497-506.  | 2.3 | 4         |
| 46 | [2+2] Cycloadditions of electron-poor acetylenes to endocyclic enaminones: ring-expansion reactions. <i>Tetrahedron</i> , 2015, 71, 7209-7215.   | 1.9 | 6         |
| 47 | Synthesis of Novel Camphor-Derived Bifunctional Thiourea Organocatalysts. <i>Chirality</i> , 2015, 27, 39-52.  | 2.6 | 3         |
| 48 | Microwave-Assisted Direct Amidation of Ethyl 1-Phenyl-5-Hydroxy-1 <i>H</i> -pyrazole-4-carboxylate. <i>Journal of Heterocyclic Chemistry</i> , 2015, 52, 556-561.  | 2.6 | 3         |
| 49 | Synthesis of 1,5-disubstituted-4-oxo-4,5-dihydro-1 <i>H</i> -pyrazolo[4,3- <i>c</i> ]pyridine-7-carboxamides. <i>Tetrahedron</i> , 2015, 71, 109-123.  | 1.9 | 12        |
| 50 | Recent advances in the synthesis of polysubstituted 3-pyrazolidinones. <i>Arkivoc</i> , 2015, 2015, 175-205.   | 0.5 | 20        |
| 51 | Cu(I)-catalyzed [3+2] Cycloadditions of tert-Butyl ( <i>S</i> )-(3-Oxopent-4-yn-2-yl)carbamate to 1-Benzylidenepyrazole-3-one-derived Azomethine Imines. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2014, 69, 615-626.                                     | 0.7 | 13        |
| 52 | A Simple Metal-free Synthesis of 2,4,5-Trisubstituted Pyridines and Pyridine N-Oxides by [2+2] Cycloaddition of Enaminones to Propyne Iminium Salts. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2014, 69, 554-566.   | 0.7 | 11        |
| 53 | Synthesis of Enaminone-Based Vinylogous Peptides. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 3067-3071.  | 2.4 | 18        |
| 54 | Regioselective synthesis of 1- and 4-substituted 7-oxopyrazolo[1,5- <i>a</i> ]pyrimidine-3-carboxamides. <i>Tetrahedron</i> , 2014, 70, 8267-8279.   | 1.9 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as Aza-deoxa™ Analogs of Cycloserine. <i>Helvetica Chimica Acta</i> , 2014, 97, 245-267.   | 1.6 | 3         |
| 56 | Preparation of Polysubstituted Isochromanes by Addition of ortho-Lithiated Aryloxiranes to Enaminones. <i>Journal of Organic Chemistry</i> , 2013, 78, 11059-11065.   | 3.2 | 23        |
| 57 | Parallel synthesis of 7-heteroaryl-pyrazolo[1,5-a]pyrimidine-3-carboxamides. <i>Molecular Diversity</i> , 2013, 17, 731-743.  | 3.9 | 20        |
| 58 | ±-Amino acid derived enaminones and their application in the synthesis of N-protected methyl 5-substituted-4-hydroxypyrrole-3-carboxylates and other heterocycles. <i>Tetrahedron</i> , 2013, 69, 11092-11108.                      | 1.9 | 16        |
| 59 | Reversal of the Stereochemical Course of Methylindole Addition to Cinnamaldehyde with cis-5-Benzyl-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling Fluorine Effect™. <i>Helvetica Chimica Acta</i> , 2013, 96, 1815-1821. |     | 8         |
| 60 | Synthesis of pyrazolo[1,2-a]pyrazole-based peptide mimetics. <i>Tetrahedron</i> , 2013, 69, 6648-6665.  | 1.9 | 15        |
| 61 | Synthesis of Tetrahydropyrazolo[1,5-c]pyrimidine-2,7(1H,3H)-diones. <i>Synthesis</i> , 2013, 45, 639-650.   | 2.3 | 2         |
| 62 | A Novel Synthesis of Tetrahydropyrazolo[1,5-c]pyrimidine-2,7(1H,3H)-diones. <i>Synthesis</i> , 2013, 45, 3404-3412.   | 2.3 | 3         |
| 63 | Synthesis of 2-substituted 6-(5-oxo-1-phenylpyrrolidin-3-yl)pyrimidin-4(3H)-ones. <i>European Journal of Chemistry</i> , 2013, 4, 1-6.  | 0.6 | 1         |
| 64 | Parallel Synthesis of 2-Substituted 6-(5-Oxo-1-phenylpyrrolidin-3-yl)pyrimidine-5-carboxamides. <i>Molecules</i> , 2012, 17, 5363-5384.   | 3.8 | 5         |
| 65 | Diversity-Oriented Synthesis of 1-Substituted 4-Aryl-6-oxo-1,6-dihydropyridine-3-carboxamides.. <i>ACS Combinatorial Science</i> , 2012, 14, 513-519.   | 3.8 | 10        |
| 66 | A simple metal-free synthesis of 2-substituted pyridine-4,5-dicarboxylates and their N-oxides. <i>Tetrahedron</i> , 2012, 68, 4719-4731.  | 1.9 | 31        |
| 67 | Synthesis and structural elucidation of novel camphor-derived thioureas. <i>Chirality</i> , 2012, 24, 307-317.  | 2.6 | 9         |
| 68 | Synthesis of 2-(3-bis(trifluoromethyl)phenyl)thioureido-3-((dimethylamino)methyl)camphor organocatalysts. <i>Chirality</i> , 2012, 24, 412-419.   | 2.6 | 9         |
| 69 | Synthesis and Structural Characterization of Novel Camphor-derived Amines. <i>Chirality</i> , 2012, 24, 778-788.  | 2.6 | 8         |
| 70 | Transformations of enaminones. A simple one-pot synthesis of imidazolone derivatives. <i>Tetrahedron</i> , 2012, 68, 516-522.   | 1.9 | 21        |
| 71 | Regio- and stereoselective cycloadditions of (1Z,4R,5R)-1-arylmethylidene-4-benzoylamino-3-oxo-5-phenylpyrazolidin-1-ium-2-ides to methyl methacrylate. <i>Tetrahedron</i> , 2011, 67, 9729-9735.                                   | 1.9 | 13        |
| 72 | The effect of substituents on the chiral solvating properties of (S)-1,6-dialkylpiperazine-2,5-diones. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 1364-1371.   | 1.8 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | A Simple Synthesis of 5-(2-Aminophenyl)-1H-pyrazoles. <i>Helvetica Chimica Acta</i> , 2011, 94, 1703-1717.  | 1.6 | 18        |
| 74 | Synthesis and structure of novel (S)-1,6-dialkylpiperazine-2,5-diones and (3S,6S)-1,3,6-trialkylpiperazine-2,5-diones. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 629-640.   | 1.8 | 8         |
| 75 | Parallel Synthesis of 1-Substituted 5-(5-Oxopyrrolidin-3-yl)-1H-pyrazole-4-carboxamides. <i>Synthesis</i> , 2011, 2822-2832.  | 2.3 | 1         |
| 76 | [2+2] Cycloaddition of Electron-Poor Acetylenes to Enaminones. <i>Current Organic Chemistry</i> , 2011, 15, 2530-2539.  | 1.6 | 16        |
| 77 | The Structure of the Product Formed by Condensation of Malononitrile with Dialkyl Acetone-1,3-dicarboxylates. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 807-810.       | 0.7 | 1         |
| 78 | Parallel Solution-phase Synthesis of (2S,4E)-4-(Arylaminomethylidene)pyroglutamic Acids. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 811-820.                            | 0.7 | 1         |
| 79 | Synthesis of 4-(2-hydroxy-1-methyl-5-oxo-1H-imidazol-4(5H)-ylidene)-5-oxo-1-aryl-4,5-dihydro-1H-pyrrole-3-carboxylates, a new triazafulvalene system. <i>Tetrahedron</i> , 2010, 66, 4346-4356.                         | 1.9 | 10        |
| 80 | [2+2] Cycloaddition of electron-poor acetylenes to (E)-3-dimethylamino-1-heteroaryl-prop-2-en-1-ones: synthesis of highly functionalized 1-heteroaryl-1,3-butadienes. <i>Tetrahedron Letters</i> , 2010, 51, 3392-3397. | 1.4 | 40        |
| 81 | Transformations of Dimethyl (2E,3E)-2-[(Dimethylamino)methylene]-3-(1-methyl-2,5-dioximidazolidin-4-ylidene)succinate with C-Nucleophiles. <i>Heterocycles</i> , 2010, 82, 1435.  | 0.7 | 1         |
| 82 | [2+2] Cycloadditions of Electron-Poor Acetylenes to (5Z)-5-[(Dimethylamino)methylene]imidazolidin-2,4-diones. <i>Helvetica Chimica Acta</i> , 2009, 92, 481-490.  | 1.6 | 17        |
| 83 | A synthesis of 1-substituted 5-[2-(acylamino)ethyl]-1H-pyrazole-4-carboxamides. <i>Tetrahedron</i> , 2009, 65, 7151-7162.   | 1.9 | 17        |
| 84 | Bis-enaminone Based Parallel Solution-Phase Synthesis of 1,4-Dihydropyridine Derivatives. <i>ACS Combinatorial Science</i> , 2009, 11, 500-507.   | 3.3 | 15        |
| 85 | Copper(I) Iodide-Catalyzed Cycloadditions of (1Z,4R*,5R*)-4-Benzamido-5-phenylpyrazolidin-3-on-1-azomethine Imines to Ethyl Propiolate. <i>Australian Journal of Chemistry</i> , 2009, 62, 1661.                        | 0.9 | 28        |
| 86 | A Simple Synthesis of 1-Substituted Diethyl Pyrrole-3,4-dicarboxylates. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2009, 64, 683-688.   | 0.7 | 2         |
| 87 | (S)-N-Benzyl-3(6)-methylpiperazine-2,5-diones as chiral solvating agents for N-acylamino acid esters. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 1557-1567.  | 1.8 | 10        |
| 88 | 1,3-Dipolar cycloadditions of (4R*,5R*)-4-alkylidene-5-(benzoylamino)-5-phenyl-3-pyrazolidinon-1-azomethine imines. <i>Journal of Heterocyclic Chemistry</i> , 2008, 45, 181-188.                                       | 1.1 | 11        |
| 89 | Synthesis of (S,Z)-3-[(1H-indol-3-yl)methylidene]hexahydropyrrolo[1,2-a]pyrazin-4(1H)-one: an alternative, enaminone based, route to unsaturated cyclodi peptides. <i>Tetrahedron</i> , 2008, 64, 2801-2815.            | 1.9 | 35        |
| 90 | Transformations of (1E,3E)-1-(benzoylamino)-4-(dimethylamino)buta-1,3-diene-1,2,3-tricarboxylates into pyridine and pyrrole derivatives. <i>Tetrahedron</i> , 2008, 64, 9937-9946.                                      | 1.9 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Synthesis of novel C2-symmetric 1,3-bis{(1S,2R,3S,4R)-1,7,7-trimethyl-3H-spiro[bicyclo[2.2.1]heptane-2,2H-furan]-3-yl}benzoimidazolium tetrafluoroborates. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 330-342.                                      | 1.8 | 6         |
| 92  | Regiospecific [2+2] cycloadditions of electron-poor acetylenes to (Z)-2-acylamino-3-dimethylaminopropenoates: synthesis of highly functionalised buta-1,3-dienes. <i>Tetrahedron Letters</i> , 2008, 49, 3775-3778.                                | 1.4 | 22        |
| 93  | Ring Contractions of 3-Azido-4H-quinolizin-4-ones and 3-Azido-4H-azino[1,2-x]pyrimidin-4-ones: a Novel Approach to 3-Aminoindolizines and their Aza Analogues. <i>Australian Journal of Chemistry</i> , 2008, 61, 107.                             | 0.9 | 9         |
| 94  | One-Pot Parallel Solution-Phase Synthesis of 1-Substituted 4-(2-Aminoethyl)-1H-pyrazol-5-ols. <i>ACS Combinatorial Science</i> , 2008, 10, 664-670.  | 3.3 | 17        |
| 95  | Synthesis of 8-Hydroxyimidazo[1,2-a]pyridine-2-carboxylic Acid and Its Derivatives. <i>Heterocycles</i> , 2008, 75, 1355.  | 0.7 | 9         |
| 96  | 1,3-Dipolar Cycloadditions of (1Z,4R*,5R*)-4-Benzamido-3-oxo-5-phenylpyrazolidin-1-ium-2-ides to Ethyl Propiolate. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2008, 63, 375-383.                             | 0.7 | 6         |
| 97  | Synthesis of Dimethyl 1-(Hetero)aryl-4-oxo-1,4-dihydropyridazine-3,5-dicarboxylates from Dimethyl 3-Oxopentane-1,5-dioates. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2008, 63, 407-414.                    | 0.7 | 6         |
| 98  | Stereoselective cycloadditions of (1Z,4R*,5R*)-1-arylmethylidene-4-benzoylamino-5-phenylpyrazolidin-3-on-1-azomethine imines to maleimides. <i>Tetrahedron</i> , 2007, 63, 991-999.  | 1.9 | 29        |
| 99  | Combinatorial Solution-Phase Synthesis of (2S,4S)-4-Acylamino-5-oxopyrrolidine-2-carboxamides. <i>ACS Combinatorial Science</i> , 2007, 9, 219-229.  | 3.3 | 22        |
| 100 | Combinatorial Solution-Phase Synthesis of Alkyl (1S*,2S*,3R*,5R*,6R*)-1-Alkyl-3-aryl-6-benzoylamino-1-hydroxy-7-oxo-5-phenylhexahydropyrazolo[1,2-a]pyrazole-2-carboxylates. <i>ACS Combinatorial Science</i> , 2007, 9, 717-723.                  | 3.3 | 25        |
| 101 | Synthesis and Transformation of Methyl 2-(6-Hydroxy-2-phenylpyrimidin-4-yl)acetate: Simple Preparation of Pyrimidines with Heterocyclic Substituents. <i>Helvetica Chimica Acta</i> , 2007, 90, 1737-1744.   | 1.6 | 6         |
| 102 | A simple synthesis of 4-(2-aminoethyl)-5-hydroxy-1H-pyrazoles. <i>Tetrahedron</i> , 2007, 63, 11213-11222.   | 1.9 | 16        |
| 103 | Chiral solvating properties of (S)-1-benzyl-6-methylpiperazine-2,5-dione. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 464-475.   | 1.8 | 45        |
| 104 | Unexpected cleavage of the N=C bond in the reactions of 3-pyrazolidinone-1-azomethine imines with HCN. <i>Tetrahedron Letters</i> , 2007, 48, 5205-5208.   | 1.4 | 6         |
| 105 | Synthesis of spiro[bicyclo[2.2.1]heptane-2,2H-furan]-3-amines via stereoselective cycloadditions of trimethylenemethane to (1S,3E,4R)-3-arylimino-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ones. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 2365-2376. | 1.8 | 9         |
| 106 | Stereoselective [4+2] cycloadditions of tetrazines to 3-oxo- and 3-arylimino-4-methylenedihydro-3H-spiro[bicyclo[2.2.1]heptane-2,2H-furans]. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 2746-2757.  | 1.8 | 11        |
| 107 | Parallel Synthesis of 3-Amino-4H-Quinolizin-4-ones, Fused 3-Amino-4H-Pyrimidin-4-ones, and Fused 3-Amino-2H-Pyran-2-ones. <i>ACS Combinatorial Science</i> , 2006, 8, 95-102.  | 3.3 | 45        |
| 108 | Synthesis of substituted 2,3,5,6,7,8-hexahydropyrazolo[4,3-d][1,2]diazepine-8-carboxylates. <i>Tetrahedron</i> , 2006, 62, 8126-8132.  | 1.9 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Reductions of (1R,3R,4R)-3-([1,2,4]triazolo[4,3-x]azin-3-yl)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ones and their analogues. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 79-91.   | 1.8 | 13        |
| 110 | Stereoselective additions to the exocyclic CC bond of some $\hat{1}\pm$ -alkylidene-(+)-camphor derivatives. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1217-1237.   | 1.8 | 21        |
| 111 | Synthesis and transformations of new dihydro- $\hat{1}^2$ -campholenolactone derivatives. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1715-1727.  | 1.8 | 9         |
| 112 | Transformation of Amino Acids into Nonracemic 1-(Heteroaryl)ethanamines by the Enamino Ketone Methodology. <i>Helvetica Chimica Acta</i> , 2006, 89, 30-44.   | 1.6 | 33        |
| 113 | Enaminone-Based Synthesis of Dipodazine Derivatives. <i>Helvetica Chimica Acta</i> , 2006, 89, 240-248.   | 1.6 | 37        |
| 114 | Transformations of Methyl 2-[(E)-2-(Dimethylamino)-1-(methoxycarbonyl)ethenyl]-1-methyl-1H-indole-3-carboxylate. <i>Helvetica Chimica Acta</i> , 2006, 89, 2774-2782.   | 1.6 | 3         |
| 115 | Reactions of methyl 2-(benzyloxycarbonyl)amino-3-dimethylaminopropenoate and related compounds with hydrazines. Regiospecific synthesis of 1-substituted-4-amino-substituted-1H-pyrazol-5-(2H)-ones. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 1205-1215.  | 2.6 | 1         |
| 116 | Synthesis and Transformations of Ethyl 3-Formyl-1H-indole-2-carboxylate. Preparation of Aplysinopsin and $\hat{1}^2$ -Carboline Thiohydantoin Analogues. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2006, 61, 413-419.          | 0.7 | 6         |
| 117 | 3-(Dimethylamino)propenoate-based Regioselective Synthesis of 1,4-Disubstituted 5-Hydroxy-1H-pyrazoles. <i>Heterocycles</i> , 2006, 68, 897.  | 0.7 | 8         |
| 118 | Synthesis and reductions of (1R,4E,5S)-4-oximino-1,8,8-trimethyl-2-oxabicyclo[3.2.1]octan-3-one. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 2187-2197.   | 1.8 | 21        |
| 119 | Synthesis of (1R,4E,5S)-4-[[[E-(azinyl)diazenyl]methylidene]-1,8,8-trimethyl-2-oxabicyclo[3.2.1]octan-3-ones and (1R,4R,5R)-4-([1,2,4]triazolo[4,3-x]azin-3-yl)-1,8,8-trimethyl-2-oxabicyclo[3.2.1]octan-3-ones. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 2927-2945. | 1.8 | 20        |
| 120 | Cyclocondensations of (+)-camphor derived enaminones with hydrazine derivatives. <i>Tetrahedron</i> , 2005, 61, 3991-3998.  | 1.9 | 27        |
| 121 | Stereocontrol in cycloadditions of (1Z,4R*,5R*)-1-arylmethylidene-4-benzoylamino-5-phenylpyrazolidin-3-on-1-azomethine imines. <i>Tetrahedron</i> , 2005, 61, 3977-3990.  | 1.9 | 63        |
| 122 | Reaction of methyl (2E)-3-dimethylamino-2-(1H-indol-3-yl)-propenoate with ureas: facile entry into the polycyclic meridianin analogues with uracil structural unit. <i>Tetrahedron</i> , 2005, 61, 7508-7519.   | 1.9 | 50        |
| 123 | Synthesis of functionalized compounds containing pyridazine and related moieties. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 361-373.   | 2.6 | 36        |
| 124 | Synthesis and antimycobacterial activity of alkyl 1-heteroaryl-1H-1,2,3-triazole-4-carboxylates. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 1167-1173.  | 2.6 | 29        |
| 125 | Transformations of phenylhydrazones of dialkyl 2-oxo-propane-1,3-dicarboxylate and of ethyl acetoacetate in concentrated sulfuric acid. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 1413-1415.   | 2.6 | 4         |
| 126 | The Synthesis Aplysinopsins, Meridianines, and Related Compounds. <i>Mini-Reviews in Organic Chemistry</i> , 2005, 2, 211-224.  | 1.3 | 46        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Reactions of Quinolizine- and Pyridino[1,2-a]pyrimidine-3-diazonium Tetrafluoroborates with Aliphatic Amines. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2004, 59, 380-385.   | 0.7  | 6         |
| 128 | Ex-Chiral Pool Enaminones in the Synthesis of Functionalised Heterocycles. Monatshefte Für Chemie, 2004, 135, 629-647.  | 1.8  | 48        |
| 129 | Application of alkyl 3-dimethylamino-2-(1H-indol-3-yl)propenoates in the synthesis of 3-heteroarylindoles. Tetrahedron, 2004, 60, 4601-4608.  | 1.9  | 68        |
| 130 | Synthesis of Heterocycles from Alkyl 3-(Dimethylamino)propenoates and Related Enaminones. ChemInform, 2004, 35, no.   | 0.0  | 1         |
| 131 | Reactions of Quinolizine- and Pyridino[1,2-a]pyrimidine-3-diazonium Tetrafluoroborates with Aliphatic Amines.. ChemInform, 2004, 35, no.  | 0.0  | 1         |
| 132 | Synthesis and properties of N-substituted (1R,5S)-4-aminomethylidene-1,8,8-trimethyl-2-oxabicyclo[3.2.1]octan-2-ones. Tetrahedron: Asymmetry, 2004, 15, 2367-2383.  | 1.8  | 23        |
| 133 | Synthesis of Heterocycles from Alkyl 3-(Dimethylamino)propenoates and Related Enaminones. Chemical Reviews, 2004, 104, 2433-2480.   | 47.7 | 469       |
| 134 | Parallel Solution-Phase Synthesis of (Z)-3-(Arylamino)-2,3-dehydroalanine Derivatives and Solid-Phase Synthesis of Fused Pyrimidones. ACS Combinatorial Science, 2004, 6, 356-362.  | 3.3  | 39        |
| 135 | Parallel solution phase synthesis of benzyl (3S,4E)-4-[(arylamino)methylidene]-5-oxotetrahydrofuran-3-ylcarbamates. Arkivoc, 2004, 2003, 37-48.   | 0.5  | 17        |
| 136 | Regioselective synthesis of ethyl pyrazolecarboxylates from ethyl 3-[(dimethylamino)methylidene]pyruvate and diethyl 3-[(dimethylamino)methylidene]oxosuccinate. Isolation of ethyl 4,5-dihydro-4-heteroaryl-5-hydroxy-1H-pyrazole-5-carboxylates as stable intermediates in the pyrazole ring formation. Journal of Heterocyclic Chemistry, 2003, 40, 487-498. | 2.6  | 36        |
| 137 | Synthesis of 3-(1±- and 1 <sup>2</sup> -d-arabinofuranosyl)-6-chloro-1,2,4-triazolo[4,3-b]pyridazine. Carbohydrate Research, 2003, 338, 2057-2066.  | 2.3  | 8         |
| 138 | Transformations of Alkyl (5-Oxo-1-phenyl-4,5-dihydro-1H-pyrazol-3-yl)acetates into 5-Heteroaryl-3-oxo-2-phenyl-3,5-dihydro-2H-pyrazolo[4,3-c]pyridine-7-carboxylates. Heterocycles, 2003, 61, 197.  | 0.7  | 20        |
| 139 | Transformations of Methyl 2-Benzoylamino-2-oxobutanoate. The Synthesis of Oxazolo[4,5-c]quinoline and 1-Substituted 1H-Imidazole-4-carboxylate Derivatives. Heterocycles, 2003, 60, 1161.   | 0.7  | 4         |
| 140 | Transformations of (Z)-2-benzoylamino-4-dimethylamino-2-oxo-3-butene and (E)-3-benzoylamino-4-cyano-2-oxo-3-butene into pyrimidine, pyrazole and isoxazole derivatives. Arkivoc, 2003, 2003, 77-86.   | 0.5  | 16        |
| 141 |   |      |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Synthesis of heteroaryl substituted amino acid derivatives, polyols, and related compounds. Journal of Heterocyclic Chemistry, 2002, 39, 437-454.   | 2.6 | 48        |
| 146 | Isolation of methyl (RS)-1-tert-butoxycarbonyl-3-cyanomethyl-1,2-dihydro-2-oxo-5H-pyrrole-5-carboxylate, the key-intermediate in base-catalyzed formation of racemic products by 1,3-dipolar cycloadditions to methyl (S)-1-tert-butoxycarbonyl-3-[(E)-cyanomethylidene]-2-pyrrolidinone-5-carboxylate. Journal of Heterocyclic Chemistry, 2002, 39, 957-963. | 2.6 | 10        |
| 147 | Stereoselective synthesis of (1R,3R,4R)-3-(1,2,4-triazolo[4,3-x]azin-3-yl)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ones. Tetrahedron: Asymmetry, 2002, 13, 821-833.   | 1.8 | 34        |
| 148 | Synthesis and Reactivity of (Z)-3-Benzoylamino-4-dimethylamino-2-oxo-3-butene. Preparation of 1-Aryl- and 1-Heteroaryl-substituted 4-Benzoyl-amino-5-methyl-1H-pyrazoles. Heterocycles, 2002, 57, 2045.   | 0.7 | 11        |
| 149 | A simple synthesis of aplysinopsin analogues by dimethylamine substitution in N,N-(dimethylamino)methylidene derivatives of five-membered heterocycles. Tetrahedron, 2001, 57, 8395-8403.   | 1.9 | 43        |
| 150 | The synthesis and transformations of 2-[(E)-2-ethoxycarbonyl-2-(2-pyridinyl)ethenyl]amino-3-dimethylaminopropenoates. the synthesis of substituted amino acid derivatives. Journal of Heterocyclic Chemistry, 2001, 38, 859-868.  | 2.6 | 6         |
| 151 | Reactions of alkyl (z)-2-[(E)-2-ethoxycarbonyl-2-(2-pyridinyl)-ethenyl]amino-3-dimethylaminopropenoates with C- and N-nucleophiles. the synthesis of fused pyranones, pyridinones and pyrimidinones. Journal of Heterocyclic Chemistry, 2001, 38, 869-876.  | 2.6 | 6         |
| 152 | Synthesis of (S)-1-heteroaryl-2-hydroxypropyl benzoates by ring switching methodology. Journal of Heterocyclic Chemistry, 2001, 38, 1307-1312.  | 2.6 | 8         |
| 153 | Ring Contractions of 4-Oxoquinolizine-3-diazonium Tetrafluoroborates, by an Aza Wolff Rearrangement, to Alkyl Indolizine-3-carboxylates. European Journal of Organic Chemistry, 2001, 2001, 3705.   | 2.4 | 16        |
| 154 | Regioselective 1,3-Dipolar Cycloadditions of (Z)-1-(Arylmethylidene)-5,5-dimethyl-3-oxopyrazolidin-1-ium-2-ide Azomethine Imines to Acetylenic Dipolarophiles. Helvetica Chimica Acta, 2001, 84, 146-156.   | 1.6 | 65        |
| 155 | 1,3-Dipolar Cycloadditions to (5Z)-1-Acyl-5-(cyanomethylidene)-imidazolidine-2,4-diones: Synthesis and Transformations of Spirohydantoin Derivatives. Helvetica Chimica Acta, 2001, 84, 3403-3417.  | 1.6 | 22        |
| 156 | Title is missing!. Helvetica Chimica Acta, 2001, 84, 146-156.   | 1.6 | 6         |
| 157 | Reactions of Alkyl (Z)-2-[(E)-2-Cyano-2-(2-pyridinyl)ethenyl]amino-3-dimethylaminopropenoates with C- and N-Nucleophiles. The Synthesis of Fused 2H,5H-Pyran-2,5-diones, 4H-Pyrimidin-4-ones, and 1-Heteroaryl-1H-imidazole-4-carboxylates. Heterocycles, 2001, 55, 705.  | 0.7 | 5         |
| 158 | Transformations of (S)-1-Acyl-3-[(E)-2-(dimethylamino)methylidene]-5-(methoxycarbonyl)pyrazolidin-2-one Benzoyl-3-(1-heteroaryl-5-hydroxy-1H-pyrazolyl-4)alanine Esters. Heterocycles, 2000, 53, 339.   | 0.7 | 21        |
| 159 | Synthesis of 3-(2-Oxo-2H-pyran-3-yl) Substituted Lactic Acid Derivatives. Heterocycles, 2000, 52, 845.  | 0.7 | 7         |
| 160 | Synthesis of (2S)-2-(Benzoylamino)-3-(heteroaryl)propyl Benzoates. Helvetica Chimica Acta, 2000, 83, 760-766.   | 1.6 | 11        |
| 161 | Synthesis of 3-(4-oxoquinolizinyl) and 3-(4-oxopyridino[1,2-a:3'-b']pyrimidinyl) substituted lactic acid derivatives. Journal of Heterocyclic Chemistry, 2000, 37, 703-706.   | 2.6 | 11        |
| 162 | Catalytic hydrogenation of 3-benzoyloxycarbonylaminoazino[1,2-a:3'-b']azino-4-ones. A facile access to 3-amino-6,7,8,9-tetrahydro-4H-pyrido[1,2-a:3'-b']pyridin-4-ones and 3-amino-6,7,8,9-tetrahydro-4H-azino[1,2-a:3'-b']pyrimidin-4-ones. Journal of Heterocyclic Chemistry, 2000, 37, 783-790.  | 2.6 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Synthesis of Alkyl 1-(Substituted Pyridin-2-yl)-1H-1,2,3-triazole-4-carboxylates by Ring Switching™ Transformation of 4-Oxo-4H-pyridino[1,2-a]pyrimidine-3-diazonium Tetrafluoroborates. <i>Heterocycles</i> , 2000, 53, 1793.   | 0.7 | 15        |
| 164 | Synthesis and Transformations of Alkyl 1,5-Bis(dimethylamino)-3-oxopenta-1,4-diene-2,4-dicarboxylates. A Simple Synthesis of Dialkyl 1-Substituted 4-Oxo-1,4-dihydropyridine-3,5-dicarboxylates. <i>Heterocycles</i> , 2000, 53, 2033.   | 0.7 | 16        |
| 165 | Unusual Reactions of 5,5-Dimethyl-2-(indenyl-2)-3-pyrazolidinone with Acetylenedicarboxylates. <i>Organic Letters</i> , 2000, 2, 423-424.  | 4.6 | 12        |
| 166 | A Synthesis and Transformations of Alkyl 2-[2-Cyano-2-(2-pyridinyl)ethenyl]amino-3-dimethylaminopropenoates. A One-Pot Synthesis of Pyrrolo[3,2-d]pyrimidin-4-ones. <i>Heterocycles</i> , 2000, 53, 805.   | 0.7 | 8         |
| 167 | A One-Step Transformation of (S)-1-Benzoyl-3[(E)-dimethylaminomethylidene]-5-methoxycarbonylpyrrolidin-2-one into Quinolizinyland 2H-2-Pyranonyl-substituted Alanine Derivatives. <i>Heterocycles</i> , 1999, 51, 1051.  | 0.7 | 17        |
| 168 | The synthesis of methyl 2-(benzyloxycarbonyl)amino-3-dimethylaminopropenoate. The synthesis of trisubstituted pyrroles, 3-amino-2H-pyran-2-ones, fused 2H-pyran-2-ones and 4H-pyridin-4-ones. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 225-235.  | 2.6 | 40        |
| 169 | Reductive ring cleavage of 1-alkyl-4-benzoylamino-5-phenyl-3-pyrazolidinones with raney-nickel alloy. Synthesis of N-benzoyl-3-alkylamino-3-phenylalanine amides from 4-benzoylamino-5-phenyl-3-pyrazolidinone. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 607-610.  | 2.6 | 19        |
| 170 | Oxidative ring-opening of 2-(2R,3R,5S)-5-arylamino-6,7-bis(methoxycarbonyl)-2,3-dihydro-1,4-oxo-3-esters. Synthesis of 2-(2R,3R,5S)-5-arylamino-6,7-bis(methoxycarbonyl)pyrazolylalanine esters. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 799-801.   | 1.8 | 18        |
| 171 | Attempts to prepare some 3-substituted azolo[1,2-x]azines, intermediates in the synthesis of azaaplysinopsin derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 1147-1150.  | 2.6 | 4         |
| 172 | Methyl (Z)-2-[(Benzyloxycarbonyl)amino]-3-dimethylaminopropenoate in the Synthesis of Heterocyclic Systems. Synthesis of (Benzyloxycarbonyl)amino Substituted Fused Pyrimidinones. <i>Collection of Czechoslovak Chemical Communications</i> , 1999, 64, 177-189.  | 1.0 | 25        |
| 173 | Synthesis and transformations of methyl (E)-2-(acetylamino)-3-cyanoprop-2-enoate und methyl (E)-2-(benzoylamino)-3-cyanoprop-2-enoate, versatile reagents for the preparation of polyfunctional heterocyclic systems. <i>Helvetica Chimica Acta</i> , 1998, 81, 231-235.   | 1.6 | 30        |
| 174 | Stereoselective 1,3-Dipolar Cycloadditions to (S)-1-Benzoyl-3-(cyanomethylidene)-5-(methoxycarbonyl)pyrrolidin-2-one. <i>Helvetica Chimica Acta</i> , 1998, 81, 2332-2340.   | 1.6 | 32        |
| 175 | 1,3-Dipolar cycloadditions of diazoalkanes to pyridazines. Asymmetric 1,3-dipolar cycloaddition of azomethine imines derived from diazoalkane-pyridazine cycloadducts. <i>Journal of Heterocyclic Chemistry</i> , 1998, 35, 1187-1204.   | 2.6 | 35        |
| 176 | 2-Benzoyl-2-ethoxycarbonylvinyl-1 and 2-benzoylamino-2-methoxy-carbonylvinyl-1 as N-protecting groups in peptide synthesis. Their application in the synthesis of dehydropeptide derivatives containing N-terminal 3-heteroarylamino-2,3-dehydroalanine. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 177-193. | 2.6 | 20        |
| 177 | Aminoacids in the synthesis of heterocyclic systems. The synthesis of methyl 2-acetylamino-3-dimethylaminopropenoate and 2-(N-methyl-N-trifluoroacetyl)amino-3-dimethylaminopropenoate and their application in the synthesis of heterocyclic compounds. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 247-255. | 2.6 | 43        |
| 178 | The synthesis of azahomotryptophane derivatives. The transformation of N-trifluoroacetyl-5-bromo-4-oxonorvaline methyl ester into 4-(imidazo[1,2-a]azinyl-3)-4-oxohomoalanine derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 853-856.   | 2.6 | 10        |
| 179 | The synthesis of pyrazolo[1,2-a]pyrazoles. Regio- and stereo-selective 1,3-dipolar cycloadditions of (1Z)-rel-(4R,5R)-1-arylmethylene-4-benzoylamino-5-phenyl-3-pyrazolidinon-1-azomethanimines. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 1323-1328.   | 2.6 | 42        |
| 180 | The synthesis of 5-substituted 3-benzoylamino-6-(2-substituted amino-1-ethenyl)-2H-pyran-2-ones and their transformations into 2H-pyrano[3,2-c]pyridine derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1996, 33, 751-756.   | 2.6 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Diethyl <i>N,N</i> -dimethylaminomethylenemalonate in the synthesis of fused heterocyclic systems. <i>Journal of Heterocyclic Chemistry</i> , 1996, 33, 1041-1046.  | 2.6 | 20        |
| 182 | Rearrangements of 5-acetyl-3-benzoylamino-6-(2-dimethylamino-1-ethenyl)-2H-pyran-2-one and 3-benzoylamino-6-(2-dimethylamino-1-ethenyl)-5-ethoxycarbonyl-2H-pyran-2-one into 1-aminopyridine, pyrano[2,3- <i>b</i> ]pyridine and isoxazole derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1996, 33, 1303-1306.                             | 2.6 | 6         |
| 183 | Novel approach to the synthesis of 3-acyl substituted indolizines. The synthesis of 3-(indoliziny-2)alanine and 4-(indoliziny-3) homoalanine derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 1996, 32, 1295-1299.   | 1.2 | 2         |
| 184 | The transformations of 4-heteroarylaminomethylene-5(4H)-oxazolones into dehydropeptide derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1995, 32, 1605-1611.   | 2.6 | 8         |
| 185 | The synthesis of azatryptophane derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1994, 31, 1259-1266.  | 2.6 | 21        |
| 186 | The structure of <i>N</i> -heteroaryl-, <i>N</i> -dehydro- <i>N</i> -amino acid derivatives, intermediates in the synthesis of fused pyranones. Substituted methyl ( <i>Z</i> )-2-benzoylamino-(5-oxopyrazolinyl-4)propenoates. <i>Journal of Heterocyclic Chemistry</i> , 1991, 28, 1961-1964.   | 2.6 | 13        |
| 187 | Methyl 2-benzoylamino-3-dimethylaminopropenoate in the synthesis of heterocyclic systems. An attempt to prepare benzoylamino substituted azolo- and azinopyrimidines with a bridgehead nitrogen atom. <i>Journal of Heterocyclic Chemistry</i> , 1990, 27, 359-361.   | 2.6 | 27        |
| 188 | Methyl 2-Benzoylamino-3-dimethylaminopropenoate in the Synthesis of Heterocyclic Systems. The Synthesis of Substituted 3-Benzoylamino-2H-pyran-2-ones. <i>Synthesis</i> , 1990, 1990, 70-72.  | 2.3 | 28        |
| 189 | The synthesis of <i>N</i> -heteroaryl-, <i>N</i> -dehydro- <i>N</i> -amino acid and <i>N</i> -heteroaryl-, <i>N</i> -amino acid derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1989, 26, 145-153.  | 2.6 | 26        |
| 190 | Methyl 2-benzoylamino-3-dimethylaminopropenoate in the synthesis of heterocyclic systems. The synthesis of benzoyl-amino substituted 7 <i>H</i> -pyrano[2,3- <i>c</i> ]pyrimidine, 1 <i>H</i> ,6 <i>H</i> -pyrano[2,3- <i>c</i> ]pyrazole and 2 <i>H</i> -1-benzopyran derivatives. <i>Journal of Heterocyclic Chemistry</i> , 1989, 26, 1273-1275. | 2.6 | 30        |
| 191 | A Simple One-Step Synthesis of Substituted Methyl 2-Benzoylamino-3-arylaminopropenoates, Intermediates in the Preparation of Substituted Arylaminoalanines. <i>Archiv Der Pharmazie</i> , 1989, 322, 783-787.   | 4.1 | 10        |
| 192 | Transformations of <i>N</i> -heteroarylformamidines into derivatives of <i>N</i> -heteroaryl-, <i>N</i> -dehydro- <i>N</i> -amino acids, <i>N</i> -heteroaryl-, <i>N</i> -amino acids, and dipeptides. <i>Journal of Heterocyclic Chemistry</i> , 1987, 24, 1809-1810.  | 2.6 | 28        |