

Ming-Hui Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8779669/publications.pdf>

Version: 2024-02-01

135
papers

4,266
citations

126907

33
h-index

138484

58
g-index

138
all docs

138
docs citations

138
times ranked

4452
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in Chronic Kidney Disease in China. <i>New England Journal of Medicine</i> , 2016, 375, 905-906.	27.0	526
2	Revised 2017 international consensus on testing of ANCA in granulomatosis with polyangiitis and microscopic polyangiitis. <i>Nature Reviews Rheumatology</i> , 2017, 13, 683-692.	8.0	302
3	Redefining lupus nephritis: clinical implications of pathophysiologic subtypes. <i>Nature Reviews Nephrology</i> , 2017, 13, 483-495.	9.6	245
4	Inclusion of renal vascular lesions in the 2003 ISN/RPS system for classifying lupus nephritis improves renal outcome predictions. <i>Kidney International</i> , 2013, 83, 715-723.	5.2	135
5	Complement in ANCA-associated vasculitis: mechanisms and implications for management. <i>Nature Reviews Nephrology</i> , 2017, 13, 359-367.	9.6	127
6	Variants in Complement Factor H and Complement Factor H-Related Protein Genes, CFHR3 and CFHR1, Affect Complement Activation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1195-1204.	6.1	124
7	The genetic architecture of membranous nephropathy and its potential to improve non-invasive diagnosis. <i>Nature Communications</i> , 2020, 11, 1600.	12.8	120
8	MHC Class II Risk Alleles and Amino Acid Residues in Idiopathic Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1651-1664.	6.1	82
9	Increased autophagy is cytoprotective against podocyte injury induced by antibody and interferon- γ in lupus nephritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1799-1809.	0.9	79
10	2020 international consensus on ANCA testing beyond systemic vasculitis. <i>Autoimmunity Reviews</i> , 2020, 19, 102618.	5.8	79
11	Advances in human antiglomerular basement membrane disease. <i>Nature Reviews Nephrology</i> , 2011, 7, 697-705.	9.6	77
12	Circulating Antibodies against Thrombospondin Type-I Domain-Containing 7A in Chinese Patients with Idiopathic Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1642-1651.	4.5	66
13	Peritoneal Dialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021, 77, 315-325.	1.9	62
14	Neutrophil-to-lymphocyte ratio and incident end-stage renal disease in Chinese patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Translational Medicine</i> , 2019, 17, 86.	4.4	58
15	Rare Variants in the Complement Factor H-Related Protein 5 Gene Contribute to Genetic Susceptibility to IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2894-2905.	6.1	56
16	Long-Term Exposure to Ambient PM _{2.5} and Increased Risk of CKD Prevalence in China. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 448-458.	6.1	56
17	Predictors for Mortality in Patients with Antineutrophil Cytoplasmic Autoantibody-associated Vasculitis: A Study of 398 Chinese Patients. <i>Journal of Rheumatology</i> , 2014, 41, 1849-1855.	2.0	55
18	Complement Alternative Pathway's Activation in Patients With Lupus Nephritis. <i>American Journal of the Medical Sciences</i> , 2017, 353, 247-257.	1.1	54

#	ARTICLE	IF	CITATIONS
19	Podocyte involvement in lupus nephritis based on the 2003 ISN/RPS system: a large cohort study from a single centre. <i>Rheumatology</i> , 2014, 53, 1235-1244.	1.9	53
20	Anti-glomerular basement membrane autoantibodies against different target antigens are associated with disease severity. <i>Kidney International</i> , 2009, 76, 1108-1115.	5.2	51
21	Serum complement factor H is associated with clinical and pathological activities of patients with lupus nephritis. <i>Rheumatology</i> , 2012, 51, 2269-2277.	1.9	51
22	Circulating Level of Neutrophil Extracellular Traps Is Not a Useful Biomarker for Assessing Disease Activity in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. <i>PLoS ONE</i> , 2016, 11, e0148197.	2.5	51
23	Risk Factors for Severe Bleeding Complications in Percutaneous Renal Biopsy. <i>American Journal of the Medical Sciences</i> , 2017, 353, 230-235.	1.1	48
24	The role of HLA-DRB1 alleles on susceptibility of Chinese patients with anti-GBM disease. <i>Clinical Immunology</i> , 2009, 133, 245-250.	3.2	47
25	The clinical and immunological features of patients with combined anti-glomerular basement membrane disease and membranous nephropathy. <i>Kidney International</i> , 2014, 85, 945-952.	5.2	46
26	Autophagy is induced by anti-neutrophil cytoplasmic Abs and promotes neutrophil extracellular traps formation. <i>Innate Immunity</i> , 2016, 22, 658-665.	2.4	44
27	Clinical Significance of IgM and C3 Glomerular Deposition in Primary Focal Segmental Glomerulosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1582-1589.	4.5	44
28	Annexin A1 alleviates kidney injury by promoting the resolution of inflammation in diabetic nephropathy. <i>Kidney International</i> , 2021, 100, 107-121.	5.2	44
29	Disease burden and challenges of chronic kidney disease in North and East Asia. <i>Kidney International</i> , 2018, 94, 22-25.	5.2	43
30	The Attenuation of Diabetic Nephropathy by Annexin A1 via Regulation of Lipid Metabolism Through the AMPK/PPAR α /CPT1b Pathway. <i>Diabetes</i> , 2021, 70, 2192-2203.	0.6	42
31	High mobility group box 1 contributes to anti-neutrophil cytoplasmic antibody-induced neutrophils activation through receptor for advanced glycation end products (RAGE) and Toll-like receptor 4. <i>Arthritis Research and Therapy</i> , 2015, 17, 64.	3.5	41
32	The frequency of ANCA-associated vasculitis in a national database of hospitalized patients in China. <i>Arthritis Research and Therapy</i> , 2018, 20, 226.	3.5	41
33	Anti-C1q autoantibodies from active lupus nephritis patients could inhibit the clearance of apoptotic cells and complement classical pathway activation mediated by C1q in vitro. <i>Immunobiology</i> , 2014, 219, 980-989.	1.9	40
34	The BVAS is an independent predictor of cardiovascular events and cardiovascular disease-related mortality in patients with ANCA-associated vasculitis. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 524-529.	3.4	39
35	The Alternative Pathway of Complement Activation May Be Involved in the Renal Damage of Human Anti-Glomerular Basement Membrane Disease. <i>PLoS ONE</i> , 2014, 9, e91250.	2.5	36
36	Coagulation and Fibrinolysis Index Profile in Patients with ANCA-Associated Vasculitis. <i>PLoS ONE</i> , 2014, 9, e97843.	2.5	36

#	ARTICLE	IF	CITATIONS
37	Clinical implications of pathological features of primary membranous nephropathy. <i>BMC Nephrology</i> , 2018, 19, 215.	1.8	33
38	Complement C3a and C3a Receptor Activation Mediates Podocyte Injuries in the Mechanism of Primary Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1742-1756.	6.1	33
39	Serum uromodulin and progression of kidney disease in patients with chronic kidney disease. <i>Journal of Translational Medicine</i> , 2018, 16, 316.	4.4	32
40	Clinicopathologic Characteristics and Outcomes of Renal Thrombotic Microangiopathy in Anti-Neutrophil Cytoplasmic Autoantibody-Associated Glomerulonephritis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 750-758.	4.5	30
41	Antibodies against Linear Epitopes on the Goodpasture Autoantigen and Kidney Injury. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 926-933.	4.5	27
42	Myeloperoxidase-ANCA-positive granulomatosis with polyangiitis is a distinct subset of ANCA-associated vasculitis: A retrospective analysis of 455 patients from a single center in China. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 701-706.	3.4	27
43	Lupus nephritis combined with renal injury due to thrombotic thrombocytopenic purpura-haemolytic uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 145-152.	0.7	26
44	Complement Factor H Inhibits Anti-Neutrophil Cytoplasmic Autoantibody-Induced Neutrophil Activation by Interacting With Neutrophils. <i>Frontiers in Immunology</i> , 2018, 9, 559.	4.8	26
45	Clinical and Renal Biopsy Findings Predicting Outcome in Renal Thrombotic Microangiopathy: A Large Cohort Study from a Single Institute in China. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	2.1	25
46	The Genetic and Environmental Factors of Primary Membranous Nephropathy: An Overview from China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 65-73.	2.5	24
47	Normal range of complement components during pregnancy: A prospective study. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13202.	1.2	24
48	Hemodialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021, 77, 326-335.e1.	1.9	24
49	The Prevalence and Management of Anti-Neutrophil Cytoplasmic Antibody-Associated Vasculitis in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 216-223.	2.5	23
50	Human neutrophil peptide 1-3, a component of the neutrophil extracellular trap, as a potential biomarker of lupus nephritis. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 533-540.	1.9	23
51	Serum A08 C1q antibodies are associated with disease activity and prognosis in Chinese patients with lupus nephritis. <i>Kidney International</i> , 2016, 90, 1357-1367.	5.2	22
52	T cell infiltration is associated with kidney injury in patients with anti-glomerular basement membrane disease. <i>Science China Life Sciences</i> , 2016, 59, 1282-1289.	4.9	22
53	HLA class II alleles differing by a single amino acid associate with clinical phenotype and outcome in patients with primary membranous nephropathy. <i>Kidney International</i> , 2018, 94, 974-982.	5.2	22
54	The clinical and laboratory features of Chinese Han anti-factor H autoantibody-associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2017, 32, 811-822.	1.7	21

#	ARTICLE	IF	CITATIONS
55	Mercury-associated glomerulonephritis: a retrospective study of 35 cases in a single Chinese center. <i>BMC Nephrology</i> , 2019, 20, 228.	1.8	21
56	<scp>HMGB</scp>1 contributes to glomerular endothelial cell injury in <scp>ANCA</scp>-associated vasculitis through enhancing endothelium-â€œneutrophil interactions. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 1351-1360.	3.6	20
57	The functional activities of complement factor H are impaired in patients with ANCA-positive vasculitis. <i>Clinical Immunology</i> , 2017, 175, 41-50.	3.2	20
58	Autophagy-related gene <i>LRRK2</i> is likely a susceptibility gene for systemic lupus erythematosus in northern Han Chinese. <i>Oncotarget</i> , 2017, 8, 13754-13761.	1.8	20
59	Antibodies to Î±5 chain of collagen IV are pathogenic in Goodpasture's disease. <i>Journal of Autoimmunity</i> , 2016, 70, 1-11.	6.5	19
60	Fever and prodromal infections in anti-â€œglomerular basement membrane disease. <i>Nephrology</i> , 2018, 23, 476-482.	1.6	19
61	Antibodies against M-Type Phospholipase A2 Receptor May Predict Treatment Response and Outcome in Membranous Nephropathy. <i>American Journal of Nephrology</i> , 2018, 48, 438-446.	3.1	19
62	Platelets release proinflammatory microparticles in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2019, 58, 1432-1442.	1.9	19
63	Deficiency of C3a receptor attenuates the development of diabetic nephropathy. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000817.	2.8	19
64	Involvement of high mobility group box 1 in the activation of C5a-primed neutrophils induced by ANCA. <i>Clinical Immunology</i> , 2015, 159, 47-57.	3.2	18
65	Autoantibodies against Linear Epitopes of Myeloperoxidase in Anti-â€œGlomerular Basement Membrane Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 568-575.	4.5	18
66	Persistent hematuria in patients with antineutrophil cytoplasmic antibody-associated vasculitis during clinical remission: chronic glomerular lesion or low-grade active renal vasculitis?. <i>BMC Nephrology</i> , 2017, 18, 354.	1.8	18
67	Clinical and prognostic significance of glomerular C1q deposits in primary MN. <i>Clinica Chimica Acta</i> , 2018, 485, 152-157.	1.1	18
68	Risk HLA class II alleles and amino acid residues in myeloperoxidase-â€œANCA-associated vasculitis. <i>Kidney International</i> , 2019, 96, 1010-1019.	5.2	18
69	Association between kidney function and the risk of cancer: Results from the China Health and Retirement longitudinal study (CHARLS). <i>Journal of Cancer</i> , 2020, 11, 6429-6436.	2.5	16
70	Deglycosylation of myeloperoxidase uncovers its novel antigenicity. <i>Kidney International</i> , 2017, 91, 1410-1419.	5.2	14
71	Anti-pentraxin 3 auto-antibodies might be protective in lupus nephritis: a large cohort study. <i>Renal Failure</i> , 2017, 39, 465-473.	2.1	14
72	Sphingosine-1-phosphate and its receptors in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1313-1322.	0.7	14

#	ARTICLE	IF	CITATIONS
73	The susceptible <sc>HLA</sc> class <sc>II</sc> alleles and their presenting epitope(s) in Goodpasture's disease. <i>Immunology</i> , 2017, 151, 395-404.	4.4	14
74	Mortality risk of chronic kidney disease: A comparison between the adult populations in urban China and the United States. <i>PLoS ONE</i> , 2018, 13, e0193734.	2.5	14
75	Polymorphism rs3828903 within <i>MICB</i> is Associated with Susceptibility to Systemic Lupus Erythematosus in a Northern Han Chinese Population. <i>Journal of Immunology Research</i> , 2016, 2016, 1-6.	2.2	13
76	Association between serum uric acid level and mortality in China. <i>Chinese Medical Journal</i> , 2021, 134, 2073-2080.	2.3	13
77	Association of Variants in <i>CCR6</i> With Susceptibility to Lupus Nephritis in Chinese. <i>Arthritis and Rheumatology</i> , 2015, 67, 3091-3093.	5.6	12
78	Detecting Genetic Associations between <i>ATG5</i> and Lupus Nephritis by <i>trans</i>-eQTL. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	12
79	Plasma from patients with anti-glomerular basement membrane disease could recognize microbial peptides. <i>PLoS ONE</i> , 2017, 12, e0174553.	2.5	12
80	Effect of Tacrolimus vs Intravenous Cyclophosphamide on Complete or Partial Response in Patients With Lupus Nephritis. <i>JAMA Network Open</i> , 2022, 5, e224492.	5.9	12
81	Renal leukocyte chemotactic factor 2 (ALECT2)-associated amyloidosis in Chinese patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 134-141.	3.0	11
82	Membranous Nephropathy in Pregnancy. <i>American Journal of Nephrology</i> , 2020, 51, 304-317.	3.1	11
83	Rituximab Therapy for Primary Membranous Nephropathy in a Chinese Cohort. <i>Frontiers in Medicine</i> , 2021, 8, 663680.	2.6	11
84	Evaluation of 10 SLE susceptibility loci in Asian populations, which were initially identified in European populations. <i>Scientific Reports</i> , 2017, 7, 41399.	3.3	10
85	The pathogenicity of T cell epitopes on human Goodpasture antigen and its critical amino acid motif. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 2117-2128.	3.6	10
86	High mobility group box-1 contributes to anti-myeloperoxidase antibody-induced glomerular endothelial cell injury through a moesin-dependent route. <i>Arthritis Research and Therapy</i> , 2017, 19, 125.	3.5	10
87	Acute tubulointerstitial nephritis with germinal centers in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Medicine (United States)</i> , 2019, 98, e18178.	1.0	10
88	Laminin-521 is a Novel Target of Autoantibodies Associated with Lung Hemorrhage in Anti-GBM Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1887-1897.	6.1	10
89	Joint association of body mass index and central obesity with cardiovascular events and all-cause mortality in prediabetic population: A prospective cohort study. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 453-461.	1.8	9
90	Nocturnal Systolic Hypertension and Adverse Prognosis in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 356-364.	4.5	9

#	ARTICLE	IF	CITATIONS
91	Mineral and Bone Disorder and Its Association with Cardiovascular Parameters in Chinese Patients with Chronic Kidney Disease. <i>Chinese Medical Journal</i> , 2016, 129, 2275-2280.	2.3	8
92	The critical amino acids of a nephritogenic epitope on human Goodpasture autoantigen for binding to HLA-DRB1*1501. <i>Molecular Immunology</i> , 2017, 88, 1-9.	2.2	8
93	The Clinical and Immunologic Features of Patients With Combined Anti-GBM Disease and Castleman Disease. <i>American Journal of Kidney Diseases</i> , 2018, 71, 904-908.	1.9	8
94	Monoclonal immunoglobulin mediates complement activation in monoclonal gammopathy associated-C3 glomerulonephritis. <i>BMC Nephrology</i> , 2019, 20, 459.	1.8	8
95	Prevalence and associated factors of depressive symptoms among chronic kidney disease patients in China: Results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Psychosomatic Research</i> , 2020, 128, 109869.	2.6	8
96	Anti-complement factor H autoantibodies may be protective in lupus nephritis. <i>Clinica Chimica Acta</i> , 2020, 508, 1-8.	1.1	8
97	Anemia among Chinese patients with chronic kidney disease and its association with quality of life - results from the Chinese cohort study of chronic kidney disease (C-STRIDE). <i>BMC Nephrology</i> , 2021, 22, 64.	1.8	8
98	Experimental Antiglomerular Basement Membrane GN Induced by a Peptide from Actinomyces. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1282-1295.	6.1	8
99	Deglycosylation influences the oxidation activity and antigenicity of myeloperoxidase. <i>Nephrology</i> , 2018, 23, 46-52.	1.6	7
100	White-coat hypertension and incident end-stage renal disease in patients with non-dialysis chronic kidney disease: results from the C-STRIDE Study. <i>Journal of Translational Medicine</i> , 2020, 18, 238.	4.4	7
101	Identification of Critical Residues of Linear B Cell Epitope on Goodpasture Autoantigen. <i>PLoS ONE</i> , 2015, 10, e0123277.	2.5	6
102	Thrombin Contributes to Anti-myeloperoxidase Antibody Positive IgG-Mediated Glomerular Endothelial Cells Activation Through SphK1-S1P-S1PR3 Signaling. <i>Frontiers in Immunology</i> , 2019, 10, 237.	4.8	6
103	Delayed diagnosis of acromegaly in a patient with focal segmental Glomerulosclerosis: a rare case report and literature review. <i>BMC Nephrology</i> , 2019, 20, 435.	1.8	6
104	Epitope Mapping of Human λ 3(IV)NC1-Induced Membranous Nephropathy in Mice. <i>American Journal of Nephrology</i> , 2020, 51, 99-107.	3.1	6
105	An overlap of antineutrophil cytoplasmic antibody (ANCA)-associated glomerulonephritis and IgG4-related kidney disease. <i>Clinica Chimica Acta</i> , 2020, 501, 12-19.	1.1	6
106	A non-invasive differential diagnostic model for light chain cast nephropathy in newly diagnosed multiple myeloma patients with renal involvement: a multicenter study. <i>Journal of Nephrology</i> , 2021, 34, 1169-1177.	2.0	6
107	Time-averaged serum uric acid and 10-year incident diabetic kidney disease: A prospective study from China. <i>Journal of Diabetes</i> , 2020, 12, 169-178.	1.8	5
108	Urinary magnesium predicts risk of cardiovascular disease in Chronic Kidney Disease stage 1-4 patients. <i>Clinical Nutrition</i> , 2021, 40, 2394-2400.	5.0	5

#	ARTICLE	IF	CITATIONS
109	Rituximab for the treatment of refractory anti-glomerular basement membrane disease. <i>Renal Failure</i> , 2022, 44, 1124-1130.	2.1	5
110	T cell responses to peptides of Goodpasture autoantigen in patients with anti-glomerular basement membrane disease. <i>Nephrology</i> , 2018, 23, 345-350.	1.6	4
111	Circulating anti-C3b IgG in lupus nephritis: A large cohort study. <i>Clinical Immunology</i> , 2020, 217, 108514.	3.2	4
112	Reduction in Serum High-Sensitivity C-Reactive Protein Favors Kidney Outcomes in Patients with Impaired Fasting Glucose or Diabetes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	2.3	4
113	Peroxidasin Is a Novel Target of Autoantibodies in Lupus Nephritis. <i>Kidney International Reports</i> , 2019, 4, 1004-1006.	0.8	3
114	Typing of hereditary renal amyloidosis presenting with isolated glomerular amyloid deposition. <i>BMC Nephrology</i> , 2019, 20, 476.	1.8	3
115	Renal calcitonin amyloidosis in a patient with disseminated medullary thyroid carcinoma. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 213-214.	3.0	3
116	Unstably controlled systolic blood pressure trajectories are associated with markers for kidney damage in prediabetic population: results from the INDEED cohort study. <i>Journal of Translational Medicine</i> , 2020, 18, 194.	4.4	3
117	Monoclonal Immunoglobulin-Associated Renal Lesions in Patients with Newly Diagnosed Multiple Myeloma: A Report from a Single Center. <i>Cancer Management and Research</i> , 2021, Volume 13, 3879-3888.	1.9	3
118	Crystalline appearance in light chain cast nephropathy is associated with higher early mortality in patients with newly diagnosed multiple myeloma. <i>International Immunopharmacology</i> , 2021, 98, 107875.	3.8	3
119	Antibodies against linear epitopes on Goodpasture autoantigen in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Clinical Rheumatology</i> , 2017, 36, 2087-2094.	2.2	3
120	Clinical Research in a Modern Chinese Peritoneal Dialysis Center. <i>Peritoneal Dialysis International</i> , 2014, 34, 49-54.	2.3	2
121	Rituximab, a viable alternative for induction therapy of active lupus nephritis. <i>Rheumatology</i> , 2014, 53, 1537-1538.	1.9	2
122	C3 glomerulonephritis associated with monoclonal gammopathy: a retrospective case series study from a single institute in China. <i>Renal Failure</i> , 2021, 43, 1437-1445.	2.1	2
123	Proteomic profiling of kidney samples in patients with pure membranous and proliferative lupus nephritis. <i>Lupus</i> , 2022, 31, 837-847.	1.6	2
124	The authors reply. <i>Kidney International</i> , 2019, 95, 233.	5.2	1
125	Comparison of Ultrastructural Features Between Patients with Mercury-associated Membranous Nephropathy and Idiopathic Membranous Nephropathy. <i>American Journal of the Medical Sciences</i> , 2021, 361, 327-335.	1.1	1
126	The Authors Reply:. <i>Kidney International</i> , 2014, 85, 1470-1471.	5.2	0

#	ARTICLE	IF	CITATIONS
127	The Authors Reply: Kidney International, 2014, 85, 711-712.	5.2	0
128	A novel mutation in complement 2 accompanied by susceptibility variants in C3 glomerulonephritis: A case study. Nefrologia, 2019, 39, 664-671.	0.4	0
129	Genetic and functional analysis of two missense mutations in CD46 predispose to postpartum atypical hemolytic uremic syndrome. Clinica Chimica Acta, 2020, 503, 61-69.	1.1	0
130	Acute kidney injury associated with thymoma. International Urology and Nephrology, 2021, 53, 1043-1045.	1.4	0
131	von Willebrand factor variants in C3 glomerulopathy: A Chinese cohort study. Clinical Immunology, 2021, 229, 108794.	3.2	0
132	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
133	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
134	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
135	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0