

Ming-Hui Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8779669/publications.pdf>

Version: 2024-02-01

135
papers

4,266
citations

126907

33
h-index

138484

58
g-index

138
all docs

138
docs citations

138
times ranked

4452
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Tacrolimus vs Intravenous Cyclophosphamide on Complete or Partial Response in Patients With Lupus Nephritis. <i>JAMA Network Open</i> , 2022, 5, e224492.	5.9	12
2	Proteomic profiling of kidney samples in patients with pure membranous and proliferative lupus nephritis. <i>Lupus</i> , 2022, 31, 837-847.	1.6	2
3	Complement C3a and C3a Receptor Activation Mediates Podocyte Injuries in the Mechanism of Primary Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1742-1756.	6.1	33
4	Rituximab for the treatment of refractory anti-glomerular basement membrane disease. <i>Renal Failure</i> , 2022, 44, 1124-1130.	2.1	5
5	Urinary magnesium predicts risk of cardiovascular disease in Chronic Kidney Disease stage 1-4 patients. <i>Clinical Nutrition</i> , 2021, 40, 2394-2400.	5.0	5
6	Long-Term Exposure to Ambient PM2.5 and Increased Risk of CKD Prevalence in China. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 448-458.	6.1	56
7	Acute kidney injury associated with thymoma. <i>International Urology and Nephrology</i> , 2021, 53, 1043-1045.	1.4	0
8	A non-invasive differential diagnostic model for light chain cast nephropathy in newly diagnosed multiple myeloma patients with renal involvement: a multicenter study. <i>Journal of Nephrology</i> , 2021, 34, 1169-1177.	2.0	6
9	Nocturnal Systolic Hypertension and Adverse Prognosis in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 356-364.	4.5	9
10	Anemia among Chinese patients with chronic kidney disease and its association with quality of life - results from the Chinese cohort study of chronic kidney disease (C-STRIDE). <i>BMC Nephrology</i> , 2021, 22, 64.	1.8	8
11	Peritoneal Dialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021, 77, 315-325.	1.9	62
12	Comparison of Ultrastructural Features Between Patients with Mercury-associated Membranous Nephropathy and Idiopathic Membranous Nephropathy. <i>American Journal of the Medical Sciences</i> , 2021, 361, 327-335.	1.1	1
13	Hemodialysis Use and Practice Patterns: An International Survey Study. <i>American Journal of Kidney Diseases</i> , 2021, 77, 326-335.e1.	1.9	24
14	Laminin-521 is a Novel Target of Autoantibodies Associated with Lung Hemorrhage in Anti-GBM Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1887-1897.	6.1	10
15	Rituximab Therapy for Primary Membranous Nephropathy in a Chinese Cohort. <i>Frontiers in Medicine</i> , 2021, 8, 663680.	2.6	11
16	Monoclonal Immunoglobulin-Associated Renal Lesions in Patients with Newly Diagnosed Multiple Myeloma: A Report from a Single Center. <i>Cancer Management and Research</i> , 2021, Volume 13, 3879-3888.	1.9	3
17	The Attenuation of Diabetic Nephropathy by Annexin A1 via Regulation of Lipid Metabolism Through the AMPK/PPAR α /CPT1b Pathway. <i>Diabetes</i> , 2021, 70, 2192-2203.	0.6	42
18	Association between serum uric acid level and mortality in China. <i>Chinese Medical Journal</i> , 2021, 134, 2073-2080.	2.3	13

#	ARTICLE	IF	CITATIONS
19	Annexin A1 alleviates kidney injury by promoting the resolution of inflammation in diabetic nephropathy. <i>Kidney International</i> , 2021, 100, 107-121.	5.2	44
20	von Willebrand factor variants in C3 glomerulopathy: A Chinese cohort study. <i>Clinical Immunology</i> , 2021, 229, 108794.	3.2	0
21	Crystalline appearance in light chain cast nephropathy is associated with higher early mortality in patients with newly diagnosed multiple myeloma. <i>International Immunopharmacology</i> , 2021, 98, 107875.	3.8	3
22	C3 glomerulonephritis associated with monoclonal gammopathy: a retrospective case series study from a single institute in China. <i>Renal Failure</i> , 2021, 43, 1437-1445.	2.1	2
23	Normal range of complement components during pregnancy: A prospective study. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13202.	1.2	24
24	Time-averaged serum uric acid and 10-year incident diabetic kidney disease: A prospective study from China. <i>Journal of Diabetes</i> , 2020, 12, 169-178.	1.8	5
25	Epitope Mapping of Human λ 3(IV)NC1-Induced Membranous Nephropathy in Mice. <i>American Journal of Nephrology</i> , 2020, 51, 99-107.	3.1	6
26	Prevalence and associated factors of depressive symptoms among chronic kidney disease patients in China: Results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Psychosomatic Research</i> , 2020, 128, 109869.	2.6	8
27	An overlap of antineutrophil cytoplasmic antibody (ANCA)-associated glomerulonephritis and IgG4-related kidney disease. <i>Clinica Chimica Acta</i> , 2020, 501, 12-19.	1.1	6
28	Association between kidney function and the risk of cancer: Results from the China Health and Retirement longitudinal study (CHARLS). <i>Journal of Cancer</i> , 2020, 11, 6429-6436.	2.5	16
29	2020 international consensus on ANCA testing beyond systemic vasculitis. <i>Autoimmunity Reviews</i> , 2020, 19, 102618.	5.8	79
30	Renal calcitonin amyloidosis in a patient with disseminated medullary thyroid carcinoma. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 213-214.	3.0	3
31	Unstably controlled systolic blood pressure trajectories are associated with markers for kidney damage in prediabetic population: results from the INDEED cohort study. <i>Journal of Translational Medicine</i> , 2020, 18, 194.	4.4	3
32	Anti-complement factor H autoantibodies may be protective in lupus nephritis. <i>Clinica Chimica Acta</i> , 2020, 508, 1-8.	1.1	8
33	Circulating anti-C3b IgG in lupus nephritis: A large cohort study. <i>Clinical Immunology</i> , 2020, 217, 108514.	3.2	4
34	White-coat hypertension and incident end-stage renal disease in patients with non-dialysis chronic kidney disease: results from the C-STRIDE Study. <i>Journal of Translational Medicine</i> , 2020, 18, 238.	4.4	7
35	The genetic architecture of membranous nephropathy and its potential to improve non-invasive diagnosis. <i>Nature Communications</i> , 2020, 11, 1600.	12.8	120
36	Reduction in Serum High-Sensitivity C-Reactive Protein Favors Kidney Outcomes in Patients with Impaired Fasting Glucose or Diabetes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	2.3	4

#	ARTICLE	IF	CITATIONS
37	Renal leukocyte chemotactic factor 2 (ALECT2)-associated amyloidosis in Chinese patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 134-141.	3.0	11
38	Membranous Nephropathy in Pregnancy. <i>American Journal of Nephrology</i> , 2020, 51, 304-317.	3.1	11
39	Genetic and functional analysis of two missense mutations in CD46 predispose to postpartum atypical hemolytic uremic syndrome. <i>Clinica Chimica Acta</i> , 2020, 503, 61-69.	1.1	0
40	Experimental Antiglomerular Basement Membrane GN Induced by a Peptide from Actinomyces. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1282-1295.	6.1	8
41	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
42	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
43	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
44	Complement activation profile of patients with primary focal segmental glomerulosclerosis. , 2020, 15, e0234934.		0
45	Myeloperoxidase-ANCA-positive granulomatosis with polyangiitis is a distinct subset of ANCA-associated vasculitis: A retrospective analysis of 455 patients from a single center in China. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 701-706.	3.4	27
46	Risk HLA class II alleles and amino acid residues in myeloperoxidase-ANCA-associated vasculitis. <i>Kidney International</i> , 2019, 96, 1010-1019.	5.2	18
47	Peroxidasin Is a Novel Target of Autoantibodies in Lupus Nephritis. <i>Kidney International Reports</i> , 2019, 4, 1004-1006.	0.8	3
48	Joint association of body mass index and central obesity with cardiovascular events and all-cause mortality in prediabetic population: A prospective cohort study. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 453-461.	1.8	9
49	Mercury-associated glomerulonephritis: a retrospective study of 35 cases in a single Chinese center. <i>BMC Nephrology</i> , 2019, 20, 228.	1.8	21
50	A novel mutation in complement 2 accompanied by susceptibility variants in C3 glomerulonephritis: A case study. <i>Nefrologia</i> , 2019, 39, 664-671.	0.4	0
51	Thrombin Contributes to Anti-myeloperoxidase Antibody Positive IgG-Mediated Glomerular Endothelial Cells Activation Through SphK1-S1P-S1PR3 Signaling. <i>Frontiers in Immunology</i> , 2019, 10, 237.	4.8	6
52	Platelets release proinflammatory microparticles in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2019, 58, 1432-1442.	1.9	19
53	Neutrophil-to-lymphocyte ratio and incident end-stage renal disease in Chinese patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Translational Medicine</i> , 2019, 17, 86.	4.4	58
54	Deficiency of C3a receptor attenuates the development of diabetic nephropathy. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000817.	2.8	19

#	ARTICLE	IF	CITATIONS
55	Delayed diagnosis of acromegaly in a patient with focal segmental Glomerulosclerosis: a rare case report and literature review. <i>BMC Nephrology</i> , 2019, 20, 435.	1.8	6
56	Typing of hereditary renal amyloidosis presenting with isolated glomerular amyloid deposition. <i>BMC Nephrology</i> , 2019, 20, 476.	1.8	3
57	Acute tubulointerstitial nephritis with germinal centers in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Medicine (United States)</i> , 2019, 98, e18178.	1.0	10
58	Monoclonal immunoglobulin mediates complement activation in monoclonal gammopathy associated-C3 glomerulonephritis. <i>BMC Nephrology</i> , 2019, 20, 459.	1.8	8
59	The authors reply. <i>Kidney International</i> , 2019, 95, 233.	5.2	1
60	The Clinical and Immunologic Features of Patients With Combined Anti-GBM Disease and Castleman Disease. <i>American Journal of Kidney Diseases</i> , 2018, 71, 904-908.	1.9	8
61	The Genetic and Environmental Factors of Primary Membranous Nephropathy: An Overview from China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 65-73.	2.5	24
62	Disease burden and challenges of chronic kidney disease in North and East Asia. <i>Kidney International</i> , 2018, 94, 22-25.	5.2	43
63	Deglycosylation influences the oxidation activity and antigenicity of myeloperoxidase. <i>Nephrology</i> , 2018, 23, 46-52.	1.6	7
64	Fever and prodromal infections in anti- α glomerular basement membrane disease. <i>Nephrology</i> , 2018, 23, 476-482.	1.6	19
65	T cell responses to peptides of Goodpasture autoantigen in patients with anti- α glomerular basement membrane disease. <i>Nephrology</i> , 2018, 23, 345-350.	1.6	4
66	The BVAS is an independent predictor of cardiovascular events and cardiovascular disease-related mortality in patients with ANCA-associated vasculitis. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 524-529.	3.4	39
67	Antibodies against M-Type Phospholipase A2 Receptor May Predict Treatment Response and Outcome in Membranous Nephropathy. <i>American Journal of Nephrology</i> , 2018, 48, 438-446.	3.1	19
68	Serum uromodulin and progression of kidney disease in patients with chronic kidney disease. <i>Journal of Translational Medicine</i> , 2018, 16, 316.	4.4	32
69	The frequency of ANCA-associated vasculitis in a national database of hospitalized patients in China. <i>Arthritis Research and Therapy</i> , 2018, 20, 226.	3.5	41
70	Increased autophagy is cytoprotective against podocyte injury induced by antibody and interferon- γ in lupus nephritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1799-1809.	0.9	79
71	HLA class II alleles differing by a single amino acid associate with clinical phenotype and outcome in patients with primary membranous nephropathy. <i>Kidney International</i> , 2018, 94, 974-982.	5.2	22
72	Clinical implications of pathological features of primary membranous nephropathy. <i>BMC Nephrology</i> , 2018, 19, 215.	1.8	33

#	ARTICLE	IF	CITATIONS
73	Clinical and prognostic significance of glomerular C1q deposits in primary MN. <i>Clinica Chimica Acta</i> , 2018, 485, 152-157.	1.1	18
74	Complement Factor H Inhibits Anti-Neutrophil Cytoplasmic Autoantibody-Induced Neutrophil Activation by Interacting With Neutrophils. <i>Frontiers in Immunology</i> , 2018, 9, 559.	4.8	26
75	Mortality risk of chronic kidney disease: A comparison between the adult populations in urban China and the United States. <i>PLoS ONE</i> , 2018, 13, e0193734.	2.5	14
76	Risk Factors for Severe Bleeding Complications in Percutaneous Renal Biopsy. <i>American Journal of the Medical Sciences</i> , 2017, 353, 230-235.	1.1	48
77	Complement Alternative Pathway's Activation in Patients With Lupus Nephritis. <i>American Journal of the Medical Sciences</i> , 2017, 353, 247-257.	1.1	54
78	<sc>HMGB</sc>1 contributes to glomerular endothelial cell injury in <sc>ANCA</sc>-associated vasculitis through enhancing endothelium's neutrophil interactions. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 1351-1360.	3.6	20
79	Deglycosylation of myeloperoxidase uncovers its novel antigenicity. <i>Kidney International</i> , 2017, 91, 1410-1419.	5.2	14
80	Anti-pentraxin 3 auto-antibodies might be protective in lupus nephritis: a large cohort study. <i>Renal Failure</i> , 2017, 39, 465-473.	2.1	14
81	Evaluation of 10 SLE susceptibility loci in Asian populations, which were initially identified in European populations. <i>Scientific Reports</i> , 2017, 7, 41399.	3.3	10
82	Sphingosine-1-phosphate and its receptors in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1313-1322.	0.7	14
83	The critical amino acids of a nephritogenic epitope on human Goodpasture autoantigen for binding to HLA-DRB1*1501. <i>Molecular Immunology</i> , 2017, 88, 1-9.	2.2	8
84	The pathogenicity of T cell epitopes on human Goodpasture antigen and its critical amino acid motif. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 2117-2128.	3.6	10
85	The susceptible <sc>HLA</sc> class <sc>II</sc> alleles and their presenting epitope(s) in Goodpasture's disease. <i>Immunology</i> , 2017, 151, 395-404.	4.4	14
86	Complement in ANCA-associated vasculitis: mechanisms and implications for management. <i>Nature Reviews Nephrology</i> , 2017, 13, 359-367.	9.6	127
87	The clinical and laboratory features of Chinese Han anti-factor H autoantibody-associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2017, 32, 811-822.	1.7	21
88	The functional activities of complement factor H are impaired in patients with ANCA-positive vasculitis. <i>Clinical Immunology</i> , 2017, 175, 41-50.	3.2	20
89	Revised 2017 international consensus on testing of ANCAs in granulomatosis with polyangiitis and microscopic polyangiitis. <i>Nature Reviews Rheumatology</i> , 2017, 13, 683-692.	8.0	302
90	Circulating Antibodies against Thrombospondin Type-I Domain-Containing 7A in Chinese Patients with Idiopathic Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1642-1651.	4.5	66

#	ARTICLE	IF	CITATIONS
91	High mobility group box-1 contributes to anti-myeloperoxidase antibody-induced glomerular endothelial cell injury through a moesin-dependent route. <i>Arthritis Research and Therapy</i> , 2017, 19, 125.	3.5	10
92	Redefining lupus nephritis: clinical implications of pathophysiologic subtypes. <i>Nature Reviews Nephrology</i> , 2017, 13, 483-495.	9.6	245
93	MHC Class II Risk Alleles and Amino Acid Residues in Idiopathic Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1651-1664.	6.1	82
94	Plasma from patients with anti-glomerular basement membrane disease could recognize microbial peptides. <i>PLoS ONE</i> , 2017, 12, e0174553.	2.5	12
95	Persistent hematuria in patients with antineutrophil cytoplasmic antibody-associated vasculitis during clinical remission: chronic glomerular lesion or low-grade active renal vasculitis?. <i>BMC Nephrology</i> , 2017, 18, 354.	1.8	18
96	Antibodies against linear epitopes on Goodpasture autoantigen in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Clinical Rheumatology</i> , 2017, 36, 2087-2094.	2.2	3
97	Autophagy-related gene <i>LRRK2</i> is likely a susceptibility gene for systemic lupus erythematosus in northern Han Chinese. <i>Oncotarget</i> , 2017, 8, 13754-13761.	1.8	20
98	Mineral and Bone Disorder and Its Association with Cardiovascular Parameters in Chinese Patients with Chronic Kidney Disease. <i>Chinese Medical Journal</i> , 2016, 129, 2275-2280.	2.3	8
99	Polymorphism rs3828903 within <i>MICB</i> is Associated with Susceptibility to Systemic Lupus Erythematosus in a Northern Han Chinese Population. <i>Journal of Immunology Research</i> , 2016, 2016, 1-6.	2.2	13
100	Autophagy is induced by anti-neutrophil cytoplasmic Abs and promotes neutrophil extracellular traps formation. <i>Innate Immunity</i> , 2016, 22, 658-665.	2.4	44
101	Serum A08 C1q antibodies are associated with disease activity and prognosis in Chinese patients with lupus nephritis. <i>Kidney International</i> , 2016, 90, 1357-1367.	5.2	22
102	Trends in Chronic Kidney Disease in China. <i>New England Journal of Medicine</i> , 2016, 375, 905-906.	27.0	526
103	T cell infiltration is associated with kidney injury in patients with anti-glomerular basement membrane disease. <i>Science China Life Sciences</i> , 2016, 59, 1282-1289.	4.9	22
104	Clinical Significance of IgM and C3 Glomerular Deposition in Primary Focal Segmental Glomerulosclerosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1582-1589.	4.5	44
105	Antibodies to $\alpha 5$ chain of collagen IV are pathogenic in Goodpasture's disease. <i>Journal of Autoimmunity</i> , 2016, 70, 1-11.	6.5	19
106	Rare Variants in the Complement Factor H-Related Protein 5 Gene Contribute to Genetic Susceptibility to IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2894-2905.	6.1	56
107	Autoantibodies against Linear Epitopes of Myeloperoxidase in Anti-GBM Glomerular Basement Membrane Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 568-575.	4.5	18
108	Circulating Level of Neutrophil Extracellular Traps Is Not a Useful Biomarker for Assessing Disease Activity in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. <i>PLoS ONE</i> , 2016, 11, e0148197.	2.5	51

#	ARTICLE	IF	CITATIONS
109	The Prevalence and Management of Anti-Neutrophil Cytoplasmic Antibody-Associated Vasculitis in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 216-223.	2.5	23
110	Association of Variants in <i>CCR6</i> With Susceptibility to Lupus Nephritis in Chinese. <i>Arthritis and Rheumatology</i> , 2015, 67, 3091-3093.	5.6	12
111	Detecting Genetic Associations between <i>ATG5</i> and Lupus Nephritis by <i>trans</i> -eQTL. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	12
112	Identification of Critical Residues of Linear B Cell Epitope on Goodpasture Autoantigen. <i>PLoS ONE</i> , 2015, 10, e0123277.	2.5	6
113	Clinicopathologic Characteristics and Outcomes of Renal Thrombotic Microangiopathy in Anti-Neutrophil Cytoplasmic Autoantibody-Associated Glomerulonephritis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 750-758.	4.5	30
114	Human neutrophil peptide 1 α 3, a component of the neutrophil extracellular trap, as a potential biomarker of lupus nephritis. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 533-540.	1.9	23
115	High mobility group box 1 contributes to anti-neutrophil cytoplasmic antibody-induced neutrophils activation through receptor for advanced glycation end products (RAGE) and Toll-like receptor 4. <i>Arthritis Research and Therapy</i> , 2015, 17, 64.	3.5	41
116	Involvement of high mobility group box 1 in the activation of C5a-primed neutrophils induced by ANCA. <i>Clinical Immunology</i> , 2015, 159, 47-57.	3.2	18
117	Variants in Complement Factor H and Complement Factor H-Related Protein Genes, <i>CFHR3</i> and <i>CFHR1</i> , Affect Complement Activation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1195-1204.	6.1	124
118	The Alternative Pathway of Complement Activation May Be Involved in the Renal Damage of Human Anti-Glomerular Basement Membrane Disease. <i>PLoS ONE</i> , 2014, 9, e91250.	2.5	36
119	Coagulation and Fibrinolysis Index Profile in Patients with ANCA-Associated Vasculitis. <i>PLoS ONE</i> , 2014, 9, e97843.	2.5	36
120	Clinical and Renal Biopsy Findings Predicting Outcome in Renal Thrombotic Microangiopathy: A Large Cohort Study from a Single Institute in China. <i>Scientific World Journal, The</i> , 2014, 2014, 1-9.	2.1	25
121	Clinical Research in a Modern Chinese Peritoneal Dialysis Center. <i>Peritoneal Dialysis International</i> , 2014, 34, 49-54.	2.3	2
122	The Authors Reply:. <i>Kidney International</i> , 2014, 85, 1470-1471.	5.2	0
123	The Authors Reply:. <i>Kidney International</i> , 2014, 85, 711-712.	5.2	0
124	The clinical and immunological features of patients with combined anti-glomerular basement membrane disease and membranous nephropathy. <i>Kidney International</i> , 2014, 85, 945-952.	5.2	46
125	Podocyte involvement in lupus nephritis based on the 2003 ISN/RPS system: a large cohort study from a single centre. <i>Rheumatology</i> , 2014, 53, 1235-1244.	1.9	53
126	Predictors for Mortality in Patients with Antineutrophil Cytoplasmic Autoantibody-associated Vasculitis: A Study of 398 Chinese Patients. <i>Journal of Rheumatology</i> , 2014, 41, 1849-1855.	2.0	55

#	ARTICLE	IF	CITATIONS
127	Anti-C1q autoantibodies from active lupus nephritis patients could inhibit the clearance of apoptotic cells and complement classical pathway activation mediated by C1q in vitro. <i>Immunobiology</i> , 2014, 219, 980-989.	1.9	40
128	Rituximab, a viable alternative for induction therapy of active lupus nephritis. <i>Rheumatology</i> , 2014, 53, 1537-1538.	1.9	2
129	Inclusion of renal vascular lesions in the 2003 ISN/RPS system for classifying lupus nephritis improves renal outcome predictions. <i>Kidney International</i> , 2013, 83, 715-723.	5.2	135
130	Antibodies against Linear Epitopes on the Goodpasture Autoantigen and Kidney Injury. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 926-933.	4.5	27
131	Serum complement factor H is associated with clinical and pathological activities of patients with lupus nephritis. <i>Rheumatology</i> , 2012, 51, 2269-2277.	1.9	51
132	Advances in human anti-glomerular basement membrane disease. <i>Nature Reviews Nephrology</i> , 2011, 7, 697-705.	9.6	77
133	Lupus nephritis combined with renal injury due to thrombotic thrombocytopenic purpura-haemolytic uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 145-152.	0.7	26
134	The role of HLA-DRB1 alleles on susceptibility of Chinese patients with anti-GBM disease. <i>Clinical Immunology</i> , 2009, 133, 245-250.	3.2	47
135	Anti-glomerular basement membrane autoantibodies against different target antigens are associated with disease severity. <i>Kidney International</i> , 2009, 76, 1108-1115.	5.2	51