
Leo J Schouten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8790033/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incidence of brain metastases in a cohort of patients with carcinoma of the breast, colon, kidney, and lung and melanoma. Cancer, 2002, 94, 2698-2705.	4.1	918
2	Ovarian cancer and oral contraceptives: collaborative reanalysis of data from 45 epidemiological studies including 23â€^257 women with ovarian cancer and 87â€^303 controls. Lancet, The, 2008, 371, 303-314.	13.7	690
3	Type I and II Endometrial Cancers: Have They Different Risk Factors?. Journal of Clinical Oncology, 2013, 31, 2607-2618.	1.6	613
4	Risk of endometrial cancer after tamoxifen treatment of breast cancer. Lancet, The, 1994, 343, 448-452.	13.7	552
5	Long-Term Effects of Traffic-Related Air Pollution on Mortality in a Dutch Cohort (NLCS-AIR Study). Environmental Health Perspectives, 2008, 116, 196-202.	6.0	501
6	Trends in incidence of adenocarcinoma of the oesophagus and gastric cardia in ten European countries. International Journal of Epidemiology, 2000, 29, 645-654.	1.9	497
7	Menopausal hormone use and ovarian cancer risk: individual participant meta-analysis of 52 epidemiological studies. Lancet, The, 2015, 385, 1835-1842.	13.7	349
8	Ovarian Cancer Risk Factors by Histologic Subtype: An Analysis From the Ovarian Cancer Cohort Consortium. Journal of Clinical Oncology, 2016, 34, 2888-2898.	1.6	349
9	Completeness of Cancer Registration in Limburg, the Netherlands. International Journal of Epidemiology, 1993, 22, 369-376.	1.9	338
10	A Systematic Review of Treatment Modalities for Primary Basal Cell Carcinomas. Archives of Dermatology, 1999, 135, 1177-83.	1.4	338
11	Development of a Record Linkage Protocol for Use in the Dutch Cancer Registry for Epidemiological Research. International Journal of Epidemiology, 1990, 19, 553-558.	1.9	259
12	A Prospective Study of Dietary Acrylamide Intake and the Risk of Endometrial, Ovarian, and Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2304-2313.	2.5	236
13	Alcohol consumption, cigarette smoking and risk of subtypes of oesophageal and gastric cancer: a prospective cohort study. Gut, 2010, 59, 39-48.	12.1	203
14	Incidence of esophageal adenocarcinoma in Barrett's esophagus with low-grade dysplasia: a systematic review and meta-analysis. Gastrointestinal Endoscopy, 2014, 79, 897-909.e4.	1.0	202
15	Prognostic significance of radial margins of clearance in rectal cancer. British Journal of Surgery, 2005, 83, 781-785.	0.3	198
16	Anthropometry, Physical Activity, and Endometrial Cancer Risk: Results From The Netherlands Cohort Study. Journal of the National Cancer Institute, 2004, 96, 1635-1638.	6.3	196
17	Long-Term Exposure to Traffic-Related Air Pollution and Lung Cancer Risk. Epidemiology, 2008, 19, 702-710.	2.7	188
18	The joint association of air pollution and noise from road traffic with cardiovascular mortality in a cohort study. Occupational and Environmental Medicine, 2008, 66, 243-250.	2.8	174

#	Article	IF	CITATIONS
19	Endometrial cancer and oral contraceptives: an individual participant meta-analysis of 27â€^276 women with endometrial cancer from 36 epidemiological studies. Lancet Oncology, The, 2015, 16, 1061-1070.	10.7	173
20	Fruit and Vegetable Intake and Risk of Breast Cancer by Hormone Receptor Status. Journal of the National Cancer Institute, 2013, 105, 219-236.	6.3	164
21	Body mass index, height and risk of adenocarcinoma of the oesophagus and gastric cardia: a prospective cohort study. Gut, 2007, 56, 1503-1511.	12.1	157
22	The CpG Island Methylator Phenotype: What's in a Name?. Cancer Research, 2013, 73, 5858-5868.	0.9	154
23	Trends in incidence of oesophageal and stomach cancer subtypes in Europe. European Journal of Gastroenterology and Hepatology, 2009, 22, 1.	1.6	153
24	Dairy consumption and 10-y total and cardiovascular mortality: a prospective cohort study in the Netherlands. American Journal of Clinical Nutrition, 2011, 93, 615-627.	4.7	143
25	Alcohol consumption, cigarette smoking and the risk of subtypes of head-neck cancer: results from the Netherlands Cohort Study. BMC Cancer, 2014, 14, 187.	2.6	143
26	Dietary acrylamide intake and the risk of renal cell, bladder, and prostate cancer. American Journal of Clinical Nutrition, 2008, 87, 1428-1438.	4.7	139
27	The carcinogenicity of dietary acrylamide intake: A comparative discussion of epidemiological and experimental animal research. Critical Reviews in Toxicology, 2010, 40, 485-512.	3.9	135
28	Vegetables and fruits consumption and risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. International Journal of Cancer, 2011, 129, 2681-2693.	5.1	130
29	Dietary N-nitroso compounds, endogenous nitrosation, and the risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2013, 97, 135-146.	4.7	130
30	Height, Body Mass Index, and Ovarian Cancer: A Pooled Analysis of 12 Cohort Studies. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 902-912.	2.5	129
31	Cancer incidence in the Netherlands in 1989 and 1990: First results of the nationwide Netherlands cancer registry. European Journal of Cancer, 1995, 31, 1822-1829.	2.8	127
32	Crohn's disease: increased mortality 10 years after diagnosis in a Europe-wide population based cohort. Gut, 2006, 55, 510-518.	12.1	113
33	Validity of coronary heart diseases and heart failure based on hospital discharge and mortality data in the Netherlands using the cardiovascular registry Maastricht cohort study. European Journal of Epidemiology, 2009, 24, 237-247.	5.7	111
34	Genetics and epigenetics of renal cell cancer. Biochimica Et Biophysica Acta: Reviews on Cancer, 2008, 1785, 133-155.	7.4	110
35	Quality of cancer registry data: a comparison of data provided by clinicians with those of registration personnel. British Journal of Cancer, 1993, 68, 974-977.	6.4	106
36	A <i>Let-7</i> MicroRNA SNP in the <i>KRAS</i> 3′UTR Is Prognostic in Early-Stage Colorectal Cancer. Clinical Cancer Research, 2011, 17, 7723-7731.	7.0	106

#	Article	IF	CITATIONS
37	Age-specific differences in the diagnostics and treatment of cancer patients aged 50 years and older in the province of Limburg, the Netherlands. Annals of Oncology, 1996, 7, 677-685.	1.2	105
38	Alcohol Intake and Renal Cell Cancer in a Pooled Analysis of 12 Prospective Studies. Journal of the National Cancer Institute, 2007, 99, 801-810.	6.3	103
39	Intakes of Fruit, Vegetables, and Carotenoids and Renal Cell Cancer Risk: A Pooled Analysis of 13 Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1730-1739.	2.5	103
40	Alcohol consumption and breast cancer risk by estrogen receptor status: in a pooled analysis of 20 studies. International Journal of Epidemiology, 2016, 45, 916-928.	1.9	101
41	Dairy Products and Ovarian Cancer: A Pooled Analysis of 12 Cohort Studies. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 364-372.	2.5	96
42	Prevalence of von Hippel-Lindau gene mutations in sporadic renal cell carcinoma: results from the Netherlands cohort study. BMC Cancer, 2005, 5, 57.	2.6	94
43	Carotenoid intakes and risk of breast cancer defined by estrogen receptor and progesterone receptor status: a pooled analysis of 18 prospective cohort studies. American Journal of Clinical Nutrition, 2012, 95, 713-725.	4.7	92
44	Relation of Height, Body Mass, Energy Intake, and Physical Activity to Risk of Renal Cell Carcinoma: Results from the Netherlands Cohort Study. American Journal of Epidemiology, 2004, 160, 1159-1167.	3.4	90
45	Associations of dietary methyl donor intake with MLH1 promoter hypermethylation and related molecular phenotypes in sporadic colorectal cancer. Carcinogenesis, 2008, 29, 1765-1773.	2.8	89
46	Relationship of tree nut, peanut and peanut butter intake with total and cause-specific mortality: a cohort study and meta-analysis. International Journal of Epidemiology, 2015, 44, 1038-1049.	1.9	84
47	Height, Weight, Weight Change, and Ovarian Cancer Risk in the Netherlands Cohort Study on Diet and Cancer. American Journal of Epidemiology, 2003, 157, 424-433.	3.4	82
48	Influence of age, comorbidity and performance status on the choice of treatment for patients with non-small cell lung cancer; results of a population-based study. Lung Cancer, 2004, 46, 233-245.	2.0	82
49	Body Mass Index, Height, and Risk of Lymphatic Malignancies: A Prospective Cohort Study. American Journal of Epidemiology, 2009, 170, 297-307.	3.4	82
50	Selenium Status and the Risk of Esophageal and Gastric Cancer Subtypes: The Netherlands Cohort Study. Gastroenterology, 2010, 138, 1704-1713.	1.3	81
51	The Capture-Recapture Method for Estimation of Cancer Registry Completeness: A Useful Tool?. International Journal of Epidemiology, 1994, 23, 1111-1116.	1.9	80
52	Cancer mortality trends in the EU and acceding countries up to 2015. Annals of Oncology, 2003, 14, 1148-1152.	1.2	79
53	A novel classification of colorectal tumors based on microsatellite instability, the CpG island methylator phenotype and chromosomal instability: implications for prognosis. Annals of Oncology, 2013, 24, 2048-2056.	1.2	79
54	Fat, Protein, and Meat Consumption and Renal Cell Cancer Risk: A Pooled Analysis of 13 Prospective Studies. Journal of the National Cancer Institute, 2008, 100, 1695-1706.	6.3	75

#	Article	IF	CITATIONS
55	A metabolomic profile is associated with the risk of incident coronary heart disease. American Heart Journal, 2014, 168, 45-52.e7.	2.7	74
56	Cancer in the very elderly Dutch population. Cancer, 2000, 89, 1121-1133.	4.1	73
57	The etiology of uterine sarcomas: a pooled analysis of the epidemiology of endometrial cancer consortium. British Journal of Cancer, 2013, 108, 727-734.	6.4	72
58	Disease outcome of inflammatory bowel disease patients: General outline of a Europe-wide population-based 10-year clinical follow-up study. Scandinavian Journal of Gastroenterology, 2006, 41, 46-54.	1.5	71
59	Ulcerative colitis: no rise in mortality in a European-wide population based cohort 10 years after diagnosis. Gut, 2007, 56, 497-503.	12.1	68
60	Inflammatory Bowel Disease in South Limburg (the Netherlands) 1991–2002: Incidence, diagnostic delay, and seasonal variations in onset of symptoms. Journal of Crohn's and Colitis, 2009, 3, 115-124.	1.3	68
61	A Pooled Analysis of 12 Cohort Studies of Dietary Fat, Cholesterol and Egg Intake and Ovarian Cancer. Cancer Causes and Control, 2006, 17, 273-285.	1.8	67
62	Prognostic Significance of Gremlin1 (GREM1) Promoter CpG Island Hypermethylation in Clear Cell Renal Cell Carcinoma. American Journal of Pathology, 2010, 176, 575-584.	3.8	66
63	Urban-Rural Differences in Cancer Incidence in The Netherlands, 1989–1991. International Journal of Epidemiology, 1996, 25, 729-736.	1.9	65
64	Genetic and Epigenetic Alterations in the von Hippel-Lindau Gene: the Influence on Renal Cancer Prognosis. Clinical Cancer Research, 2008, 14, 782-787.	7.0	65
65	Red and processed meat consumption and the risk of esophageal and gastric cancer subtypes in The Netherlands Cohort Study. Annals of Oncology, 2012, 23, 2319-2326.	1.2	64
66	A Prospective Cohort Study on Overweight, Smoking, Alcohol Consumption, and Risk of Barrett's Esophagus. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 345-358.	2.5	63
67	Reproductive and Hormonal Factors in Association With Ovarian Cancer in the Netherlands Cohort Study. American Journal of Epidemiology, 2010, 172, 1181-1189.	3.4	61
68	Intakes of coffee, tea, milk, soda and juice and renal cell cancer in a pooled analysis of 13 prospective studies. International Journal of Cancer, 2007, 121, 2246-2253.	5.1	60
69	False-negative findings in skin cancer and melanoma screening. Journal of the American Academy of Dermatology, 1995, 33, 59-63.	1.2	59
70	Lung Cancer Risk in Relation to Dietary Acrylamide Intake. Journal of the National Cancer Institute, 2009, 101, 651-662.	6.3	58
71	Dietary heme iron and the risk of colorectal cancer with specific mutations in KRAS and APC. Carcinogenesis, 2013, 34, 2757-2766.	2.8	57
72	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. American Journal of Clinical Nutrition, 2012, 95, 1172-1181.	4.7	56

#	Article	IF	CITATIONS
73	Tea and coffee drinking and ovarian cancer risk: results from the Netherlands Cohort Study and a meta-analysis. British Journal of Cancer, 2007, 97, 1291-1294.	6.4	54
74	Primary central nervous system lymphomas. Cancer, 2002, 94, 1548-1556.	4.1	53
75	Dietary Acrylamide Intake Is Not Associated with Gastrointestinal Cancer Risk. Journal of Nutrition, 2008, 138, 2229-2236.	2.9	53
76	Relationship between Tap Water Hardness, Magnesium, and Calcium Concentration and Mortality due to Ischemic Heart Disease or Stroke in the Netherlands. Environmental Health Perspectives, 2010, 118, 414-420.	6.0	53
77	Literature-Based Genetic Risk Scores for Coronary Heart Disease. Circulation: Cardiovascular Genetics, 2012, 5, 202-209.	5.1	53
78	Cancer incidence: life table risk versus cumulative risk Journal of Epidemiology and Community Health, 1994, 48, 596-600.	3.7	52
79	Rising trends in the incidence of and mortality from cutaneous melanoma in the Netherlands: a Northwest to Southeast gradient?. European Journal of Cancer, 2003, 39, 1439-1446.	2.8	52
80	A Four-Gene Promoter Methylation Marker Panel Consisting of <i>GREM1, NEURL, LAD1,</i> and <i>NEFH</i> Predicts Survival of Clear Cell Renal Cell Cancer Patients. Clinical Cancer Research, 2017, 23, 2006-2018.	7.0	51
81	Promoter Methylation of <i>CDO1</i> Identifies Clear-Cell Renal Cell Cancer Patients with Poor Survival Outcome. Clinical Cancer Research, 2015, 21, 3492-3500.	7.0	50
82	Selenoprotein Gene Variants, Toenail Selenium Levels, and Risk for Advanced Prostate Cancer. Journal of the National Cancer Institute, 2014, 106, dju003.	6.3	49
83	Long term prognostic value of growth fraction determination by Ki-67 immunostaining in primary operable breast cancer. Breast Cancer Research and Treatment, 1996, 37, 57-64.	2.5	48
84	Vegetable and fruit consumption and risk of renal cell carcinoma: Results from the Netherlands cohort study. International Journal of Cancer, 2005, 117, 648-654.	5.1	48
85	Long-Term Ambient Residential Traffic–Related Exposures and Measurement Error–Adjusted Risk of Incident Lung Cancer in the Netherlands Cohort Study on Diet and Cancer. Environmental Health Perspectives, 2015, 123, 860-866.	6.0	48
86	Occupational exposures and Parkinson's disease mortality in a prospective Dutch cohort. Occupational and Environmental Medicine, 2015, 72, 448-455.	2.8	48
87	Total fluid and specific beverage intake and mortality due to IHD and stroke in the Netherlands Cohort Study. British Journal of Nutrition, 2010, 104, 1212-1221.	2.3	47
88	Prognostic significance of etiological risk factors in early breast cancer. Breast Cancer Research and Treatment, 1997, 43, 217-223.	2.5	46
89	Mortality in inflammatory bowel disease in the Netherlands 1991–2002. Inflammatory Bowel Diseases, 2010, 16, 1397-1410.	1.9	46
90	Vegetarianism, low meat consumption and the risk of colorectal cancer in a population based cohort study. Scientific Reports, 2015, 5, 13484.	3.3	46

#	Article	IF	CITATIONS
91	Occupational exposure and amyotrophic lateral sclerosis in a prospective cohort. Occupational and Environmental Medicine, 2017, 74, 578-585.	2.8	46
92	Alcohol intake and ovarian cancer risk: a pooled analysis of 10 cohort studies. British Journal of Cancer, 2006, 94, 757-762.	6.4	45
93	Markers of Endogenous Desaturase Activity and Risk of Coronary Heart Disease in the CAREMA Cohort Study. PLoS ONE, 2012, 7, e41681.	2.5	45
94	Dietary Acrylamide Intake and Brain Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1663-1666.	2.5	44
95	Polymorphisms in genes of the reninâ€angiotensinâ€aldosterone system and renal cell cancer risk: Interplay with hypertension and intakes of sodium, potassium and fluid. International Journal of Cancer, 2015, 136, 1104-1116.	5.1	44
96	Kidney stones and the risk of renal cell carcinoma and upper tract urothelial carcinoma: the Netherlands Cohort Study. British Journal of Cancer, 2019, 120, 368-374.	6.4	44
97	Analgesic Use and Ovarian Cancer Risk: An Analysis in the Ovarian Cancer Cohort Consortium. Journal of the National Cancer Institute, 2019, 111, 137-145.	6.3	43
98	Total Cancer Incidence and Overall Mortality Are Not Increased Among Patients With Barrett's Esophagus. Clinical Gastroenterology and Hepatology, 2011, 9, 754-761.	4.4	42
99	Intake of the major carotenoids and the risk of epithelial ovarian cancer in a pooled analysis of 10 cohort studies. International Journal of Cancer, 2006, 119, 2148-2154.	5.1	41
100	Genetic marker polymorphisms on chromosome 8q24 and prostate cancer in the Dutch population: DG8S737 may not be the causative variant. European Journal of Human Genetics, 2011, 19, 118-120.	2.8	41
101	Dietary acrylamide intake and estrogen and progesterone receptor-defined postmenopausal breast cancer risk. Breast Cancer Research and Treatment, 2010, 122, 199-210.	2.5	40
102	Occupational extremely low-frequency magnetic field exposure and selected cancer outcomes in a prospective Dutch cohort. Cancer Causes and Control, 2014, 25, 203-214.	1.8	40
103	Age-specific differences in treatment and survival of patients with cervical cancer in the southeast of The Netherlands, 1986–1996. European Journal of Cancer, 2002, 38, 2041-2047.	2.8	39
104	Dairy Intake and the Risk of Bladder Cancer in the Netherlands Cohort Study on Diet and Cancer. American Journal of Epidemiology, 2010, 171, 436-446.	3.4	39
105	Self-reported Clothing Size as a Proxy Measure for Body Size. Epidemiology, 2009, 20, 673-676.	2.7	37
106	Dietary Acrylamide Intake and the Risk of Lymphatic Malignancies: The Netherlands Cohort Study on Diet and Cancer. PLoS ONE, 2012, 7, e38016.	2.5	37
107	Dietary Acrylamide Intake and the Risk of Head-Neck and Thyroid Cancers: Results From the Netherlands Cohort Study. American Journal of Epidemiology, 2009, 170, 873-884.	3.4	36
108	Mitochondrial DNA copy number in colorectal cancer: between tissue comparisons, clinicopathological characteristics and survival. Carcinogenesis, 2015, 36, bgv151.	2.8	36

#	Article	IF	CITATIONS
109	Evaluation of the effect of breast cancer screening by record linkage with the cancer registry, the Netherlands. Journal of Medical Screening, 1998, 5, 37-41.	2.3	35
110	Loco-regional recurrences after mastectomy in breast cancer: prognostic factors and implications for postoperative irradiation. Radiotherapy and Oncology, 1999, 50, 267-275.	0.6	35
111	Long-term dietary sodium, potassium and fluid intake; exploring potential novel risk factors for renal cell cancer in the Netherlands Cohort Study on diet and cancer. British Journal of Cancer, 2014, 110, 797-801.	6.4	35
112	The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). Cancer Research, 2020, 80, 1210-1218.	0.9	35
113	Alcohol consumption, cigarette smoking, and endometrial cancer risk: results from the Netherlands Cohort Study. Cancer Causes and Control, 2007, 18, 551-560.	1.8	34
114	Alcohol and ovarian cancer risk: results from the Netherlands Cohort Study. Cancer Causes and Control, 2004, 15, 201-209.	1.8	33
115	Dairy consumption and ovarian cancer risk in the Netherlands Cohort Study on Diet and Cancer. British Journal of Cancer, 2006, 94, 165-170.	6.4	33
116	Physical Activity and Risk of Ovarian Cancer: Results from the Netherlands Cohort Study (The) Tj ETQq0 0 0 rgBT	/Overlock	19 ₃ Tf 50 462
117	Consumption of dietary fat and meat and risk of ovarian cancer in the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2011, 93, 118-126.	4.7	33
118	Anthropometry and Pancreatic Cancer Risk: An Illustration of the Importance of Microscopic Verification. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1449-1454.	2.5	32
119	The Netherlands Cohort Study – Meat Investigation Cohort; a population-based cohort over-represented with vegetarians, pescetarians and low meat consumers. Nutrition Journal, 2013, 12, 156.	3.4	32
120	Dietary acrylamide intake and the risk of colorectal cancer with specific mutations in KRAS and APC. Carcinogenesis, 2014, 35, 1032-1038.	2.8	31
121	Fat and K-ras mutations in sporadic colorectal cancer in The Netherlands Cohort Study. Carcinogenesis, 2004, 25, 1619-1628.	2.8	30
122	Validation of a database on acrylamide for use in epidemiological studies. European Journal of Clinical Nutrition, 2010, 64, 534-540.	2.9	30
123	Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. European Journal of Epidemiology, 2021, 36, 37-55.	5.7	30
124	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	4.7	29
125	Interactions between dietary acrylamide intake and genes for ovarian cancer risk. European Journal of Epidemiology, 2017, 32, 431-441.	5.7	29
126	A blind review and an informed review of interval breast cancer cases in the Limburg screening programme, the Netherlands. Journal of Medical Screening, 2000, 7, 19-23.	2.3	28

#	Article	IF	CITATIONS
127	Vitamin and carotenoid intake and risk of head-neck cancer subtypes in the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2015, 102, 420-432.	4.7	28
128	Associations of adipose and muscle tissue parameters at colorectal cancer diagnosis with long-term health-related quality of life. Quality of Life Research, 2017, 26, 1745-1759.	3.1	28
129	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. International Journal of Cancer, 2019, 145, 58-69.	5.1	28
130	Hypertension, antihypertensives and mutations in the Von Hippel–Lindau gene in renal cell carcinoma: results from the Netherlands Cohort Study. Journal of Hypertension, 2005, 23, 1997-2004.	0.5	27
131	Bowel Movement and Constipation Frequencies and the Risk of Colorectal Cancer Among Men in the Netherlands Cohort Study on Diet and Cancer. American Journal of Epidemiology, 2010, 172, 1404-1414.	3.4	27
132	Smoking, alcohol consumption, physical activity, and family history and the risks of acute myocardial infarction and unstable angina pectoris: a prospective cohort study. BMC Cardiovascular Disorders, 2011, 11, 13.	1.7	27
133	DNA from Nails for Genetic Analyses in Large-Scale Epidemiologic Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2703-2712.	2.5	27
134	Consumption of vegetables and fruits and risk of subtypes of head–neck cancer in the <scp>N</scp> etherlands <scp>C</scp> ohort <scp>S</scp> tudy. International Journal of Cancer, 2015, 136, E396-409.	5.1	27
135	The influence of single nucleotide polymorphisms on the association between dietary acrylamide intake and endometrial cancer risk. Scientific Reports, 2016, 6, 34902.	3.3	27
136	Consumption of vegetables and fruits and risk of ovarian carcinoma. Cancer, 2005, 104, 1512-1519.	4.1	26
137	ANTHROPOMETRY, PHYSICAL ACTIVITY, AND ENDOMETRIAL CANCER RISK: RESULTS FROM THE NETHERLANDS COHORT STUDY. International Journal of Gynecological Cancer, 2006, 16, 492-492.	2.5	26
138	Fluid Intake and Colorectal Cancer Risk in the Netherlands Cohort Study. Nutrition and Cancer, 2010, 62, 307-321.	2.0	26
139	Genetic susceptibility to sporadic ovarian cancer: A systematic review. Biochimica Et Biophysica Acta: Reviews on Cancer, 2011, 1816, 132-146.	7.4	26
140	Body mass index and risk of subtypes of head-neck cancer: the Netherlands Cohort Study. Scientific Reports, 2015, 5, 17744.	3.3	26
141	Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. Cancer Causes and Control, 2008, 19, 125-134.	1.8	25
142	Vegetable, fruit and nitrate intake in relation to the risk of Barrett's oesophagus in a large Dutch cohort. British Journal of Nutrition, 2014, 111, 1452-1462.	2.3	25
143	Toenails: An Easily Accessible and Long-Term Stable Source of DNA for Genetic Analyses in Large-Scale Epidemiological Studies. Clinical Chemistry, 2007, 53, 1168-1170.	3.2	24
144	Maximizing resources to study an uncommon cancer: E2C2—Epidemiology of Endometrial Cancer Consortium. Cancer Causes and Control, 2009, 20, 491-496.	1.8	23

#	Article	IF	CITATIONS
145	Longitudinal Changes in BMI in Older Adults Are Associated with Meat Consumption Differentially, by Type of Meat Consumed3. Journal of Nutrition, 2012, 142, 340-349.	2.9	23
146	Occupational exposure to extremely low-frequency magnetic fields and cardiovascular disease mortality in a prospective cohort study. Occupational and Environmental Medicine, 2013, 70, 402-407.	2.8	23
147	Intake of vitamins A, C, and E and folate and the risk of ovarian cancer in a pooled analysis of 10 cohort studies. Cancer Causes and Control, 2015, 26, 1315-1327.	1.8	23
148	Cigarette smoking, von Hippel–Lindau gene mutations and sporadic renal cell carcinoma. British Journal of Cancer, 2006, 95, 374-377.	6.4	22
149	Diabetes type II, other medical conditions and pancreatic cancer risk: a prospective study in The Netherlands. British Journal of Cancer, 2013, 109, 2924-2932.	6.4	22
150	Interactions between Genetic Variants in AMH and AMHR2 May Modify Age at Natural Menopause. PLoS ONE, 2013, 8, e59819.	2.5	21
151	Vegetarianism, low meat consumption and the risk of lung, postmenopausal breast and prostate cancer in a population-based cohort study. European Journal of Clinical Nutrition, 2016, 70, 723-729.	2.9	21
152	The Prognostic Significance of Steroid Receptor Activity in Tumor Tissues of Patients with Primary Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1997, 20, 546-551.	1.3	21
153	Cancer in the very elderly Dutch population. Cancer, 2000, 89, 1121-1133.	4.1	21
154	Cancer incidence in Dutch Balkan veterans. Cancer Epidemiology, 2013, 37, 550-555.	1.9	20
155	Toenail selenium status and risk of subtypes of head-neck cancer: The Netherlands Cohort Study. European Journal of Cancer, 2016, 60, 83-92.	2.8	20
156	Adjuvant chemohormonal therapy with cyclophosphamide, doxorubicin and 5-fluorouracil (CAF) with or without medroxyprogesterone acetate for node-positive breast cancer patients. Annals of Oncology, 1993, 4, 295-301.	1.2	19
157	Incidence of Primary Central Nervous System Cancers in South and East Netherlands in 1989–1994. Neuroepidemiology, 1998, 17, 247-257.	2.3	19
158	Risk prediction of incident coronary heart disease in the Netherlands: re-estimation and improvement of the SCORE risk function. European Journal of Preventive Cardiology, 2012, 19, 840-848.	1.8	19
159	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. PLoS ONE, 2012, 7, e37141.	2.5	19
160	Occupational exposures and risk of dementiaâ€related mortality in the prospective Netherlands Cohort Study. American Journal of Industrial Medicine, 2015, 58, 625-635.	2.1	19
161	Promoter CpG island methylation in ion transport mechanisms and associated dietary intakes jointly influence the risk of clear-cell renal cell cancer. International Journal of Epidemiology, 2017, 46, dyw266.	1.9	18
162	One Measure, Two Motives. Prediction of Condom Use and Interaction Between Two Prevention Goals Among Heterosexual Young Adults: Preventing Pregnancy and/or Sexually Transmitted Diseases. Prevention Science, 2006, 7, 369-376.	2.6	17

#	Article	IF	CITATIONS
163	Body size, physical activity, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk. Carcinogenesis, 2015, 36, 971-981.	2.8	17
164	Alcohol consumption and risk of lymphoid and myeloid neoplasms: Results of the Netherlands cohort study. International Journal of Cancer, 2013, 133, 1701-1712.	5.1	16
165	Genetic Variants in the Insulin-like Growth Factor Pathway and Colorectal Cancer Risk in the Netherlands Cohort Study. Scientific Reports, 2015, 5, 14126.	3.3	16
166	The effect of continuous positive airway pressure on nocturia in patients with obstructive sleep apnea syndrome. Neurourology and Urodynamics, 2020, 39, 1124-1128.	1.5	16
167	Rising incidence of breast cancer after completion of the first prevalent round of the breast cancer screening programme. Journal of Medical Screening, 2002, 9, 120-124.	2.3	15
168	Toenail selenium status and the risk of Barrett's esophagus: the Netherlands Cohort Study. Cancer Causes and Control, 2010, 21, 2259-2268.	1.8	15
169	Coffee, tea, and caffeine intake and amyotrophic lateral sclerosis mortality in a pooled analysis of eight prospective cohort studies. European Journal of Neurology, 2019, 26, 468-475.	3.3	14
170	Interaction between dietary acrylamide intake and genetic variants for estrogen receptor-positive breast cancer risk. European Journal of Nutrition, 2019, 58, 1033-1045.	3.9	14
171	Alcohol consumption, cigarette smoking and cancer of unknown primary risk: Results from the Netherlands Cohort Study. International Journal of Cancer, 2021, 148, 1586-1597.	5.1	14
172	Pregnancy outcomes and risk of endometrial cancer: A pooled analysis of individual participant data in the Epidemiology of Endometrial Cancer Consortium. International Journal of Cancer, 2021, 148, 2068-2078.	5.1	14
173	Factors influencing participation among melanoma screening attenders Acta Dermato-Venereologica, 1997, 77, 467-470.	1.3	14
174	A prospective cohort study on dietary acrylamide intake and the risk for cutaneous malignant melanoma. European Journal of Cancer Prevention, 2017, 26, 528-531.	1.3	13
175	Cancer incidence in the province of Limburg, The Netherlands. European Journal of Cancer, 1992, 28, 1752-1755.	2.8	12
176	Accuracy and completeness of the registration of childhood leukaemia in The Netherlands, 1989–1992. European Journal of Cancer, 1997, 33, 891-894.	2.8	12
177	Etiologic heterogeneity of clearâ€cell and papillary renal cell carcinoma in the Netherlands Cohort Study. International Journal of Cancer, 2021, 148, 67-76.	5.1	12
178	Diagnostic DNA Methylation Biomarkers for Renal Cell Carcinoma: A Systematic Review. European Urology Oncology, 2021, 4, 215-226.	5.4	12
179	A compendium of familial relative risks of cancer among first degree relatives: A populationâ€based study. International Journal of Cancer, 2008, 123, 1664-1673.	5.1	11
180	Energy Restriction during Childhood and Early Adulthood and Ovarian Cancer Risk. PLoS ONE, 2011, 6, e27960.	2.5	11

#	Article	lF	CITATIONS
181	Dietary folate and folate vitamers and the risk of prostate cancer in The Netherlands Cohort Study. Cancer Causes and Control, 2012, 23, 2003-2011.	1.8	11
182	A Systematic Literature Review and Meta-Regression Analysis on Early-Life Energy Restriction and Cancer Risk in Humans. PLoS ONE, 2016, 11, e0158003.	2.5	11
183	Intake of meat and fish and risk of head–neck cancer subtypes in the Netherlands Cohort Study. Cancer Causes and Control, 2017, 28, 647-656.	1.8	11
184	Reproductive and Hormonal Factors and Risk of Ovarian Cancer by Tumor Dominance: Results from the Ovarian Cancer Cohort Consortium (OC3). Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 200-207.	2.5	11
185	Development of a prognostic risk model for clear cell renal cell carcinoma by systematic evaluation of DNA methylation markers. Clinical Epigenetics, 2021, 13, 103.	4.1	11
186	Expression of proteins associated with the Warburgâ€effect and survival in colorectal cancer. Journal of Pathology: Clinical Research, 2022, 8, 169-180.	3.0	11
187	Ascertainment Corrected Rates. International Journal of Epidemiology, 1994, 23, 203-204.	1.9	10
188	Polymorphisms in genes related to activation or detoxification of carcinogens might interact with smoking to increase renal cancer risk: results from The Netherlands Cohort Study on diet and cancer. World Journal of Urology, 2008, 26, 103-110.	2.2	10
189	A systematic SNP selection approach to identify mechanisms underlying disease aetiology: linking height to post-menopausal breast and colorectal cancer risk. Scientific Reports, 2017, 7, 41034.	3.3	10
190	Volunteer Melanoma Screenings. Dermatologic Surgery, 1997, 23, 197-201.	0.8	9
191	Validity of the stage of lung cancer in records of the Maastricht cancer registry, The Netherlands. Lung Cancer, 1997, 17, 115-122.	2.0	9
192	Age-specific differences in treatment and survival of ovarian cancer patients in the province of Limburg, the Netherlands, 1986-92. International Journal of Gynecological Cancer, 1998, 8, 150-157.	2.5	9
193	Adjuvant chemo-hormonal therapy with cyclophosphamide, doxorubicin and 5-fluorouracil (CAF) with or without medroxyprogesterone acetate (MPA) for node-positive cancer patients, update at 12 years follow up. Breast, 2001, 10, 35-37.	2.2	9
194	Alcohol Consumption and Mutations or Promoter Hypermethylation of the <i>von Hippel–Lindau</i> Gene in Renal Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3543-3550.	2.5	9
195	Meat Consumption and the Risk of Barrett's Esophagus in a Large Dutch Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1162-1166.	2.5	9
196	Alcohol and Dietary Folate Intake and Promoter CpG Island Methylation in Clear-Cell Renal Cell Cancer. Nutrition and Cancer, 2016, 68, 1097-1107.	2.0	9
197	A quarter century of decline of autopsies in the Netherlands. European Journal of Epidemiology, 2019, 34, 1171-1174.	5.7	9
198	Energy balanceâ€related factors in childhood and adolescence and risk of colorectal cancer expressing different levels of proteins involved in the Warburgâ€effect. International Journal of Cancer, 2022, 150, 1812-1824.	5.1	9

#	Article	IF	CITATIONS
199	Mammography in the follow-up after breast-conserving treatment in cancer of the breast: suitability for mammographic interpretation, validity and interobserver variation. British Journal of Radiology, 1995, 68, 754-760.	2.2	8
200	Body Mass Index and von Hippel-Lindau Gene Mutations in Clear-cell Renal Cancer: Results of the Netherlands Cohort Study on Diet and Cancer. Annals of Epidemiology, 2010, 20, 401-404.	1.9	7
201	Prostate cancer susceptibility genes on 8p21–23 in a Dutch population. Prostate Cancer and Prostatic Diseases, 2013, 16, 248-253.	3.9	7
202	Potential role of gene-environment interactions in ion transport mechanisms in the etiology of renal cell cancer. Scientific Reports, 2016, 6, 34262.	3.3	7
203	Validity and Reproducibility of Immunohistochemical Scoring by Trained Non-Pathologists on Tissue Microarrays. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1867-1874.	2.5	7
204	The Neuro-Oncology Register. Neuroepidemiology, 1992, 11, 261-266.	2.3	6
205	Ploidy and S-phase fractions (SPF) of primary breast cancers and their nodal metastases. Breast Cancer Research and Treatment, 1994, 32, 197-202.	2.5	6
206	Remarkable age-dependent sex differences in the incidence of adenocarcinoma of the gastric cardia and oesophagus in The Netherlands. European Journal of Cancer, 1997, 33, 1519.	2.8	6
207	Cyclophosphamide, epirubicin and cisplatin (CEP) versus epirubicin plus cisplatin (EP) in stage Ic-IV ovarian cancer: a randomized phase III trial of the Gynecologic Oncology Group of the Comprehensive Cancer Center Limburg. Anti-Cancer Drugs, 1999, 10, 257-261.	1.4	6
208	Co-occurrence of metabolic factors and the risk of coronary heart disease: A prospective cohort study in the Netherlands. International Journal of Cardiology, 2012, 155, 223-229.	1.7	6
209	Reaction on the acrylamide and cancer review by Lipworth and colleagues. European Journal of Cancer Prevention, 2013, 22, 194-198.	1.3	6
210	The Role of Genetic Variants in the Association between Dietary Acrylamide and Advanced Prostate Cancer in the Netherlands Cohort Study on Diet and Cancer. Nutrition and Cancer, 2018, 70, 620-631.	2.0	6
211	Sirtuin 1 genetic variation, energy balance and colorectal cancer risk by sex and subsite in the Netherlands Cohort Study. Scientific Reports, 2018, 8, 16540.	3.3	6
212	Associations of adultâ€attained height and early life energy restriction with postmenopausal breast cancer risk according to estrogen and progesterone receptor status. International Journal of Cancer, 2019, 144, 1844-1857.	5.1	6
213	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2010-2018.	2.5	6
214	Public awareness of the association between human papillomavirus and oropharyngeal cancer. European Journal of Public Health, 2021, 31, 1021-1025.	0.3	6
215	Energy Balance–Related Factors and Risk of Colorectal Cancer Expressing Different Levels of Proteins Involved in the Warburg Effect. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 633-646.	2.5	6
216	Anti-apoptotic phenotype is associated with decreased locoregional recurrence rate in breast cancer. Anticancer Research, 2000, 20, 1269-75.	1.1	6

#	Article	IF	CITATIONS
217	A Uniform Histological Cluster Scheme for ICD-O-Coded Primary Central Nervous System Tumors. Neuroepidemiology, 1998, 17, 233-246.	2.3	5
218	Energy restriction at young age, genetic variants in the insulinâ€like growth factor pathway and colorectal cancer risk in the Netherlands Cohort Study. International Journal of Cancer, 2017, 140, 272-284.	5.1	5
219	Anthropometry, physical activity and cancer of unknown primary (CUP) risk: Results from the Netherlands cohort study. Cancer Epidemiology, 2020, 69, 101836.	1.9	5
220	Germline polymorphisms in the Von Hippel-Lindau and Hypoxia-inducible factor 1-alpha genes, gene-environment and gene-gene interactions and renal cell cancer. Scientific Reports, 2020, 10, 137.	3.3	5
221	Meat consumption and cancer of unknown primary (CUP) risk: results from The Netherlands cohort study on diet and cancer. European Journal of Nutrition, 2021, 60, 4579-4593.	3.9	5
222	Cohort Profile: The Ovarian Cancer Cohort Consortium (OC3). International Journal of Epidemiology, 2022, 51, e73-e86.	1.9	5
223	Adherence to the World Cancer Research Fund and the American Institute for Cancer Research lifestyle recommendations for cancer prevention and Cancer of Unknown Primary risk. Clinical Nutrition, 2022, 41, 526-535.	5.0	5
224	Technical considerations in PCR-based assay design for diagnostic DNA methylation cancer biomarkers. Clinical Epigenetics, 2022, 14, 56.	4.1	5
225	Reproductive and external hormonal factors and the risk of renal cell cancer in the Netherlands Cohort Study. Cancer Epidemiology, 2022, 79, 102171.	1.9	4
226	Association between mutational subgroups, Warburgâ€subtypes, and survival in patients with colorectal cancer. Cancer Medicine, 0, , .	2.8	4
227	Incidence of primary cancer of the central nervous system in southeastern Netherlands during the period 1980-94. Specialists in neuro-oncology in southeastern Netherlands. Cancer Causes and Control, 1998, 9, 225-228.	1.8	3
228	Investigation of sirtuin 1 polymorphisms in relation to the risk of colorectal cancer by molecular subtype. Scientific Reports, 2020, 10, 3359.	3.3	3
229	Family history of cancer in first degree relatives and risk of cancer of unknown primary. European Journal of Cancer Care, 2021, 30, e13485.	1.5	3
230	Energy balance-related factors and risk of colorectal cancer based on KRAS, PIK3CA, and BRAF mutations and MMR status. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2723-2742.	2.5	3
231	A phase II study with mitomycin and vindesine in metastatic pretreated breast cancer. European Journal of Cancer & Clinical Oncology, 1991, 27, 520-521.	0.7	2
232	Chemotherapy Consisting of Cisplatin, Epirubicin, and Cyclophosphamide in Advanced Ovarian Carcinoma. Cancer Investigation, 1993, 11, 1-5.	1.3	2
233	Hormone replacement therapy and high incidence of breast cancer between mammographic screens. Lancet, The, 1997, 349, 1104.	13.7	2
234	Reaction on Gargas et al.: Acrylamide: Consideration of species differences and nonlinear processes in estimating risk and safety for human ingestion. Food and Chemical Toxicology, 2009, 47, 2871-2872.	3.6	2

#	Article	IF	CITATIONS
235	Polymorphisms in the mTOR-PI3K-Akt pathway, energy balance-related exposures and colorectal cancer risk in the Netherlands Cohort Study. BioData Mining, 2022, 15, 2.	4.0	2
236	Total skin examination during screening for malignant melanoma does not increase the detection rate. British Journal of Dermatology, 1996, 135, 42-5.	1.5	2
237	Volunteer melanoma screenings. Follow-up, compliance, and outcome. Dermatologic Surgery, 1997, 23, 197-201.	0.8	2
238	Dietary One-Carbon Nutrient Intake and Risk of Lymphoid and Myeloid Neoplasms: Results of the Netherlands Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2153-2164.	2.5	1
239	Analgesic Use and Ovarian Cancer Risk: An Analysis in the Ovarian Cancer Cohort Consortium. Obstetrical and Gynecological Survey, 2018, 73, 576-578.	0.4	1
240	Abstract 1272: Alcohol and dietary folate intake and gene promoter methylation in clear-cell renal cell cancer. , 2014, , .		1
241	Skin cancer screening focusing on melanoma yields more selective attendance. Archives of Dermatology, 1995, 131, 422-5.	1.4	1
242	Risk factors, genetic predisposition and mutations in the VHL gene in sporadic renal cell carcinoma: The Netherlands Cohort Study. Iarc (international Agency for Research on Cancer) Scientific Publications, 2002, 156, 509-10.	0.4	1
243	Evaluation of a seven gene mutational profile as a prognostic factor in a population-based study of clear cell renal cell carcinoma. Scientific Reports, 2022, 12, 6478.	3.3	1
244	Vegetable and fruit consumption and cancer of unknown primary risk: results from the Netherlands cohort study on diet and cancer. BMC Cancer, 2022, 22, 399.	2.6	1
245	A plea for better coding rules for bladder cancer. British Journal of Cancer, 1993, 68, 1254-1255.	6.4	Ο
246	Skin cancer screening focusing on melanoma. Melanoma Research, 1995, 5, 32.	1.2	0
247	Am I Shrinking? On Clothing Size and Body Size. Epidemiology, 2010, 21, 160.	2.7	Ο
248	KRAS-LCS6 Genotype as a Prognostic Marker in Early-Stage CRC–Response. Clinical Cancer Research, 2012, 18, 3489-3489.	7.0	0
249	Awareness of HPV-associated oropharyngeal cancers among GPs in the netherlands: cross-sectional study. BJGP Open, 2021, , BJGPO.2021.0080.	1.8	Ο
250	Abstract 2198: A literature-based sum score of genetic variants in IGF genes modifies associations between indicators of energy balance and colorectal cancer risk. , 2014, , .		0
251	Abstract 5060: Dietary sodium, potassium and fluid intake and clear cell renal cell cancer: heterogeneous effects by DNA methylation of genes involved in renal salt homeostasis. , 2014, , .		Ο
252	Abstract AS10: Ovarian cancer risk factor associations by tumor aggressiveness in the ovarian cancer cohort consortium (OC3). , 2015, , .		0

#	Article	IF	CITATIONS
253	Abstract 854: Ovarian cancer risk factors by histologic subtypes: evidence for etiologic heterogeneity. , 2015, , .		0