

# Leo J Schouten

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8790033/publications.pdf>

Version: 2024-02-01

253  
papers

15,661  
citations

16451

64  
h-index

20358

116  
g-index

254  
all docs

254  
docs citations

254  
times ranked

18432  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Cohort Profile: The Ovarian Cancer Cohort Consortium (OC3). <i>International Journal of Epidemiology</i> , 2022, 51, e73-e86.  | 1.9 | 5         |
| 2  | Expression of proteins associated with the Warburg effect and survival in colorectal cancer. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 169-180.  | 3.0 | 11        |
| 3  | Adherence to the World Cancer Research Fund and the American Institute for Cancer Research lifestyle recommendations for cancer prevention and Cancer of Unknown Primary risk. <i>Clinical Nutrition</i> , 2022, 41, 526-535.    | 5.0 | 5         |
| 4  | Energy balance-related factors in childhood and adolescence and risk of colorectal cancer expressing different levels of proteins involved in the Warburg effect. <i>International Journal of Cancer</i> , 2022, 150, 1812-1824. | 5.1 | 9         |
| 5  | Polymorphisms in the mTOR-PI3K-Akt pathway, energy balance-related exposures and colorectal cancer risk in the Netherlands Cohort Study. <i>BioData Mining</i> , 2022, 15, 2.  | 4.0 | 2         |
| 6  | Energy Balance-Related Factors and Risk of Colorectal Cancer Expressing Different Levels of Proteins Involved in the Warburg Effect. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 633-646.                   | 2.5 | 6         |
| 7  | Evaluation of a seven gene mutational profile as a prognostic factor in a population-based study of clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2022, 12, 6478.   | 3.3 | 1         |
| 8  | Vegetable and fruit consumption and cancer of unknown primary risk: results from the Netherlands cohort study on diet and cancer. <i>BMC Cancer</i> , 2022, 22, 399.   | 2.6 | 1         |
| 9  | Technical considerations in PCR-based assay design for diagnostic DNA methylation cancer biomarkers. <i>Clinical Epigenetics</i> , 2022, 14, 56.   | 4.1 | 5         |
| 10 | Energy balance-related factors and risk of colorectal cancer based on KRAS, PIK3CA, and BRAF mutations and MMR status. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2723-2742.                           | 2.5 | 3         |
| 11 | Reproductive and external hormonal factors and the risk of renal cell cancer in the Netherlands Cohort Study. <i>Cancer Epidemiology</i> , 2022, 79, 102171.   | 1.9 | 4         |
| 12 | Etiologic heterogeneity of clear cell and papillary renal cell carcinoma in the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2021, 148, 67-76.   | 5.1 | 12        |
| 13 | Alcohol consumption, cigarette smoking and cancer of unknown primary risk: Results from the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2021, 148, 1586-1597.   | 5.1 | 14        |
| 14 | Pregnancy outcomes and risk of endometrial cancer: A pooled analysis of individual participant data in the Epidemiology of Endometrial Cancer Consortium. <i>International Journal of Cancer</i> , 2021, 148, 2068-2078.         | 5.1 | 14        |
| 15 | Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. <i>European Journal of Epidemiology</i> , 2021, 36, 37-55.   | 5.7 | 30        |
| 16 | Diagnostic DNA Methylation Biomarkers for Renal Cell Carcinoma: A Systematic Review. <i>European Urology Oncology</i> , 2021, 4, 215-226.  | 5.4 | 12        |
| 17 | Development of a prognostic risk model for clear cell renal cell carcinoma by systematic evaluation of DNA methylation markers. <i>Clinical Epigenetics</i> , 2021, 13, 103.   | 4.1 | 11        |
| 18 | Meat consumption and cancer of unknown primary (CUP) risk: results from The Netherlands cohort study on diet and cancer. <i>European Journal of Nutrition</i> , 2021, 60, 4579-4593.   | 3.9 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Public awareness of the association between human papillomavirus and oropharyngeal cancer. <i>European Journal of Public Health</i> , 2021, 31, 1021-1025.  | 0.3 | 6         |
| 20 | Validity and Reproducibility of Immunohistochemical Scoring by Trained Non-Pathologists on Tissue Microarrays. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1867-1874.  | 2.5 | 7         |
| 21 | Family history of cancer in first degree relatives and risk of cancer of unknown primary. <i>European Journal of Cancer Care</i> , 2021, 30, e13485.  | 1.5 | 3         |
| 22 | Awareness of HPV-associated oropharyngeal cancers among GPs in the netherlands: cross-sectional study. <i>BJGP Open</i> , 2021, , BJGPO.2021.0080.  | 1.8 | 0         |
| 23 | Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2010-2018.   | 2.5 | 6         |
| 24 | Anthropometry, physical activity and cancer of unknown primary (CUP) risk: Results from the Netherlands cohort study. <i>Cancer Epidemiology</i> , 2020, 69, 101836.  | 1.9 | 5         |
| 25 | The effect of continuous positive airway pressure on nocturia in patients with obstructive sleep apnea syndrome. <i>Neurourology and Urodynamics</i> , 2020, 39, 1124-1128.   | 1.5 | 16        |
| 26 | The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). <i>Cancer Research</i> , 2020, 80, 1210-1218.                          | 0.9 | 35        |
| 27 | Investigation of sirtuin 1 polymorphisms in relation to the risk of colorectal cancer by molecular subtype. <i>Scientific Reports</i> , 2020, 10, 3359.   | 3.3 | 3         |
| 28 | Reproductive and Hormonal Factors and Risk of Ovarian Cancer by Tumor Dominance: Results from the Ovarian Cancer Cohort Consortium (OC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 200-207.                   | 2.5 | 11        |
| 29 | Germline polymorphisms in the Von Hippel-Lindau and Hypoxia-inducible factor 1-alpha genes, gene-environment and gene-gene interactions and renal cell cancer. <i>Scientific Reports</i> , 2020, 10, 137.                             | 3.3 | 5         |
| 30 | Analgesic Use and Ovarian Cancer Risk: An Analysis in the Ovarian Cancer Cohort Consortium. <i>Journal of the National Cancer Institute</i> , 2019, 111, 137-145.   | 6.3 | 43        |
| 31 | A quarter century of decline of autopsies in the Netherlands. <i>European Journal of Epidemiology</i> , 2019, 34, 1171-1174.  | 5.7 | 9         |
| 32 | Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. <i>International Journal of Cancer</i> , 2019, 145, 58-69.  | 5.1 | 28        |
| 33 | Kidney stones and the risk of renal cell carcinoma and upper tract urothelial carcinoma: the Netherlands Cohort Study. <i>British Journal of Cancer</i> , 2019, 120, 368-374.   | 6.4 | 44        |
| 34 | Coffee, tea, and caffeine intake and amyotrophic lateral sclerosis mortality in a pooled analysis of eight prospective cohort studies. <i>European Journal of Neurology</i> , 2019, 26, 468-475.                                      | 3.3 | 14        |
| 35 | Associations of adult-attained height and early life energy restriction with postmenopausal breast cancer risk according to estrogen and progesterone receptor status. <i>International Journal of Cancer</i> , 2019, 144, 1844-1857. | 5.1 | 6         |
| 36 | Interaction between dietary acrylamide intake and genetic variants for estrogen receptor-positive breast cancer risk. <i>European Journal of Nutrition</i> , 2019, 58, 1033-1045.   | 3.9 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Role of Genetic Variants in the Association between Dietary Acrylamide and Advanced Prostate Cancer in the Netherlands Cohort Study on Diet and Cancer. <i>Nutrition and Cancer</i> , 2018, 70, 620-631.                             | 2.0 | 6         |
| 38 | Sirtuin 1 genetic variation, energy balance and colorectal cancer risk by sex and subsite in the Netherlands Cohort Study. <i>Scientific Reports</i> , 2018, 8, 16540.   | 3.3 | 6         |
| 39 | Analgesic Use and Ovarian Cancer Risk: An Analysis in the Ovarian Cancer Cohort Consortium. <i>Obstetrical and Gynecological Survey</i> , 2018, 73, 576-578.   | 0.4 | 1         |
| 40 | Promoter CpG island methylation in ion transport mechanisms and associated dietary intakes jointly influence the risk of clear-cell renal cell cancer. <i>International Journal of Epidemiology</i> , 2017, 46, dyw266.                  | 1.9 | 18        |
| 41 | A prospective cohort study on dietary acrylamide intake and the risk for cutaneous malignant melanoma. <i>European Journal of Cancer Prevention</i> , 2017, 26, 528-531.   | 1.3 | 13        |
| 42 | A systematic SNP selection approach to identify mechanisms underlying disease aetiology: linking height to post-menopausal breast and colorectal cancer risk. <i>Scientific Reports</i> , 2017, 7, 41034.                                | 3.3 | 10        |
| 43 | Interactions between dietary acrylamide intake and genes for ovarian cancer risk. <i>European Journal of Epidemiology</i> , 2017, 32, 431-441.   | 5.7 | 29        |
| 44 | Intake of meat and fish and risk of head&neck cancer subtypes in the Netherlands Cohort Study. <i>Cancer Causes and Control</i> , 2017, 28, 647-656.   | 1.8 | 11        |
| 45 | Associations of adipose and muscle tissue parameters at colorectal cancer diagnosis with long-term health-related quality of life. <i>Quality of Life Research</i> , 2017, 26, 1745-1759.  | 3.1 | 28        |
| 46 | Occupational exposure and amyotrophic lateral sclerosis in a prospective cohort. <i>Occupational and Environmental Medicine</i> , 2017, 74, 578-585.   | 2.8 | 46        |
| 47 | A Four-Gene Promoter Methylation Marker Panel Consisting of <i>GREM1</i> , <i>NEURL</i> , <i>LAD1</i> and <i>NEFH</i> Predicts Survival of Clear Cell Renal Cell Cancer Patients. <i>Clinical Cancer Research</i> , 2017, 23, 2006-2018. | 7.0 | 51        |
| 48 | Energy restriction at young age, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk in the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2017, 140, 272-284.                     | 5.1 | 5         |
| 49 | A Systematic Literature Review and Meta-Regression Analysis on Early-Life Energy Restriction and Cancer Risk in Humans. <i>PLoS ONE</i> , 2016, 11, e0158003.  | 2.5 | 11        |
| 50 | Toenail selenium status and risk of subtypes of head-neck cancer: The Netherlands Cohort Study. <i>European Journal of Cancer</i> , 2016, 60, 83-92.   | 2.8 | 20        |
| 51 | Alcohol and Dietary Folate Intake and Promoter CpG Island Methylation in Clear-Cell Renal Cell Cancer. <i>Nutrition and Cancer</i> , 2016, 68, 1097-1107.  | 2.0 | 9         |
| 52 | Potential role of gene-environment interactions in ion transport mechanisms in the etiology of renal cell cancer. <i>Scientific Reports</i> , 2016, 6, 34262.  | 3.3 | 7         |
| 53 | The influence of single nucleotide polymorphisms on the association between dietary acrylamide intake and endometrial cancer risk. <i>Scientific Reports</i> , 2016, 6, 34902.   | 3.3 | 27        |
| 54 | Ovarian Cancer Risk Factors by Histologic Subtype: An Analysis From the Ovarian Cancer Cohort Consortium. <i>Journal of Clinical Oncology</i> , 2016, 34, 2888-2898.   | 1.6 | 349       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Vegetarianism, low meat consumption and the risk of lung, postmenopausal breast and prostate cancer in a population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 723-729.  | 2.9  | 21        |
| 56 | Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167. | 4.7  | 29        |
| 57 | Alcohol consumption and breast cancer risk by estrogen receptor status: in a pooled analysis of 20 studies. <i>International Journal of Epidemiology</i> , 2016, 45, 916-928.   | 1.9  | 101       |
| 58 | Vegetarianism, low meat consumption and the risk of colorectal cancer in a population based cohort study. <i>Scientific Reports</i> , 2015, 5, 13484.   | 3.3  | 46        |
| 59 | Genetic Variants in the Insulin-like Growth Factor Pathway and Colorectal Cancer Risk in the Netherlands Cohort Study. <i>Scientific Reports</i> , 2015, 5, 14126.  | 3.3  | 16        |
| 60 | Body mass index and risk of subtypes of head-neck cancer: the Netherlands Cohort Study. <i>Scientific Reports</i> , 2015, 5, 17744.   | 3.3  | 26        |
| 61 | Occupational exposures and risk of dementia-related mortality in the prospective Netherlands Cohort Study. <i>American Journal of Industrial Medicine</i> , 2015, 58, 625-635.  | 2.1  | 19        |
| 62 | Long-Term Ambient Residential Traffic-Related Exposures and Measurement Error-Adjusted Risk of Incident Lung Cancer in the Netherlands Cohort Study on Diet and Cancer. <i>Environmental Health Perspectives</i> , 2015, 123, 860-866.                              | 6.0  | 48        |
| 63 | Body size, physical activity, genetic variants in the insulin-like growth factor pathway and colorectal cancer risk. <i>Carcinogenesis</i> , 2015, 36, 971-981.   | 2.8  | 17        |
| 64 | Relationship of tree nut, peanut and peanut butter intake with total and cause-specific mortality: a cohort study and meta-analysis. <i>International Journal of Epidemiology</i> , 2015, 44, 1038-1049.  | 1.9  | 84        |
| 65 | Consumption of vegetables and fruits and risk of subtypes of head-neck cancer in the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2015, 136, E396-409.  | 5.1  | 27        |
| 66 | Occupational exposures and Parkinson's disease mortality in a prospective Dutch cohort. <i>Occupational and Environmental Medicine</i> , 2015, 72, 448-455.   | 2.8  | 48        |
| 67 | Menopausal hormone use and ovarian cancer risk: individual participant meta-analysis of 52 epidemiological studies. <i>Lancet, The</i> , 2015, 385, 1835-1842.  | 13.7 | 349       |
| 68 | Polymorphisms in genes of the renin-angiotensin-aldosterone system and renal cell cancer risk: Interplay with hypertension and intakes of sodium, potassium and fluid. <i>International Journal of Cancer</i> , 2015, 136, 1104-1116.                               | 5.1  | 44        |
| 69 | Endometrial cancer and oral contraceptives: an individual participant meta-analysis of 27-276 women with endometrial cancer from 36 epidemiological studies. <i>Lancet Oncology, The</i> , 2015, 16, 1061-1070.   | 10.7 | 173       |
| 70 | Promoter Methylation of <i>CDO1</i> Identifies Clear-Cell Renal Cell Cancer Patients with Poor Survival Outcome. <i>Clinical Cancer Research</i> , 2015, 21, 3492-3500.   | 7.0  | 50        |
| 71 | Mitochondrial DNA copy number in colorectal cancer: between tissue comparisons, clinicopathological characteristics and survival. <i>Carcinogenesis</i> , 2015, 36, bgv151.   | 2.8  | 36        |
| 72 | Intake of vitamins A, C, and E and folate and the risk of ovarian cancer in a pooled analysis of 10 cohort studies. <i>Cancer Causes and Control</i> , 2015, 26, 1315-1327.   | 1.8  | 23        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Vitamin and carotenoid intake and risk of head-neck cancer subtypes in the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 420-432.  | 4.7 | 28        |
| 74 | Abstract AS10: Ovarian cancer risk factor associations by tumor aggressiveness in the ovarian cancer cohort consortium (OC3). , 2015, , .   |     | 0         |
| 75 | Abstract 854: Ovarian cancer risk factors by histologic subtypes: evidence for etiologic heterogeneity. , 2015, , .   |     | 0         |
| 76 | Long-term dietary sodium, potassium and fluid intake; exploring potential novel risk factors for renal cell cancer in the Netherlands Cohort Study on diet and cancer. <i>British Journal of Cancer</i> , 2014, 110, 797-801. | 6.4 | 35        |
| 77 | Vegetable, fruit and nitrate intake in relation to the risk of Barrett's oesophagus in a large Dutch cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1452-1462.  | 2.3 | 25        |
| 78 | DNA from Nails for Genetic Analyses in Large-Scale Epidemiologic Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2703-2712.   | 2.5 | 27        |
| 79 | Dietary One-Carbon Nutrient Intake and Risk of Lymphoid and Myeloid Neoplasms: Results of the Netherlands Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2153-2164.                           | 2.5 | 1         |
| 80 | Alcohol consumption, cigarette smoking and the risk of subtypes of head-neck cancer: results from the Netherlands Cohort Study. <i>BMC Cancer</i> , 2014, 14, 187.  | 2.6 | 143       |
| 81 | A metabolomic profile is associated with the risk of incident coronary heart disease. <i>American Heart Journal</i> , 2014, 168, 45-52.e7.  | 2.7 | 74        |
| 82 | Occupational extremely low-frequency magnetic field exposure and selected cancer outcomes in a prospective Dutch cohort. <i>Cancer Causes and Control</i> , 2014, 25, 203-214.  | 1.8 | 40        |
| 83 | Dietary acrylamide intake and the risk of colorectal cancer with specific mutations in KRAS and APC. <i>Carcinogenesis</i> , 2014, 35, 1032-1038.   | 2.8 | 31        |
| 84 | Selenoprotein Gene Variants, Toenail Selenium Levels, and Risk for Advanced Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju003.   | 6.3 | 49        |
| 85 | Incidence of esophageal adenocarcinoma in Barrett's esophagus with low-grade dysplasia: a systematic review and meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2014, 79, 897-909.e4.                                      | 1.0 | 202       |
| 86 | Abstract 2198: A literature-based sum score of genetic variants in IGF genes modifies associations between indicators of energy balance and colorectal cancer risk. , 2014, , .   |     | 0         |
| 87 | Abstract 5060: Dietary sodium, potassium and fluid intake and clear cell renal cell cancer: heterogeneous effects by DNA methylation of genes involved in renal salt homeostasis. , 2014, , .                                 |     | 0         |
| 88 | Abstract 1272: Alcohol and dietary folate intake and gene promoter methylation in clear-cell renal cell cancer. , 2014, , .   |     | 1         |
| 89 | The CpG Island Methylator Phenotype: What's in a Name?. <i>Cancer Research</i> , 2013, 73, 5858-5868.   | 0.9 | 154       |
| 90 | Type I and II Endometrial Cancers: Have They Different Risk Factors?. <i>Journal of Clinical Oncology</i> , 2013, 31, 2607-2618.  | 1.6 | 613       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | A novel classification of colorectal tumors based on microsatellite instability, the CpG island methylator phenotype and chromosomal instability: implications for prognosis. <i>Annals of Oncology</i> , 2013, 24, 2048-2056. | 1.2 | 79        |
| 92  | The Netherlands Cohort Study "Meat Investigation Cohort; a population-based cohort over-represented with vegetarians, pescetarians and low meat consumers. <i>Nutrition Journal</i> , 2013, 12, 156.                           | 3.4 | 32        |
| 93  | Dietary N-nitroso compounds, endogenous nitrosation, and the risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 135-146.                | 4.7 | 130       |
| 94  | Fruit and Vegetable Intake and Risk of Breast Cancer by Hormone Receptor Status. <i>Journal of the National Cancer Institute</i> , 2013, 105, 219-236.   | 6.3 | 164       |
| 95  | Cancer incidence in Dutch Balkan veterans. <i>Cancer Epidemiology</i> , 2013, 37, 550-555.   | 1.9 | 20        |
| 96  | Dietary heme iron and the risk of colorectal cancer with specific mutations in KRAS and APC. <i>Carcinogenesis</i> , 2013, 34, 2757-2766.  | 2.8 | 57        |
| 97  | Diabetes type II, other medical conditions and pancreatic cancer risk: a prospective study in The Netherlands. <i>British Journal of Cancer</i> , 2013, 109, 2924-2932.  | 6.4 | 22        |
| 98  | Meat Consumption and the Risk of Barrett's Esophagus in a Large Dutch Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1162-1166.  | 2.5 | 9         |
| 99  | Reaction on the acrylamide and cancer review by Lipworth and colleagues. <i>European Journal of Cancer Prevention</i> , 2013, 22, 194-198.   | 1.3 | 6         |
| 100 | Occupational exposure to extremely low-frequency magnetic fields and cardiovascular disease mortality in a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 402-407.                       | 2.8 | 23        |
| 101 | Alcohol consumption and risk of lymphoid and myeloid neoplasms: Results of the Netherlands cohort study. <i>International Journal of Cancer</i> , 2013, 133, 1701-1712.  | 5.1 | 16        |
| 102 | Prostate cancer susceptibility genes on 8p21 in a Dutch population. <i>Prostate Cancer and Prostatic Diseases</i> , 2013, 16, 248-253.   | 3.9 | 7         |
| 103 | The etiology of uterine sarcomas: a pooled analysis of the epidemiology of endometrial cancer consortium. <i>British Journal of Cancer</i> , 2013, 108, 727-734.   | 6.4 | 72        |
| 104 | Interactions between Genetic Variants in AMH and AMHR2 May Modify Age at Natural Menopause. <i>PLoS ONE</i> , 2013, 8, e59819.   | 2.5 | 21        |
| 105 | KRAS-LCS6 Genotype as a Prognostic Marker in Early-Stage CRC Response. <i>Clinical Cancer Research</i> , 2012, 18, 3489-3489.  | 7.0 | 0         |
| 106 | Risk prediction of incident coronary heart disease in the Netherlands: re-estimation and improvement of the SCORE risk function. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 840-848.                         | 1.8 | 19        |
| 107 | Longitudinal Changes in BMI in Older Adults Are Associated with Meat Consumption Differentially, by Type of Meat Consumed. <i>Journal of Nutrition</i> , 2012, 142, 340-349.   | 2.9 | 23        |
| 108 | Red and processed meat consumption and the risk of esophageal and gastric cancer subtypes in The Netherlands Cohort Study. <i>Annals of Oncology</i> , 2012, 23, 2319-2326.  | 1.2 | 64        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Literature-Based Genetic Risk Scores for Coronary Heart Disease. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 202-209.   | 5.1 | 53        |
| 110 | Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.  | 4.7 | 56        |
| 111 | Dietary folate and folate vitamers and the risk of prostate cancer in The Netherlands Cohort Study. <i>Cancer Causes and Control</i> , 2012, 23, 2003-2011.  | 1.8 | 11        |
| 112 | Co-occurrence of metabolic factors and the risk of coronary heart disease: A prospective cohort study in the Netherlands. <i>International Journal of Cardiology</i> , 2012, 155, 223-229.   | 1.7 | 6         |
| 113 | Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.  | 2.5 | 19        |
| 114 | Dietary Acrylamide Intake and the Risk of Lymphatic Malignancies: The Netherlands Cohort Study on Diet and Cancer. <i>PLoS ONE</i> , 2012, 7, e38016.  | 2.5 | 37        |
| 115 | Markers of Endogenous Desaturase Activity and Risk of Coronary Heart Disease in the CAREMA Cohort Study. <i>PLoS ONE</i> , 2012, 7, e41681.  | 2.5 | 45        |
| 116 | Carotenoid intakes and risk of breast cancer defined by estrogen receptor and progesterone receptor status: a pooled analysis of 18 prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 713-725. | 4.7 | 92        |
| 117 | Total Cancer Incidence and Overall Mortality Are Not Increased Among Patients With Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 754-761.  | 4.4 | 42        |
| 118 | A <i>Let-7</i> MicroRNA SNP in the <i>KRAS</i> 3'UTR Is Prognostic in Early-Stage Colorectal Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 7723-7731.  | 7.0 | 106       |
| 119 | Energy Restriction during Childhood and Early Adulthood and Ovarian Cancer Risk. <i>PLoS ONE</i> , 2011, 6, e27960.  | 2.5 | 11        |
| 120 | Genetic marker polymorphisms on chromosome 8q24 and prostate cancer in the Dutch population: DG8S737 may not be the causative variant. <i>European Journal of Human Genetics</i> , 2011, 19, 118-120.                              | 2.8 | 41        |
| 121 | Genetic susceptibility to sporadic ovarian cancer: A systematic review. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2011, 1816, 132-146.   | 7.4 | 26        |
| 122 | Smoking, alcohol consumption, physical activity, and family history and the risks of acute myocardial infarction and unstable angina pectoris: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2011, 11, 13.     | 1.7 | 27        |
| 123 | Vegetables and fruits consumption and risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2011, 129, 2681-2693.   | 5.1 | 130       |
| 124 | A Prospective Cohort Study on Overweight, Smoking, Alcohol Consumption, and Risk of Barrett's Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 345-358.   | 2.5 | 63        |
| 125 | Dairy consumption and 10-y total and cardiovascular mortality: a prospective cohort study in the Netherlands. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 615-627.   | 4.7 | 143       |
| 126 | Consumption of dietary fat and meat and risk of ovarian cancer in the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 118-126.   | 4.7 | 33        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Am I Shrinking? On Clothing Size and Body Size. <i>Epidemiology</i> , 2010, 21, 160.   | 2.7  | 0         |
| 128 | Dietary acrylamide intake and estrogen and progesterone receptor-defined postmenopausal breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 199-210.  | 2.5  | 40        |
| 129 | Toenail selenium status and the risk of Barrett's esophagus: the Netherlands Cohort Study. <i>Cancer Causes and Control</i> , 2010, 21, 2259-2268.   | 1.8  | 15        |
| 130 | Mortality in inflammatory bowel disease in the Netherlands 1991-2002. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1397-1410.  | 1.9  | 46        |
| 131 | Validation of a database on acrylamide for use in epidemiological studies. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 534-540.  | 2.9  | 30        |
| 132 | Dairy Intake and the Risk of Bladder Cancer in the Netherlands Cohort Study on Diet and Cancer. <i>American Journal of Epidemiology</i> , 2010, 171, 436-446.  | 3.4  | 39        |
| 133 | Bowel Movement and Constipation Frequencies and the Risk of Colorectal Cancer Among Men in the Netherlands Cohort Study on Diet and Cancer. <i>American Journal of Epidemiology</i> , 2010, 172, 1404-1414.            | 3.4  | 27        |
| 134 | Fluid Intake and Colorectal Cancer Risk in the Netherlands Cohort Study. <i>Nutrition and Cancer</i> , 2010, 62, 307-321.  | 2.0  | 26        |
| 135 | Total fluid and specific beverage intake and mortality due to IHD and stroke in the Netherlands Cohort Study. <i>British Journal of Nutrition</i> , 2010, 104, 1212-1221.  | 2.3  | 47        |
| 136 | Reproductive and Hormonal Factors in Association With Ovarian Cancer in the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1181-1189.  | 3.4  | 61        |
| 137 | Relationship between Tap Water Hardness, Magnesium, and Calcium Concentration and Mortality due to Ischemic Heart Disease or Stroke in the Netherlands. <i>Environmental Health Perspectives</i> , 2010, 118, 414-420. | 6.0  | 53        |
| 138 | Selenium Status and the Risk of Esophageal and Gastric Cancer Subtypes: The Netherlands Cohort Study. <i>Gastroenterology</i> , 2010, 138, 1704-1713.  | 1.3  | 81        |
| 139 | Body Mass Index and von Hippel-Lindau Gene Mutations in Clear-cell Renal Cancer: Results of the Netherlands Cohort Study on Diet and Cancer. <i>Annals of Epidemiology</i> , 2010, 20, 401-404.                        | 1.9  | 7         |
| 140 | Prognostic Significance of Gremlin1 (GREM1) Promoter CpG Island Hypermethylation in Clear Cell Renal Cell Carcinoma. <i>American Journal of Pathology</i> , 2010, 176, 575-584.  | 3.8  | 66        |
| 141 | The carcinogenicity of dietary acrylamide intake: A comparative discussion of epidemiological and experimental animal research. <i>Critical Reviews in Toxicology</i> , 2010, 40, 485-512.                             | 3.9  | 135       |
| 142 | Alcohol consumption, cigarette smoking and risk of subtypes of oesophageal and gastric cancer: a prospective cohort study. <i>Gut</i> , 2010, 59, 39-48.   | 12.1 | 203       |
| 143 | Intakes of Fruit, Vegetables, and Carotenoids and Renal Cell Cancer Risk: A Pooled Analysis of 13 Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1730-1739.                     | 2.5  | 103       |
| 144 | Dietary Acrylamide Intake and the Risk of Head-Neck and Thyroid Cancers: Results From the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 873-884.                                      | 3.4  | 36        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Body Mass Index, Height, and Risk of Lymphatic Malignancies: A Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 297-307.  | 3.4  | 82        |
| 146 | Lung Cancer Risk in Relation to Dietary Acrylamide Intake. <i>Journal of the National Cancer Institute</i> , 2009, 101, 651-662.  | 6.3  | 58        |
| 147 | Maximizing resources to study an uncommon cancer: E2C2â€”Epidemiology of Endometrial Cancer Consortium. <i>Cancer Causes and Control</i> , 2009, 20, 491-496.   | 1.8  | 23        |
| 148 | Reaction on Gargas et al.: Acrylamide: Consideration of species differences and nonlinear processes in estimating risk and safety for human ingestion. <i>Food and Chemical Toxicology</i> , 2009, 47, 2871-2872.   | 3.6  | 2         |
| 149 | Inflammatory Bowel Disease in South Limburg (the Netherlands) 1991â€”2002: Incidence, diagnostic delay, and seasonal variations in onset of symptoms. <i>Journal of Crohn's and Colitis</i> , 2009, 3, 115-124.   | 1.3  | 68        |
| 150 | Dietary Acrylamide Intake and Brain Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1663-1666.  | 2.5  | 44        |
| 151 | Validity of coronary heart diseases and heart failure based on hospital discharge and mortality data in the Netherlands using the cardiovascular registry Maastricht cohort study. <i>European Journal of Epidemiology</i> , 2009, 24, 237-247.             | 5.7  | 111       |
| 152 | Self-reported Clothing Size as a Proxy Measure for Body Size. <i>Epidemiology</i> , 2009, 20, 673-676.  | 2.7  | 37        |
| 153 | Trends in incidence of oesophageal and stomach cancer subtypes in Europe. <i>European Journal of Gastroenterology and Hepatology</i> , 2009, 22, 1.   | 1.6  | 153       |
| 154 | Carotenoid and vitamin intake, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. <i>Cancer Causes and Control</i> , 2008, 19, 125-134.  | 1.8  | 25        |
| 155 | Polymorphisms in genes related to activation or detoxification of carcinogens might interact with smoking to increase renal cancer risk: results from The Netherlands Cohort Study on diet and cancer. <i>World Journal of Urology</i> , 2008, 26, 103-110. | 2.2  | 10        |
| 156 | A compendium of familial relative risks of cancer among first degree relatives: A populationâ€”based study. <i>International Journal of Cancer</i> , 2008, 123, 1664-1673.  | 5.1  | 11        |
| 157 | Genetics and epigenetics of renal cell cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2008, 1785, 133-155.   | 7.4  | 110       |
| 158 | Associations of dietary methyl donor intake with MLH1 promoter hypermethylation and related molecular phenotypes in sporadic colorectal cancer. <i>Carcinogenesis</i> , 2008, 29, 1765-1773.  | 2.8  | 89        |
| 159 | Ovarian cancer and oral contraceptives: collaborative reanalysis of data from 45 epidemiological studies including 23â€”257 women with ovarian cancer and 87â€”303 controls. <i>Lancet, The</i> , 2008, 371, 303-314.                                       | 13.7 | 690       |
| 160 | The joint association of air pollution and noise from road traffic with cardiovascular mortality in a cohort study. <i>Occupational and Environmental Medicine</i> , 2008, 66, 243-250.   | 2.8  | 174       |
| 161 | Genetic and Epigenetic Alterations in the von Hippel-Lindau Gene: the Influence on Renal Cancer Prognosis. <i>Clinical Cancer Research</i> , 2008, 14, 782-787.   | 7.0  | 65        |
| 162 | Height, Body Mass Index, and Ovarian Cancer: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 902-912.  | 2.5  | 129       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Fat, Protein, and Meat Consumption and Renal Cell Cancer Risk: A Pooled Analysis of 13 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2008, 100, 1695-1706.                            | 6.3  | 75        |
| 164 | Dietary Acrylamide Intake Is Not Associated with Gastrointestinal Cancer Risk. <i>Journal of Nutrition</i> , 2008, 138, 2229-2236.   | 2.9  | 53        |
| 165 | Alcohol Consumption and Mutations or Promoter Hypermethylation of the <i>von Hippel-Lindau</i> Gene in Renal Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3543-3550.       | 2.5  | 9         |
| 166 | Long-Term Exposure to Traffic-Related Air Pollution and Lung Cancer Risk. <i>Epidemiology</i> , 2008, 19, 702-710.   | 2.7  | 188       |
| 167 | Dietary acrylamide intake and the risk of renal cell, bladder, and prostate cancer. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1428-1438.   | 4.7  | 139       |
| 168 | Long-Term Effects of Traffic-Related Air Pollution on Mortality in a Dutch Cohort (NLCS-AIR Study). <i>Environmental Health Perspectives</i> , 2008, 116, 196-202.   | 6.0  | 501       |
| 169 | A Prospective Study of Dietary Acrylamide Intake and the Risk of Endometrial, Ovarian, and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2304-2313.                          | 2.5  | 236       |
| 170 | Ulcerative colitis: no rise in mortality in a European-wide population based cohort 10 years after diagnosis. <i>Gut</i> , 2007, 56, 497-503.  | 12.1 | 68        |
| 171 | Body mass index, height and risk of adenocarcinoma of the oesophagus and gastric cardia: a prospective cohort study. <i>Gut</i> , 2007, 56, 1503-1511.   | 12.1 | 157       |
| 172 | Alcohol Intake and Renal Cell Cancer in a Pooled Analysis of 12 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2007, 99, 801-810.  | 6.3  | 103       |
| 173 | Anthropometry and Pancreatic Cancer Risk: An Illustration of the Importance of Microscopic Verification. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1449-1454.                           | 2.5  | 32        |
| 174 | Toenails: An Easily Accessible and Long-Term Stable Source of DNA for Genetic Analyses in Large-Scale Epidemiological Studies. <i>Clinical Chemistry</i> , 2007, 53, 1168-1170.                                | 3.2  | 24        |
| 175 | Intakes of coffee, tea, milk, soda and juice and renal cell cancer in a pooled analysis of 13 prospective studies. <i>International Journal of Cancer</i> , 2007, 121, 2246-2253.                              | 5.1  | 60        |
| 176 | Tea and coffee drinking and ovarian cancer risk: results from the Netherlands Cohort Study and a meta-analysis. <i>British Journal of Cancer</i> , 2007, 97, 1291-1294.  | 6.4  | 54        |
| 177 | Alcohol consumption, cigarette smoking, and endometrial cancer risk: results from the Netherlands Cohort Study. <i>Cancer Causes and Control</i> , 2007, 18, 551-560.  | 1.8  | 34        |
| 178 | Disease outcome of inflammatory bowel disease patients: General outline of a Europe-wide population-based 10-year clinical follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 46-54. | 1.5  | 71        |
| 179 | ANTHROPOMETRY, PHYSICAL ACTIVITY, AND ENDOMETRIAL CANCER RISK: RESULTS FROM THE NETHERLANDS COHORT STUDY. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 492-492.                            | 2.5  | 26        |
| 180 | Dairy consumption and ovarian cancer risk in the Netherlands Cohort Study on Diet and Cancer. <i>British Journal of Cancer</i> , 2006, 94, 165-170.  | 6.4  | 33        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | Cigarette smoking, von Hippel-Lindau gene mutations and sporadic renal cell carcinoma. <i>British Journal of Cancer</i> , 2006, 95, 374-377.  | 6.4  | 22        |
| 182 | One Measure, Two Motives. Prediction of Condom Use and Interaction Between Two Prevention Goals Among Heterosexual Young Adults: Preventing Pregnancy and/or Sexually Transmitted Diseases. <i>Prevention Science</i> , 2006, 7, 369-376. | 2.6  | 17        |
| 183 | Physical Activity and Risk of Ovarian Cancer: Results from the Netherlands Cohort Study (The Tj ETQq1 1 0.784314 ggBT /Overlock 10  | 1.8  | 33        |
| 184 | A Pooled Analysis of 12 Cohort Studies of Dietary Fat, Cholesterol and Egg Intake and Ovarian Cancer. <i>Cancer Causes and Control</i> , 2006, 17, 273-285.   | 1.8  | 67        |
| 185 | Intake of the major carotenoids and the risk of epithelial ovarian cancer in a pooled analysis of 10 cohort studies. <i>International Journal of Cancer</i> , 2006, 119, 2148-2154.   | 5.1  | 41        |
| 186 | Crohn's disease: increased mortality 10 years after diagnosis in a Europe-wide population based cohort. <i>Gut</i> , 2006, 55, 510-518.   | 12.1 | 113       |
| 187 | Dairy Products and Ovarian Cancer: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 364-372.  | 2.5  | 96        |
| 188 | Alcohol intake and ovarian cancer risk: a pooled analysis of 10 cohort studies. <i>British Journal of Cancer</i> , 2006, 94, 757-762.   | 6.4  | 45        |
| 189 | Hypertension, antihypertensives and mutations in the Von Hippel-Lindau gene in renal cell carcinoma: results from the Netherlands Cohort Study. <i>Journal of Hypertension</i> , 2005, 23, 1997-2004.                                     | 0.5  | 27        |
| 190 | Prevalence of von Hippel-Lindau gene mutations in sporadic renal cell carcinoma: results from the Netherlands cohort study. <i>BMC Cancer</i> , 2005, 5, 57.  | 2.6  | 94        |
| 191 | Vegetable and fruit consumption and risk of renal cell carcinoma: Results from the Netherlands cohort study. <i>International Journal of Cancer</i> , 2005, 117, 648-654.   | 5.1  | 48        |
| 192 | Consumption of vegetables and fruits and risk of ovarian carcinoma. <i>Cancer</i> , 2005, 104, 1512-1519.   | 4.1  | 26        |
| 193 | Prognostic significance of radial margins of clearance in rectal cancer. <i>British Journal of Surgery</i> , 2005, 83, 781-785.   | 0.3  | 198       |
| 194 | Relation of Height, Body Mass, Energy Intake, and Physical Activity to Risk of Renal Cell Carcinoma: Results from the Netherlands Cohort Study. <i>American Journal of Epidemiology</i> , 2004, 160, 1159-1167.                           | 3.4  | 90        |
| 195 | Anthropometry, Physical Activity, and Endometrial Cancer Risk: Results From The Netherlands Cohort Study. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1635-1638.  | 6.3  | 196       |
| 196 | Fat and K-ras mutations in sporadic colorectal cancer in The Netherlands Cohort Study. <i>Carcinogenesis</i> , 2004, 25, 1619-1628.   | 2.8  | 30        |
| 197 | Alcohol and ovarian cancer risk: results from the Netherlands Cohort Study. <i>Cancer Causes and Control</i> , 2004, 15, 201-209.   | 1.8  | 33        |
| 198 | Influence of age, comorbidity and performance status on the choice of treatment for patients with non-small cell lung cancer; results of a population-based study. <i>Lung Cancer</i> , 2004, 46, 233-245.                                | 2.0  | 82        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Rising trends in the incidence of and mortality from cutaneous melanoma in the Netherlands: a Northwest to Southeast gradient?. <i>European Journal of Cancer</i> , 2003, 39, 1439-1446.   | 2.8 | 52        |
| 200 | Cancer mortality trends in the EU and acceding countries up to 2015. <i>Annals of Oncology</i> , 2003, 14, 1148-1152.  | 1.2 | 79        |
| 201 | Height, Weight, Weight Change, and Ovarian Cancer Risk in the Netherlands Cohort Study on Diet and Cancer. <i>American Journal of Epidemiology</i> , 2003, 157, 424-433.   | 3.4 | 82        |
| 202 | Rising incidence of breast cancer after completion of the first prevalent round of the breast cancer screening programme. <i>Journal of Medical Screening</i> , 2002, 9, 120-124.  | 2.3 | 15        |
| 203 | Age-specific differences in treatment and survival of patients with cervical cancer in the southeast of The Netherlands, 1986-1996. <i>European Journal of Cancer</i> , 2002, 38, 2041-2047.   | 2.8 | 39        |
| 204 | Primary central nervous system lymphomas. <i>Cancer</i> , 2002, 94, 1548-1556.   | 4.1 | 53        |
| 205 | Incidence of brain metastases in a cohort of patients with carcinoma of the breast, colon, kidney, and lung and melanoma. <i>Cancer</i> , 2002, 94, 2698-2705.   | 4.1 | 918       |
| 206 | Risk factors, genetic predisposition and mutations in the VHL gene in sporadic renal cell carcinoma: The Netherlands Cohort Study. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 2002, 156, 509-10.                                      | 0.4 | 1         |
| 207 | Adjuvant chemo-hormonal therapy with cyclophosphamide, doxorubicin and 5-fluorouracil (CAF) with or without medroxyprogesterone acetate (MPA) for node-positive cancer patients, update at 12 years follow up. <i>Breast</i> , 2001, 10, 35-37.                                | 2.2 | 9         |
| 208 | Cancer in the very elderly Dutch population. <i>Cancer</i> , 2000, 89, 1121-1133.  | 4.1 | 73        |
| 209 | Trends in incidence of adenocarcinoma of the oesophagus and gastric cardia in ten European countries. <i>International Journal of Epidemiology</i> , 2000, 29, 645-654.  | 1.9 | 497       |
| 210 | A blind review and an informed review of interval breast cancer cases in the Limburg screening programme, the Netherlands. <i>Journal of Medical Screening</i> , 2000, 7, 19-23.   | 2.3 | 28        |
| 211 | Cancer in the very elderly Dutch population. <i>Cancer</i> , 2000, 89, 1121-1133.  | 4.1 | 21        |
| 212 | Anti-apoptotic phenotype is associated with decreased locoregional recurrence rate in breast cancer. <i>Anticancer Research</i> , 2000, 20, 1269-75.   | 1.1 | 6         |
| 213 | A Systematic Review of Treatment Modalities for Primary Basal Cell Carcinomas. <i>Archives of Dermatology</i> , 1999, 135, 1177-83.  | 1.4 | 338       |
| 214 | Loco-regional recurrences after mastectomy in breast cancer: prognostic factors and implications for postoperative irradiation. <i>Radiotherapy and Oncology</i> , 1999, 50, 267-275.  | 0.6 | 35        |
| 215 | Cyclophosphamide, epirubicin and cisplatin (CEP) versus epirubicin plus cisplatin (EP) in stage Ic-IV ovarian cancer: a randomized phase III trial of the Gynecologic Oncology Group of the Comprehensive Cancer Center Limburg. <i>Anti-Cancer Drugs</i> , 1999, 10, 257-261. | 1.4 | 6         |
| 216 | Incidence of primary cancer of the central nervous system in southeastern Netherlands during the period 1980-94. <i>Specialists in neuro-oncology in southeastern Netherlands. Cancer Causes and Control</i> , 1998, 9, 225-228.   | 1.8 | 3         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Evaluation of the effect of breast cancer screening by record linkage with the cancer registry, the Netherlands. <i>Journal of Medical Screening</i> , 1998, 5, 37-41.                                       | 2.3  | 35        |
| 218 | Incidence of Primary Central Nervous System Cancers in South and East Netherlands in 1989-1994. <i>Neuroepidemiology</i> , 1998, 17, 247-257.  | 2.3  | 19        |
| 219 | A Uniform Histological Cluster Scheme for ICD-O-Coded Primary Central Nervous System Tumors. <i>Neuroepidemiology</i> , 1998, 17, 233-246.   | 2.3  | 5         |
| 220 | Age-specific differences in treatment and survival of ovarian cancer patients in the province of Limburg, the Netherlands, 1986-92. <i>International Journal of Gynecological Cancer</i> , 1998, 8, 150-157. | 2.5  | 9         |
| 221 | Volunteer Melanoma Screenings. <i>Dermatologic Surgery</i> , 1997, 23, 197-201.  | 0.8  | 9         |
| 222 | Hormone replacement therapy and high incidence of breast cancer between mammographic screens. <i>Lancet</i> , The, 1997, 349, 1104.  | 13.7 | 2         |
| 223 | Validity of the stage of lung cancer in records of the Maastricht cancer registry, The Netherlands. <i>Lung Cancer</i> , 1997, 17, 115-122.  | 2.0  | 9         |
| 224 | Accuracy and completeness of the registration of childhood leukaemia in The Netherlands, 1989-1992. <i>European Journal of Cancer</i> , 1997, 33, 891-894.   | 2.8  | 12        |
| 225 | Remarkable age-dependent sex differences in the incidence of adenocarcinoma of the gastric cardia and oesophagus in The Netherlands. <i>European Journal of Cancer</i> , 1997, 33, 1519.                     | 2.8  | 6         |
| 226 | Prognostic significance of etiological risk factors in early breast cancer. <i>Breast Cancer Research and Treatment</i> , 1997, 43, 217-223.   | 2.5  | 46        |
| 227 | The Prognostic Significance of Steroid Receptor Activity in Tumor Tissues of Patients with Primary Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1997, 20, 546-551.  | 1.3  | 21        |
| 228 | Volunteer melanoma screenings. Follow-up, compliance, and outcome. <i>Dermatologic Surgery</i> , 1997, 23, 197-201.  | 0.8  | 2         |
| 229 | Factors influencing participation among melanoma screening attenders.. <i>Acta Dermato-Venereologica</i> , 1997, 77, 467-470.  | 1.3  | 14        |
| 230 | Long term prognostic value of growth fraction determination by Ki-67 immunostaining in primary operable breast cancer. <i>Breast Cancer Research and Treatment</i> , 1996, 37, 57-64.                        | 2.5  | 48        |
| 231 | Urban-Rural Differences in Cancer Incidence in The Netherlands, 1989-1991. <i>International Journal of Epidemiology</i> , 1996, 25, 729-736.   | 1.9  | 65        |
| 232 | Age-specific differences in the diagnostics and treatment of cancer patients aged 50 years and older in the province of Limburg, the Netherlands. <i>Annals of Oncology</i> , 1996, 7, 677-685.              | 1.2  | 105       |
| 233 | Total skin examination during screening for malignant melanoma does not increase the detection rate. <i>British Journal of Dermatology</i> , 1996, 135, 42-5.  | 1.5  | 2         |
| 234 | Skin cancer screening focusing on melanoma. <i>Melanoma Research</i> , 1995, 5, 32.  | 1.2  | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 235 | Mammography in the follow-up after breast-conserving treatment in cancer of the breast: suitability for mammographic interpretation, validity and interobserver variation. <i>British Journal of Radiology</i> , 1995, 68, 754-760. | 2.2  | 8         |
| 236 | Cancer incidence in the Netherlands in 1989 and 1990: First results of the nationwide Netherlands cancer registry. <i>European Journal of Cancer</i> , 1995, 31, 1822-1829.   | 2.8  | 127       |
| 237 | False-negative findings in skin cancer and melanoma screening. <i>Journal of the American Academy of Dermatology</i> , 1995, 33, 59-63.   | 1.2  | 59        |
| 238 | Skin cancer screening focusing on melanoma yields more selective attendance. <i>Archives of Dermatology</i> , 1995, 131, 422-5.   | 1.4  | 1         |
| 239 | Ascertainment Corrected Rates. <i>International Journal of Epidemiology</i> , 1994, 23, 203-204.  | 1.9  | 10        |
| 240 | The Capture-Recapture Method for Estimation of Cancer Registry Completeness: A Useful Tool?. <i>International Journal of Epidemiology</i> , 1994, 23, 1111-1116.  | 1.9  | 80        |
| 241 | Cancer incidence: life table risk versus cumulative risk.. <i>Journal of Epidemiology and Community Health</i> , 1994, 48, 596-600.   | 3.7  | 52        |
| 242 | Ploidy and S-phase fractions (SPF) of primary breast cancers and their nodal metastases. <i>Breast Cancer Research and Treatment</i> , 1994, 32, 197-202.   | 2.5  | 6         |
| 243 | Risk of endometrial cancer after tamoxifen treatment of breast cancer. <i>Lancet, The</i> , 1994, 343, 448-452.   | 13.7 | 552       |
| 244 | Chemotherapy Consisting of Cisplatin, Epirubicin, and Cyclophosphamide in Advanced Ovarian Carcinoma. <i>Cancer Investigation</i> , 1993, 11, 1-5.  | 1.3  | 2         |
| 245 | Completeness of Cancer Registration in Limburg, the Netherlands. <i>International Journal of Epidemiology</i> , 1993, 22, 369-376.  | 1.9  | 338       |
| 246 | Quality of cancer registry data: a comparison of data provided by clinicians with those of registration personnel. <i>British Journal of Cancer</i> , 1993, 68, 974-977.  | 6.4  | 106       |
| 247 | A plea for better coding rules for bladder cancer. <i>British Journal of Cancer</i> , 1993, 68, 1254-1255.  | 6.4  | 0         |
| 248 | Adjuvant chemohormonal therapy with cyclophosphamide, doxorubicin and 5-fluorouracil (CAF) with or without medroxyprogesterone acetate for node-positive breast cancer patients. <i>Annals of Oncology</i> , 1993, 4, 295-301.      | 1.2  | 19        |
| 249 | Cancer incidence in the province of Limburg, The Netherlands. <i>European Journal of Cancer</i> , 1992, 28, 1752-1755.  | 2.8  | 12        |
| 250 | The Neuro-Oncology Register. <i>Neuroepidemiology</i> , 1992, 11, 261-266.  | 2.3  | 6         |
| 251 | A phase II study with mitomycin and vindesine in metastatic pretreated breast cancer. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 520-521.  | 0.7  | 2         |
| 252 | Development of a Record Linkage Protocol for Use in the Dutch Cancer Registry for Epidemiological Research. <i>International Journal of Epidemiology</i> , 1990, 19, 553-558.   | 1.9  | 259       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Association between mutational subgroups, Warburg's subtypes, and survival in patients with colorectal cancer. <i>Cancer Medicine</i> , 0, , . | 2.8 | 4         |