

David D Kuhn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8793037/publications.pdf>

Version: 2024-02-01

39
papers

1,337
citations

394421

19
h-index

361022

35
g-index

40
all docs

40
docs citations

40
times ranked

1481
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of selenium-enriched prebiotic on the growth performance, innate immune response, oxidative enzyme activity and microbiome of rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquaculture</i> , 2021, 531, 735980.	3.5	8
2	Impact of a yeast-based dietary supplement on the intestinal microbiome of rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Aquaculture Research</i> , 2021, 52, 1594-1604.	1.8	11
3	Comparative Pharmacokinetics and Tissue Concentrations of Flunixin Meglumine and Meloxicam in Tilapia (<i>Oreochromis</i> spp.). <i>Fishes</i> , 2021, 6, 68.	1.7	5
4	Evaluation of Lipid Quality and Fatty Acid Composition of Tilapia, <i>Oreochromis</i> spp., Fillets Available in US Supermarkets. <i>ACS Food Science & Technology</i> , 2021, 1, 2069-2075.	2.7	1
5	Protein-rich product recovered from brewer's spent grain can partially replace fishmeal in diets of Pacific white shrimp, <i>Litopenaeus vannamei</i> . <i>Aquaculture Research</i> , 2020, 51, 3284-3296.	1.8	7
6	Wet fractionation process to produce high protein and high fiber products from brewer's spent grain. <i>Food and Bioproducts Processing</i> , 2019, 117, 266-274.	3.6	41
7	Development of a polyclonal antibody for detection and sensitive quantification of immunoglobulin M-like antibody in <i>Pangasius hypophthalmus</i> plasma. <i>Aquaculture</i> , 2019, 513, 734369.	3.5	2
8	Trace minerals in tilapia fillets: Status in the United States marketplace and selenium supplementation strategy for improving consumer's health. <i>PLoS ONE</i> , 2019, 14, e0217043.	2.5	7
9	Identification of soil bacteria capable of utilizing a corn ethanol fermentation byproduct. <i>PLoS ONE</i> , 2019, 14, e0212685.	2.5	4
10	A laboratory-scale model cocoa fermentation using dried, unfermented beans and artificial pulp can simulate the microbial and chemical changes of on-farm cocoa fermentation. <i>European Food Research and Technology</i> , 2019, 245, 511-519.	3.3	23
11	Modulation of innate immunity in Nile tilapia (<i>Oreochromis niloticus</i>) by dietary supplementation of <i>Bacillus subtilis</i> endospores. <i>Fish and Shellfish Immunology</i> , 2018, 83, 171-179.	3.6	67
12	Comparative pharmacokinetics of oxytetracycline in tilapia (<i>Oreochromis</i> spp.) maintained at three different salinities. <i>Aquaculture</i> , 2018, 495, 675-681.	3.5	23
13	Nitrogen removal from water of recirculating aquaculture system by a microbial fuel cell. <i>Aquaculture</i> , 2018, 497, 74-81.	3.5	28
14	Production of omega-3 enriched tilapia through the dietary use of algae meal or fish oil: Improved nutrient value of fillet and offal. <i>PLoS ONE</i> , 2018, 13, e0194241.	2.5	46
15	Analyzing the metabolic capabilities of a <i>Vibrio parahaemolyticus</i> strain that causes Early Mortality Syndrome in shrimp. <i>Aquaculture</i> , 2017, 476, 44-48.	3.5	20
16	Adsorptive performance of granular activated carbon in aquaculture and aquaria: A simplified method. <i>Journal of Applied Aquaculture</i> , 2017, 29, 291-306.	1.4	0
17	Analysis of microcystin-LR and nodularin using triple quad liquid chromatography-tandem mass spectrometry and histopathology in experimental fish. <i>Toxicon</i> , 2017, 138, 82-88.	1.6	12
18	Hematologic and plasma chemistry RIs for cultured Striped catfish (<i>Pangasius hypophthalmus</i>) in recirculating aquaculture systems. <i>Veterinary Clinical Pathology</i> , 2017, 46, 457-465.	0.7	16

#	ARTICLE	IF	CITATIONS
19	Strain and dose infectivity of <i>Vibrio parahaemolyticus</i> : the causative agent of early mortality syndrome in shrimp. <i>Aquaculture Research</i> , 2017, 48, 3719-3727.	1.8	34
20	SDE and SPME Analysis of Flavor Compounds in Jin Xuan Oolong Tea. <i>Journal of Food Science</i> , 2016, 81, C348-58.	3.1	35
21	Changes in flavor volatile composition of oolong tea after panning during tea processing. <i>Food Science and Nutrition</i> , 2016, 4, 456-468.	3.4	41
22	Evaluation of bioflocs derived from confectionary food effluent water as a replacement feed ingredient for fishmeal or soy meal for shrimp. <i>Aquaculture</i> , 2016, 454, 66-71.	3.5	53
23	Toxicity of tobacco dust to freshwater snails (<i>Planorbella trivolvis</i>) and channel catfish (<i>Ictalurus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1	3.1	5
24	Tobacco dust: A novel molluscicide for aquaculture applications. <i>Aquacultural Engineering</i> , 2014, 63, 25-31.	3.1	4
25	Desirability of Oysters Treated by High Pressure Processing at Different Temperatures and Elevated Pressures. <i>American Journal of Food Technology</i> , 2014, 9, 209-216.	0.2	11
26	Culture feasibility of eastern oysters (<i>Crassostrea virginica</i>) in zero-water exchange recirculating aquaculture systems using synthetically derived seawater and live feeds. <i>Aquacultural Engineering</i> , 2013, 54, 45-48.	3.1	14
27	Efficacy of Common Aquaculture Compounds for Disinfection of <i>Flavobacterium columnare</i> and <i>F. psychrophilum</i> . <i>Journal of Applied Aquaculture</i> , 2012, 24, 262-270.	1.4	14
28	Efficacy of Common Aquaculture Compounds for Disinfection of <i>Aeromonas hydrophila</i> , <i>A. salmonicida</i> subsp. <i>salmonicida</i> , and <i>A. salmonicida</i> subsp. <i>achromogenes</i> at Various Temperatures. <i>North American Journal of Aquaculture</i> , 2011, 73, 456-461.	1.4	16
29	Evaluation of nitrifying bacteria product to improve nitrification efficacy in recirculating aquaculture systems. <i>Aquacultural Engineering</i> , 2010, 43, 78-82.	3.1	59
30	Evaluation of two types of bioflocs derived from biological treatment of fish effluent as feed ingredients for Pacific white shrimp, <i>Litopenaeus vannamei</i> . <i>Aquaculture</i> , 2010, 303, 28-33.	3.5	145
31	Chronic toxicity of nitrate to Pacific white shrimp, <i>Litopenaeus vannamei</i> : Impacts on survival, growth, antennae length, and pathology. <i>Aquaculture</i> , 2010, 309, 109-114.	3.5	108
32	Effect of Common Aquaculture Chemicals against <i>Edwardsiella ictaluri</i> and <i>E. tarda</i> . <i>Journal of Aquatic Animal Health</i> , 2010, 22, 224-228.	1.4	33
33	Microbial floc meal as a replacement ingredient for fish meal and soybean protein in shrimp feed. <i>Aquaculture</i> , 2009, 296, 51-57.	3.5	186
34	Use of Microbial Flocs Generated from Tilapia Effluent as a Nutritional Supplement for Shrimp, <i>Litopenaeus vannamei</i> , in Recirculating Aquaculture Systems. <i>Journal of the World Aquaculture Society</i> , 2008, 39, 72-82.	2.4	50
35	Evaluation of Tilapia Effluent with Ion Supplementation for Marine Shrimp Production in a Recirculating Aquaculture System. <i>Journal of the World Aquaculture Society</i> , 2007, 38, 74-84.	2.4	8
36	Photolytic degradation of hexacyanoferrate (II) in aqueous media: The determination of the degradation kinetics. <i>Chemosphere</i> , 2005, 60, 1222-1230.	8.2	33

#	ARTICLE	IF	CITATIONS
37	Water quality and sludge characterization at raceway-system trout farms. <i>Aquacultural Engineering</i> , 2005, 33, 271-284.	3.1	50
38	Toxicity of ammonia to three marine fish and three marine invertebrates. <i>Environmental Toxicology</i> , 2004, 19, 134-142.	4.0	59
39	Acute Toxicity of Ammonia and Nitrite to Pacific White Shrimp, <i>Litopenaeus vannamei</i> , at Low Salinities. <i>Journal of the World Aquaculture Society</i> , 0, 41, 438-446.	2.4	53