Sergey Polikarpov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/880353/publications.pdf

Version: 2024-02-01

88 papers 2,724 citations

28 h-index 189892 50 g-index

91 all docs 91 docs citations

91 times ranked 6519 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421. | 3.9 | 355 |
| 2 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4. | 3.9 | 198 |
| 3 | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 103 |
| 4 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 101 |
| 5 | Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$\$qrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710. | 3.9 | 98 |
| 6 | Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 86 |
| 7 | Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < /i > = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017. | 1.2 | 84 |
| 8 | Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509. | 3.9 | 83 |
| 9 | Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)=0$ mathrm{J}}/psi $f(s)=0$ in PbPb collisions at $f(s)=0$ mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252. | 3.9 | 82 |
| 10 | Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3. | 3.9 | 70 |
| 11 | Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 62 |
| 12 | Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701. | 3.9 | 58 |
| 13 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578. | 3.9 | 57 |
| 14 | Measurement of prompt and nonprompt $\frac{J}{psi} $ production in $\frac{p}{mathrm \{p\}} $ p p and $\frac{p}{mathrm \{p\}} $ p Pb collisions at $\frac{s}{r} $ mathrm $\frac{p}{mathrm \{p\}} $ = 5.02,ext $\frac{TeV}{s} $ s. European Physical Journal C, 2017, 77, 269. | 3.9 | 53 |
| 15 | Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165. | 3.9 | 52 |
| 16 | Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark $\{$ s $\}$ =13,ext $\{$ Te $\}$ ext $\{$ V $\}$ $\$$ s $=13$ Te. European Physical Journal C, 2018, 78, 707. | 3.9 | 46 |
| 17 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140. | 3.9 | 44 |
| 18 | Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789. | 3.9 | 40 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Measurement of differential cross sections for $\{z\}$ boson production in association with jets in proton-proton collisions at $\{z\}$ = 13,ext $\{z\}$ s = 13 TeV. European Physical Journal C, 2018, 78, 965. | 3.9 | 39 |
| 20 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845. | 3.9 | 38 |
| 21 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636. | 3.9 | 38 |
| 22 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488. | 3.9 | 35 |
| 23 | Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90. | 3.9 | 34 |
| 24 | Measurement of exclusive $\{{\{uprho _{}^{}\}}_{}^{}\}\{\{left({770}ight) }{}_{}^{}}\}$ | 3.9 | 33 |
| 25 | Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13. | 3.9 | 33 |
| 26 | Search for top squark pair production in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 27 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 29 |
| 28 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in protonâ \in "proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2019, 79, 280. | 3.9 | 29 |
| 29 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 27 |
| 30 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291. | 3.9 | 27 |
| 31 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 27 |
| 32 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 25 |
| 33 | Measurement of the jet mass in highly boosted $\$\{mathrm\{t\}}$ overline $\{mathrm\{t\}\}$ events from pp collisions at $\$sqrt\{s\}=8$, ext $\{TeV\}$. European Physical Journal C, 2017, 77, 467. | 3.9 | 23 |
| 34 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746. | 3.9 | 23 |
| 35 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{13}{ext}$ European Physical Journal C, 2020, 80, 752. | 3.9 | 23 |
| 36 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |
| 38 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 21 |
| 39 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 20 |
| 40 | Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94. | 3.9 | 20 |
| 41 | MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629. | 3.9 | 18 |
| 42 | Combined searches for the production of supersymmetric top quark partners in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970. | 3.9 | 18 |
| 43 | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290. | 3.9 | 18 |
| 44 | Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 45 | Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697. | 3.9 | 17 |
| 46 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 17 |
| 47 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 48 | Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 49 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 50 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 14 |
| 51 | Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}} | | |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 13 |
| 56 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13 |
| 57 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13 |
| 58 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 13 |
| 59 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 12 |
| 60 | Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \ddot{I}_+ + \ddot{I}_+ \hat{a}^2 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 12 |
| 61 | Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312. | 3.9 | 12 |
| 62 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 12 |
| 63 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 11 |
| 64 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 65 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 66 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\$$ sqrt $\{s\}=7$ \$\$ $\$$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 242. | 3.9 | 10 |
| 67 | Measurement of the \$\$mathrm {Z}/gamma * ightarrow au au \$\$ Z / \hat{I}^3 â $^-$ ↠ \hat{I} , \hat{I} , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708. | 3.9 | 10 |
| 68 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1. | 3.9 | 9 |
| 69 | Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 8 |
| 70 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 6 |
| 71 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 5 |
| 72 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, . | 4.7 | 5 |
| 74 | Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305. | 3.9 | 4 |
| 75 | Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 3 |
| 76 | Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\} = 13$, ext $\{P\}$, and $\{P\}$. | | 3 |
| 77 | Study of ηâ€"Î-′ mixing in B-meson decay with the LHCb detector. Physics of Atomic Nuclei, 2016, 79, 288-291. | 0.4 | 2 |
| 78 | Measurement of the inclusive $\mbox{smathrm{t}}$ overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ $\mbox{sqrt{s}} $$ = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 2 |
| 79 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $$$ sqrt ${s}$ ${s}$ sqrt ${s}$ ${s}$ sqrt ${s}$ ${s}$ ${s}$ sqrt ${s}$ ${s}$ ${s}$ sqrt ${s}$ ${s}$ ${s}$ sqrt ${s}$ | 4.7 | 2 |
| 80 | Calibration of the LHCb electromagnetic calorimeter via reconstructing the neutral-pion invariant mass. Physics of Atomic Nuclei, 2015, 78, 1026-1033. | 0.4 | 1 |
| 81 | Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 1 |
| 82 | Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, . | 3.9 | 1 |
| 83 | Search for the X(5568) Exotic State in the CMS Experiment. Bulletin of the Lebedev Physics Institute, 2019, 46, 187-190. | 0.6 | O |
| 84 | Study of P-wave BsO states at the CMS experiment. Journal of Physics: Conference Series, 2019, 1390, 012045. | 0.4 | 0 |
| 85 | Study of $\{\text{Ext}_{s}\}^{*}$ \$\$(5840)0 and Bs1(5830)0 Mesons in the CMS Experiment. Bulletin of the Lebedev Physics Institute, 2020, 47, 166-170. | 0.6 | O |
| 86 | Study of the \$P\$-wave $\mathrm{B}^0_{\mathrm{s}}\$ mesons at the CMS experiment in pp collisions at \$ \text{s}=8\$ TeV. , 2018, , . | | 0 |
| 87 | Search for QCD exotic states at CMS. , 2020, , . | | O |
| 88 | Heavy flavor spectroscopy results from CMS. , 2020, , . | | 0 |