## Makoto Arai

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8808967/publications.pdf

Version: 2024-02-01

623734 454955 1,046 34 14 30 citations h-index g-index papers 36 36 36 1540 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Role of glyoxalase 1 in methylglyoxal detoxification–the broad player of psychiatric disorders. Redox Biology, 2022, 49, 102222.	9.0	9
2	Structure of pathological TDP-43 filaments from ALS with FTLD. Nature, 2022, 601, 139-143.	27.8	129
3	Near-Infrared Time-Resolved Spectroscopy Shows Anterior Prefrontal Blood Volume Reduction in Schizophrenia but Not in Major Depressive Disorder. Sensors, 2022, 22, 1594.	3.8	3
4	Schizophrenia-Mimicking Layers Outperform Conventional Neural Network Layers. Frontiers in Neurorobotics, 2022, 16, 851471.	2.8	1
5	Role of advanced glycation end products in the longitudinal association between muscular strength and psychotic symptoms among adolescents. NPJ Schizophrenia, 2022, 8, .	3.6	1
6	Exonic deletions in IMMP2L in schizophrenia with enhanced glycation stress subtype. PLoS ONE, 2022, 17, e0270506.	2.5	1
7	Structural diverseness of neurons between brain areas and between cases. Translational Psychiatry, 2021, 11, 49.	4.8	6
8	Accumulation of Carbonyl Proteins in the Brain of Mouse Model for Methylglyoxal Detoxification Deficits. Antioxidants, 2021, 10, 574.	5.1	9
9	Advanced glycation end products and cognitive impairment in schizophrenia. PLoS ONE, 2021, 16, e0251283.	2.5	6
10	Dysregulation of post-transcriptional modification by copy number variable microRNAs in schizophrenia with enhanced glycation stress. Translational Psychiatry, 2021, 11, 331.	4.8	7
11	Vitamin B6 deficiency hyperactivates the noradrenergic system, leading to social deficits and cognitive impairment. Translational Psychiatry, 2021, 11, 262.	4.8	16
12	Brain capillary structures of schizophrenia cases and controls show a correlation with their neuron structures. Scientific Reports, 2021, 11, 11768.	3.3	15
13	Fingertip advanced glycation end products and psychotic symptoms among adolescents. NPJ Schizophrenia, 2021, 7, 37.	3.6	6
14	Combined glyoxalase 1 dysfunction and vitamin B6 deficiency in a schizophrenia model system causes mitochondrial dysfunction in the prefrontal cortex. Redox Biology, 2021, 45, 102057.	9.0	12
15	High-sucrose diets contribute to brain angiopathy with impaired glucose uptake and psychosis-related higher brain dysfunctions in mice. Science Advances, 2021, 7, eabl6077.	10.3	12
16	Cuttingâ€edge morphological studies of postâ€mortem brains of patients with schizophrenia and potential applications of Xâ€ray nanotomography (nanoâ€CT). Psychiatry and Clinical Neurosciences, 2020, 74, 176-182.	1.8	6
17	The accumulation of advanced glycation end-products in a schizophrenic patient with a glyoxalase 1 frameshift mutation: An autopsy study. Schizophrenia Research, 2020, 223, 356-358.	2.0	3
18	ARHGAP10, which encodes Rho GTPase-activating protein 10, is a novel gene for schizophrenia risk. Translational Psychiatry, 2020, 10, 247.	4.8	42

#	Article	IF	CITATIONS
19	Enhanced carbonyl stress and disrupted white matter integrity in schizophrenia. Schizophrenia Research, 2020, 223, 242-248.	2.0	9
20	Three-dimensional alteration of neurites in schizophrenia. Translational Psychiatry, 2019, 9, 85.	4.8	28
21	Maternal diabetes in early pregnancy, and psychotic experiences and depressive symptoms in 10-year-old offspring: A population-based birth cohort study. Schizophrenia Research, 2019, 206, 52-57.	2.0	21
22	Pyridoxamine: A novel treatment for schizophrenia with enhanced carbonyl stress. Psychiatry and Clinical Neurosciences, 2018, 72, 35-44.	1.8	40
23	Comparative Analyses of Copy-Number Variation in Autism Spectrum Disorder and Schizophrenia Reveal Etiological Overlap and Biological Insights. Cell Reports, 2018, 24, 2838-2856.	6.4	177
24	Music-evoked emotions in schizophrenia. Schizophrenia Research, 2017, 185, 144-147.	2.0	10
25	The regulation of soluble receptor for AGEs contributes to carbonyl stress in schizophrenia. Biochemical and Biophysical Research Communications, 2016, 479, 447-452.	2.1	14
26	Determination of methylglyoxal in human blood plasma using fluorescence high performance liquid chromatography after derivatization with 1,2-diamino-4,5-methylenedioxybenzene. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1029-1030, 102-105.	2.3	24
27	A method for estimating spatial resolution of real image in the Fourier domain. Journal of Microscopy, 2016, 261, 57-66.	1.8	45
28	Advanced glycation end products and schizophrenia: A systematic review. Journal of Psychiatric Research, 2015, 66-67, 112-117.	3.1	43
29	Characterization of modified proteins in plasma from a subtype of schizophrenia based on carbonyl stress: Protein carbonyl is a possible biomarker of psychiatric disorders. Biochemical and Biophysical Research Communications, 2015, 467, 361-366.	2.1	14
30	Clinical Features of Schizophrenia With Enhanced Carbonyl Stress. Schizophrenia Bulletin, 2014, 40, 1040-1046.	4.3	56
31	Replication of enhanced carbonyl stress in a subpopulation of schizophrenia. Psychiatry and Clinical Neurosciences, 2014, 68, 83-84.	1.8	20
32	Carbonyl stress and schizophrenia. Psychiatry and Clinical Neurosciences, 2014, 68, 655-665.	1.8	29
33	Measurement of glyoxalase activities. Biochemical Society Transactions, 2014, 42, 491-494.	3.4	88
34	Enhanced Carbonyl Stress in a Subpopulation of Schizophrenia. Archives of General Psychiatry, 2010, 67, 589.	12.3	141