

# James B Kirkbride

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8809025/publications.pdf>

Version: 2024-02-01

160  
papers

8,994  
citations

76326

40  
h-index

48315

88  
g-index

174  
all docs

174  
docs citations

174  
times ranked

7316  
citing authors

#	ARTICLE	IF	CITATIONS
1	Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. <i>Molecular Psychiatry</i> , 2022, 27, 281-295.	7.9	967
2	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
3	Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. <i>Archives of General Psychiatry</i> , 2006, 63, 250.	12.3	440
4	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550.	4.5	433
5	Incidence of Schizophrenia and Other Psychoses in England, 1950–2009: A Systematic Review and Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e31660.	2.5	385
6	Air Pollution (Particulate Matter) Exposure and Associations with Depression, Anxiety, Bipolar, Psychosis and Suicide Risk: A Systematic Review and Meta-Analysis. <i>Environmental Health Perspectives</i> , 2019, 127, 126002.	6.0	336
7	Psychosis and Place. <i>Epidemiologic Reviews</i> , 2008, 30, 84-100.	3.5	248
8	Substance use in a population-based clinic sample of people with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 190, 515-520.	2.8	240
9	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	11.0	235
10	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
11	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495.	4.5	201
12	Social Deprivation, Inequality, and the Neighborhood-Level Incidence of Psychotic Syndromes in East London. <i>Schizophrenia Bulletin</i> , 2014, 40, 169-180.	4.3	193
13	WPA guidance on mental health and mental health care in migrants. <i>World Psychiatry</i> , 2011, 10, 2-10.	10.4	192
14	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425.	4.5	189
15	Raised Incidence Rates of All Psychoses Among Migrant Groups. <i>Archives of General Psychiatry</i> , 2008, 65, 1250.	12.3	189
16	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715.	4.5	176
17	International incidence of psychotic disorders, 2002–17: a systematic review and meta-analysis. <i>Lancet Public Health</i> , 2019, 4, e229-e244.	10.0	176
18	Refugee migration and risk of schizophrenia and other non-affective psychoses: cohort study of 1.3 million people in Sweden. <i>BMJ</i> , 2016, 352, i1030.	6.0	162

#	ARTICLE	IF	CITATIONS
19	Psychoses, ethnicity and socio-economic status. <i>British Journal of Psychiatry</i> , 2008, 193, 18-24.	2.8	135
20	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.	4.3	128
21	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008, 38, 1083-1094.	4.5	125
22	Systematic review and collaborative recalculation of 133 693 incident cases of schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 9-16.	4.5	123
23	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	4.5	110
24	The Epidemiology of First-Episode Psychosis in Early Intervention in Psychosis Services: Findings From the Social Epidemiology of Psychoses in East Anglia [SEPEA] Study. <i>American Journal of Psychiatry</i> , 2017, 174, 143-153.	7.2	96
25	Ten-Year Outcomes of First-Episode Psychoses in the MRC Å†SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.	1.0	90
26	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 438-445.	3.1	89
27	Cannabis and schizophrenia: model projections of the impact of the rise in cannabis use on historical and future trends in schizophrenia in England and Wales. <i>Addiction</i> , 2007, 102, 597-606.	3.3	79
28	Ethnic Minority Status, Age-at-Immigration and Psychosis Risk in Rural Environments: Evidence From the SEPEA Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 1251-1261.	4.3	79
29	Prenatal nutrition, epigenetics and schizophrenia risk: can we test causal effects?. <i>Epigenomics</i> , 2012, 4, 303-315.	2.1	76
30	Incidence of bipolar affective disorder in three UK cities. <i>British Journal of Psychiatry</i> , 2005, 186, 126-131.	2.8	69
31	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69
32	The protective effect of neighbourhood social cohesion on adolescent mental health following stressful life events. <i>Psychological Medicine</i> , 2020, 50, 1292-1299.	4.5	64
33	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014, 44, 407-419.	4.5	62
34	The incidence of very late-onset psychotic disorders: a systematic review and meta-analysis, 1960-2016. <i>Psychological Medicine</i> , 2018, 48, 1775-1786.	4.5	58
35	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	4.5	58
36	The Prevention of Schizophrenia-What Can We Learn From Eco-Epidemiology?. <i>Schizophrenia Bulletin</i> , 2011, 37, 262-271.	4.3	56

#	ARTICLE	IF	CITATIONS
37	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1039-1055.	3.1	54
38	If cannabis caused schizophrenia- how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. <i>Addiction</i> , 2009, 104, 1856-1861.	3.3	51
39	Association of Environment With the Risk of Developing Psychotic Disorders in Rural Populations. <i>JAMA Psychiatry</i> , 2018, 75, 75.	11.0	46
40	Suicide risk in people with post-traumatic stress disorder: A cohort study of 3.1 million people in Sweden. <i>Journal of Affective Disorders</i> , 2021, 279, 609-616.	4.1	45
41	The association between income inequality and adult mental health at the subnational level- a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1-24.	3.1	45
42	Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , 2011, 41, 949-958.	4.5	44
43	Substance use disorders in refugee and migrant groups in Sweden: A nationwide cohort study of 1.2 million people. <i>PLoS Medicine</i> , 2019, 16, e1002944.	8.4	42
44	Risk of schizophrenia, schizoaffective, and bipolar disorders by migrant status, region of origin, and age-at-migration: a national cohort study of 1.8 million people. <i>Psychological Medicine</i> , 2019, 49, 2354-2363.	4.5	41
45	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	3.1	41
46	The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91.	1.5	40
47	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14.	1.1	40
48	The social underpinnings of mental distress in the time of COVID-19 - time for urgent action. <i>Wellcome Open Research</i> , 2020, 5, 166.	1.8	39
49	Neighbourhood-level socio-environmental factors and incidence of first episode psychosis by place at onset in rural Ireland: The Cavan-Monaghan First Episode Psychosis Study [CAMFEPS]. <i>Schizophrenia Research</i> , 2014, 152, 152-157.	2.0	38
50	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	4.5	38
51	Association of Residential Mobility Over the Life Course With Nonaffective Psychosis in 1.4 Million Young People in Sweden. <i>JAMA Psychiatry</i> , 2018, 75, 1128.	11.0	35
52	Lithium in bipolar and other affective disorders: prescribing practice in the UK. <i>Journal of Psychopharmacology</i> , 2010, 24, 1739-1746.	4.0	34
53	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	4.5	34
54	Is the incidence of psychotic disorder in decline? Epidemiological evidence from two decades of research. <i>International Journal of Epidemiology</i> , 2009, 38, 1255-1264.	1.9	33

#	ARTICLE	IF	CITATIONS
55	A population-level prediction tool for the incidence of first-episode psychosis: translational epidemiology based on cross-sectional data. <i>BMJ Open</i> , 2013, 3, e001998.	1.9	33
56	Psychosis incidence through the prism of early intervention services. <i>British Journal of Psychiatry</i> , 2012, 200, 156-157.	2.8	30
57	Trajectories of Neighborhood Cohesion in Childhood, and Psychotic and Depressive Symptoms at Age 13 and 18 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 570-577.	0.5	30
58	Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. <i>Schizophrenia Bulletin</i> , 2020, 46, 581-591.	4.3	30
59	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. <i>British Journal of Psychiatry</i> , 2020, 217, 686-692.	2.8	29
60	Psychiatric disorders and risk of subsequent dementia: Systematic review and meta-analysis of longitudinal studies. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	29
61	Understanding the excess psychosis risk in ethnic minorities: the impact of structure and identity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1913-1921.	3.1	28
62	Trajectories of childhood neighbourhood cohesion and adolescent mental health: evidence from a national Canadian cohort. <i>Psychological Medicine</i> , 2015, 45, 3239-3248.	4.5	27
63	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225.	3.3	25
64	Polygenic risk for schizophrenia, disordered eating behaviours and body mass index in adolescents. <i>British Journal of Psychiatry</i> , 2019, 215, 428-433.	2.8	25
65	Maternal Prenatal Nutrition and Health in Grandchildren and Subsequent Generations. <i>Annual Review of Anthropology</i> , 2012, 41, 577-610.	1.5	24
66	Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 327-336.	7.4	23
67	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
68	Social and spatial heterogeneity in psychosis proneness in a multilevel case-“prodrome”-control study. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 283-292.	4.5	22
69	The Incidence of Nonaffective, Nonorganic Psychotic Disorders in Older People: A Population-based Cohort Study of 3 Million People in Sweden. <i>Schizophrenia Bulletin</i> , 2019, 45, 1152-1160.	4.3	22
70	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
71	Risk of psychotic disorders in migrants to Australia. <i>Psychological Medicine</i> , 2021, 51, 1192-1200.	4.5	21
72	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014, 44, 2419-2430.	4.5	20

#	ARTICLE	IF	CITATIONS
73	Psychiatric care use among migrants to Sweden compared with Swedish-born residents: a longitudinal cohort study of 5 150 753 people. <i>BMJ Global Health</i> , 2020, 5, e002471.	4.7	20
74	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 36-45.	2.1	19
75	Migrant status and risk of compulsory admission at first diagnosis of psychotic disorder: a population-based cohort study in Sweden. <i>Psychological Medicine</i> , 2022, 52, 362-371.	4.5	19
76	City Living and Psychotic Disorders—Implications of Global Heterogeneity for Theory Development. <i>JAMA Psychiatry</i> , 2018, 75, 1211.	11.0	18
77	Psychoses sans Frontières: towards an interdisciplinary understanding of psychosis risk amongst migrants and their descendants. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 146-152.	3.9	18
78	Assessment of the Role of IQ in Associations Between Population Density and Deprivation and Nonaffective Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 729.	11.0	18
79	Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. <i>Psychological Medicine</i> , 2017, 47, 1659-1667.	4.5	17
80	Predictors of disengagement from Early Intervention in Psychosis services. <i>British Journal of Psychiatry</i> , 2018, 213, 477-483.	2.8	17
81	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	4.5	17
82	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
83	Family networks during migration and risk of non-affective psychosis: A population-based cohort study. <i>Schizophrenia Research</i> , 2019, 208, 268-275.	2.0	16
84	Using epidemiological evidence to forecast population need for early treatment programmes in mental health: a generalisable Bayesian prediction methodology applied to and validated for first-episode psychosis in England. <i>British Journal of Psychiatry</i> , 2021, 219, 383-391.	2.8	16
85	Association between risk of dementia and very late-onset schizophrenia-like psychosis: a Swedish population-based cohort study. <i>Psychological Medicine</i> , 2023, 53, 750-758.	4.5	16
86	The component structure of the scales for the assessment of positive and negative symptoms in first-episode psychosis and its dependence on variations in analytic methods. <i>Psychiatry Research</i> , 2018, 270, 869-879.	3.3	15
87	Longitudinal associations between psychotic experiences and disordered eating behaviours in adolescence: a UK population-based study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 591-599.	5.6	15
88	Low incidence of psychosis in Italy: confirmation from the first epidemiological study in Sicily. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 155-162.	3.1	14
89	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
90	A systematic scoping review of community-based interventions for the prevention of mental ill-health and the promotion of mental health in older adults in the UK. <i>Health and Social Care in the Community</i> , 2022, 30, 27-57.	1.6	14

#	ARTICLE	IF	CITATIONS
91	Record linkage of domestic assault victims between an emergency department and the police. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 909-910.	3.7	13
92	Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 665-673.	3.7	13
93	Universal prevention of schizophrenia and surrogate endpoints at population level. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1347-1351.	3.1	12
94	Migration and psychosis: our smoking lung?. <i>World Psychiatry</i> , 2017, 16, 119-120.	10.4	12
95	Urban Birth, Urban Living, and Work Migrancy: Differential Effects on Psychotic Experiences Among Young Chinese Men. <i>Schizophrenia Bulletin</i> , 2018, 44, 1123-1132.	4.3	12
96	Predictors of mental health help-seeking among Polish people living in the United Kingdom. <i>BMC Health Services Research</i> , 2018, 18, 693.	2.2	12
97	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
98	Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2017, , 27-132.	0.1	12
99	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	2.4	10
100	Are socioenvironmental factors associated with psychotic symptoms in people with first-episode psychosis? A cross-sectional study of a West London clinical sample. <i>BMJ Open</i> , 2019, 9, e030448.	1.9	10
101	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.	2.2	10
102	Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: a scoping review. <i>BMJ Open</i> , 2021, 11, e041102.	1.9	10
103	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.	4.5	10
104	Migration and risk of psychosis in the Canadian context. <i>Cmaj</i> , 2015, 187, 637-638.	2.0	9
105	The incidence of non-affective psychotic disorders in Chile between 2005 and 2018: results from a national register of over 30 000 cases. <i>Psychological Medicine</i> , 2022, 52, 914-923.	4.5	9
106	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. <i>BJPsych Open</i> , 2020, 6, e88.	0.7	9
107	Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799.	4.5	9
108	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9

#	ARTICLE	IF	CITATIONS
109	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	4.5	9
110	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
111	CARTOONS KILL: casualties in animated recreational theater in an objective observational new study of kids' introduction to loss of life. <i>BMJ, The</i> , 2014, 349, g7184-g7184.	6.0	8
112	Parity of esteem begins at home: translating empirical psychiatric research into effective public mental health. <i>Psychological Medicine</i> , 2014, 44, 1569-1576.	4.5	8
113	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016, 6, 26190.	3.3	8
114	Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1133-1140.	3.1	8
115	Risk of non-affective psychotic disorder and post-traumatic stress disorder by refugee status in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 276-282.	3.7	8
116	Community interventions for improving adult mental health: mapping local policy and practice in England. <i>BMC Public Health</i> , 2021, 21, 1691.	2.9	8
117	Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1907-1915.	3.1	8
118	Epidemiology on demand: population-based approaches to mental health service commissioning. <i>BJPsych Bulletin</i> , 2015, 39, 242-247.	1.1	7
119	Carer subjective burden after first-episode psychosis: Types and predictors. A multilevel statistical approach. <i>International Journal of Social Psychiatry</i> , 2021, 67, 73-83.	3.1	7
120	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
121	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
122	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.7	6
123	Hitting the floor: Understanding migration patterns following the first episode of psychosis. <i>Health and Place</i> , 2014, 28, 150-152.	3.3	5
124	Waiting time variation in Early Intervention Psychosis services: longitudinal evidence from the SEPEA naturalistic cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 563-574.	3.1	5
125	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.	1.4	5
126	Addressing ethnic inequalities in the pathways to care for psychosis. <i>BMC Medicine</i> , 2018, 16, 240.	5.5	4



#	ARTICLE	IF	CITATIONS
127	Delivery of community-centred public mental health interventions in diverse areas in England: a mapping study protocol. <i>BMJ Open</i> , 2020, 10, e037631.	1.9	4
128	Inequalities in Psychiatric Service Use and Mortality by Migrant Status Following a First Diagnosis of Psychotic Disorder: A Swedish Cohort Study of 1.3M People. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab009.	1.7	4
129	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	4.3	4
130	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.	0.7	4
131	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
132	Urban-Rural Differences in Major Mental Health Conditions. <i>Mental Health and Illness Worldwide</i> , 2016, , 1-106.	0.1	4
133	Social capital, pathway to care and duration of untreated psychosis: Findings from a low- and middle-income country context. <i>South African Journal of Psychiatry</i> , 2012, 18, 8.	0.4	3
134	The emerging molecular architecture of schizophrenia, polygenic risk scores and the clinical implications for gXe research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1531-1534.	3.1	3
135	WPA Guidance on Mental Health and Mental Health Care in Migrants. <i>Focus (American Psychiatric Association)</i> , 2014, 14, 108-114.	0.8	3
136	Understanding Racial-Ethnic Disparities in Psychosis Outcomes via Population-Based Approaches. <i>Psychiatric Services</i> , 2018, 69, 1121-1121.	2.0	3
137	Neighbourhood and mortality in severe mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 456-458.	7.4	3
138	Personality disorder in an Early Intervention Psychosis cohort: Findings from the Social Epidemiology of Psychoses in East Anglia (SEPEA) study. <i>PLoS ONE</i> , 2020, 15, e0234047.	2.5	3
139	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e052339.	1.9	3
140	Understanding causes of and developing effective interventions for schizophrenia and other psychoses. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-184.	1.0	3
141	RESPONSE TO THE COMMENTARIES. <i>Addiction</i> , 2007, 102, 516-518.	3.3	2
142	Social capital, pathway to care and duration of untreated psychosis: Findings from a low- and middle-income country context. <i>South African Journal of Psychiatry</i> , 2012, 18, .	0.4	2
143	Recording of domestic violence by the police and emergency departments. <i>Journal of Emergency Medicine</i> , 2006, 30, 248.	0.7	1
144	Epidemiological challenges in systematic reviews. <i>British Journal of Psychiatry</i> , 2012, 201, 248-248.	2.8	1

#	ARTICLE	IF	CITATIONS
145	The risk of substance-induced psychosis converting to schizophrenia varies with substance used and patient age. <i>Evidence-Based Mental Health</i> , 2013, 16, 65-65.	4.5	1
146	Neighbourhood communalities and ultra-high risk psychosis: An emergent literature. <i>Schizophrenia Research</i> , 2016, 176, 312-313.	2.0	1
147	Are refugees at increased risk of suicide compared with non-refugee migrants and the host population. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	1
148	Impact of Contextual Environmental Mechanisms on the Incidence of Schizophrenia and Other Psychoses. , 2010, , 67-96.		1
149	Neighborhood-Level Predictors of Age-at-First-Diagnosis of Psychotic Disorders: A Swedish Register-Based Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	1
150	The Impact of the Environment on Psychiatric Disorder Edited by Hugh Freeman and Stephen Stansfeld. Routledge. 2008. Â£34.95 (hb). 344 pp. ISBN: 9780415116183. <i>British Journal of Psychiatry</i> , 2009, 194, 195-195.	2.8	0
151	Incident cannabis use in adolescents and young adults is associated with an increased risk of developing psychotic symptoms. <i>Evidence-Based Mental Health</i> , 2011, 14, 70-70.	4.5	0
152	Omission of an Author in the Byline. <i>JAMA Psychiatry</i> , 2018, 75, 530.	11.0	0
153	Reply to: "To the editor: how statistics killed the cat" E. F. Torrey, R. H Yolken. <i>Psychological Medicine</i> , 2018, 48, 692-692.	4.5	0
154	Beginning to hope: Aligning psychiatric care provision to needs of vulnerable children and young people. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 382-384.	1.5	0
155	Practical Psychiatric Epidemiology. Edited By Martin Prince, Robert Stewart, Tamsin Ford & Matthew Hotopf. Oxford: Oxford University Press. 2003. 414 pp. Â£35(pb). ISBN 0 19 851551 0. <i>British Journal of Psychiatry</i> , 2005, 186, 268-269.	2.8	0
156	Title is missing!. , 2019, 16, e1002944.		0
157	Title is missing!. , 2019, 16, e1002944.		0
158	Title is missing!. , 2019, 16, e1002944.		0
159	Title is missing!. , 2019, 16, e1002944.		0
160	Title is missing!. , 2019, 16, e1002944.		0