Flávio Reis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8809446/publications.pdf

Version: 2024-02-01

157	4,843 citations	36 h-index	61 g-index
papers	Citations	II-IIIdex	g-maex
159 all docs	159 docs citations	159 times ranked	7507 citing authors

#	Article	IF	Citations
1	The Signaling Pathway of TNF Receptors: Linking Animal Models of Renal Disease to Human CKD. International Journal of Molecular Sciences, 2022, 23, 3284.	4.1	16
2	1,8-Cineole ameliorates right ventricle dysfunction associated with pulmonary arterial hypertension by restoring connexin43 and mitochondrial homeostasis. Pharmacological Research, 2022, 180, 106151.	7.1	8
3	Inflammatory biomarkers in staging of chronic kidney disease: elevated TNFR2 levels accompanies renal function decline. Inflammation Research, 2022, 71, 591-602.	4.0	7
4	Lactation as a programming window for metabolic syndrome. European Journal of Clinical Investigation, 2021, 51, e13482.	3.4	32
5	Assessing Scientific Soundness and Translational Value of Animal Studies on DPP4 Inhibitors for Treating Type 2 Diabetes Mellitus. Biology, 2021, 10, 155.	2.8	2
6	A selective p53 activator and anticancer agent to improve colorectal cancer therapy. Cell Reports, 2021, 35, 108982.	6.4	20
7	Subpopulations of High-Density Lipoprotein: Friends or Foes in Cardiovascular Disease Risk in Chronic Kidney Disease?. Biomedicines, 2021, 9, 554.	3.2	2
8	Blueberry as an Attractive Functional Fruit to Prevent (Pre)Diabetes Progression. Antioxidants, 2021, 10, 1162.	5.1	19
9	Blueberry effects on prediabetic nephropathyâ€"a preclinical in vivo approach. European Journal of Public Health, 2021, 31, .	0.3	0
10	The impact of refined food processing on the kidneyâ€"preclinical evaluation. European Journal of Public Health, 2021, 31, .	0.3	0
11	Unhealthy lifestyles, environment, well-being and health capability in rural neighbourhoods: a community-based cross-sectional study. BMC Public Health, 2021, 21, 1628.	2.9	3
12	New Potential Biomarkers for Chronic Kidney Disease Managementâ€"A Review of the Literature. International Journal of Molecular Sciences, 2021, 22, 43.	4.1	38
13	Is Gut Microbiota Dysbiosis a Predictor of Increased Susceptibility to Poor Outcome of COVID-19 Patients? An Update. Microorganisms, 2021, 9, 53.	3.6	36
14	Editorial: Combating Redox Imbalance-Associated Complications With Natural Products. Frontiers in Pharmacology, 2021, 12, 802750.	3.5	4
15	Blueberry Counteracts Prediabetes in a Hypercaloric Diet-Induced Rat Model and Rescues Hepatic Mitochondrial Bioenergetics. Nutrients, 2021, 13, 4192.	4.1	10
16	The yin and yang faces of the mitochondrial deacetylase sirtuin 3 in age-related disorders. Ageing Research Reviews, 2020, 57, 100983.	10.9	23
17	Gut Microbiota Dysbiosis–Immune Hyperresponse–Inflammation Triad in Coronavirus Disease 2019 (COVID-19): Impact of Pharmacological and Nutraceutical Approaches. Microorganisms, 2020, 8, 1514.	3.6	52
18	ACE2 imbalance as a key player for the poor outcomes in COVID-19 patients with age-related comorbidities – Role of gut microbiota dysbiosis. Ageing Research Reviews, 2020, 62, 101123.	10.9	118

#	Article	IF	CITATIONS
19	Blueberry Consumption Challenges Hepatic Mitochondrial Bioenergetics and Elicits Transcriptomics Reprogramming in Healthy Wistar Rats. Pharmaceutics, 2020, 12, 1094.	4.5	4
20	Extracellular Vesicles and MicroRNA: Putative Role in Diagnosis and Treatment of Diabetic Retinopathy. Antioxidants, 2020, 9, 705.	5.1	23
21	Dietâ€induced rodent models of obesityâ€related metabolic disorders—A guide to a translational perspective. Obesity Reviews, 2020, 21, e13081.	6.5	37
22	P1581IMPACT OF ACHIEVING LDL CHOLESTEROL LOWER THAN 100 MG/DL WITH STATINS, ON LIPID PROFILE AND INFLAMMATION IN END-STAGE RENAL DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
23	Diet-Induced Rodent Models of Diabetic Peripheral Neuropathy, Retinopathy and Nephropathy. Nutrients, 2020, 12, 250.	4.1	41
24	Crescent-Like Lesions as an Early Signature of Nephropathy in a Rat Model of Prediabetes Induced by a Hypercaloric Diet. Nutrients, 2020, 12, 881.	4.1	10
25	The dipeptidyl peptidase 4 inhibitor sitagliptin improves oxidative stress and ameliorates glomerular lesions in a rat model of type 1 diabetes. Life Sciences, 2019, 234, 116738.	4.3	14
26	SLMP53-2 Restores Wild-Type-Like Function to Mutant p53 through Hsp70: Promising Activity in Hepatocellular Carcinoma. Cancers, 2019, 11, 1151.	3.7	21
27	Development of a Healthy Lifestyle Assessment Toolkit for the General Public. Frontiers in Medicine, 2019, 6, 134.	2.6	14
28	Dichotomous Sirtuins: Implications for Drug Discovery in Neurodegenerative and Cardiometabolic Diseases. Trends in Pharmacological Sciences, 2019, 40, 1021-1039.	8.7	24
29	Beneficial Effects of Dietary Polyphenols on Gut Microbiota and Strategies to Improve Delivery Efficiency. Nutrients, 2019, 11, 2216.	4.1	268
30	mTOR Signaling in Cardiometabolic Disease, Cancer, and Aging 2018. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-3.	4.0	8
31	The Protective Role of Adiponectin for Lipoproteins in End-Stage Renal Disease Patients: Relationship with Diabetes and Body Mass Index. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-11.	4.0	15
32	Hepcidin in chronic kidney disease anemia. Vitamins and Hormones, 2019, 110, 243-264.	1.7	14
33	Weight loss achieved by bariatric surgery modifies high-density lipoprotein subfractions and low-density lipoprotein oxidation towards atheroprotection. Clinical Biochemistry, 2019, 63, 46-53.	1.9	15
34	Diabetic gut microbiota dysbiosis as an inflammaging and immunosenescence condition that fosters progression of retinopathy and nephropathy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 1876-1897.	3.8	102
35	Influence of the 6-month physical activity programs on renal function in obese boys. Pediatric Research, 2018, 83, 1011-1015.	2.3	3
36	Discovery of a small-molecule protein kinase \hat{Cl} -selective activator with promising application in colon cancer therapy. Cell Death and Disease, 2018, 9, 23.	6.3	25

#	Article	IF	CITATIONS
37	Therapeutic Use of mTOR Inhibitors in Renal Diseases: Advances, Drawbacks, and Challenges. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-17.	4.0	36
38	Therapeutic Options Targeting Oxidative Stress, Mitochondrial Dysfunction and Inflammation to Hinder the Progression of Vascular Complications of Diabetes. Frontiers in Physiology, 2018, 9, 1857.	2.8	75
39	Subtle thinning of retinal layers without overt vascular and inflammatory alterations in a rat model of prediabetes. Molecular Vision, 2018, 24, 353-366.	1.1	11
40	Therapeutic and Nutraceutical Potential of Rosmarinic Acid - Cytoprotective Properties and Pharmacokinetic Profile. Critical Reviews in Food Science and Nutrition, 2017, 57, 00-00.	10.3	65
41	DIMP53-1: a novel small-molecule dual inhibitor of p53-MDM2/X interactions with multifunctional p53-dependent anticancer properties. Molecular Oncology, 2017, 11, 612-627.	4.6	33
42	Therapeutic strategies targeting oxidative stress to improve dyslipidemia and left ventricular hypertrophy. Revista Portuguesa De Cardiologia, 2017, 36, 639-640.	0.5	2
43	Glucose and Lipid Dysmetabolism in a Rat Model of Prediabetes Induced by a High-Sucrose Diet. Nutrients, 2017, 9, 638.	4.1	38
44	Recent Advances and Challenges of mTOR Inhibitors Use in the Treatment of Patients with Tuberous Sclerosis Complex. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-11.	4.0	38
45	Renoprotective Effects of the Dipeptidyl Peptidase-4 Inhibitor Sitagliptin: A Review in Type 2 Diabetes. Journal of Diabetes Research, 2017, 2017, 1-14.	2.3	28
46	mTOR Signaling in Cardiometabolic Disease, Cancer, and Aging. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-4.	4.0	15
47	The HIF System Response to ESA Therapy in CKDâ€Anemia. , 2017, , .		O
48	mTOR and Neuroinflammation. , 2016, , 317-329.		6
49	mTOR in Diabetic Nephropathy and Retinopathy. , 2016, , 379-393.		2
50	Safety profile of solid lipid nanoparticles loaded with rosmarinic acid for oral use: in vitro and animal approaches. International Journal of Nanomedicine, 2016, Volume 11, 3621-3640.	6.7	48
51	Resistance to Recombinant Human Erythropoietin Therapy in a Rat Model of Chronic Kidney Disease Associated Anemia. International Journal of Molecular Sciences, 2016, 17, 28.	4.1	11
52	SP313LIVER IRON IS A MAJOR REGULATOR OF HEPCIDIN GENE EXPRESSION VIA BMP/SMAD PATHWAY IN A RAT MODEL OF CHRONIC RENAL FAILURE UNDER TREATMENT WITH HIGH rHuEPO DOSES. Nephrology Dialysis Transplantation, 2016, 31, i194-i194.	0.7	1
53	Obesity and brain inflammation: a focus on multiple sclerosis. Obesity Reviews, 2016, 17, 211-224.	6.5	28
54	The incretin system ABCs in obesity and diabetes – novel therapeutic strategies for weight loss and beyond. Obesity Reviews, 2016, 17, 553-572.	6.5	33

#	Article	IF	CITATIONS
55	Renal riskâ€benefit determinants of recombinant human erythropoietin therapy in the remnant kidney rat model – hypertension, anaemia, inflammation and drug dose. Clinical and Experimental Pharmacology and Physiology, 2016, 43, 343-354.	1.9	10
56	Pathological and molecular mechanisms underlying resistance to recombinant human erythropoietin therapy in the remnant kidney rat model of chronic kidney disease associated anemia. Biochimie, 2016, 125, 150-162.	2.6	11
57	Impaired renal endothelial nitric oxide synthase and reticulocyte production as modulators of hypertension induced by rHuEPO in the rat. Life Sciences, 2016, 151, 147-156.	4.3	4
58	Rapamycin negatively impacts insulin signaling, glucose uptake and uncoupling protein-1 in brown adipocytes. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 1929-1941.	2.4	18
59	Natural killer cell-based adoptive immunotherapy eradicates and drives differentiation of chemoresistant bladder cancer stem-like cells. BMC Medicine, 2016, 14, 163.	5.5	43
60	Recombinant human erythropoietin-induced erythropoiesis regulates hepcidin expression over iron status in the rat. Blood Cells, Molecules, and Diseases, 2016, 59, 63-70.	1.4	6
61	A fast and reliable method for GHB quantitation in whole blood by GC–MS/MS (TQD) for forensic purposes. Journal of Pharmaceutical and Biomedical Analysis, 2016, 119, 139-144.	2.8	10
62	High sucrose consumption induces memory impairment in rats associated with electrophysiological modifications but not with metabolic changes in the hippocampus. Neuroscience, 2016, 315, 196-205.	2.3	22
63	Comparison of endogenous GHB concentrations in blood and hair in death cases with emphasis on the post mortem interval. International Journal of Legal Medicine, 2016, 130, 959-965.	2.2	10
64	Iron therapy in chronic kidney disease: Recent changes, benefits and risks. Blood Reviews, 2016, 30, 65-72.	5.7	28
65	Reactivation of wild-type and mutant p53 by tryptophanolderived oxazoloisoindolinone SLMP53-1, a novel anticancer small-molecule. Oncotarget, 2016, 7, 4326-4343.	1.8	37
66	Liver iron is a major regulator of hepcidin gene expression via <scp>BMP/SMAD</scp> pathway in a rat model of chronic renal failure under treatment with high r <scp>H</scp> u <scp>EPO</scp> doses. BioFactors, 2016, 42, 296-306.	5.4	8
67	Functional and molecular characterization of cancer stem-like cells in bladder cancer: a potential signature for muscle-invasive tumors. Oncotarget, 2015, 6, 36185-36201.	1.8	34
68	Iron-Hepcidin Dysmetabolism, Anemia and Renal Hypoxia, Inflammation and Fibrosis in the Remnant Kidney Rat Model. PLoS ONE, 2015, 10, e0124048.	2.5	33
69	The Place of Dipeptidyl Peptidase-4 Inhibitors in Type 2 Diabetes Therapeutics: A "Me Too―or "the Special One―Antidiabetic Class?. Journal of Diabetes Research, 2015, 2015, 1-28.	2.3	65
70	Characterization of solid lipid nanoparticles produced with carnauba wax for rosmarinic acid oral delivery. RSC Advances, 2015, 5, 22665-22673.	3.6	66
71	Solid Lipid Nanoparticles as Oral Delivery Systems of Phenolic Compounds: Overcoming Pharmacokinetic Limitations for Nutraceutical Applications. Critical Reviews in Food Science and Nutrition, 2015, 57, 00-00.	10.3	43
72	Conversion to Sirolimus Ameliorates Cyclosporine-Induced Nephropathy in the Rat: Focus on Serum, Urine, Gene, and Protein Renal Expression Biomarkers. BioMed Research International, 2014, 2014, 1-17.	1.9	9

#	Article	IF	Citations
73	Remyelination in Multiple Sclerosis – How Close are We?. Journal of Neurology & Neurophysiology, 2014, 05, .	0.1	O
74	Transition from Cyclosporine-Induced Renal Dysfunction to Nephrotoxicity in an in Vivo Rat Model. International Journal of Molecular Sciences, 2014, 15, 8979-8997.	4.1	26
75	Sitagliptin Prevents Inflammation and Apoptotic Cell Death in the Kidney of Type 2 Diabetic Animals. Mediators of Inflammation, 2014, 2014, 1-15.	3.0	97
76	Potential Cardiovascular Risk Protection of Bilirubin in End-Stage Renal Disease Patients under Hemodialysis. BioMed Research International, 2014, 2014, 1-9.	1.9	12
77	Iron as the Key Modulator of Hepcidin Expression in Erythroid Antibody-Mediated Hypoplasia. BioMed Research International, 2014, 2014, 1-10.	1.9	5
78	Sitagliptin prevents aggravation of endocrine and exocrine pancreatic damage in the Zucker Diabetic Fatty rat - focus on amelioration of metabolic profile and tissue cytoprotective properties. Diabetology and Metabolic Syndrome, 2014, 6, 42.	2.7	23
79	Molecular mechanisms underlying the effects of cyclosporin A and sirolimus on glucose and lipid metabolism in liver, skeletal muscle and adipose tissue in an in vivo rat model. Biochemical Pharmacology, 2014, 88, 216-228.	4.4	35
80	Gamma-hydroxybutyric acid endogenous production and post-mortem behaviour – The importance of different biological matrices, cut-off reference values, sample collection and storage conditions. Journal of Clinical Forensic and Legal Medicine, 2014, 27, 17-24.	1.0	42
81	Dipeptidyl peptidase-IV inhibition prevents blood–retinal barrier breakdown, inflammation and neuronal cell death in the retina of type 1 diabetic rats. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2014, 1842, 1454-1463.	3.8	64
82	Short and long term in vivo effects of Cyclosporine A and Sirolimus on genes and proteins involved in lipid metabolism in Wistar rats. Metabolism: Clinical and Experimental, 2014, 63, 702-715.	3 . 4	19
83	Cyclosporine A enhances gluconeogenesis while sirolimus impairs insulin signaling in peripheral tissues after 3 weeks of treatment. Biochemical Pharmacology, 2014, 91, 61-73.	4.4	14
84	Haptoglobin 2–2 phenotype is associated with decreased serum iron levels in endstage renal disease patients resistant to rhEPO therapy. British Journal of Biomedical Science, 2014, 71, 79-81.	1.3	1
85	Aging is Associated with Impaired Renal Function, INF-gamma Induced Inflammation and with Alterations in Iron Regulatory Proteins Gene Expression. , 2014, 5, 356-65.		12
86	Letter to the Editor: A potential mechanism for the pathogenesis of psoriasis <i>vulgaris</i> International Journal of Dermatology, 2013, 52, 1429-1432.	1.0	0
87	Diabetes abrogates sex differences and aggravates cardiometabolic risk in postmenopausal women. Cardiovascular Diabetology, 2013, 12, 61.	6.8	56
88	Early cardiac changes in a rat model of prediabetes: brain natriuretic peptide overexpression seems to be the best marker. Cardiovascular Diabetology, 2013, 12, 44.	6.8	66
89	Spatial memory impairments in a prediabetic rat model. Neuroscience, 2013, 250, 565-577.	2.3	80
90	Effects of Cyclosporine and Sirolimus on Insulin-Stimulated Glucose Transport and Glucose Tolerance in a Rat Model. Transplantation Proceedings, 2013, 45, 1142-1148.	0.6	14

#	Article	IF	Citations
91	Serum and Renal Tissue Markers of Nephropathy in Rats Under Immunosuppressive Therapy: Cyclosporine Versus Sirolimus. Transplantation Proceedings, 2013, 45, 1149-1156.	0.6	6
92	Implication of Low HDL-c Levels in Patients with Average LDL-c Levels: A Focus on Oxidized LDL, Large HDL Subpopulation, and Adiponectin. Mediators of Inflammation, 2013, 2013, 1-12.	3.0	21
93	Omega-3 Fatty Acids Inhibit Tumor Growth in a Rat Model of Bladder Cancer. BioMed Research International, 2013, 2013, 1-11.	1.9	22
94	Risk Factors for Mortality in Hemodialysis Patients: Two-Year Follow-Up Study. Disease Markers, 2013, 35, 791-798.	1.3	45
95	Markers of Increased Cardiovascular Risk in Postmenopausal Women: Focus on Oxidized-LDL and HDL Subpopulations. Disease Markers, 2013, 35, 85-96.	1.3	32
96	Circulating cell-free DNA levels in hemodialysis patients and its association with inflammation, iron metabolism, and rhEPO doses. Hemodialysis International, 2013, 17, n/a-n/a.	0.9	11
97	Body mass index and resistance to recombinant human erythropoietin therapy in maintenance hemodialysis patients. Renal Failure, 2013, 35, 1392-1398.	2.1	10
98	rhEPO for the Treatment of Erythropoietin Resistant Anemia in Hemodialysis Patients $\hat{a} \in \mathbb{C}^*$ Risks and Benefits. , 2013, , .		1
99	Vascular Access versus the Effect of Statins on Inflammation and Fibrinolysis in Renal Dialysis Patients. Journal of Vascular Access, 2013, 14, 335-341.	0.9	3
100	Emergent Biomarkers of Residual Cardiovascular Risk in Patients with Low HDL-c and/or High Triglycerides and Average LDL-c Concentrations: Focus on HDL Subpopulations, Oxidized LDL, Adiponectin, and Uric Acid. Scientific World Journal, The, 2013, 2013, 1-16.	2.1	7
101	New Markers of Early Cardiovascular Risk in Multiple Sclerosis Patients: Oxidized-LDL Correlates with Clinical Staging. Disease Markers, 2013, 34, 341-348.	1.3	56
102	New markers of early cardiovascular risk in multiple sclerosis patients: oxidized-LDL correlates with clinical staging. Disease Markers, 2013, 34, 341-8.	1.3	27
103	Chemopreventive Efficacy of Atorvastatin against Nitrosamine-Induced Rat Bladder Cancer: Antioxidant, Anti-Proliferative and Anti-Inflammatory Properties. International Journal of Molecular Sciences, 2012, 13, 8482-8499.	4.1	28
104	Cardiac antiapoptotic and proproliferative effect of recombinant human erythropoietin in a moderate stage of chronic renal failure in the rat. Journal of Pharmacy and Bioallied Sciences, 2012, 4, 76.	0.6	18
105	Major Determinants of BMP-2 Serum Levels in Hemodialysis Patients. Renal Failure, 2012, 34, 1355-1358.	2.1	4
106	Main Determinants of PON1 Activity in Hemodialysis Patients. American Journal of Nephrology, 2012, 36, 317-323.	3.1	16
107	Erythroid Disturbances Before and After Treatment of Portuguese Psoriasis Vulgaris Patients. American Journal of Clinical Dermatology, 2012, 13, 37-47.	6.7	15
108	Regular Physical Exercise as a Strategy to Improve Antioxidant and Anti-Inflammatory Status: Benefits in Type 2 Diabetes Mellitus. Oxidative Medicine and Cellular Longevity, 2012, 2012, 1-15.	4.0	77

#	Article	IF	CITATIONS
109	Inhibition of Bladder Tumor Growth by Chitooligosaccharides in an Experimental Carcinogenesis Model. Marine Drugs, 2012, 10, 2661-2675.	4.6	43
110	Dexmedetomidine: Current Role in Anesthesia and Intensive Care. Revista Brasileira De Anestesiologia, 2012, 62, 118-133.	0.6	260
111	Protective effects of the dipeptidyl peptidase IV inhibitor sitagliptin in the blood–retinal barrier in a type 2 diabetes animal model. Diabetes, Obesity and Metabolism, 2012, 14, 454-463.	4.4	74
112	Cardiorenal benefits of early versus late cyclosporine to sirolimus conversion in a rat model. Journal of Pharmacology and Pharmacotherapeutics, 2012, 3, 143-8.	0.4	5
113	Inhibition of bladder tumour growth by sirolimus in an experimental carcinogenesis model. BJU International, 2011, 107, 135-143.	2.5	14
114	Are threshold levels of signal transduction required for the protective effect of cilostazol against cardiac ischaemia-reperfusion injury?. Clinical and Experimental Pharmacology and Physiology, 2011, 38, 651-653.	1.9	1
115	Health-related quality of life in Portuguese psoriatic patients: Relation with Psoriasis Area and Severity Index and different types of classical psoriatic treatment. Journal of Dermatology, 2011, 38, 816-819.	1.2	6
116	Elastase release during the hemodialysis procedure seems to induce changes in red blood cell membrane proteins. Hemodialysis International, 2011, 15, 429-431.	0.9	4
117	Expression of Genes Encoding Extracellular Matrix Macromolecules and Metalloproteinases in Avian Tibial Dyschondroplasia. Journal of Comparative Pathology, 2011, 145, 174-186.	0.4	28
118	Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammatory properties. Cardiovascular Diabetology, 2011, 10, 12.	6.8	198
119	Endocannabinoid system in cardiovascular disorders - new pharmacotherapeutic opportunities. Journal of Pharmacy and Bioallied Sciences, 2011, 3, 350.	0.6	24
120	Diabetic Nephropathy Amelioration by a Low-Dose Sitagliptin in an Animal Model of Type 2 Diabetes (Zucker Diabetic Fatty Rat). Experimental Diabetes Research, 2011, 2011, 1-12.	3.8	128
121	Apoptosis of Peripheral CD4 ⁺ T-Lymphocytes in End-Stage Renal Disease Patients Under Hemodialysis and rhEPO Therapies. Renal Failure, 2011, 33, 138-143.	2.1	25
122	Differential Effects of Acute (Extenuating) and Chronic (Training) Exercise on Inflammation and Oxidative Stress Status in an Animal Model of Type 2 Diabetes Mellitus. Mediators of Inflammation, 2011, 2011, 1-8.	3.0	38
123	Câ€reactive protein and leucocyte activation in psoriasis <i>vulgaris</i> according to severity and therapy. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 789-796.	2.4	107
124	Circulating adipokine levels in Portuguese patients with psoriasis <i>vulgaris</i> according to body mass index, severity and therapy. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 1386-1394.	2.4	104
125	Interleukin (IL)-22, IL-17, IL-23, IL-8, vascular endothelial growth factor and tumour necrosis factor-α levels in patients with psoriasis before, during and after psoralen-ultraviolet A and narrowband ultraviolet B therapy. British Journal of Dermatology, 2010, 163, 1282-1290.	1.5	120
126	Recombinant human erythropoietin treatment protects the cardio-renal axis in a model of moderate chronic renal failure. Renal Failure, 2010, 32, 1073-1080.	2.1	10

#	Article	IF	CITATIONS
127	Preventive but Not Curative Efficacy of Celecoxib on Bladder Carcinogenesis in a Rat Model. Mediators of Inflammation, 2010, 2010, 1-11.	3.0	11
128	Effects of Sitagliptin Treatment on Dysmetabolism, Inflammation, and Oxidative Stress in an Animal Model of Type 2 Diabetes (ZDF Rat). Mediators of Inflammation, 2010, 2010, 1-11.	3.0	143
129	Psoriasis Therapy and Cardiovascular Risk Factors. American Journal of Clinical Dermatology, 2010, 11, 423-432.	6.7	36
130	The unsolved cyclosporine-induced kidney injury: is paricalcitol a feasible new renoprotective option?. Kidney International, 2010, 77, 1055-1057.	5.2	13
131	Effect of Recombinant Human Erythropoietin in a Rat Model of Moderate Chronic Renal Failure - Focus on Inflammation, Oxidative Stress and Function/Renoprotection. The Open Drug Discovery Journal, 2010, 2, 25-32.	0.7	1
132	Anti-inflammatory, anti-proliferative and antioxidant profiles of selective cyclooxygenase-2 inhibition as chemoprevention for rat bladder carcinogenesis. Cancer Biology and Therapy, 2009, 8, 1615-1622.	3.4	19
133	Hepcidin Serum Levels and Resistance to Recombinant Human Erythropoietin Therapy in Haemodialysis Patients. Acta Haematologica, 2009, 122, 226-229.	1.4	41
134	Characterization of a Rat Model of Moderate Chronic Renal Failure—Focus on Hematological, Biochemical, and Cardio-Renal Profiles. Renal Failure, 2009, 31, 833-842.	2.1	8
135	Exercise training decreases proinflammatory profile in Zucker diabetic (type 2) fatty rats. Nutrition, 2009, 25, 330-339.	2.4	91
136	Erythropoietin Promotes Deleterious Cardiovascular Effects and Mortality Risk in a Rat Model of Chronic Sports Doping. Cardiovascular Toxicology, 2009, 9, 201-210.	2.7	22
137	Hypertension Induced by Immunosuppressive Drugs: A Comparative Analysis Between Sirolimus and Cyclosporine. Transplantation Proceedings, 2009, 41, 868-873.	0.6	37
138	Circulating levels of adiponectin, oxidized LDL and C-reactive protein in Portuguese patients with psoriasis vulgaris, according to body mass index, severity and duration of the disease. Journal of Dermatological Science, 2009, 55, 202-204.	1.9	53
139	Treadmill running and swimming imposes distinct cardiovascular physiological adaptations in the rat: Focus on serotonergic and sympathetic nervous systems modulation. Acta Physiologica Hungarica, 2008, 95, 365-381.	0.9	21
140	Role of Prohepcidin, Inflammatory Markers and Iron Status in Resistance to rhEPO Therapy in Hemodialysis Patients. American Journal of Nephrology, 2008, 28, 677-683.	3.1	36
141	DMT1 (NRAMP2/DCT1) Genetic Variability and Resistance to Recombinant Human Erythropoietin Therapy in Chronic Kidney Disease Patients under Haemodialysis. Acta Haematologica, 2008, 120, 11-13.	1.4	4
142	Dual Effect of Nitrate Therapy for Cyclosporine-Induced Hypertension on Vascular and Platelet Morphofunctional Markers; An Animal Model. Transplantation Proceedings, 2007, 39, 2501-2506.	0.6	5
143	Oxidative Stress in Cyclosporine-Induced Hypertension: Evidence of Beneficial Effects or Tolerance Development With Nitrate Therapy. Transplantation Proceedings, 2007, 39, 2494-2500.	0.6	15

Exercise training is associated with improved levels of C-reactive protein and adiponectin in ZDF (type) Tj ETQq0 0 0 rgBT /Overlock 10 T

#	ARTICLE	IF	CITATIONS
145	CURATIVE ISOSORBIDE-5-MONONITRATE TREATMENT, IN OPPOSITION TO THE BENEFICIAL PREVENTIVE ONE, AGGRAVATES THE PROTHROMBOTIC AND PROCONSTRICTOR STATE IN CYCLOSPORINE-INDUCED HYPERTENSIVE RATS. Clinical and Experimental Pharmacology and Physiology, 2005, 32, 640-648.	1.9	4
146	Platelet Hyperactivation in Maintained Growth Hormone-Deficient Childhood Patients after Therapy Withdrawal as a Putative Earlier Marker of Increased Cardiovascular Risk. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 98-105.	3.6	5
147	Effect of preventive and regressive isosorbide 5-mononitrate treatment on catecholamine levels in plasma, platelets, adrenals, left ventricle and aorta in cyclosporin A-induced hypertensive rats. Life Sciences, 2005, 77, 2514-2528.	4.3	14
148	Vitreous humour as a complementary sample to blood for the detection/confirmation of diazepam: ante-mortem and post-mortem studies in an animal model. Human and Experimental Toxicology, 2004, 23, 571-577.	2.2	20
149	Impairment of vascular and platelet levels of nitric oxide and cyclic guanosine-3',5'-monophosphate in cyclosporin A-induced hypertensive rats. Fundamental and Clinical Pharmacology, 2003, 17, 43-50.	1.9	6
150	Isosorbide-5-mononitrate treatment prevents cyclosporin A-induced platelet hyperactivation and the underlying nitric oxide–cyclic guanosine-3′,5′-monophosphate disturbances. Thrombosis Research, 2003, 110, 107-115.	1.7	8
151	Circadian and seasonal variation of endogenous ubiquinone plasma level. Chronobiology International, 2002, 19, 599-614.	2.0	8
152	Cardiovascular effects of cyclosporin treatment in an experimental model. Revista Portuguesa De Cardiologia, 2002, 21, 141-55.	0.5	12
153	Platelet Activation is Increased in Cyclosporin A-Induced Hypertensive Rats. Journal of Cardiovascular Pharmacology, 2000, 36, 56-64.	1.9	16
154	THE DISTRIBUTION OF CATECHOLAMINES BETWEEN PLASMA AND PLATELETS IN CYCLOSPORIN A-INDUCED HYPERTENSIVE RATS. Pharmacological Research, 2000, 41, 129-135.	7.1	12
155	The Peripheral Serotonergic System and Platelet Aggregation in Cyclosporin A-Induced Hypertensive Rats. Thrombosis Research, 1999, 96, 365-372.	1.7	12
156	Diabetic encephalopathy: the role of oxidative stress and inflammation in type 2 diabetes. International Journal of Interferon, Cytokine and Mediator Research, 0, , 75.	1.1	8
157	The role of inflammation in diabetic cardiomyopathy. International Journal of Interferon, Cytokine and Mediator Research, 0, , 59.	1.1	13