
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8810884/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Photoaging of the skin from phenotype to mechanisms. Experimental Gerontology, 2000, 35, 307-316.	2.8	407
2	Ultravioletâ€B Irradiation and Matrix Metalloproteinases. Annals of the New York Academy of Sciences, 2002, 973, 31-43.	3.8	390
3	Selenium, oxidative stress, and health aspects. Molecular Aspects of Medicine, 2005, 26, 256-267.	6.4	237
4	Combined cytotoxic and anti-invasive properties of redox-active nanoparticles in tumor–stroma interactions. Biomaterials, 2011, 32, 2918-2929.	11.4	208
5	Central Role of Ferrous/Ferric Iron in the Ultraviolet B Irradiation-mediated Signaling Pathway Leading to Increased Interstitial Collagenase (Matrix-degrading Metalloprotease (MMP)-1) and Stromelysin-1 (MMP-3) mRNA Levels in Cultured Human Dermal Fibroblasts. Journal of Biological Chemistry, 1998, 273, 5279-5287.	3.4	204
6	Stable Overexpression of Manganese Superoxide Dismutase in Mitochondria Identifies Hydrogen Peroxide as a Major Oxidant in the AP-1-mediated Induction of Matrix-degrading Metalloprotease-1. Journal of Biological Chemistry, 1999, 274, 25869-25876.	3.4	204
7	Hydrogen peroxide (H2O2) Increases the Steady-State mRNA Levels of Collagenase/MMP-1 in Human dermal Fibroblasts. Free Radical Biology and Medicine, 1997, 22, 515-524.	2.9	188
8	Downregulation of Tumor Growth and Invasion by Redox-Active Nanoparticles. Antioxidants and Redox Signaling, 2013, 19, 765-778.	5.4	167
9	Involvement of selenoprotein P in protection of human astrocytes from oxidative damage. Free Radical Biology and Medicine, 2006, 40, 1513-1523.	2.9	147
10	Combination of Conventional Chemotherapeutics with Redox-Active Cerium Oxide Nanoparticles—A Novel Aspect in Cancer Therapy. Molecular Cancer Therapeutics, 2014, 13, 1740-1749.	4.1	127
11	Singlet oxygen is an early intermediate in cytokine-dependent ultraviolet-A induction of interstitial collagenase in human dermal fibroblasts in vitro. FEBS Letters, 1997, 413, 239-242.	2.8	119
12	Selenoprotein P protects endothelial cells from oxidative damage by stimulation of glutathione peroxidase expression and activity. Free Radical Research, 2006, 40, 936-943.	3.3	113
13	Enhancement of tumor invasion depends on transdifferentiation of skin fibroblasts mediated by reactive oxygen species. Journal of Cell Science, 2006, 119, 2727-2738.	2.0	106
14	Adaptive Antioxidant Response of Manganese-Superoxide Dismutase Following Repetitive UVA Irradiation. Journal of Investigative Dermatology, 1999, 112, 13-18.	0.7	105
15	Selective Pick-Up of Increased Iron by Deferoxamine-Coupled Cellulose Abrogates the Iron-Driven Induction of Matrix-Degrading Metalloproteinase 1 and Lipid Peroxidation in Human Dermal Fibroblasts In Vitro: A New Dressing Concept. Journal of Investigative Dermatology, 2001, 116, 833-839.	0.7	94
16	Activation of p70 Ribosomal Protein S6 Kinase Is an Essential Step in the DNA Damage-dependent Signaling Pathway Responsible for the Ultraviolet B-mediated Increase in Interstitial Collagenase (MMP-1) and Stromelysin-1 (MMP-3) Protein Levels in Human Dermal Fibroblasts. Journal of Biological Chemistry, 2000, 275, 4336-4344.	3.4	87
17	Adaptive antioxidant response protects dermal fibroblasts from UVA-induced phototoxicity. Free Radical Biology and Medicine, 2001, 30, 238-247.	2.9	84
18	Nanotherapy and Reactive Oxygen Species (ROS) in Cancer: A Novel Perspective. Antioxidants, 2018, 7, 31.	5.1	75

#	Article	IF	CITATIONS
19	Ultraviolet B Wavelength Dependence for the Regulation of Two Major Matrixâ€Metalloproteinases and Their Inhibitor TIMPâ€1 in Human Dermal Fibroblasts. Photochemistry and Photobiology, 1996, 64, 877-885.	2.5	68
20	Overexpression of Phospholipid-hydroperoxide Glutathione Peroxidase in Human Dermal Fibroblasts Abrogates UVA Irradiation-induced Expression of Interstitial Collagenase/Matrix Metalloproteinase-1 by Suppression of Phosphatidylcholine Hydroperoxide-mediated NFI <sup>®</sup> B Activation and Interleukin-6 Release. Journal of Biological Chemistry, 2004, 279, 45634-45642.	3.4	65
21	Ultraviolet B Wavelength Dependence for the Regulation of Two Major Matrixâ€Metalloproteinases and Their Inhibitor TIMPâ€1 in Human Dermal Fibroblasts. Photochemistry and Photobiology, 1996, 64, 649-657.	2.5	52
22	UVA-mediated downregulation of MMP-2 and MMP-9 in human epidermal keratinocytes. Biochemical and Biophysical Research Communications, 2003, 308, 486-491.	2.1	52
23	Thioredoxin secreted upon ultraviolet A irradiation modulates activities of matrix metalloproteinase-2 and tissue inhibitor of metalloproteinase-2 in human dermal fibroblasts. Archives of Biochemistry and Biophysics, 2004, 423, 218-226.	3.0	48
24	Activation of protein kinase CK2 is an early step in the ultraviolet B-mediated increase in interstitial collagenase (matrix metalloproteinase-1; MMP-1) and stromelysin-1 (MMP-3) protein levels in human dermal fibroblasts. Biochemical Journal, 2002, 365, 31-40.	3.7	43
25	Ultraviolet-B induction of interstitial collagenase and stromelyin-1 occurs in human dermal fibroblasts via an autocrine interleukin-6-dependent loop. FEBS Letters, 1999, 449, 36-40.	2.8	42
26	A threeâ€dimensional skin equivalent reflecting some aspects of <i>in vivo</i> aged skin. Experimental Dermatology, 2016, 25, 56-61.	2.9	41
27	Induction of Manganese Superoxide Dismutase in Human Dermal Fibroblasts. Archives of Dermatology, 2002, 138, 1473-9.	1.4	37
28	Redox-active cerium oxide nanoparticles protect human dermal fibroblasts from PQ-induced damage. Redox Biology, 2015, 4, 1-5.	9.0	37
29	α-Melanocyte Stimulating Hormone Induces Collagenase/Matrix Metalloproteinase-1 in Human Dermal Fibroblasts. Biological Chemistry Hoppe-Seyler, 1995, 376, 425-430.	1.4	34
30	Induction of MMP-10 and MMP-1 in a squamous cell carcinoma cell line by ultraviolet radiation. Biological Chemistry, 2004, 385, 75-86.	2.5	34
31	Tumor promoter TPA stimulates MMP-9 secretion from human keratinocytes by activation of superoxide-producing NADPH oxidase. Free Radical Research, 2005, 39, 245-253.	3.3	32
32	The first peak of the UVB irradiation-dependent biphasic induction of vascular endothelial growth factor (VEGF) is due to phosphorylation of the epidermal growth factor receptor and independent of autocrine transforming growth factor α. FEBS Letters, 2000, 474, 195-200.	2.8	27
33	Effects of frequently applied carbon monoxide releasing molecules (CORMs) in typical CO-sensitive model systems – A comparative in vitro study. Archives of Biochemistry and Biophysics, 2020, 687, 108383.	3.0	25
34	Ammonia inhibits energy metabolism in astrocytes in a rapid and glutamate dehydrogenase 2-dependent manner. DMM Disease Models and Mechanisms, 2020, 13, .	2.4	24
35	<scp>UVA</scp> â€1 exposure in vivo leads to an <scp>IL</scp> â€6 surge within the skin. Experimental Dermatology, 2017, 26, 830-832.	2.9	23
36	DNA Synthesis and Fos and Jun Protein Expression in Mitotic and Postmitotic WI-38 Fibroblasts in Vitro. Experimental Cell Research, 1994, 211, 219-230.	2.6	22

#	Article	IF	CITATIONS
37	Fibroblast-to-myofibroblast switch is mediated by NAD(P)H oxidase generated reactive oxygen species. Bioscience Reports, 2014, 34, .	2.4	22
38	Efficacy of Different Compositions of Cerium Oxide Nanoparticles in Tumor-Stroma Interaction. Journal of Biomedical Nanotechnology, 2017, 13, 1735-1746.	1.1	22
39	Post-translational processing of selenoprotein P: implications of glycosylation for its utilisation by target cells. Biological Chemistry, 2007, 388, 1043-1051.	2.5	20
40	CNP mediated selective toxicity on melanoma cells is accompanied by mitochondrial dysfunction. PLoS ONE, 2020, 15, e0227926.	2.5	20
41	Essential role of an activator protein-2 (AP-2)/specificity protein 1 (Sp1) cluster in the UVB-mediated induction of the human vascular endothelial growth factor in HaCaT keratinocytes. Biochemical Journal, 2003, 369, 341-349.	3.7	19
42	Paracrine effect of TGF-β1 on downregulation of gap junctional intercellular communication between human dermal fibroblasts. Biochemical and Biophysical Research Communications, 2004, 319, 321-326.	2.1	19
43	In vitro selective cytotoxicity of the dietary chalcone cardamonin (CD) on melanoma compared to healthy cells is mediated by apoptosis. PLoS ONE, 2019, 14, e0222267.	2.5	19
44	Adaptive cellular protection against UVA-1-induced lipid peroxidation in human dermal fibroblasts shows donor-to-donor variability and is glutathione dependent. Archives of Dermatological Research, 2006, 297, 324-328.	1.9	18
45	Effect of Fe <sub>3</sub> O <sub>4</sub> Nanoparticles on Skin Tumor Cells and Dermal Fibroblasts. BioMed Research International, 2015, 2015, 1-11.	1.9	18
46	Endogenous Carbon Monoxide Signaling Modulates Mitochondrial Function and Intracellular Glucose Utilization: Impact of the Heme Oxygenase Substrate Hemin. Antioxidants, 2020, 9, 652.	5.1	18
47	Modulation of homologous gap junctional intercellular communication of human dermal fibroblasts via a paracrine factor(s) generated by squamous tumor cells. Carcinogenesis, 2003, 24, 1737-1748.	2.8	17
48	Isolation and Identification of Psoralen plus Ultraviolet A (PUVA)-Induced Genes in Human Dermal Fibroblasts by Polymerase Chain Reaction-Based Subtractive Hybridization. Journal of Investigative Dermatology, 2000, 115, 909-913.	0.7	16
49	Stromal resistance of fibroblasts against oxidative damage: involvement of tumor cell-secreted platelet-derived growth factor (PDGF) and phosphoinositide 3-kinase (PI3K) activation. Carcinogenesis, 2008, 29, 404-410.	2.8	14
50	Human Dermal Fibroblasts Escape from the Long-Term Phenocopy of Senescence Induced by Psoralen Photoactivation. Experimental Cell Research, 2002, 274, 299-309.	2.6	13
51	The BH3 mimetic (±) gossypol induces ROS-independent apoptosis and mitochondrial dysfunction in human A375 melanoma cells in vitro. Archives of Toxicology, 2021, 95, 1349-1365.	4.2	13
52	A drug-induced accelerated senescence (DIAS) is a possibility to study aging in time lapse. Age, 2014, 36, 9658.	3.0	11
53	The BH3 mimetic compound BH3I-1 impairs mitochondrial dynamics and promotes stress response in addition to its pro-apoptotic key function. Toxicology Letters, 2018, 295, 369-378.	0.8	6
54	Carbon monoxide releasing molecule 401 (CORM-401) modulates phase I metabolism of xenobiotics. Toxicology in Vitro, 2019, 59, 215-220.	2.4	5

#	Article	IF	CITATIONS
55	The negative effects of solar and artificial irradiation: photoaging of the skin, its clinical appearance and underlying mechanisms. Comprehensive Series in Photosciences, 2001, 3, 115-130.	0.3	4
56	Loss of the tyrosyl radical in mouse ribonucleotide reductase by (â^')-epicatechin. Biochemical and Biophysical Research Communications, 2005, 326, 614-617.	2.1	4
57	Carbon monoxide exposure activates ULK1 via AMPK phosphorylation in murine embryonic fibroblasts. International Journal for Vitamin and Nutrition Research, 2023, 93, 122-131.	1.5	1
58	Abstract C42: Suppression of tumor invasion by inorganic nanoparticles. , 2009, , .		1
59	A newly adapted pulsed-field gel electrophoresis technique allows to detect distinct types of DNA damage at low frequencies in human dermal fibroblasts upon exposure to non-toxic H2O2concentrations. Free Radical Research, 1999, 31, 405-418.	3.3	О
60	Molecular mechanisms underlying disruption of gap junctional intercellular communication in tumor cells. , 0, 2005, .		0
61	Protective function of Selenoprotein P in human astrocytes. , 0, 2005, .		О
62	Reactive oxygen species-dependent transdifferentiation of skin fibroblasts enhances invasive capacity of tumor cells. , 0, 2005, .		0
63	Selenoprotein P protects human astrocytes from oxidative cell death. , 0, 2006, .		Ο