

Lourdes RodrÃ-iguez-Fragoso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8816837/publications.pdf>

Version: 2024-02-01

30
papers

699
citations

623734

14
h-index

552781

26
g-index

30
all docs

30
docs citations

30
times ranked

1102
citing authors

#	ARTICLE	IF	CITATIONS
1	Potential Risks Resulting from Fruit/Vegetable-Drug Interactions: Effects on Drug-Metabolizing Enzymes and Drug Transporters. <i>Journal of Food Science</i> , 2011, 76, R112-24.	3.1	153
2	Risks and benefits of commonly used herbal medicines in Mexico. <i>Toxicology and Applied Pharmacology</i> , 2008, 227, 125-135.	2.8	138
3	Ethanol-induced oxidative stress is associated with EGF receptor phosphorylation in MCF-10A cells overexpressing CYP2E1. <i>Toxicology Letters</i> , 2012, 209, 161-165.	0.8	44
4	Antiproliferative, cytotoxic and antitumour activity of coumarins isolated from <i>Calophyllum brasiliense</i> . <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 719-725.	2.4	39
5	Synthesis, characterization and toxicological evaluation of maltodextrin capped cadmium sulfide nanoparticles in human cell lines and chicken embryos. <i>Journal of Nanobiotechnology</i> , 2012, 10, 47.	9.1	30
6	Synthesis, characterization and biocompatibility of cadmium sulfide nanoparticles capped with dextrin for in vivo and in vitro imaging application. <i>Journal of Nanobiotechnology</i> , 2015, 13, 83.	9.1	29
7	On molecular complexes derived from amino acids and nicotinamides in combination with boronic acids. <i>CrystEngComm</i> , 2015, 17, 5166-5186.	2.6	29
8	An Amphotericin B Derivative Equally Potent to Amphotericin B and with Increased Safety. <i>PLoS ONE</i> , 2016, 11, e0162171.	2.5	29
9	EGF-receptor phosphorylation and downstream signaling are activated by benzo[a]pyrene 3,6-quinone and benzo[a]pyrene 1,6-quinone in human mammary epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2009, 235, 321-328.	2.8	27
10	Genistein Modifies Liver Fibrosis and Improves Liver Function by Inducing uPA Expression and Proteolytic Activity in CCl ₄ -Treated Rats. <i>Pharmacology</i> , 2008, 81, 41-49.	2.2	22
11	Efficacy of oral L-ornithine-L-aspartate in cirrhotic patients with hyperammonemic hepatic encephalopathy. Results of a randomized, lactulose-controlled study. <i>Annals of Hepatology</i> , 2006, 5, 281-8.	1.5	22
12	Genistein decreases liver fibrosis and cholestasis induced by prolonged biliary obstruction in the rat. <i>Annals of Hepatology</i> , 2007, 6, 41-47.	1.5	19
13	Interferon- α_2 Increases Fibrolysis in Fibrotic Livers from Bile Duct Ligated Rats: Possible Participation of the Plasminogen Activator. <i>Pharmacology</i> , 1995, 51, 341-346.	2.2	16
14	Mutagenicity and Safety Evaluation of Water Extract of <i>Coriander sativum</i> Leaves. <i>Journal of Food Science</i> , 2010, 75, T6-12.	3.1	16
15	Synthesis of some monocyclic analogues of mycophenolic acid via the Johnson ortho ester Claisen rearrangement. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 6521-6528.	3.0	12
16	Polyene Antibiotics Physical Chemistry and Their Effect on Lipid Membranes; Impacting Biological Processes and Medical Applications. <i>Membranes</i> , 2022, 12, 681.	3.0	11
17	Protective effect of Thymic Humoral Factor on porcine serum-induced hepatic fibrosis and liver damage in Wistar rats. <i>Annals of Hepatology</i> , 2011, 10, 540-551.	1.5	9
18	Acetaldehyde increases the activity and gene expression of urokinase type plasminogen activator in a hepatic stellate cell line. <i>Toxicology</i> , 1999, 137, 1-11.	4.2	8

#	ARTICLE	IF	CITATIONS
19	Use of a Graft of Demineralized Bone Matrix Along with TGF- β 1 Leads to an Early Bone Repair in Dogs. <i>Journal of Veterinary Medical Science</i> , 2011, 73, 1151-1161.	0.9	8
20	Genistein decreases liver fibrosis and cholestasis induced by prolonged biliary obstruction in the rat. <i>Annals of Hepatology</i> , 2007, 6, 41-7.	1.5	7
21	Trimethylcolchicinic Acid Decreases Liver Fibrosis and Cholestasis Induced by Prolonged Biliary Obstruction in the Rat. , 1997, 17, 145-151.		6
22	Modulation of Urokinase-Type Plasminogen Activator by Transforming Growth Factor β 1 in Acetaldehyde-Activated Hepatic Stellate Cells. <i>Pharmacology</i> , 2005, 73, 23-30.	2.2	6
23	Pharmacological Evaluation of a β -Hydroxyphosphonate Analogue of L-Carnitine in Obese Zucker <i>fa/fa</i> Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 222-228.	2.5	6
24	Efficacy and Safety of Two Analogs of L-Carnitine on Rats Made Insulin Resistant by a High-Fructose Diet. <i>Pharmacology</i> , 2011, 88, 10-17.	2.2	5
25	Pharmacokinetic and Pharmacological Effects of β -Hydroxyphosphocarnitine in Animal Models. <i>Pharmacology</i> , 2014, 94, 90-98.	2.2	4
26	Preclinical safety evaluation of amphotericin A21: A novel antifungal. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 72-81.	2.5	2
27	Combined therapy with danazol, pegylated interferon, and ribavirin improves thrombocytopenia and liver injury in rats with fibrosis. <i>Annals of Hepatology</i> , 2007, 6, 233-41.	1.5	2
28	Immuno Modulator Metallo-Peptide Improves Inflammatory State In Rats With Metabolic Syndrome. <i>Clinical Therapeutics</i> , 2015, 37, e35-e36.	2.5	0
29	INTERACTION OF DEXTRIN CAPPED CADMIUM SULFIDE QUANTUM DOTS WITH BLOOD COMPONENTS: COAGULATION AND HEMOLYSIS STUDIES. <i>FASEB Journal</i> , 2019, 33, 1b22.	0.5	0
30	Immuno-modulator metallo-Peptide reduces inflammatory state in obese Zucker <i>fa/fa</i> rats. <i>International Journal of Biomedical Science</i> , 2014, 10, 172-81.	0.1	0