Fang Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8818304/publications.pdf

Version: 2024-02-01

25 papers 4,229 citations

394421 19 h-index 25 g-index

25 all docs 25 docs citations

25 times ranked

6393 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A Long Noncoding RNA Activated by TGF- $\hat{\Gamma}^2$ Promotes the Invasion-Metastasis Cascade in Hepatocellular Carcinoma. Cancer Cell, 2014, 25, 666-681. | 16.8 | 1,392 |
| 2 | METTL14 suppresses the metastatic potential of hepatocellular carcinoma by modulating N 6â€methyladenosineâ€dependent primary MicroRNA processing. Hepatology, 2017, 65, 529-543. | 7.3 | 685 |
| 3 | Long noncoding RNA high expression in hepatocellular carcinoma facilitates tumor growth through enhancer of zeste homolog 2 in humans. Hepatology, 2011, 54, 1679-1689. | 7.3 | 594 |
| 4 | Long noncoding RNA associated with microvascular invasion in hepatocellular carcinoma promotes angiogenesis and serves as a predictor for hepatocellular carcinoma patients' poor recurrence-free survival after hepatectomy. Hepatology, 2012, 56, 2231-2241. | 7.3 | 347 |
| 5 | Melittin prevents liver cancer cell metastasis through inhibition of the Rac1-dependent pathway. Hepatology, 2008, 47, 1964-1973. | 7.3 | 163 |
| 6 | The histone deacetylase 4/SP1/microrna-200a regulatory network contributes to aberrant histone acetylation in hepatocellular carcinoma. Hepatology, 2011, 54, 2025-2035. | 7.3 | 160 |
| 7 | miR-17-5p Promotes migration of human hepatocellular carcinoma cells through the p38 mitogen-activated protein kinase-heat shock protein 27 pathway. Hepatology, 2010, 51, 1614-1623. | 7.3 | 157 |
| 8 | Systemic genome screening identifies the outcome associated focal loss of long noncoding RNA PRAL in hepatocellular carcinoma. Hepatology, 2016, 63, 850-863. | 7.3 | 101 |
| 9 | Antisense long non-coding RNA PCNA-AS1 promotes tumor growth by regulating proliferating cell nuclear antigen in hepatocellular carcinoma. Cancer Letters, 2014, 349, 87-94. | 7.2 | 95 |
| 10 | MicroRNA-23a Antisense Enhances 5-Fluorouracil Chemosensitivity Through APAF-1/Caspase-9 Apoptotic Pathway in Colorectal Cancer Cells. Journal of Cellular Biochemistry, 2014, 115, 772-784. | 2.6 | 90 |
| 11 | Multiepitope peptide-loaded virus-like particles as a vaccine against hepatitis B virus-related hepatocellular carcinoma. Hepatology, 2009, 49, 1492-1502. | 7.3 | 64 |
| 12 | Aldolase B inhibits metastasis through Ten–Eleven Translocation 1 and serves as a prognostic biomarker in hepatocellular carcinoma. Molecular Cancer, 2015, 14, 170. | 19.2 | 64 |
| 13 | Novel chitosan derivative nanoparticles enhance the immunogenicity of a DNA vaccine encoding hepatitis B virus core antigen in mice. Journal of Gene Medicine, 2007, 9, 253-264. | 2.8 | 54 |
| 14 | PGS Scaffolds Promote the In Vivo Survival and Directional Differentiation of Bone Marrow Mesenchymal Stem Cells Restoring the Morphology and Function of Wounded Rat Uterus. Advanced Healthcare Materials, 2019, 8, e1801455. | 7.6 | 50 |
| 15 | Augmented humoral and cellular immune responses to hepatitis B DNA vaccine adsorbed onto cationic microparticles. Journal of Controlled Release, 2005, 107, 357-372. | 9.9 | 37 |
| 16 | H19 inhibits RNA polymerase II-mediated transcription by disrupting the hnRNP U–actin complex. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 4899-4906. | 2.4 | 36 |
| 17 | Exosomal transfer of bone marrow mesenchymal stem cells-derived miR340 attenuates endometrial fibrosis. Biology Open, 2019, 8, . | 1.2 | 35 |
| 18 | Enhanced immunogenicity of microencapsulated multiepitope DNA vaccine encoding T and B cell epitopes of foot-and-mouth disease virus in mice. Vaccine, 2006, 24, 2017-2026. | 3.8 | 26 |

| # | Article | IF | CITATION |
|----|--|-----|----------|
| 19 | Augmented induction of CD8+ cytotoxic T-cell response and antitumor effect by DCs pulsed with virus-like particles packaging with CpG. Cancer Letters, 2007, 256, 90-100. | 7.2 | 21 |
| 20 | An in vivo molecular imaging probe 18F-Annexin B1 for apoptosis detection by PET/CT: preparation and preliminary evaluation. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 238-247. | 4.9 | 20 |
| 21 | Non-fusion expression in Escherichia coli: Single-step purification of recombinant human annexin A5 for detection of apoptosis. Protein Expression and Purification, 2006, 45, 80-87. | 1.3 | 11 |
| 22 | Evaluation of antitumor immunity efficacy of epitope-based vaccine with B16 cell line coexpressing HLA-A2/H-2kb and CTL multiepitope in HLA transgenic mice. Vaccine, 2007, 25, 4853-4860. | 3.8 | 11 |
| 23 | Construction of bioactive chimeric MHC class I tetramer by expression and purification of human–murine chimeric MHC heavy chain and β2m as a fusion protein in Escherichia coli. Protein Expression and Purification, 2006, 50, 171-178. | 1.3 | 10 |
| 24 | A novel mouse model for immunogenic evaluation of human HBV vaccines. Vaccine, 2009, 27, 5692-5699. | 3.8 | 5 |
| 25 | Screening, purification, and identification of annexin B1 mutants with high phosphatidylserine-binding activity and reduced immunogenicity. Applied Microbiology and Biotechnology, 2007, 75, 539-548. | 3.6 | 1 |