

JosÃ© Carlos FernÃ¡ndez-Checa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8819212/publications.pdf>

Version: 2024-02-01

185
papers

15,491
citations

9264

74
h-index

19190

118
g-index

190
all docs

190
docs citations

190
times ranked

17437
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Mitochondrial Glutathione, a Key Survival Antioxidant. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 2685-2700. | 5.4 | 777 |
| 2 | Direct Effect of Ceramide on the Mitochondrial Electron Transport Chain Leads to Generation of Reactive Oxygen Species. <i>Journal of Biological Chemistry</i> , 1997, 272, 11369-11377. | 3.4 | 727 |
| 3 | Mitochondrial free cholesterol loading sensitizes to TNF- and Fas-mediated steatohepatitis. <i>Cell Metabolism</i> , 2006, 4, 185-198. | 16.2 | 537 |
| 4 | Glutathione and mitochondria. <i>Frontiers in Pharmacology</i> , 2014, 5, 151. | 3.5 | 401 |
| 5 | Selective glutathione depletion of mitochondria by ethanol sensitizes hepatocytes to tumor necrosis factor. <i>Gastroenterology</i> , 1998, 115, 1541-1551. | 1.3 | 349 |
| 6 | Enhanced free cholesterol, SREBP-2 and StAR expression in human NASH. <i>Journal of Hepatology</i> , 2009, 50, 789-796. | 3.7 | 296 |
| 7 | Hepatic mitochondrial glutathione: transport and role in disease and toxicity. <i>Toxicology and Applied Pharmacology</i> , 2005, 204, 263-273. | 2.8 | 248 |
| 8 | Impaired uptake of glutathione by hepatic mitochondria from chronic ethanol-fed rats. Tracer kinetic studies in vitro and in vivo and susceptibility to oxidant stress.. <i>Journal of Clinical Investigation</i> , 1991, 87, 397-405. | 8.2 | 227 |
| 9 | Hepatic mitochondrial glutathione depletion and progression of experimental alcoholic liver disease in rats. <i>Hepatology</i> , 1992, 16, 1423-1427. | 7.3 | 220 |
| 10 | Mitochondrial Cholesterol Contributes to Chemotherapy Resistance in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2008, 68, 5246-5256. | 0.9 | 219 |
| 11 | Specific Contribution of Methionine and Choline in Nutritional Nonalcoholic Steatohepatitis. <i>Journal of Biological Chemistry</i> , 2010, 285, 18528-18536. | 3.4 | 215 |
| 12 | The use of monochlorobimane to determine hepatic GSH levels and synthesis. <i>Analytical Biochemistry</i> , 1990, 190, 212-219. | 2.4 | 205 |
| 13 | Dual Role of Mitochondrial Reactive Oxygen Species in Hypoxia Signaling: Activation of Nuclear Factor- κ B via c-SRC and Oxidant-Dependent Cell Death. <i>Cancer Research</i> , 2007, 67, 7368-7377. | 0.9 | 204 |
| 14 | Mitochondrial Glutathione: Importance and Transport. <i>Seminars in Liver Disease</i> , 1998, 18, 389-401. | 3.6 | 203 |
| 15 | Sphingolipids and cell death. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007, 12, 923-939. | 4.9 | 203 |
| 16 | Defective TNF- α -mediated hepatocellular apoptosis and liver damage in acidic sphingomyelinase knockout mice. <i>Journal of Clinical Investigation</i> , 2003, 111, 197-208. | 8.2 | 200 |
| 17 | Effect of chronic ethanol feeding on glutathione and functional integrity of mitochondria in periportal and perivenous rat hepatocytes.. <i>Journal of Clinical Investigation</i> , 1994, 94, 193-201. | 8.2 | 197 |
| 18 | Feeding S-adenosyl-L-methionine attenuates both ethanol-induced depletion of mitochondrial glutathione and mitochondrial dysfunction in periportal and perivenous rat hepatocytes. <i>Hepatology</i> , 1995, 21, 207-214. | 7.3 | 193 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Direct interaction of GD3 ganglioside with mitochondria generates reactive oxygen species followed by mitochondrial permeability transition, cytochrome c release, and caspase activation. <i>FASEB Journal</i> , 2000, 14, 847-858. | 0.5 | 187 |
| 20 | VCAM-1 and ICAM-1 mediate leukocyte-endothelial cell adhesion in rat experimental colitis. <i>Gastroenterology</i> , 1999, 116, 874-883. | 1.3 | 181 |
| 21 | Caveolin-1 Deficiency Causes Cholesterol-Dependent Mitochondrial Dysfunction and Apoptotic Susceptibility. <i>Current Biology</i> , 2011, 21, 681-686. | 3.9 | 175 |
| 22 | Oxidative stress: Role of mitochondria and protection by glutathione. <i>BioFactors</i> , 1998, 8, 7-11. | 5.4 | 170 |
| 23 | Mitochondrial glutathione: Features, regulation and role in disease. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 3317-3328. | 2.4 | 160 |
| 24 | Reduced Muscle Redox Capacity after Endurance Training in Patients with Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 164, 1114-1118. | 5.6 | 158 |
| 25 | Acetaldehyde impairs mitochondrial glutathione transport in HepG2 cells through endoplasmic reticulum stress. <i>Gastroenterology</i> , 2003, 124, 708-724. | 1.3 | 155 |
| 26 | Redox Control of Liver Function in Health and Disease. <i>Antioxidants and Redox Signaling</i> , 2010, 12, 1295-1331. | 5.4 | 155 |
| 27 | Transport of reduced glutathione in hepatic mitochondria and mitoplasts from ethanol-treated rats: Effect of membrane physical properties and S-adenosyl-L-methionine. <i>Hepatology</i> , 1997, 26, 699-708. | 7.3 | 151 |
| 28 | Increased tumour necrosis factor- α plasma levels during moderate-intensity exercise in COPD patients. <i>European Respiratory Journal</i> , 2003, 21, 789-794. | 6.7 | 143 |
| 29 | Mitochondrial glutathione depletion in alcoholic liver disease. <i>Alcohol</i> , 1993, 10, 469-475. | 1.7 | 142 |
| 30 | Mitochondrial Cholesterol Loading Exacerbates Amyloid β Peptide-Induced Inflammation and Neurotoxicity. <i>Journal of Neuroscience</i> , 2009, 29, 6394-6405. | 3.6 | 134 |
| 31 | JNK interaction with Sab mediates ER stress induced inhibition of mitochondrial respiration and cell death. <i>Cell Death and Disease</i> , 2014, 5, e989-e989. | 6.3 | 134 |
| 32 | Tumor Necrosis Factor Increases Hepatocellular Glutathione by Transcriptional Regulation of the Heavy Subunit Chain of γ -Glutamylcysteine Synthetase. <i>Journal of Biological Chemistry</i> , 1997, 272, 30371-30379. | 3.4 | 133 |
| 33 | Trafficking of Ganglioside GD3 to Mitochondria by Tumor Necrosis Factor- α . <i>Journal of Biological Chemistry</i> , 2002, 277, 36443-36448. | 3.4 | 133 |
| 34 | Sensitivity of the 2-oxoglutarate carrier to alcohol intake contributes to mitochondrial glutathione depletion. <i>Hepatology</i> , 2003, 38, 692-702. | 7.3 | 127 |
| 35 | Mitochondrial dysfunction in COPD patients with low body mass index. <i>European Respiratory Journal</i> , 2007, 29, 643-650. | 6.7 | 127 |
| 36 | Mitochondria, cholesterol and cancer cell metabolism. <i>Clinical and Translational Medicine</i> , 2016, 5, 22. | 4.0 | 127 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Mitochondrial Oxidative Stress and Antioxidants Balance in Fatty Liver Disease. <i>Hepatology Communications</i> , 2018, 2, 1425-1439. | 4.3 | 122 |
| 38 | Cholesterol Impairs the Adenine Nucleotide Translocator-mediated Mitochondrial Permeability Transition through Altered Membrane Fluidity. <i>Journal of Biological Chemistry</i> , 2003, 278, 33928-33935. | 3.4 | 120 |
| 39 | Effect of chronic ethanol feeding on rat hepatocytic glutathione. Compartmentation, efflux, and response to incubation with ethanol.. <i>Journal of Clinical Investigation</i> , 1987, 80, 57-62. | 8.2 | 117 |
| 40 | Redox regulation and signaling lipids in mitochondrial apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2003, 304, 471-479. | 2.1 | 115 |
| 41 | Melatonin-induced increase in sensitivity of human hepatocellular carcinoma cells to sorafenib is associated with reactive oxygen species production and mitophagy. <i>Journal of Pineal Research</i> , 2016, 61, 396-407. | 7.4 | 114 |
| 42 | Critical role of acidic sphingomyelinase in murine hepatic ischemia-reperfusion injury. <i>Hepatology</i> , 2006, 44, 561-572. | 7.3 | 112 |
| 43 | Sab (Sh3bp5) dependence of JNK mediated inhibition of mitochondrial respiration in palmitic acid induced hepatocyte lipotoxicity. <i>Journal of Hepatology</i> , 2015, 62, 1367-1374. | 3.7 | 108 |
| 44 | Critical role of tumor necrosis factor receptor 1, but not 2, in hepatic stellate cell proliferation, extracellular matrix remodeling, and liver fibrogenesis. <i>Hepatology</i> , 2011, 54, 319-327. | 7.3 | 107 |
| 45 | Glutathione Depletion Impairs Myogenic Differentiation of Murine Skeletal Muscle C2C12 Cells through Sustained NF- κ B Activation. <i>American Journal of Pathology</i> , 2004, 165, 719-728. | 3.8 | 105 |
| 46 | Gas6/Axl pathway is activated in chronic liver disease and its targeting reduces fibrosis via hepatic stellate cell inactivation. <i>Journal of Hepatology</i> , 2015, 63, 670-678. | 3.7 | 104 |
| 47 | Effects of steroid treatment on activation of nuclear factor κ B in patients with inflammatory bowel disease. <i>British Journal of Pharmacology</i> , 1998, 124, 431-433. | 5.4 | 103 |
| 48 | Mitochondrial glutathione: Hepatocellular survival-“death switch. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, S3-6. | 2.8 | 103 |
| 49 | Intracellular Cholesterol Trafficking and Impact in Neurodegeneration. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 382. | 2.9 | 103 |
| 50 | Replenishment of Glutathione Levels Improves Mucosal Function in Experimental Acute Colitis. <i>Laboratory Investigation</i> , 2000, 80, 735-744. | 3.7 | 99 |
| 51 | APP/PS1 mice overexpressing SREBP-2 exhibit combined A β 2 accumulation and tau pathology underlying Alzheimer's disease. <i>Human Molecular Genetics</i> , 2013, 22, 3460-3476. | 2.9 | 98 |
| 52 | Cholesterol impairs autophagy-mediated clearance of amyloid beta while promoting its secretion. <i>Autophagy</i> , 2018, 14, 1129-1154. | 9.1 | 97 |
| 53 | Mechanism of Mitochondrial Glutathione-Dependent Hepatocellular Susceptibility to TNF Despite NF- κ B Activation. <i>Gastroenterology</i> , 2008, 134, 1507-1520. | 1.3 | 96 |
| 54 | Pharmacological inhibition or small interfering RNA targeting acid ceramidase sensitizes hepatoma cells to chemotherapy and reduces tumor growth in vivo. <i>Oncogene</i> , 2007, 26, 905-916. | 5.9 | 95 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Critical Role of Mitochondrial Glutathione in the Survival of Hepatocytes during Hypoxia. <i>Journal of Biological Chemistry</i> , 2005, 280, 3224-3232. | 3.4 | 93 |
| 56 | Cholesterol and peroxidized cardiolipin in mitochondrial membrane properties, permeabilization and cell death. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 1217-1224. | 1.0 | 90 |
| 57 | ASMase is required for chronic alcohol induced hepatic endoplasmic reticulum stress and mitochondrial cholesterol loading. <i>Journal of Hepatology</i> , 2013, 59, 805-813. | 3.7 | 89 |
| 58 | ASMase regulates autophagy and lysosomal membrane permeabilization and its inhibition prevents early stage non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2014, 61, 1126-1134. | 3.7 | 89 |
| 59 | Oxidative damage of mitochondrial and nuclear DNA induced by ionizing radiation in human hepatoblastoma cells. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 191-203. | 0.8 | 86 |
| 60 | Effects of chronic ethanol feeding on rat hepatocytic glutathione. Relationship of cytosolic glutathione to efflux and mitochondrial sequestration.. <i>Journal of Clinical Investigation</i> , 1989, 83, 1247-1252. | 8.2 | 86 |
| 61 | Endoplasmic Reticulum Stress Mediates Amyloid β^2 Neurotoxicity via Mitochondrial Cholesterol Trafficking. <i>American Journal of Pathology</i> , 2014, 184, 2066-2081. | 3.8 | 85 |
| 62 | Endoplasmic Reticulum Stress-Induced Upregulation of STARD1 Promotes Acetaminophen-Induced Acute Liver Failure. <i>Gastroenterology</i> , 2019, 157, 552-568. | 1.3 | 85 |
| 63 | Differential role of ethanol and acetaldehyde in the induction of oxidative stress in HEP G2 cells: Effect on transcription factors AP-1 and NF- κ B. <i>Hepatology</i> , 1999, 30, 1473-1480. | 7.3 | 82 |
| 64 | S-Adenosyl-l-methionine and mitochondrial reduced glutathione depletion in alcoholic liver disease. <i>Alcohol</i> , 2002, 27, 179-183. | 1.7 | 82 |
| 65 | Reactive Oxygen Species Mediate Liver Injury Through Parenchymal Nuclear Factor- κ B Inactivation in Prolonged Ischemia/Reperfusion. <i>American Journal of Pathology</i> , 2009, 174, 1776-1785. | 3.8 | 82 |
| 66 | Mitochondrial dysfunction in non-alcoholic fatty liver disease and insulin resistance: Cause or consequence?. <i>Free Radical Research</i> , 2013, 47, 854-868. | 3.3 | 82 |
| 67 | Ceramide metabolism regulates autophagy and apoptotic cell death induced by melatonin in liver cancer cells. <i>Journal of Pineal Research</i> , 2015, 59, 178-189. | 7.4 | 82 |
| 68 | Ganglioside GD3 enhances apoptosis by suppressing the nuclear factor- κ B-dependent survival pathway. <i>FASEB Journal</i> , 2001, 15, 1068-1070. | 0.5 | 80 |
| 69 | Cathepsins B and D drive hepatic stellate cell proliferation and promote their fibrogenic potential. <i>Hepatology</i> , 2009, 49, 1297-1307. | 7.3 | 80 |
| 70 | Cholesterol enrichment in liver mitochondria impairs oxidative phosphorylation and disrupts the assembly of respiratory supercomplexes. <i>Redox Biology</i> , 2019, 24, 101214. | 9.0 | 80 |
| 71 | Oxidative Stress and Altered Mitochondrial Function in Neurodegenerative Diseases: Lessons From Mouse Models. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 439-454. | 1.4 | 79 |
| 72 | Mitochondrial-lysosomal Axis in Acetaminophen Hepatotoxicity. <i>Frontiers in Pharmacology</i> , 2018, 9, 453. | 3.5 | 79 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Mitochondrial cholesterol in health and disease. <i>Histology and Histopathology</i> , 2009, 24, 117-32. | 0.7 | 79 |
| 74 | Sphingolipid signalling and liver diseases. <i>Liver International</i> , 2007, 27, 440-450. | 3.9 | 78 |
| 75 | Acidic Sphingomyelinase Controls Hepatic Stellate Cell Activation and in Vivo Liver Fibrogenesis. <i>American Journal of Pathology</i> , 2010, 177, 1214-1224. | 3.8 | 78 |
| 76 | Myristic acid potentiates palmitic acid-induced lipotoxicity and steatohepatitis associated with lipodystrophy by sustaining de novo ceramide synthesis. <i>Oncotarget</i> , 2015, 6, 41479-41496. | 1.8 | 78 |
| 77 | Qualitative and Quantitative Changes in Skeletal Muscle mtDNA and Expression of Mitochondrial-Encoded Genes in the Human Aging Process. <i>Biochemical and Molecular Medicine</i> , 1997, 62, 165-171. | 1.4 | 77 |
| 78 | Tauroursodeoxycholic acid protects hepatocytes from ethanol-fed rats against tumor necrosis factor α -induced cell death by replenishing mitochondrial glutathione. <i>Hepatology</i> , 2001, 34, 964-971. | 7.3 | 75 |
| 79 | Sphingomyelin synthase 1 mediates hepatocyte pyroptosis to trigger non-alcoholic steatohepatitis. <i>Cut</i> , 2021, 70, 1954-1964. | 12.1 | 71 |
| 80 | Glycosphingolipids and mitochondria: Role in apoptosis and disease. <i>Glycoconjugate Journal</i> , 2003, 20, 579-588. | 2.7 | 70 |
| 81 | Growth arrest-specific protein 6 is hepatoprotective against murine ischemia/reperfusion injury. <i>Hepatology</i> , 2010, 52, 1371-1379. | 7.3 | 70 |
| 82 | Mitochondrial GSH determines the toxic or therapeutic potential of superoxide scavenging in steatohepatitis. <i>Journal of Hepatology</i> , 2012, 57, 852-859. | 3.7 | 70 |
| 83 | PGE 1 Protection against Apoptosis Induced by d -galactosamine is Not Related to the Modulation of Intracellular Free Radical Production in Primary Culture of Rat Hepatocytes. <i>Free Radical Research</i> , 2002, 36, 345-355. | 3.3 | 67 |
| 84 | Acid sphingomyelinase-ceramide system in steatohepatitis: A novel target regulating multiple pathways. <i>Journal of Hepatology</i> , 2015, 62, 219-233. | 3.7 | 66 |
| 85 | Advanced preclinical models for evaluation of drug-induced liver injury α consensus statement by the European Drug-Induced Liver Injury Network [PRO-EURO-DILI-NET]. <i>Journal of Hepatology</i> , 2021, 75, 935-959. | 3.7 | 66 |
| 86 | Lysosomal and Mitochondrial Liaisons in Niemann-Pick Disease. <i>Frontiers in Physiology</i> , 2017, 8, 982. | 2.8 | 62 |
| 87 | Protective role of endogenous plasmalogens against hepatic steatosis and steatohepatitis in mice. <i>Hepatology</i> , 2017, 66, 416-431. | 7.3 | 61 |
| 88 | Acidic sphingomyelinase downregulates the liver-specific methionine adenosyltransferase 1A, contributing to tumor necrosis factor α -induced lethal hepatitis. <i>Journal of Clinical Investigation</i> , 2004, 113, 895-904. | 8.2 | 61 |
| 89 | Ceramide generated by acidic sphingomyelinase contributes to tumor necrosis factor α -mediated apoptosis in human colon HT-29 cells through glycosphingolipids formation. <i>FEBS Letters</i> , 2002, 526, 135-141. | 2.8 | 60 |
| 90 | The 2-oxoglutarate carrier promotes liver cancer by sustaining mitochondrial GSH despite cholesterol loading. <i>Redox Biology</i> , 2018, 14, 164-177. | 9.0 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Transcriptional regulation of the heavy subunit chain of γ -glutamylcysteine synthetase by ionizing radiation. <i>FEBS Letters</i> , 1998, 427, 15-20. | 2.8 | 57 |
| 92 | MLN64 induces mitochondrial dysfunction associated with increased mitochondrial cholesterol content. <i>Redox Biology</i> , 2017, 12, 274-284. | 9.0 | 56 |
| 93 | Zinc mitigates renal ischemia-reperfusion injury in rats by modulating oxidative stress, endoplasmic reticulum stress, and autophagy. <i>Journal of Cellular Physiology</i> , 2018, 233, 8677-8690. | 4.1 | 56 |
| 94 | Human placenta sphingomyelinase, an exogenous acidic pH-optimum sphingomyelinase, induces oxidative stress, glutathione depletion, and apoptosis in rat hepatocytes. <i>Hepatology</i> , 2000, 32, 56-65. | 7.3 | 55 |
| 95 | Enhanced DNA Binding and Activation of Transcription Factors NF- κ B and AP-1 by Acetaldehyde in HEPG2 Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 14684-14690. | 3.4 | 55 |
| 96 | Mitochondrial GSH replenishment as a potential therapeutic approach for Niemann Pick type C disease. <i>Redox Biology</i> , 2017, 11, 60-72. | 9.0 | 55 |
| 97 | Targeting cholesterol at different levels in the mevalonate pathway protects fatty liver against ischemia-reperfusion injury. <i>Journal of Hepatology</i> , 2011, 54, 1002-1010. | 3.7 | 54 |
| 98 | Redox regulation of hepatocyte apoptosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S38-S42. | 2.8 | 53 |
| 99 | Role of Mitochondria in Alcoholic Liver Disease. <i>Current Pathobiology Reports</i> , 2013, 1, 159-168. | 3.4 | 51 |
| 100 | How Is the Liver Primed or Sensitized for Alcoholic Liver Disease?. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 171S-181S. | 2.4 | 50 |
| 101 | Mitochondria, cholesterol and amyloid β peptide: a dangerous trio in Alzheimer disease. <i>Journal of Bioenergetics and Biomembranes</i> , 2009, 41, 417-423. | 2.3 | 50 |
| 102 | Glycosphingolipids and cell death: one aim, many ways. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2015, 20, 607-620. | 4.9 | 49 |
| 103 | Lysosomal Cholesterol Accumulation Sensitizes To Acetaminophen Hepatotoxicity by Impairing Mitophagy. <i>Scientific Reports</i> , 2016, 5, 18017. | 3.3 | 49 |
| 104 | Statins and Protein Prenylation in Cancer Cell Biology and Therapy. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 303-315. | 1.7 | 49 |
| 105 | Evidence That the Rat Hepatic Mitochondrial Carrier Is Distinct from the Sinusoidal and Canalicular Transporters for Reduced Glutathione. <i>Journal of Biological Chemistry</i> , 1995, 270, 15946-15949. | 3.4 | 48 |
| 106 | Ganglioside GD3 Sensitizes Human Hepatoma Cells to Cancer Therapy. <i>Journal of Biological Chemistry</i> , 2002, 277, 49870-49876. | 3.4 | 47 |
| 107 | Expression cloning of a rat hepatic reduced glutathione transporter with canalicular characteristics. <i>Journal of Clinical Investigation</i> , 1994, 93, 1841-1845. | 8.2 | 46 |
| 108 | Mitochondrial Cholesterol: A Connection Between Caveolin, Metabolism, and Disease. <i>Traffic</i> , 2011, 12, 1483-1489. | 2.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cathepsin B Overexpression Due to Acid Sphingomyelinase Ablation Promotes Liver Fibrosis in Niemann-Pick Disease. <i>Journal of Biological Chemistry</i> , 2012, 287, 1178-1188. | 3.4 | 45 |
| 110 | Inhibition of glutathione efflux in the perfused rat liver and isolated hepatocytes by organic anions and bilirubin. Kinetics, sidedness, and molecular forms.. <i>Journal of Clinical Investigation</i> , 1988, 82, 608-616. | 8.2 | 45 |
| 111 | Mitochondrial cholesterol accumulation in alcoholic liver disease: Role of ASMase and endoplasmic reticulum stress. <i>Redox Biology</i> , 2014, 3, 100-108. | 9.0 | 44 |
| 112 | Systemic effects of cigarette smoke exposure in the guinea pig. <i>Respiratory Medicine</i> , 2006, 100, 1186-1194. | 2.9 | 43 |
| 113 | Plasma Membrane and Mitochondrial Transport of Hepatic Reduced Glutathione. <i>Seminars in Liver Disease</i> , 1996, 16, 147-158. | 3.6 | 42 |
| 114 | Chronic Ethanol Feeding Induces Cellular Antioxidants Decrease and Oxidative Stress in Rat Peripheral Nerves. Effect of S-Adenosyl-L-Methionine and N-Acetyl-L-Cysteine. <i>Free Radical Biology and Medicine</i> , 1998, 25, 365-368. | 2.9 | 42 |
| 115 | Hepatocellular oxidative stress and initial graft injury in human liver transplantation. <i>Journal of Hepatology</i> , 1999, 31, 921-927. | 3.7 | 42 |
| 116 | Angiogenin Secretion From Hepatoma Cells Activates Hepatic Stellate Cells To Amplify A Self-Sustained Cycle Promoting Liver Cancer. <i>Scientific Reports</i> , 2015, 5, 7916. | 3.3 | 42 |
| 117 | Cysteine cathepsins control hepatic NF- κ B-dependent inflammation via sirtuin-1 regulation. <i>Cell Death and Disease</i> , 2016, 7, e2464-e2464. | 6.3 | 42 |
| 118 | Targeting glucosylceramide synthase upregulation reverts sorafenib resistance in experimental hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 8253-8267. | 1.8 | 40 |
| 119 | Role of Apoptosis in Alcoholic Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1207-1212. | 2.4 | 38 |
| 120 | Expression cloning of the cDNA for a polypeptide associated with rat hepatic sinusoidal reduced glutathione transport: characteristics and comparison with the canalicular transporter.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 1495-1499. | 7.1 | 37 |
| 121 | Mitochondrial Cholesterol in Alzheimer's Disease and Niemann-Pick Type C Disease. <i>Frontiers in Neurology</i> , 2019, 10, 1168. | 2.4 | 37 |
| 122 | Gastric mucosal damage in experimental diabetes in rats: Role of endogenous glutathione. <i>Gastroenterology</i> , 1997, 112, 855-863. | 1.3 | 36 |
| 123 | Mitochondrial permeability transition induced by reactive oxygen species is independent of cholesterol-regulated membrane fluidity. <i>FEBS Letters</i> , 2004, 560, 63-68. | 2.8 | 36 |
| 124 | How Is the Liver Primed or Sensitized for Alcoholic Liver Disease?. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 171S-181S. | 2.4 | 36 |
| 125 | STARD1 promotes NASH-driven HCC by sustaining the generation of bile acids through the alternative mitochondrial pathway. <i>Journal of Hepatology</i> , 2021, 74, 1429-1441. | 3.7 | 34 |
| 126 | Alcohol-induced liver disease: when fat and oxidative stress meet. <i>Annals of Hepatology</i> , 2003, 2, 69-75. | 1.5 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Alcohol, Signaling, and ECM Turnover. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 4-18. | 2.4 | 33 |
| 128 | Sphingomyelinases and Liver Diseases. <i>Biomolecules</i> , 2020, 10, 1497. | 4.0 | 33 |
| 129 | Pharmacological Modulation of Sphingolipids and Role in Disease and Cancer Cell Biology. <i>Mini-Reviews in Medicinal Chemistry</i> , 2007, 7, 371-382. | 2.4 | 32 |
| 130 | Acidic sphingomyelinase downregulates the liver-specific methionine adenosyltransferase 1A, contributing to tumor necrosis factor-induced lethal hepatitis. <i>Journal of Clinical Investigation</i> , 2004, 113, 895-904. | 8.2 | 32 |
| 131 | Defective TNF-mediated hepatocellular apoptosis and liver damage in acidic sphingomyelinase knockout mice. <i>Journal of Clinical Investigation</i> , 2003, 111, 197-208. | 8.2 | 32 |
| 132 | Hepatocarcinogenesis and Ceramide/Cholesterol Metabolism. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 364-375. | 1.7 | 30 |
| 133 | A Simple Technique to Determine Glutathione (GSH) Levels and Synthesis in Ocular Tissues as GSH-bimane Adduct: Application to Normal and Galactosemic Guinea-pigs. <i>Experimental Eye Research</i> , 1993, 56, 45-50. | 2.6 | 29 |
| 134 | Feeding S-adenosyl-methionine attenuates both ethanol-induced depletion of mitochondrial glutathione and mitochondrial dysfunction in periportal and perivenous rat hepatocytes*1. <i>Hepatology</i> , 1995, 21, 207-214. | 7.3 | 29 |
| 135 | Cholesterol and sphingolipids in alcohol-induced liver injury. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S9-S15. | 2.8 | 29 |
| 136 | The fluidity of liver plasma membranes from patients with different types of liver injury. <i>Hepatology</i> , 1986, 6, 714-717. | 7.3 | 28 |
| 137 | Liver Cholesterol Overload Aggravates Obstructive Cholestasis by Inducing Oxidative Stress and Premature Death in Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-13. | 4.0 | 26 |
| 138 | GD3 Synthase Overexpression Sensitizes Hepatocarcinoma Cells to Hypoxia and Reduces Tumor Growth by Suppressing the cSrc/NF- κ B Survival Pathway. <i>PLoS ONE</i> , 2009, 4, e8059. | 2.5 | 25 |
| 139 | MITOCHONDRIAL CHOLESTEROL AND CANCER. <i>Seminars in Cancer Biology</i> , 2021, 73, 76-85. | 9.6 | 24 |
| 140 | Mitochondrial S-Adenosyl-Methionine Transport is Insensitive to Alcohol-Mediated Changes in Membrane Dynamics. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1169-1180. | 2.4 | 23 |
| 141 | Consumption of decaffeinated coffee protects against the development of early non-alcoholic steatohepatitis: Role of intestinal barrier function. <i>Redox Biology</i> , 2019, 21, 101092. | 9.0 | 23 |
| 142 | Probiotic Sonicates Selectively Induce Mucosal Immune Cells Apoptosis through Ceramide Generation via Neutral Sphingomyelinase. <i>PLoS ONE</i> , 2011, 6, e16953. | 2.5 | 23 |
| 143 | Divergent role of ceramide generated by exogenous sphingomyelinases on NF- κ B activation and apoptosis in human colon HT-29 cells. <i>FEBS Letters</i> , 2002, 526, 15-20. | 2.8 | 22 |
| 144 | GDF11 exhibits tumor suppressive properties in hepatocellular carcinoma cells by restricting clonal expansion and invasion. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 1540-1554. | 3.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Cholesterol Induces Nrf-2- and HIF-1-Dependent Hepatocyte Proliferation and Liver Regeneration to Ameliorate Bile Acid Toxicity in Mouse Models of NASH and Fibrosis. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-18. | 4.0 | 22 |
| 146 | Sphingosine 1-Phosphate Receptor 4 Promotes Nonalcoholic Steatohepatitis by Activating NLRP3 Inflammasome. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 925-947. | 4.5 | 22 |
| 147 | Conformationally restricted analogues of methionine: Synthesis of chiral 3-Amino-5-methylthio-2-piperidones. <i>Tetrahedron</i> , 1996, 52, 7727-7736. | 1.9 | 20 |
| 148 | Neutral sphingomyelinase-induced ceramide triggers germinal vesicle breakdown and oxidant-dependent apoptosis in <i>Xenopus laevis</i> oocytes. <i>Journal of Lipid Research</i> , 2007, 48, 1924-1935. | 4.2 | 20 |
| 149 | Acid ceramidase improves mitochondrial function and oxidative stress in Niemann-Pick type C disease by repressing STARD1 expression and mitochondrial cholesterol accumulation. <i>Redox Biology</i> , 2021, 45, 102052. | 9.0 | 20 |
| 150 | Functional properties of isolated hepatocytes from ethanol-treated rat liver. <i>Hepatology</i> , 1985, 5, 677-682. | 7.3 | 19 |
| 151 | Brain mitochondrial alterations after chronic alcohol consumption. <i>Journal of Physiology and Biochemistry</i> , 2009, 65, 305-312. | 3.0 | 19 |
| 152 | Metabolic Therapy: Lessons from Liver Diseases. <i>Current Pharmaceutical Design</i> , 2011, 17, 3933-3944. | 1.9 | 19 |
| 153 | Ceramide, Tumor Necrosis Factor and Alcohol-Induced Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 158S-161S. | 2.4 | 18 |
| 154 | Mitochondria and the NLRP3 Inflammasome in Alcoholic and Nonalcoholic Steatohepatitis. <i>Cells</i> , 2022, 11, 1475. | 4.1 | 16 |
| 155 | The effect of zinc acexamate on oxidative stress, inflammation and mitochondria induced apoptosis in rat model of renal warm ischemia. <i>Biomedicine and Pharmacotherapy</i> , 2018, 105, 573-581. | 5.6 | 15 |
| 156 | Dietary and Genetic Cholesterol Loading Rather Than Steatosis Promotes Liver Tumorigenesis and NASH-Driven HCC. <i>Cancers</i> , 2021, 13, 4091. | 3.7 | 14 |
| 157 | Ceramide, tumor necrosis factor and alcohol-induced liver disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 151S-157S. | 2.4 | 14 |
| 158 | Mitochondrial Cholesterol and the Paradox in Cell Death. <i>Handbook of Experimental Pharmacology</i> , 2016, 240, 189-210. | 1.8 | 13 |
| 159 | STARD1 and NPC1 expression as pathological markers associated with astrogliosis in post-mortem brains from patients with Alzheimer's disease and Down syndrome. <i>Aging</i> , 2020, 12, 571-592. | 3.1 | 13 |
| 160 | Evidence that interference with binding to hepatic cytosol binders can inhibit bile acid excretion in rats. <i>Hepatology</i> , 1996, 23, 1642-1649. | 7.3 | 12 |
| 161 | Differential modulation of interleukin 8 by interleukin 4 and interleukin 10 in HepG2 cells treated with acetaldehyde. <i>Liver International</i> , 2005, 25, 122-130. | 3.9 | 12 |
| 162 | GDF11 restricts aberrant lipogenesis and changes in mitochondrial structure and function in human hepatocellular carcinoma cells. <i>Journal of Cellular Physiology</i> , 2021, 236, 4076-4090. | 4.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Alcohol-induced liver disease: when fat and oxidative stress meet. <i>Annals of Hepatology</i> , 2003, 2, 69-75. | 1.5 | 11 |
| 164 | Effect of indomethacin on the uptake, metabolism and excretion of 3-oxocholic acid: Studies in isolated hepatocytes and perfused rat liver. <i>Lipids and Lipid Metabolism</i> , 1991, 1084, 247-250. | 2.6 | 8 |
| 165 | Identification and Functional Analysis of Mutations in FAD-Binding Domain of Mitochondrial Glycerophosphate Dehydrogenase in Caucasian Patients with Type 2 Diabetes Mellitus. <i>Endocrine</i> , 2001, 16, 39-42. | 2.2 | 8 |
| 166 | Liver and lens glutathione and cysteine regulation in galactose-fed guinea pigs. <i>Current Eye Research</i> , 1997, 16, 365-371. | 1.5 | 6 |
| 167 | Augmenter of Liver Regeneration Links Mitochondrial Function to Steatohepatitis and Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2015, 148, 285-288. | 1.3 | 6 |
| 168 | To binge or not to binge: Binge drinking disrupts glucose homeostasis by impairing hypothalamic but not liver insulin signaling. <i>Hepatology</i> , 2013, 57, 2535-2538. | 7.3 | 4 |
| 169 | Glutathione in Mammalian Biology. , 2014, , 617-644. | | 3 |
| 170 | Free Cholesterol " A Double-Edge Sword in Alzheimer Disease. , 0, , . | | 2 |
| 171 | Oxidative Stress and Liver Ischemia"Reperfusion Injury. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015, , 149-170. | 0.4 | 2 |
| 172 | Apoptosis and Mitochondria. , 2010, , 439-453. | | 2 |
| 173 | Role of Apoptosis in Alcoholic Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1207-1212. | 2.4 | 2 |
| 174 | HEPATIC MITOCHONDRIAL GLUTATHIONE DEPLETION AND CYTOKINE-MEDIATED ALCOHOLIC LIVER DISEASE. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 763-765. | 2.4 | 1 |
| 175 | Oxidative Stress in Nonalcoholic Fatty Liver Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015, , 279-308. | 0.4 | 1 |
| 176 | Apoptosis and Mitochondria. , 2005, , 367-376. | | 1 |
| 177 | Mitochondria in Alcoholic Liver Disease. , 2002, , 361-377. | | 0 |
| 178 | Reply:. <i>Hepatology</i> , 2004, 39, 571-572. | 7.3 | 0 |
| 179 | A hidden face of hope for the liver. <i>Journal of Hepatology</i> , 2004, 41, 888-889. | 3.7 | 0 |
| 180 | Cholesterol regulates mitochondrial raft-like domains during TNF/Fas-mediated hepatocellular apoptosis. <i>Chemistry and Physics of Lipids</i> , 2010, 163, S59. | 3.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Reply to: "2,7-Dichlorofluorescein is not a probe for the detection of reactive oxygen and nitrogen species". Journal of Hepatology, 2012, 56, 1216-1217. | 3.7 | 0 |
| 182 | Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 283-284. | 1.7 | 0 |
| 183 | Role of Sphingolipids in Liver Cancer. , 2015, , 189-209. | | 0 |
| 184 | GST-Perfringolysin O production for the localization and quantification of membrane cholesterol in human and mouse brain and liver. STAR Protocols, 2022, 3, 101068. | 1.2 | 0 |
| 185 | Exploration of Digestive Diseases, where discovery and communication meet. , 2022, 1, 1-3. | | 0 |