

Malgorzata M Zatyka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8821525/publications.pdf>

Version: 2024-02-01

21
papers

1,224
citations

430874

18
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

2146
citing authors

#	ARTICLE	IF	CITATIONS
1	The novel Rho-GTPase activating gene MEGAP/ srGAP3 has a putative role in severe mental retardation. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 11754-11759.	7.1	202
2	Dysregulation of autophagy as a common mechanism in lysosomal storage diseases. Essays in Biochemistry, 2017, 61, 733-749.	4.7	138
3	Identification of cyclin D1 and other novel targets for the von Hippel-Lindau tumor suppressor gene by expression array analysis and investigation of cyclin D1 genotype as a modifier in von Hippel-Lindau disease. Cancer Research, 2002, 62, 3803-11.	0.9	115
4	Control of genes for conjugative transfer of plasmids and other mobile elements. FEMS Microbiology Reviews, 1998, 21, 291-319.	8.6	100
5	Sulfate and thiosulfate transport in Escherichia coli K-12: evidence for a functional overlapping of sulfate- and thiosulfate-binding proteins. Journal of Bacteriology, 1995, 177, 4134-4136.	2.2	91
6	Sodium-potassium ATPase 1 subunit is a molecular partner of Wolframin, an endoplasmic reticulum protein involved in ER stress. Human Molecular Genetics, 2007, 17, 190-200.	2.9	85
7	Transcriptional and translational control of the genes for the mating pair formation apparatus of promiscuous IncP plasmids. Journal of Bacteriology, 1997, 179, 7201-7209.	2.2	53
8	Cooperativity between KorB and TrbA Repressors of Broad-Host-Range Plasmid RK2. Journal of Bacteriology, 2001, 183, 1022-1031.	2.2	51
9	Identification of novel VHL target genes and relationship to hypoxic response pathways. Oncogene, 2005, 24, 4549-4558.	5.9	49
10	Vacuolar-type H ⁺ -ATPase V1A subunit is a molecular partner of Wolfram syndrome 1 (WFS1) protein, which regulates its expression and stability. Human Molecular Genetics, 2013, 22, 203-217.	2.9	49
11	Monogenic diabetes syndromes: Locus-specific databases for Alström, Wolfram, and Thiamine-responsive megaloblastic anemia. Human Mutation, 2017, 38, 764-777.	2.5	47
12	Sarco(endo)plasmic reticulum ATPase is a molecular partner of Wolfram syndrome 1 protein, which negatively regulates its expression. Human Molecular Genetics, 2015, 24, 814-827.	2.9	46
13	Analysis of CRELD1 as a candidate 3p25 atrioventricular septal defect locus (AVSD2). Clinical Genetics, 2005, 67, 526-528.	2.0	45
14	Repression at a distance by the global regulator KorB of promiscuous IncP plasmids. Molecular Microbiology, 1999, 32, 519-532.	2.5	40
15	Genetic and functional analysis of the von Hippel-Lindau (VHL) tumour suppressor gene promoter. Journal of Medical Genetics, 2002, 39, 463-472.	3.2	32
16	Autophagy in Rare (NonLysosomal) Neurodegenerative Diseases. Journal of Molecular Biology, 2020, 432, 2735-2753.	4.2	23
17	Co-operative interactions control conjugative transfer of broad host-range plasmid RK2: full effect of minor changes in TrbA operator depends on KorB. Molecular Microbiology, 2003, 49, 1095-1108.	2.5	19
18	Identification of novel VHL targets that are associated with the development of renal cell carcinoma. Oncogene, 2007, 26, 1661-1672.	5.9	18

#	ARTICLE	IF	CITATIONS
19	WFS1 protein expression correlates with clinical progression of optic atrophy in patients with Wolfram syndrome. <i>Journal of Medical Genetics</i> , 2022, 59, 65-74.	3.2	11
20	The characterisation of the human Wolfram syndrome gene promoter demonstrating regulation by Sp1 and Sp3 transcription factors. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2006, 1759, 367-377.	2.4	6
21	Control of genes for conjugative transfer of plasmids and other mobile elements. <i>FEMS Microbiology Reviews</i> , 1998, 21, 291-319.	8.6	4