

Eduardo Nagore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8824708/publications.pdf>

Version: 2024-02-01

308
papers

10,180
citations

71102
41
h-index

49909
87
g-index

344
all docs

344
docs citations

344
times ranked

13343
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel MAPK/AKT-impairing germline NRAS variant identified in a melanoma-prone family. <i>Familial Cancer</i> , 2022, 21, 347-355.	1.9	1
2	Molecular characterization of fast-growing melanomas. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 312-321.	1.2	11
3	Determination of Margins for Tumor Clearance in Dermatofibrosarcoma Protuberans: A Single-Center Study of 222 Cases Treated With Modified Mohs Surgery. <i>Dermatologic Surgery</i> , 2022, 48, 51-56.	0.8	7
4	Pilot study on the frequency of adverse effects on toenails in patients with breast cancer. <i>International Journal of Dermatology</i> , 2022, , .	1.0	0
5	[Translated article] Cuentos Lunares: Poems and Flash Fiction That Save Lives â€” A Euromelanoma Project During the COVID-19 Pandemic. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2022, 113, T1-T3.	0.4	1
6	Differences by Anatomical Site of Non-Acral Lentiginous Melanomas of the Lower Limb. <i>Dermatology</i> , 2022, 238, 977-985.	2.1	4
7	[Translated article] Prognostic Value of Vitamin D Serum Levels in Cutaneous Melanoma. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2022, , .	0.4	0
8	Self-Assessment Questionnaire on Patient-Physician Concordance on Nevus Self-Count and Models Development to Predict High-Risk Phenotype >50 Nevi. <i>Dermatology</i> , 2022, 238, 986-995.	2.1	0
9	Clinical, environmental and histological distribution of <i>BRAF</i> , <i>NRAS</i> and <i>TERT</i> promoter mutations among patients with cutaneous melanoma: a retrospective study of 563 patients*. <i>British Journal of Dermatology</i> , 2021, 184, 504-513.	1.5	16
10	Adherence to Primary Prevention and Skin Self-Examination Practices by Spanish Melanoma Patients. <i>Dermatology</i> , 2021, 237, 1016-1022.	2.1	6
11	May melanophages hinder the subclinical spread of lentigo maligna and lentigo maligna melanoma? Results from a pilot study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e365-e367.	2.4	2
12	Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , 2021, 145, 29-37.	2.8	12
13	Relationship between type 2 diabetes mellitus and markers of cutaneous melanoma aggressiveness: an observational multicentric study in 443 patients with melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 756-763.	1.5	6
14	TERT promoter mutations and melanoma survival: A comprehensive literature review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 160, 103288.	4.4	20
15	Longitudinal study of prognostic factors for localized cutaneous melanoma in patients who have been disease-free for five years. <i>European Journal of Dermatology</i> , 2021, 31, 192-198.	0.6	2
16	Position statement of the EADV Melanoma Task Force on recommendations for the management of cutaneous melanoma patients during COVIDâ€19. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e427-e428.	2.4	14
17	Ultraviolet light-induced collagen degradation inhibits melanoma invasion. <i>Nature Communications</i> , 2021, 12, 2742.	12.8	25
18	Cuentos Lunares: poemas y microrrelatos que salvan vidas. Euromelanoma durante la pandemia COVID-19. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2021, 113, 1-1.	0.4	1

#	ARTICLE	IF	CITATIONS
19	Surgical procedures in melanoma: recommended deep and lateral margins, indications for sentinel lymph node biopsy, and complete lymph node dissection. Italian Journal of Dermatology and Venereology, 2021, 156, .	0.2	3
20	Germline ATM variants predispose to melanoma: a joint analysis across the GenoMEL and MelaNostrum consortia. Genetics in Medicine, 2021, 23, 2087-2095.	2.4	19
21	Familial Melanoma and Susceptibility Genes: A Review of the Most Common Clinical and Dermoscopic Phenotypic Aspect, Associated Malignancies and Practical Tips for Management. Journal of Clinical Medicine, 2021, 10, 3760.	2.4	19
22	Mutational Characterization of Cutaneous Melanoma Supports Divergent Pathways Model for Melanoma Development. Cancers, 2021, 13, 5219.	3.7	5
23	Positive Attributes of Anti-TERT CD4 T-Helper Type 1 Immune Responses in Melanoma. Journal of Investigative Dermatology, 2021, , .	0.7	2
24	Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. Archivos De Bronconeumologia, 2021, 57, 776-778.	0.8	2
25	Vitamin D and Skin Cancer: An Epidemiological, Patient-Centered Update and Review. Nutrients, 2021, 13, 4292.	4.1	7
26	Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. Archivos De Bronconeumologia, 2021, 57, 776-778.	0.8	1
27	Sentinel Lymph Node Biopsy vs. Observation in Thin Melanoma: A Multicenter Propensity Score Matching Study. Journal of Clinical Medicine, 2021, 10, 5878.	2.4	2
28	Distribution and clinical role of KIT gene mutations in melanoma according to subtype: a study of 492 Spanish patients. European Journal of Dermatology, 2021, 31, 830-838.	0.6	0
29	Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. European Journal of Surgical Oncology, 2020, 46, 263-271.	1.0	16
30	Response to: Comment on "Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines". European Journal of Cancer, 2020, 140, 154-157.	2.8	1
31	Obesity attenuates the effect of sleep apnea on active TGF- β 1 levels and tumor aggressiveness in patients with melanoma. Scientific Reports, 2020, 10, 15528.	3.3	8
32	Why is the Cutaneous Melanoma Mortality Rate not Falling?. Actas Dermo-sifiliogrÃ¡ficas, 2020, 111, 450-452.	0.4	1
33	Staged Excision With Micrographic Monitoring of Margins in Lentigo Maligna. Actas Dermo-sifiliogrÃ¡ficas, 2020, 111, 522-523.	0.4	0
34	Informing patients about their mutation tests: CDKN2A c.256G>A in melanoma as an example. Hereditary Cancer in Clinical Practice, 2020, 18, 15.	1.5	3
35	Proangiogenic factor midkine is increased in melanoma patients with sleep apnea and induces tumor cell proliferation. FASEB Journal, 2020, 34, 16179-16190.	0.5	11
36	MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. Melanoma Research, 2020, 30, 500-510.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Estimated Effect of COVID-19 Lockdown on Skin Tumor Size and Survival: An Exponential Growth Model. <i>Actas Dermo-sifiliogrÁjicas</i> , 2020, 111, 629-638.	0.4	16
38	Association of HERV-K and LINE-1 hypomethylation with reduced disease-free survival in melanoma patients. <i>Epigenomics</i> , 2020, 12, 1689-1706.	2.1	11
39	Prognostic Role of Non-Identification of Sentinel Lymph Node in Cutaneous Melanoma Patients: An Observational Retrospective Study. <i>Cancers</i> , 2020, 12, 3151.	3.7	3
40	Estimated effect of COVIDâ€19 lockdown on melanoma thickness and prognosis: a rate of growth model. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e351-e353.	2.4	40
41	Intralesional Methotrexate for the Treatment of Advanced Keratinocytic Tumors: A Multi-Center Retrospective Study. <i>Dermatology and Therapy</i> , 2020, 10, 769-777.	3.0	11
42	Heterogeneity in the linear shiny white structures in melanomas seen with polarized light according to histopathological association: Crossâ€sectional observational study in 118 cutaneous melanomas. <i>Journal of Dermatology</i> , 2020, 47, 1058-1062.	1.2	3
43	Â¿Por quÃ© no disminuye la mortalidad por melanoma cutÃ¡neo?. <i>Actas Dermo-sifiliogrÃjicas</i> , 2020, 111, 450-452.	0.4	4
44	Mutation Signatures in Melanocytic Nevi Reveal Characteristics of Defective DNA Repair. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2093-2096.e2.	0.7	7
45	Risk factors for the development of a second melanoma in patients with cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2295-2302.	2.4	18
46	CirugÃa por etapas con control microgrÃjico de los mÃjrgenes del lentigo maligno. <i>Actas Dermo-sifiliogrÃjicas</i> , 2020, 111, 522-523.	0.4	3
47	Comment on â€Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelinesâ€™. <i>European Journal of Cancer</i> , 2020, 131, 100-103.	2.8	4
48	Age as a prognostic factor in thick and ultrathick melanomas without lymph node metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e513-e517.	2.4	4
49	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.	21.4	138
50	Coding and noncoding somatic mutations in candidate genes in basal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 8005.	3.3	17
51	Locoregional Lymph Node Recurrence of Trunk Melanoma in Non-sentinel Lymph Node Basins: An Observational Retrospective Study. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00284.	1.3	1
52	<i>TERT</i> promoter mutation subtypes and survival in stage I and II melanoma patients. <i>International Journal of Cancer</i> , 2019, 144, 1027-1036.	5.1	44
53	No association between smoking and sentinel lymph node metastasis and survival in cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2283-2290.	2.4	6
54	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 386-394.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , 2019, 118, 10-34.	2.8	345
56	Contribution of Common Genetic Variants to Familial Aggregation of Disease and Implications for Sequencing Studies. <i>PLoS Genetics</i> , 2019, 15, e1008490.	3.5	8
57	Lymphatic and Hematogenous Dissemination in Patients With Primary Cutaneous Melanoma”Reply. <i>JAMA Dermatology</i> , 2019, 155, 1323.	4.1	0
58	The proportion of nevus-associated invasive melanoma differs with Breslow thickness: A cross-sectional study of 1087 cutaneous melanomas. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 852-854.	1.2	7
59	Multiple facial plaque variant of trichoblastoma. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 285-289.	1.3	7
60	Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , 2019, 8, 4235-4244.	2.8	42
61	Histologic Features Associated With an Invasive Component in Lentigo Maligna Lesions. <i>JAMA Dermatology</i> , 2019, 155, 782.	4.1	12
62	Risk Factors for Lymphatic and Hematogenous Dissemination in Patients With Stages I to II Cutaneous Melanoma. <i>JAMA Dermatology</i> , 2019, 155, 679.	4.1	22
63	Association of sunbed use with skin cancer risk factors in Europe: an investigation within the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 76-88.	2.4	15
64	Prevalence and determinants of sunbed use in thirty European countries: data from the Euromelanoma skin cancer prevention campaign. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 13-27.	2.4	34
65	Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1314-1322.	6.3	35
66	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 332-342.	5.6	16
67	TERT Promoter Mutations are Associated with Visceral Spreading in Melanoma of the Trunk. <i>Cancers</i> , 2019, 11, 452.	3.7	17
68	Dusky erythema secondary to anti-MEK therapy. <i>Melanoma Research</i> , 2019, 29, 449-451.	1.2	3
69	TERT promoter mutation subtypes in 20 in-situ melanomas. <i>Melanoma Research</i> , 2019, 29, 347-348.	1.2	1
70	Decreased vitamin D serum levels at melanoma diagnosis are associated with tumor ulceration and high tumor mitotic rate. <i>Melanoma Research</i> , 2019, 29, 664-667.	1.2	18
71	Histologic Changes During Treatment With Vismodegib in Locally Advanced Basal Cell Carcinoma: A Series of 19 Cases. <i>American Journal of Dermatopathology</i> , 2019, 41, 711-717.	0.6	9
72	Soluble PD-L1 is a potential biomarker of cutaneous melanoma aggressiveness and metastasis in obstructive sleep apnoea patients. <i>European Respiratory Journal</i> , 2019, 53, 1801298.	6.7	27

#	ARTICLE	IF	CITATIONS
73	TERT promoter mutations in melanoma survival. <i>Oncotarget</i> , 2019, 10, 1546-1548.	1.8	27
74	Disección ganglionar en el paciente con melanoma y metástasis en el ganglio centinela: propuesta de decisión basada en la evidencia actual. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 390-398.	0.4	8
75	Melanoma Arising in a Melanocytic Nevus. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 123-132.	0.4	4
76	Chronology of regional lymph node metastases in cutaneous melanoma: a model based on mitotic rate. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e289-e291.	2.4	0
77	The association between dermoscopic features and BRAF mutational status in cutaneous melanoma: Significance of the blue-white veil. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 920-926.e4.	1.2	13
78	Tratamiento con imiquimod al 5% durante 12 días para las queratosis actínicas: estudio de la eficacia y la reacción local. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 248-253.	0.4	8
79	A 12-Day Course of Imiquimod 5% for the Treatment of Actinic Keratosis: Effectiveness and Local Reactions. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 248-253.	0.4	1
80	CDKN2A germline alterations in melanoma patients with personal or familial history of pancreatic cancer. <i>Melanoma Research</i> , 2018, 28, 246-249.	1.2	6
81	Biomarkers of carcinogenesis and tumour growth in patients with cutaneous melanoma and obstructive sleep apnoea. <i>European Respiratory Journal</i> , 2018, 51, 1701885.	6.7	27
82	Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. <i>International Journal of Cancer</i> , 2018, 142, 641-648.	5.1	20
83	Clinical, pathological and dermoscopic characteristics of cutaneous lesions in <scp>LEOPARD</scp> syndrome. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e100-e101.	2.4	8
84	Melanoma asociado a nevo melanocítico. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 123-132.	0.4	7
85	Author's reply to: Prognosis of sentinel lymph node biopsy in patients with thick melanoma by a propensity score matching prospective study. <i>International Journal of Cancer</i> , 2018, 142, 1504-1504.	5.1	0
86	Experiencia con vismodegib en carcinoma basocelular avanzado en un centro oncológico. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 813-820.	0.4	11
87	Prevalence of pathogenic/likely pathogenic variants in the 24 cancer genes of the ACMG Secondary Findings v2.0 list in a large cancer cohort and ethnicity-matched controls. <i>Genome Medicine</i> , 2018, 10, 99.	8.2	15
88	Telomere length, telomerase reverse transcriptase promoter mutations, and melanoma risk. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 564-572.	2.8	39
89	Sleep-Disordered Breathing Is Independently Associated With Increased Aggressiveness of Cutaneous Melanoma. <i>Chest</i> , 2018, 154, 1348-1358.	0.8	58
90	Lymph Node Dissection in Patients With Melanoma and Sentinel Lymph Node Metastasis: An Updated, Evidence-Based Decision Algorithm. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 390-398.	0.4	2

#	ARTICLE	IF	CITATIONS
91	Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. <i>Human Molecular Genetics</i> , 2018, 27, 4145-4156.	2.9	34
92	Characteristics of Familial Melanoma in Valencia, Spain, Based on the Presence of CDKN2A Mutations and MC1R Variants. <i>Acta Dermato-Venereologica</i> , 2018, 98, 512-516.	1.3	1
93	Intermittent Hypoxia Is Associated With High Hypoxia Inducible Factor-1 α but Not High Vascular Endothelial Growth Factor Cell Expression in Tumors of Cutaneous Melanoma Patients. <i>Frontiers in Neurology</i> , 2018, 9, 272.	2.4	16
94	Telomere length and survival in primary cutaneous melanoma patients. <i>Scientific Reports</i> , 2018, 8, 10947.	3.3	23
95	A randomized intraindividual comparative study of methyl-5-aminolaevulinate vs. 5-aminolaevulinic acid nanoemulsion (BF-200 ALA) in photodynamic therapy for actinic keratosis of the face and scalp. <i>British Journal of Dermatology</i> , 2018, 179, 1410-1411.	1.5	12
96	Suitability of melanoma FFPE samples for NGS libraries: time and quality thresholds for downstream molecular tests. <i>BioTechniques</i> , 2018, 65, 79-85.	1.8	13
97	MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melaNostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2134-2141.	2.4	9
98	Dysplastic vs. Common Naevus-associated vs. De novo Melanomas: An Observational Retrospective Study of 1,021 Patients. <i>Acta Dermato-Venereologica</i> , 2018, 98, 556-562.	1.3	17
99	Sun protection behaviour and skin cancer literacy among outdoor runners. <i>European Journal of Dermatology</i> , 2018, 28, 803-808.	0.6	27
100	Abstract 1407: Telomere length and melanoma survival. , 2018, , .		0
101	Abstract 228: Association analysis across different populations identifies 26 new cutaneous melanoma risk loci. , 2018, , .		0
102	Con el reto de mantener el nivel científico de la revista. <i>Actas Dermo-sifiliográficas</i> , 2018, 109, 763.	0.4	0
103	Pregnancy and melanoma: a European-wide survey to assess current management and a critical literature overview. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 65-69.	2.4	18
104	Desmoplastic melanoma may mimic a cutaneous peripheral nerve sheath tumor: Report of 3 challenging cases. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 632-638.	1.3	11
105	Subcutaneous dermatofibrosarcoma protuberans, a rare subtype with predilection for the head: A retrospective series of 18 cases. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 503-511.e1.	1.2	24
106	Sunbed use among Portuguese beach goers: a crave group while waiting sunbeds to be abolished. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e294-e295.	2.4	5
107	<i><scp>TERT</scp></i> promoter mutations associate with <scp>MC</scp>1R variants in melanoma patients. <i>Pigment Cell and Melanoma Research</i> , 2017, 30, 273-275.	3.3	7
108	<i><scp>TERT</scp></i> promoter mutations are not always associated with poor prognosis in atypical spitzoid tumors. <i>Pigment Cell and Melanoma Research</i> , 2017, 30, 265-268.	3.3	10

#	ARTICLE	IF	CITATIONS
109	Skin Cancer and the Dermatologist: Reflections on the Position Taken by the Spanish Society of Medical Oncology (SEOM). <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 704-707.	0.4	0
110	Use of Lymph Node Ultrasound Prior to Sentinel Lymph Node Biopsy in 384 Patients with Melanoma: A Cost-Effectiveness Analysis. <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 931-938.	0.4	0
111	Merece la pena hacerse miembro de la European Academy of Dermatology and Venereology (EADV). <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 605.	0.4	0
112	A prospective multicenter cohort study of cutaneous melanoma: clinical staging and potential associations with HIF-1Î± and VEGF expressions. <i>Melanoma Research</i> , 2017, 27, 558-564.	1.2	23
113	Germline Variation at CDKN2A and Associations with Nevus Phenotypes amongÂMembers of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2606-2612.	0.7	18
114	Â«ComentariosÂ», mÃ¡s que una nueva secciÃ³n de Actas. <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 281.	0.4	0
115	El dermatÃ³logo y el cÃ¡ncer de piel. Consideraciones sobre el posicionamiento de la Sociedad EspaÃ±ola de OncologÃa MÃ©dica. <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 704-707.	0.4	0
116	Is mitotic rate still useful in the management of patients with thin melanoma?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 2025-2029.	2.4	22
117	Valor de la ecografÃa ganglionar previa a la biopsia del ganglio centinela en 384 pacientes con melanoma: anÃ¡lisis de coste-efectividad. <i>Actas Dermo-sifiliogrÁficas</i> , 2017, 108, 931-938.	0.4	2
118	Effect of time to sentinel lymph node biopsy on cutaneous melanoma survival: a matter of discussion. <i>American Journal of Surgery</i> , 2017, 213, 204-205.	1.8	1
119	Behaviour towards sun exposure, skin selfâ€examination and skin cancer knowledge of educators, health professionals and the general population â€“ crossâ€sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e132-e135.	2.4	4
120	Clinical assessment of skin phototypes: watch your words!. <i>European Journal of Dermatology</i> , 2017, 27, 615-619.	0.6	28
121	The intriguing effect of delay time to sentinel lymph node biopsy on survival: a propensity score matching study on a cohort of melanoma patients. <i>European Journal of Dermatology</i> , 2017, 27, 487-495.	0.6	5
122	Genetic alterations in seborrheic keratoses. <i>Oncotarget</i> , 2017, 8, 36639-36649.	1.8	34
123	Cutaneous melanoma primary site is linked to nevus density. <i>Oncotarget</i> , 2017, 8, 98876-98886.	1.8	6
124	ETS1, nucleolar and non-nucleolar TERT expression in nevus to melanoma progression. <i>Oncotarget</i> , 2017, 8, 104408-104417.	1.8	8
125	Abstract 3408: Telomere length and TERT promoter mutations in cutaneous melanoma. , 2017, , .	0	
126	Local cryosurgery and imiquimod: A successful combination for the treatment of locoregional cutaneous metastasis of melanoma: A case series. <i>Journal of Dermatology</i> , 2016, 43, 553-556.	1.2	17

#	ARTICLE	IF	CITATIONS
127	<scp><i>TERT</i></scp> promoter mutations associate with fast-growing melanoma. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 236-238.	3.3	58
128	<scp><i>TERT</i></scp> promoter mutations in melanoma survival. <i>International Journal of Cancer</i> , 2016, 139, 75-84.	5.1	101
129	Value of sentinel lymph node biopsy and adjuvant interferon treatment in thick (>4 mm) cutaneous melanoma: an observational study. <i>European Journal of Dermatology</i> , 2016, 26, 34-48.	0.6	6
130	Histologic Features Associated with Deep Invasion in Dermatofibrosarcoma Protuberans. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 414-420.	0.4	4
131	¿Vale una imagen más que mil palabras?: la «Figura resumen» o Graphical abstract. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 545-546.	0.4	5
132	Niveles de 25-hidroxivitamina D en pacientes con melanoma y factores asociados con su insuficiencia. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 758-764.	0.4	5
133	Erythematous-violaceous macule on the chest in a patient with dysplastic nevus syndrome. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, e55-e56.	1.2	2
134	25-Hydroxyvitamin D in Patients With Melanoma and Factors Associated With Inadequate Levels. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 758-764.	0.4	1
135	Situación actual del cáncer cutáneo en España. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 267-268.	0.4	2
136	Estudio de los factores histológicos asociados a la infiltración en profundidad en el dermatofibrosarcoma protuberans. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 414-420.	0.4	4
137	Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: A Pooled Analysis from the M-Skip Project. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1914-1917.	0.7	16
138	Antimalarial Drugs for the Treatment of Oral Erosive Lichen Planus. <i>Dermatology</i> , 2016, 232, 86-90.	2.1	11
139	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1066-1069.	0.7	13
140	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , 2016, 18, 727-736.	2.4	31
141	Risk factors for keratinocyte skin cancer in patients diagnosed with melanoma, a large retrospective study. <i>European Journal of Cancer</i> , 2016, 53, 115-124.	2.8	15
142	Mapping of deletion breakpoints at the <i>CDKN2A</i> locus in melanoma: detection of <i>MTAP-ANRIL</i> fusion transcripts. <i>Oncotarget</i> , 2016, 7, 16490-16504.	1.8	22
143	Melapred: first susceptibility test to sporadic melanoma in daily dermatological practice.. <i>Journal of Clinical Oncology</i> , 2016, 34, e21056-e21056.	1.6	0
144	Sleep-disordered breathing and aggressiveness markers of cutaneous melanoma. A multicentric study., 2016, ,.	0	0

#	ARTICLE	IF	CITATIONS
145	<i>MC1R</i> variants increased the risk of sporadic cutaneous melanoma in darker-pigmented <scp>C</scp>aucasians: A pooled-analysis from the Mâ€SKIP project. International Journal of Cancer, 2015, 136, 618-631.	5.1	92
146	Authors' reply to: High naevus counts confer a favourable prognosis in patients with melanoma. International Journal of Cancer, 2015, 137, 3008-3009.	5.1	0
147	<scp>BAP1</scp>â€deficient and <scp>VE1</scp>â€negative atypical Spitz tumor. Journal of Cutaneous Pathology, 2015, 42, 564-567.	1.3	13
148	Ageâ€related characteristics of cutaneous melanoma in a <scp>S</scp>panish <scp>M</scp>editerranean population. International Journal of Dermatology, 2015, 54, 778-784.	1.0	14
149	Sunitinibâ€induced pseudoporphyria. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1848-1850.	2.4	4
150	Defining the dermoscopic characteristics of fast-growing cutaneous melanomas. Melanoma Research, 2015, 25, 269-272.	1.2	6
151	Adverse reaction to silicone simulating orofacial granulomatosis. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 998-1001.	2.4	10
152	High nevus counts confer a favorable prognosis in melanoma patients. International Journal of Cancer, 2015, 137, 1691-1698.	5.1	37
153	<i>BRAF</i>,<i>NRAS</i>and<i>MC1R</i>status in a prospective series of primary cutaneous melanoma. British Journal of Dermatology, 2015, 172, 1128-1131.	1.5	17
154	Predictors of Sentinel Lymph Node Status in Cutaneous Melanoma: A Classification and Regression Tree Analysis. Actas Dermo-sifiliogrÃ¡ficas, 2015, 106, 208-218.	0.4	5
155	Reply to: â€Topical rapamycin combined with pulsed dye laser (PDL) in the treatment of capillary vascular malformationsâ€Anatomical differences in response to PDL are relevant to interpretation of study resultsâ€. Journal of the American Academy of Dermatology, 2015, 73, e73-e74.	1.2	0
156	Accuracy of Self-Reported Nevus and Pigmentation Phenotype Compared with Clinical Assessment in a Population-Based Study of Young Australian Adults. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 736-743.	2.5	15
157	Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. European Journal of Cancer, 2015, 51, 1780-1793.	2.8	24
158	Factores predictivos del estado del ganglio centinela en el melanoma cutÃ¡neo: anÃ¡lisis mediante un Ã¡rbol de clasificaciÃ³n y regresiÃ³n. Actas Dermo-sifiliogrÃ¡ficas, 2015, 106, 208-218.	0.4	15
159	Awareness, Attitude, and Adherence to Preventive Measures in Patients at High Risk of Melanoma. A Cross-Sectional Study on 185 Patients. Journal of Cancer Education, 2015, 30, 552-566.	1.3	11
160	New basal cell carcinoma susceptibility loci. Nature Communications, 2015, 6, 6825.	12.8	59
161	Survival advantage of women in localized melanoma mainly relies on clinical-pathological differences by sex. A retrospective study of 1,607 patients in Valencia, Spain. European Journal of Dermatology, 2015, 25, 247-254.	0.6	6
162	Genes involved in the <scp>WNT</scp> and vesicular trafficking pathways are associated with melanoma predisposition. International Journal of Cancer, 2015, 136, 2109-2119.	5.1	27

#	ARTICLE	IF	CITATIONS
163	Topical rapamycin combined with pulsed dye laser in the treatment of capillary vascular malformations in Sturge-Weber syndrome: Phase II, randomized, double-blind, intraindividual placebo-controlled clinical trial. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 151-158.e1.	1.2	91
164	Mohs micrographic surgery in dermatofibrosarcoma protuberans allows tumour clearance with smaller margins and greater preservation of healthy tissue compared with conventional surgery: a study of 74 primary cases. <i>British Journal of Dermatology</i> , 2015, 172, 1303-1307.	1.5	37
165	Sun Protection Among Spanish Beachgoers: Knowledge, Attitude and Behaviour. <i>Journal of Cancer Education</i> , 2015, 30, 4-11.	1.3	30
166	Frequency and Characteristics of Familial Melanoma in Spain: The FAM-GEM-1 Study. <i>PLoS ONE</i> , 2015, 10, e0124239.	2.5	8
167	Frequent <i>DPH3</i> promoter mutations in skin cancers. <i>Oncotarget</i> , 2015, 6, 35922-35930.	1.8	60
168	Involvement of ANXA5 and ILKAP in Susceptibility to Malignant Melanoma. <i>PLoS ONE</i> , 2014, 9, e95522.	2.5	11
169	Germline sequence variants in TGM3 and RGS22 confer risk of basal cell carcinoma. <i>Human Molecular Genetics</i> , 2014, 23, 3045-3053.	2.9	48
170	Inherited variation in the PARP1 gene and survival from melanoma. <i>International Journal of Cancer</i> , 2014, 135, 1625-1633.	5.1	24
171	Bilateral cauliflower ear as the presenting sign of Bâ€œcell chronic lymphocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 73-77.	1.3	9
172	Indicators for the total number of melanocytic naevi: an adjunct for screening campaigns. Observational study on 292 patients. <i>British Journal of Dermatology</i> , 2014, 170, 144-149.	1.5	13
173	An inherited variant in the gene coding for vitamin D-binding protein and survival from cutaneous melanoma: a <i>B G G MEL</i> study. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 234-243.	3.3	25
174	Association between sleep disordered breathing and aggressiveness markers of malignant cutaneous melanoma. <i>European Respiratory Journal</i> , 2014, 43, 1661-1668.	6.7	89
175	Correlation of Histologic Regression in Primary Melanoma With Sentinel Node Status. <i>JAMA Dermatology</i> , 2014, 150, 828.	4.1	27
176	Prognostic value of BRAF mutations in localized cutaneous melanoma. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 858-862.e2.	1.2	36
177	CaracterÃsticas clÃ¡nicas de los pacientes con melanoma cutÃ¡neo en funciÃ³n de las variaciones en el gen del receptor 1 de la melanocortina (MC1R). <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2014, 105, 159-171.	0.4	4
178	Positive margins in excised dermatofibrosarcoma protuberans: a study of 58 cases treated with slowâ€¢M surgery. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1012-1015.	2.4	8
179	Rare missense variants in POT1 predispose to familial cutaneous malignant melanoma. <i>Nature Genetics</i> , 2014, 46, 482-486.	21.4	283
180	Update of the European guidelines for basal cell carcinoma management. <i>European Journal of Dermatology</i> , 2014, 24, 312-329.	0.6	178

#	ARTICLE	IF	CITATIONS
181	415: Telomerase reverse transcriptase promoter mutations in primary cutaneous melanoma. European Journal of Cancer, 2014, 50, S99.	2.8	0
182	Telomerase reverse transcriptase promoter mutations in primary cutaneous melanoma. Nature Communications, 2014, 5, 3401.	12.8	163
183	Clinical Characteristics of Patients With Cutaneous Melanoma According to Variants in the Melanocortin 1 Receptor Gene. Actas Dermo-sifiliogrÁficas, 2014, 105, 159-171.	0.4	6
184	Dermatomiositis paraneoplÁsica: estudio de 12 casos. Actas Dermo-sifiliogrÁficas, 2014, 105, 675-682.	0.4	34
185	Abstract 941: Exome sequencing identifiedPOT1, a telomere shelterin gene, as a major susceptibility gene for familial cutaneous malignant melanoma., 2014, ,.		0
186	Mitotic rate and subcutaneous involvement are prognostic factors for survival after recurrence in patients with only locoregional skin metastasis as the first site of recurrence from cutaneous melanoma. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 436-441.	2.4	9
187	Variants at chromosome 20 (<i>ASIP</i> locus) and melanoma risk. International Journal of Cancer, 2013, 132, 42-54.	5.1	28
188	Improving Sun-Safe Knowledge, Attitude and Behaviour in Parents of Primary School Children: a Pilot Study. Journal of Cancer Education, 2013, 28, 151-157.	1.3	26
189	Distribution of <i>MC1R</i> variants among melanoma subtypes: p.R163Q is associated with lentigo maligna melanoma in a Mediterranean population. British Journal of Dermatology, 2013, 169, 804-811.	1.5	25
190	Variants at the 9p21 locus and melanoma risk. BMC Cancer, 2013, 13, 325.	2.6	35
191	Registro nacional de melanoma cutÁneo. CaracterÁsticas del tumor en el momento del diagnÁstico: 15 aÃ±os de experiencia. Actas Dermo-sifiliogrÁficas, 2013, 104, 789-799.	0.4	37
192	Risk Factors for the Development of Locoregional Cutaneous Metastases as the Sole Form of Recurrence in Patients With Melanoma. Actas Dermo-sifiliogrÁficas, 2013, 104, 53-60.	0.4	3
193	High immunohistochemical nestin expression is associated with greater depth of infiltration in dermatofibrosarcoma protuberans: a study of 71 cases. Journal of Cutaneous Pathology, 2013, 40, 871-878.	1.3	7
194	NRAS and BRAF Mutations in Cutaneous Melanoma and the Association with MC1R Genotype: Findings from Spanish and Austrian Populations. Journal of Investigative Dermatology, 2013, 133, 1027-1033.	0.7	38
195	<i>TERT</i> Promoter Mutations in Familial and Sporadic Melanoma. Science, 2013, 339, 959-961.	12.6	1,574
196	Metastatic Lesions with and without Interleukin-18â€“Dependent Genes in Advanced-Stage Melanoma Patients. American Journal of Pathology, 2013, 183, 69-82.	3.8	12
197	Factores de riesgo para el desarrollo de metÃ¡stasis cutÃ¡neas locoregionales como forma Ã³nica de recaÃda en los pacientes con melanoma. Actas Dermo-sifiliogrÁficas, 2013, 104, 53-60.	0.4	8
198	Estudio descriptivo de la presentaciÃ³n clÃ¡nica del melanoma lentiginoso acral. Actas Dermo-sifiliogrÁficas, 2013, 104, 220-226.	0.4	12

#	ARTICLE	IF	CITATIONS
199	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , 2013, 45, 428-432.	21.4	111
200	Prevalence of <i>BRAF</i> and <i>NRAS</i> mutations in fast-growing melanomas. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 429-431.	3.3	16
201	Temporal Artery Involvement as the Presenting Sign of Thromboangiitis Obliterans. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 158-159.	0.9	2
202	Sequencing of the novel <i>HLA-B*49:24</i> and <i>HLA-DRB1*03:64</i> alleles. <i>Tissue Antigens</i> , 2013, 81, 177-178.	1.0	5
203	rs12512631 on the Group Specific Complement (Vitamin D-Binding Protein GC) Implicated in Melanoma Susceptibility. <i>PLoS ONE</i> , 2013, 8, e59607.	2.5	21
204	Chronology of Metastasis in Cutaneous Melanoma: Growth Rate Model. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1215-1221.	0.7	24
205	Characterization of nonacral melanoma patients without typical risk factors. <i>Melanoma Research</i> , 2012, 22, 316-319.	1.2	1
206	Regression does not significantly underestimate melanoma thickness. <i>Melanoma Research</i> , 2012, 22, 96-98.	1.2	6
207	Prediction of Sentinel Lymph Node Positivity by Growth Rate of Cutaneous Melanoma. <i>Archives of Dermatology</i> , 2012, 148, 577-84.	1.4	31
208	Chrysalis and Negative Pigment Network in Spitz Nevi. <i>American Journal of Dermatopathology</i> , 2012, 34, 188-191.	0.6	22
209	Characteristics of Spitzoid Melanoma and Clues for Differential Diagnosis With Spitz Nevus. <i>American Journal of Dermatopathology</i> , 2012, 34, 478-486.	0.6	36
210	Non-steroidal Anti-Inflammatory Drugs and Melanoma. <i>Current Pharmaceutical Design</i> , 2012, 18, 3966-3978.	1.9	14
211	Tratamiento quirúrgico del lentigo maligno: cirugía convencional vs. Mohs diferida. Estudio retrospectivo de 62 casos. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 614-623.	0.4	33
212	Euromelanoma: a dermatology-led European campaign against nonmelanoma skin cancer and cutaneous melanoma. Past, present and future. <i>British Journal of Dermatology</i> , 2012, 167, 99-104.	1.5	70
213	Fluorescence <i>in situ</i> hybridization for the differential diagnosis between Spitz naevus and spitzoid melanoma. <i>Histopathology</i> , 2012, 61, 899-909.	2.9	44
214	Inherited variants in the <i>MC1R</i> gene and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , 2012, 25, 384-394.	3.3	61
215	1151 SNP Rs3219090 in the DNA Repair PARP1 Gene Reinforces the Protective Role to Melanoma Susceptibility in Spanish Population. <i>European Journal of Cancer</i> , 2012, 48, S276-S277.	2.8	0
216	Estudio multicéntrico de casos y controles sobre factores de riesgo de desarrollar un melanoma cutáneo en la Comunidad Valenciana. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 790-797.	0.4	11

#	ARTICLE	IF	CITATIONS
217	The Use of a Biosynthetic Skin Substitute in Slow Mohs Micrographic Surgery. <i>Dermatologic Surgery</i> , 2012, 38, 683-689.	0.8	3
218	A randomized pilot comparative study of topical methyl aminolevulinate photodynamic therapy versus imiquimod 5% versus sequential application of both therapies in immunocompetent patients with actinic keratosis: Clinical and histologic outcomes. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, e131-e137.	1.2	74
219	Parche biosintético de colágeno porcino como herramienta coadyuvante o definitiva en el cierre de defectos del cuero cabelludo sin periostio. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 887-896.	0.4	1
220	KIT Mutations in a Series of Melanomas and Their Impact on Treatment With Imatinib. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 838-840.	0.4	1
221	Multicenter Case-Control Study of Risk Factors for Cutaneous Melanoma in Valencia, Spain. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 790-797.	0.4	8
222	Photodynamic Therapy vs Imiquimod. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 488-501.	0.4	1
223	Conventional Surgery Compared With Slow Mohs Micrographic Surgery in the Treatment of Lentigo Maligna: A Retrospective Study of 62 Cases. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 614-623.	0.4	8
224	Melanocortin-1 receptor, skin cancer and phenotypic characteristics (M-SKIP) project: study design and methods for pooling results of genetic epidemiological studies. <i>BMC Medical Research Methodology</i> , 2012, 12, 116.	3.1	12
225	Influence of Genetic Variants in Type I Interferon Genes on Melanoma Survival and Therapy. <i>PLoS ONE</i> , 2012, 7, e50692.	2.5	16
226	Role of lymphatics in cutaneous metastasis of breast cancer. <i>Expert Review of Dermatology</i> , 2012, 7, 221-222.	0.3	0
227	A pilot study of clinical efficacy of imiquimod and cryotherapy for the treatment of basal cell carcinoma with incomplete response to imiquimod. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 879-881.	2.4	15
228	Mohs Micrographic Surgery for Re-Excision of Basal Cell Carcinomas on the Head With Positive Margins. <i>Actas Dermo-sifiliográficas</i> , 2011, 102, 797-804.	0.4	5
229	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011, 43, 1098-1103.	21.4	251
230	Chemotherapy-related bilateral dermatitis associated with eccrine squamous syringometaplasia: Reappraisal of epidemiological, clinical, and pathological features. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1092-1103.	1.2	50
231	A Customized Pigmentation SNP Array Identifies a Novel SNP Associated with Melanoma Predisposition in the SLC45A2 Gene. <i>PLoS ONE</i> , 2011, 6, e19271.	2.5	18
232	Defining fast-growing melanomas. <i>Melanoma Research</i> , 2011, 21, 131-138.	1.2	46
233	A randomized comparative study of tolerance and satisfaction in the treatment of actinic keratosis of the face and scalp between 5% imiquimod cream and photodynamic therapy with methyl aminolevulinate. <i>British Journal of Dermatology</i> , 2011, 164, 429-433.	1.5	37
234	Correlation Between Preoperative Magnetic Resonance Imaging and Surgical Margins with Modified Mohs for Dermatofibrosarcoma Protuberans. <i>Dermatologic Surgery</i> , 2011, 37, 1638-1645.	0.8	53

#	ARTICLE	IF	CITATIONS
235	Detection of human papilloma virus in normal skin and in superficial and nodular basal cell carcinomas in immunocompetent subjects. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 832-838.	2.4	19
236	Growth rate as an independent prognostic factor in localized invasive cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 618-620.	2.4	21
237	Influence of loss of function MC1R variants in genetic susceptibility of familial melanoma in Spain. <i>Melanoma Research</i> , 2010, 20, 342-348.	1.2	16
238	Smoking, sun exposure, number of nevi and previous neoplasias are risk factors for melanoma in older patients (60 years and over). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 50-57.	2.4	33
239	Dermoscopic features of a collision tumour composed of a pigmented basal cell carcinoma and a melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 982-984.	2.4	11
240	Increased Risk of Developing a Second Primary Cutaneous Nevus-Associated Melanoma in Patients Previously Diagnosed with the Disease. <i>Actas Dermo-sifiliogrÁjicas</i> , 2010, 101, 710-716.	0.4	3
241	Acquired Progressive Lymphangioma (Benign Lymphangioendothelioma). <i>Actas Dermo-sifiliogrÁjicas</i> , 2010, 101, 792-797.	0.4	7
242	Single-nucleotide polymorphisms in DNA-repair genes and cutaneous melanoma. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010, 702, 8-16.	1.7	30
243	In Vivo Assessment of Acute UVB Responses in Normal and Xeroderma Pigmentosum (XP-C) Skin-Humanized Mouse Models. <i>American Journal of Pathology</i> , 2010, 177, 865-872.	3.8	30
244	Single nucleotide polymorphisms in DNA repair genes XRCC1 and APEX1 in progression and survival of primary cutaneous melanoma patients. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 661, 78-84.	1.0	26
245	Melanocortin receptor 1 variants and melanoma risk: A study of 2 European populations. <i>International Journal of Cancer</i> , 2009, 125, 1868-1875.	5.1	61
246	Acral lentiginous melanoma presents distinct clinical profile with high cancer susceptibility. <i>Cancer Causes and Control</i> , 2009, 20, 115-119.	1.8	56
247	Comparative study between cold air analgesia and supraorbital and supratrochlear nerve block for the management of pain during photodynamic therapy for actinic keratoses of the frontotemporal zone. <i>British Journal of Dermatology</i> , 2009, 161, 353-356.	1.5	72
248	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009, 41, 221-227.	21.4	572
249	New common variants affecting susceptibility to basal cell carcinoma. <i>Nature Genetics</i> , 2009, 41, 909-914.	21.4	303
250	Perfil clÁnico y epidemiolÁgico de los pacientes con melanoma cutÁneo segÁn el grado de exposiciÁn solar de la localizaciÁn del melanoma. <i>Actas Dermo-sifiliogrÁjicas</i> , 2009, 100, 205-211.	0.4	36
251	Clinical and Epidemiologic Profile of Melanoma Patients According To Sun Exposure Of The Tumor Site. <i>Actas Dermo-sifiliogrÁjicas</i> , 2009, 100, 205-211.	0.4	10
252	Problems in Defining Melanoma Regression and Prognostic Implication. <i>Actas Dermo-sifiliogrÁjicas</i> , 2009, 100, 759-766.	0.4	13

#	ARTICLE	IF	CITATIONS
253	Germline mutations in CDKN2A are infrequent in female patients with melanoma and breast cancer. <i>Melanoma Research</i> , 2009, 19, 211-214.	1.2	10
254	A germline mutation of p14/ARF in a melanoma kindred. <i>Melanoma Research</i> , 2009, 19, 335-337.	1.2	11
255	Hypopigmented Reed nevus. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 87-89.	1.3	13
256	ASIP and TYR pigmentation variants associate with cutaneous melanoma and basal cell carcinoma. <i>Nature Genetics</i> , 2008, 40, 886-891.	21.4	306
257	Common variants on 1p36 and 1q42 are associated with cutaneous basal cell carcinoma but not with melanoma or pigmentation traits. <i>Nature Genetics</i> , 2008, 40, 1313-1318.	21.4	111
258	Congenital Fibrosarcoma Simulating Congenital Hemangioma. <i>Pediatric Dermatology</i> , 2008, 25, 141-144.	0.9	18
259	Atrophic dermatofibrosarcoma protuberans with the fusion gene COL1A1-PDGFB. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 371-374.	2.4	19
260	Comparison between familial and sporadic cutaneous melanoma in Valencia, Spain. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 931-936.	2.4	16
261	Chemotherapy-Induced Acral Erythema: A Clinical and Histopathologic Study of 44 Cases. <i>Actas Dermo-sifiliogrÁficas</i> , 2008, 99, 281-290.	0.4	17
262	â€œSelf and parent-assessed skin cancer risk factors in school-age childrenâ€. <i>Preventive Medicine</i> , 2008, 47, 133-135.	3.4	11
263	Eritema acral inducido por quimioterapia. <i>Actas Dermo-sifiliogrÁficas</i> , 2008, 99, 281-290.	0.4	55
264	Enfermedad de BehÃ§et con lesiones cutÃ¡neas de panarteritis nodosa. <i>Actas Dermo-sifiliogrÁficas</i> , 2007, 98, 217-218.	0.4	3
265	Propuesta de protocolo para el informe histolÃ³gico del tumor primario de los pacientes con un melanoma cutÃ¡neo del Grupo de Trabajo para el Melanoma CutÃ¡neo de la Comunidad Valenciana. <i>Actas Dermo-sifiliogrÁficas</i> , 2007, 98, 459-465.	0.4	14
266	Giant Dermatofibroma: Case Report and Review of the Literature. <i>Actas Dermo-sifiliogrÁficas</i> , 2007, 98, 121-124.	0.4	5
267	Protocol Proposal for the Histological Report of the Primary Tumor in Patients with Cutaneous Melanoma From the Task Force for Cutaneous Melanoma of the Valencian Community. <i>Actas Dermo-sifiliogrÁficas</i> , 2007, 98, 459-465.	0.4	0
268	Rhinophyma-like granuloma faciale. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 060606032107049-???	2.4	15
269	Basal cell carcinoma of the nasolabial fold: an apparently â€˜benignâ€™ tumour that often needs complex surgery. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 926-930.	2.4	16
270	HLA class II polymorphisms in Spanish melanoma patients: homozygosity for HLA-DQA1 locus can be a potential melanoma risk factor. <i>British Journal of Dermatology</i> , 2006, 154, 261-266.	1.5	21

#	ARTICLE	IF	CITATIONS
271	Clinical, dermoscopy and histological correlation study of melanotic pigmentations in excision scars of melanocytic tumours. <i>British Journal of Dermatology</i> , 2006, 154, 478-484.	1.5	36
272	Pigmented epithelioid Spitz naevus: report of two cases. <i>Histopathology</i> , 2006, 49, 549-551.	2.9	12
273	Clinicopathological analysis of 1571 cutaneous malignant melanomas in Valencia, Spain: factors related to tumour thickness. <i>Acta Dermato-Venereologica</i> , 2006, 86, 50-56.	1.3	43
274	Age does not appear to be a major indicator of CDKN2A or CDK4 mutations in melanoma patients in Spain. <i>Melanoma Research</i> , 2005, 15, 555-558.	1.2	10
275	Prognostic factors in localized invasive cutaneous melanoma: high value of mitotic rate, vascular invasion and microscopic satellitosis. <i>Melanoma Research</i> , 2005, 15, 169-177.	1.2	123
276	Cytokine expression and dendritic cell density in melanoma sentinel nodes. <i>Melanoma Research</i> , 2005, 15, 99-106.	1.2	42
277	An amalgam tattoo on the oral mucosa related to a dental prosthesis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2005, 19, 90-92.	2.4	24
278	Vesiculous prurigo pigmentosa in a 13-year-old girl: good response to isotretinoin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2005, 19, 474-476.	2.4	23
279	Thickness of Healthy and Affected Skin of Children with Port Wine Stains: Potential Repercussions on Response to Pulsed Dye Laser Treatment. <i>Dermatologic Surgery</i> , 2004, 30, 1457-1461.	0.8	22
280	Videomicroscopy of Venular Malformations (Port-Wine Stain Type): Prediction of Response to Pulsed Dye Laser. <i>Pediatric Dermatology</i> , 2004, 21, 589-596.	0.9	49
281	PÃ¡pulas linfangiomasas benignas secundarias al tratamiento de cÃ¡ncer de mama. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2004, 95, 501-503.	0.4	6
282	DiagnÃ³stico y tratamiento enzimÃ¡tico sustitutivo de la enfermedad de Fabry. <i>Actas Dermo-sifiliogrÃ¡ficas</i> , 2004, 95, 436-439.	0.4	3
283	Clinical, histological and dermoscopy correlation of pigmentation in excision scars of melanocytic tumors. <i>Journal of the American Academy of Dermatology</i> , 2004, 50, P119.	1.2	0
284	Thickness of Healthy and Affected Skin of Children with Port Wine Stains. <i>Dermatologic Surgery</i> , 2004, 30, 1457-1461.	0.8	7
285	Positive margins in basal cell carcinoma: relationship to clinical features and recurrence risk. A retrospective study of 248 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003, 17, 167-170.	2.4	111
286	Tungiasis presenting with whitish nodules on the feet. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003, 17, 247-248.	2.4	12
287	Excellent response of basal cell carcinomas and pigmentary changes in xeroderma pigmentosum to imiquimod 5% cream. <i>British Journal of Dermatology</i> , 2003, 149, 858-861.	1.5	38
288	Molecular Genetic Analysis of HLA-DR and -DQ Alleles in Spanish Patients with Melanoma. <i>Acta Dermato-Venereologica</i> , 2002, 82, 90-93.	1.3	7

#	ARTICLE	IF	CITATIONS
289	Melanocytic agminated naevus on the sole. British Journal of Dermatology, 2002, 146, 154-154.	1.5	6
290	Chronic X-ray dermatitis treated by topical 5-aminolaevulinic acid-photodynamic therapy. British Journal of Dermatology, 2002, 147, 394-395.	1.5	11
291	Primary cutaneous melanoma in hidden sites is associated with thicker tumoursâ€” a study of 829 patients. European Journal of Cancer, 2001, 37, 79-82.	2.8	15
292	Cutaneous Infection with <i>Mycobacterium fortuitum</i> after Localized Microinjections (Mesotherapy) Treated Successfully with a Triple Drug Regimen. Acta Dermato-Venereologica, 2001, 81, 291-293.	1.3	65
293	Photosensitivity associated with treatment with triflusal. Journal of the European Academy of Dermatology and Venereology, 2000, 14, 219-221.	2.4	26
294	Detection of Epstein-Barr virus and human herpesvirus 7 and 8 genomes in primary cutaneous T- and B-cell lymphomas. British Journal of Dermatology, 2000, 143, 320-323.	1.5	63
295	Pseudovascular squamous cell carcinoma of the skin. Clinical and Experimental Dermatology, 2000, 25, 206-208.	1.3	26
296	Analysis of the CDKN2A and CDK4 Genes and HLA-DR and HLA-DQ Alleles in Two Spanish Familial Melanoma Kindreds. Acta Dermato-Venereologica, 2000, 80, 440-442.	1.3	10
297	Ashy Dermatoses in an HIV Antibody-positive Patient. Acta Dermato-Venereologica, 2000, 80, 78-79.	1.3	14
298	Antineoplastic Therapy???Induced Palmar Plantar Erythrodysesthesia (??Hand-Foot???) Syndrome. American Journal of Clinical Dermatology, 2000, 1, 225-234.	6.7	251
299	A Long-standing Keratotic Papular Eruption. Archives of Dermatology, 2000, 136, 417-a-422.	1.4	1
300	Detection of Epstein-Barr virus DNA in a patient with Kimura's disease. International Journal of Dermatology, 2000, 39, 618-620.	1.0	28
301	Atypical Involvement of the Palms and Soles in a Varicella Infection. Acta Dermato-Venereologica, 1999, 79, 322-322.	1.3	13
302	Radius Hypoplasia, Radial Palsy, and Aplasia Cutis Due to Amniotic Band Syndrome. Pediatric Dermatology, 1999, 16, 217-219.	0.9	20
303	Pustular allergic contact dermatitis from minoxidil. Contact Dermatitis, 1998, 38, 283-284.	1.4	21
304	Lipoatrophia semicircularisâ€”a traumatic panniculitis: Report of seven cases and review of the literature. Journal of the American Academy of Dermatology, 1998, 39, 879-881.	1.2	58
305	Median raphe cysts of the penis: a report of five cases.. Pediatric Dermatology, 1998, 15, 191-193.	0.9	41
306	Congenital lower lip pits (Van der Woude syndrome): presentation of 10 cases.. Pediatric Dermatology, 1998, 15, 443-445.	0.9	21

#	ARTICLE	IF	CITATIONS
307	Livedoid skin necrosis (Nicolau syndrome) due to triple vaccine (DTP) injection. British Journal of Dermatology, 1997, 137, 1030-1031.	1.5	42
308	Impact of a personal history of cutaneous squamous cell carcinoma in the overall survival of cutaneous melanoma patients. , 0, , .	0	0