

Ivano Brunner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8826164/publications.pdf>

Version: 2024-02-01

108
papers

6,292
citations

81900

39
h-index

74163

75
g-index

112
all docs

112
docs citations

112
times ranked

6805
citing authors

#	ARTICLE	IF	CITATIONS
1	Contrasting Dynamics in the Fine Root Mass of Angiosperm and Gymnosperm Forests on the Global Scale. <i>Ecosystems</i> , 2023, 26, 428-441.	3.4	3
2	Microbial Depolymerization of Epoxy Resins: A Novel Approach to a Complex Challenge. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 466.	2.5	3
3	Lessons learned from a long-term irrigation experiment in a dry Scots pine forest: Impacts on traits and functioning. <i>Ecological Monographs</i> , 2022, 92, e1507.	5.4	15
4	Soil fauna drives vertical redistribution of soil organic carbon in a long-term irrigated dry pine forest. <i>Global Change Biology</i> , 2022, 28, 3145-3160.	9.5	12
5	Shotgun Metagenomics of Deep Forest Soil Layers Show Evidence of Altered Microbial Genetic Potential for Biogeochemical Cycling. <i>Frontiers in Microbiology</i> , 2022, 13, 828977.	3.5	8
6	Root traits as drivers of plant and ecosystem functioning: current understanding, pitfalls and future research needs. <i>New Phytologist</i> , 2021, 232, 1123-1158.	7.3	277
7	Habitat specialisation controls ectomycorrhizal fungi above the treeline in the European Alps. <i>New Phytologist</i> , 2021, 229, 2901-2916.	7.3	24
8	Drought alters the carbon footprint of trees in soils—tracking the spatio-temporal fate of ¹³ C-labelled assimilates in the soil of an old-growth pine forest. <i>Global Change Biology</i> , 2021, 27, 2491-2506.	9.5	32
9	Verfr�chter Fruchtabwurf in Schweizer Buchenbest�nden im Hitze- und Trockensommer 2018. <i>Schweizerische Zeitschrift Fur Forstwesen</i> , 2021, 172, 166-175.	0.1	0
10	Deep Soil Layers of Drought-Exposed Forests Harbor Poorly Known Bacterial and Fungal Communities. <i>Frontiers in Microbiology</i> , 2021, 12, 674160.	3.5	41
11	Effects of long-term water reduction and nitrogen addition on fine roots and fungal hyphae in a mixed mature <i>Pinus koraiensis</i> forest. <i>Plant and Soil</i> , 2021, 467, 451-463.	3.7	4
12	A starting guide to root ecology: strengthening ecological concepts and standardising root classification, sampling, processing and trait measurements. <i>New Phytologist</i> , 2021, 232, 973-1122.	7.3	216
13	The Right-Skewed Distribution of Fine-Root Size in Three Temperate Forests in Northeastern China. <i>Frontiers in Plant Science</i> , 2021, 12, 772463.	3.6	2
14	The ‘‘Plastisphere’’ of Biodegradable Plastics Is Characterized by Specific Microbial Taxa of Alpine and Arctic Soils. <i>Frontiers in Environmental Science</i> , 2020, 8, .	3.3	54
15	Rhizosphere activity in an old-growth forest reacts rapidly to changes in soil moisture and shapes whole-tree carbon allocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24885-24892.	7.1	50
16	Fine-Root Traits Reveal Contrasting Ecological Strategies in European Beech and Norway Spruce During Extreme Drought. <i>Frontiers in Plant Science</i> , 2020, 11, 1211.	3.6	42
17	Only Minor Changes in the Soil Microbiome of a Sub-alpine Forest After 20 Years of Moderately Increased Nitrogen Loads. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	2.3	19
18	Leaf Morphological Traits and Leaf Nutrient Concentrations of European Beech Across a Water Availability Gradient in Switzerland. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	2.3	12

#	ARTICLE	IF	CITATIONS
19	Plant-fungal interactions in hybrid zones: Ectomycorrhizal communities of willows (<i>Salix</i>) in an alpine glacier forefield. <i>Fungal Ecology</i> , 2020, 45, 100936.	1.6	13
20	Extreme summer heat and drought lead to early fruit abortion in European beech. <i>Scientific Reports</i> , 2020, 10, 5334.	3.3	31
21	Species-Specific Responses of Root Morphology of Three Co-existing Tree Species to Nutrient Patches Reflect Their Root Foraging Strategies. <i>Frontiers in Plant Science</i> , 2020, 11, 618222.	3.6	18
22	Microbial succession on decomposing root litter in a drought-prone Scots pine forest. <i>ISME Journal</i> , 2019, 13, 2346-2362.	9.8	84
23	Plasticity of Fine-Root Traits Under Long-Term Irrigation of a Water-Limited Scots Pine Forest. <i>Frontiers in Plant Science</i> , 2019, 10, 701.	3.6	32
24	Base cation dynamics in rainfall, throughfall, litterflow and soil solution under Oriental beech (<i>Fagus orientalis</i> Lipsky) trees in northern Iran. <i>Annals of Forest Science</i> , 2019, 76, 1.	2.0	14
25	Belowground Biodiversity Relates Positively to Ecosystem Services of European Forests. <i>Frontiers in Forests and Global Change</i> , 2019, 2, .	2.3	24
26	Cultural ecosystem services provided by the biodiversity of forest soils: A European review. <i>Geoderma</i> , 2019, 343, 19-30.	5.1	16
27	The Dynamics of Living and Dead Fine Roots of Forest Biomes Across the Northern Hemisphere. <i>Forests</i> , 2019, 10, 953.	2.1	13
28	Global patterns of dead fine root stocks in forest ecosystems. <i>Journal of Biogeography</i> , 2018, 45, 1378-1394.	3.0	17
29	Ability of fungi isolated from plastic debris floating in the shoreline of a lake to degrade plastics. <i>PLoS ONE</i> , 2018, 13, e0202047.	2.5	107
30	Unravelling the age of fine roots of temperate and boreal forests. <i>Nature Communications</i> , 2018, 9, 3006.	12.8	48
31	The Responses of Forest Fine Root Biomass/Necromass Ratio to Environmental Factors Depend on Mycorrhizal Type and Latitudinal Region. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 1769-1788.	3.0	14
32	A decade of irrigation transforms the soil microbiome of a semi-arid pine forest. <i>Molecular Ecology</i> , 2017, 26, 1190-1206.	3.9	163
33	Experimentally increased water and nitrogen affect root production and vertical allocation of an old-field grassland. <i>Plant and Soil</i> , 2017, 412, 369-380.	3.7	32
34	Ecology of Alpine Macrofungi - Combining Historical with Recent Data. <i>Frontiers in Microbiology</i> , 2017, 8, 2066.	3.5	25
35	Carbon Allocation into Different Fine-Root Classes of Young <i>Abies alba</i> Trees Is Affected More by Phenology than by Simulated Browsing. <i>PLoS ONE</i> , 2016, 11, e0154687.	2.5	7
36	Seasonal variations of throughfall chemistry in pure and mixed stands of Oriental beech (<i>Fagus</i>)	2.0	19

#	ARTICLE	IF	CITATIONS
37	How tree roots respond to drought. <i>Frontiers in Plant Science</i> , 2015, 6, 547.	3.6	520
38	Vertical distribution of the soil microbiota along a successional gradient in a glacier forefield. <i>Molecular Ecology</i> , 2015, 24, 1091-1108.	3.9	180
39	Nine Years of Irrigation Cause Vegetation and Fine Root Shifts in a Water-Limited Pine Forest. <i>PLoS ONE</i> , 2014, 9, e96321.	2.5	40
40	Patterns of organic acids exuded by pioneering fungi from a glacier forefield are affected by carbohydrate sources. <i>Environmental Research Letters</i> , 2014, 9, 025002.	5.2	6
41	Organic Acids Exuded by Pioneering Fungi from a Glacier Forefield Help to Weather the Granitic Sediments. <i>Chimia</i> , 2014, 68, 567.	0.6	1
42	Fine-root turnover rates of European forests revisited: an analysis of data from sequential coring and ingrowth cores. <i>Plant and Soil</i> , 2013, 362, 357-372.	3.7	167
43	Soil acidity affects fine root turnover of European beech. <i>Plant Biosystems</i> , 2013, 147, 50-59.	1.6	21
44	Methylation of Mercury in Earthworms and the Effect of Mercury on the Associated Bacterial Communities. <i>PLoS ONE</i> , 2013, 8, e61215.	2.5	34
45	Aluminum exclusion and aluminum tolerance in woody plants. <i>Frontiers in Plant Science</i> , 2013, 4, 172.	3.6	144
46	Pattern of Elemental Release During the Granite Dissolution Can Be Changed by Aerobic Heterotrophic Bacterial Strains Isolated from Damma Glacier (Central Alps) Deglaciated Granite Sand. <i>Microbial Ecology</i> , 2012, 63, 865-882.	2.8	63
47	Contrasting reactions of roots of two coniferous tree species to aluminum stress. <i>Environmental and Experimental Botany</i> , 2012, 77, 12-18.	4.2	14
48	Bacterial, Archaeal and Fungal Succession in the Forefield of a Receding Glacier. <i>Microbial Ecology</i> , 2012, 63, 552-564.	2.8	214
49	Chemical and Biological Gradients along the Damma Glacier Soil Chronosequence, Switzerland. <i>Vadose Zone Journal</i> , 2011, 10, 867-883.	2.2	158
50	Pioneering fungi from the Damma glacier forefield in the Swiss Alps can promote granite weathering. <i>Geobiology</i> , 2011, 9, 266-279.	2.4	78
51	Accumulation of mercury and methylmercury by mushrooms and earthworms from forest soils. <i>Environmental Pollution</i> , 2011, 159, 2861-2869.	7.5	98
52	Soil base saturation affects root growth of European beech seedlings. <i>Journal of Plant Nutrition and Soil Science</i> , 2011, 174, 408-419.	1.9	10
53	Transcriptome responses to aluminum stress in roots of aspen (<i>Populus tremula</i>). <i>BMC Plant Biology</i> , 2010, 10, 185.	3.6	48
54	Incorporation and remobilization of ¹³ C within the fine-root systems of individual <i>Abies alba</i> trees in a temperate coniferous stand. <i>Tree Physiology</i> , 2010, 30, 1515-1527.	3.1	29

#	ARTICLE	IF	CITATIONS
55	Weathering-Associated Bacteria from the Damma Glacier Forefield: Physiological Capabilities and Impact on Granite Dissolution. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4788-4796.	3.1	186
56	Morphological and physiological responses of Scots pine fine roots to water supply in a dry climatic region in Switzerland. <i>Tree Physiology</i> , 2009, 29, 541-550.	3.1	78
57	Heavy metal accumulation and phytostabilisation potential of tree fine roots in a contaminated soil. <i>Environmental Pollution</i> , 2008, 152, 559-568.	7.5	154
58	Weathering, soil formation and initial ecosystem evolution on a glacier forefield: a case study from the Damma Glacier, Switzerland. <i>Mineralogical Magazine</i> , 2008, 72, 19-22.	1.4	50
59	Polyphenols in the woody roots of Norway spruce and European beech reduce TTC. <i>Tree Physiology</i> , 2007, 27, 155-160.	3.1	49
60	Exudation of organic acid anions from poplar roots after exposure to Al, Cu and Zn. <i>Tree Physiology</i> , 2007, 27, 313-320.	3.1	100
61	The platform for European root science, COST action E38: An introduction and overview. <i>Plant Biosystems</i> , 2007, 141, 390-393.	1.6	9
62	Variation in fine root biomass of three European tree species: Beech (<i>Fagus sylvatica</i> L.), Norway spruce (<i>Picea abies</i> L. Karst.), and Scots pine (<i>Pinus sylvestris</i> L.). <i>Plant Biosystems</i> , 2007, 141, 394-405.	1.6	189
63	Specific root length as an indicator of environmental change. <i>Plant Biosystems</i> , 2007, 141, 426-442.	1.6	476
64	Tree fine root Ca/Al molar ratio—Indicator of Al and acidity stress. <i>Plant Biosystems</i> , 2007, 141, 460-480.	1.6	56
65	Does low soil base saturation affect fine root properties of European beech (<i>Fagus sylvatica</i> L.)?. <i>Plant and Soil</i> , 2007, 298, 69-79.	3.7	15
66	Tree roots in a changing world. <i>Journal of Forest Research</i> , 2007, 12, 78-82.	1.4	154
67	Root parameters of forest trees as sensitive indicators of acidifying pollutants: a review of research of Japanese forest trees. <i>Journal of Forest Research</i> , 2007, 12, 134-142.	1.4	39
68	Quantitative determination of callose in tree roots. <i>Journal of Plant Physiology</i> , 2006, 163, 1333-1336.	3.5	10
69	Callose in root apices of European chestnut seedlings: a physiological indicator of aluminum stress. <i>Tree Physiology</i> , 2006, 26, 431-440.	3.1	19
70	Contribution of Ectomycorrhizal Fungi to Cadmium Uptake of Poplars and Willows from a Heavily Polluted Soil. <i>Plant and Soil</i> , 2005, 277, 245-253.	3.7	76
71	Induction of callose in roots of Norway spruce seedlings after short-term exposure to aluminum. <i>Tree Physiology</i> , 2004, 24, 1279-1283.	3.1	34
72	Molecular markers reveal extensive intraspecific below-ground overlap of silver fir fine roots. <i>Molecular Ecology</i> , 2004, 13, 3595-3600.	3.9	21

#	ARTICLE	IF	CITATIONS
73	Wood ash treatment affects seasonal N fluctuations in needles of adult <i>Picea abies</i> trees: a 15 N-tracer study. <i>Trees - Structure and Function</i> , 2004, 18, 54-60.	1.9	7
74	Wood-ash recycling affects forest soil and tree fine-root chemistry and reverses soil acidification. <i>Plant and Soil</i> , 2004, 267, 61-71.	3.7	36
75	Fine root growth and element concentrations of Norway spruce as affected by wood ash and liquid fertilisation. <i>Plant and Soil</i> , 2003, 255, 253-264.	3.7	43
76	Rapid 15N uptake and metabolism in fine roots of Norway spruce. <i>Trees - Structure and Function</i> , 2003, 17, 144-152.	1.9	14
77	The effects of fertiliser or wood ash on nitrate reductase activity in Norway spruce fine roots. <i>Forest Ecology and Management</i> , 2003, 175, 413-423.	3.2	12
78	Vitality of tree fine roots: reevaluation of the tetrazolium test. <i>Tree Physiology</i> , 2003, 23, 257-263.	3.1	124
79	Aluminum Effects on <i>Picea abies</i> at Low Solution Concentrations. <i>Soil Science Society of America Journal</i> , 2003, 67, 895-898.	2.2	4
80	Aluminum Effects on at Low Solution Concentrations. <i>Soil Science Society of America Journal</i> , 2003, 67, 895.	2.2	16
81	Fine root chemistry, starch concentration, and "vitality"™ of subalpine conifer forests in relation to soil pH. <i>Forest Ecology and Management</i> , 2002, 165, 75-84.	3.2	48
82	Ectomycorrhizas: their role in forest ecosystems under the impact of acidifying pollutants. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2001, 4, 13-27.	2.7	27
83	Response of mycorrhizal Norway spruce seedlings to various nitrogen loads and sources. <i>Environmental Pollution</i> , 2001, 114, 223-233.	7.5	23
84	Root exudation, organic acids, and element distribution in roots of Norway spruce seedlings treated with aluminum in hydroponics. <i>Journal of Plant Nutrition and Soil Science</i> , 2001, 164, 519.	1.9	35
85	Molecular identification of fine roots of trees from the Alps: reliable and fast DNA extraction and PCR-RFLP analyses of plastid DNA. <i>Molecular Ecology</i> , 2001, 10, 2079-2087.	3.9	70
86	The Evolutionary Split of Pinaceae from Other Conifers: Evidence from an Intron Loss and a Multigene Phylogeny. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 167-175.	2.7	96
87	Extracellular complexation of Cd in the Hartig net and cytosolic Zn sequestration in the fungal mantle of <i>Picea abies</i> - <i>Hebeloma crustuliniforme</i> ectomycorrhizas. <i>Plant, Cell and Environment</i> , 2000, 23, 1257-1265.	5.7	77
88	Detection and localization of aluminum and heavy metals in ectomycorrhizal Norway spruce seedlings. <i>Environmental Pollution</i> , 2000, 108, 121-128.	7.5	37
89	Title is missing!. <i>Plant and Soil</i> , 1999, 216, 103-116.	3.7	65
90	Response of Norway spruce seedlings in relation to chemical properties of forest soils. <i>Forest Ecology and Management</i> , 1999, 116, 71-81.	3.2	24

#	ARTICLE	IF	CITATIONS
91	Element localization in ultrathin cryosections of high-pressure frozen ectomycorrhizal spruce roots. <i>Plant, Cell and Environment</i> , 1997, 20, 929-937.	5.7	46
92	Effect of ectomycorrhizae and ammonium on ¹³⁴ Cs and ⁸⁵ Sr uptake into <i>Picea abies</i> seedlings. <i>Environmental Pollution</i> , 1996, 93, 1-8.	7.5	33
93	Response of European Chestnut to Varying Calcium/Aluminum Ratios. <i>Journal of Environmental Quality</i> , 1996, 25, 702-708.	2.0	19
94	Natural and synthesized ectomycorrhizas of the alpine dwarf willow <i>Salix herbacea</i> . <i>Mycorrhiza</i> , 1996, 6, 227-235.	2.8	22
95	Phytotoxic effects of the high molecular weight fraction of an aqueous leaf litter extract on barley root development. <i>Plant and Soil</i> , 1996, 178, 83-93.	3.7	11
96	Influence of ectomycorrhization and cesium/potassium ratio on uptake and localization of cesium in Norway spruce seedlings. <i>Tree Physiology</i> , 1996, 16, 705-711.	3.1	44
97	Effects of high nitrogen concentrations on ectomycorrhizal structure and growth of seedlings of <i>Picea abies</i> (L.) Karst.. <i>New Phytologist</i> , 1995, 129, 83-95.	7.3	37
98	Nucleotide sequence variation of chitin synthase genes among ectomycorrhizal fungi and its potential use in taxonomy. <i>Applied and Environmental Microbiology</i> , 1994, 60, 3105-3111.	3.1	45
99	Effects of root exudates and humic substances on weathering kinetics. <i>Water, Air, and Soil Pollution</i> , 1993, 68, 213-229.	2.4	56
100	Production of ectomycorrhizal <i>Picea abies</i> ? <i>Hebeloma crustuliniforme</i> seedlings for ecological studies: Effects of synthesis techniques on the morphology of the symbiosis. <i>Water, Air, and Soil Pollution</i> , 1993, 68, 231-240.	2.4	6
101	Freeze-fracturing for low-temperature scanning electron microscopy of Hartig net in synthesized <i>Picea abies</i> and <i>Hebeloma crustuliniforme</i> and <i>Tricholoma vaccinum</i> ectomycorrhizas. <i>New Phytologist</i> , 1993, 123, 123-132.	7.3	21
102	Characterization and comparison of macrofungal communities in an <i>Alnus tenuifolia</i> and an <i>Alnus crispa</i> forest in Alaska. <i>Canadian Journal of Botany</i> , 1992, 70, 1247-1258.	1.1	39
103	Ectomycorrhizal syntheses with <i>Picea abies</i> and three fungal species: a case study on the use of an in vitro technique to identify naturally occurring ectomycorrhizae. <i>Mycorrhiza</i> , 1992, 2, 89-96.	2.8	14
104	Ontogeny of synthesized <i>Picea abies</i> (L.) Karst.- <i>Hebeloma crustuliniforme</i> (Bull. ex St Amans) Quel. ectomycorrhizas. <i>New Phytologist</i> , 1992, 120, 359-369.	7.3	31
105	Characterization of naturally grown and in vitro synthesized ectomycorrhizas of <i>Hebeloma crustuliniforme</i> and <i>Picea abies</i> . <i>Mycological Research</i> , 1991, 95, 1407-1413.	2.5	22
106	Comparative studies on ectomycorrhizae synthesized with various in vitro techniques using <i>Picea abies</i> and two <i>Hebeloma</i> species. <i>Trees - Structure and Function</i> , 1991, 5, 90.	1.9	17
107	A new method to produce numerous uncontaminated alder seedlings. <i>Forest Pathology</i> , 1990, 20, 430-435.	1.1	3
108	Ectomycorrhizal synthesis with Alaskan <i>Alnus tenuifolia</i> . <i>Canadian Journal of Botany</i> , 1990, 68, 761-767.	1.1	26