Alejandro Higuera-Matas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8827075/publications.pdf

Version: 2024-02-01

47 papers

1,343 citations

331670 21 h-index 35 g-index

56 all docs

56
docs citations

56 times ranked 1752 citing authors

#	Article	IF	CITATIONS
1	Cannabidiol, a Nonpsychotropic Component of Cannabis, Inhibits Cue-Induced Heroin Seeking and Normalizes Discrete Mesolimbic Neuronal Disturbances. Journal of Neuroscience, 2009, 29, 14764-14769.	3.6	173
2	Augmented Acquisition of Cocaine Self-Administration and Altered Brain Glucose Metabolism in Adult Female but not Male Rats Exposed to a Cannabinoid Agonist during Adolescence. Neuropsychopharmacology, 2008, 33, 806-813.	5.4	82
3	Long-term consequences of perinatal and adolescent cannabinoid exposure on neural and psychological processes. Neuroscience and Biobehavioral Reviews, 2015, 55, 119-146.	6.1	73
4	Glutamate and aspartate levels in the nucleus accumbens during cocaine self-administration and extinction: a time course microdialysis study. Psychopharmacology, 2008, 196, 303-313.	3.1	71
5	Sex-dependent effects of periadolescent exposure to the cannabinoid agonist CP-55,940 on morphine self-administration behaviour and the endogenous opioid system. Neuropharmacology, 2008, 54, 863-873.	4.1	68
6	Enhancement of hippocampal long-term potentiation induced by cocaine self-administration is maintained during the extinction of this behavior. Brain Research, 2006, 1116, 120-126.	2.2	56
7	Chronic periadolescent cannabinoid treatment enhances adult hippocampal PSA-NCAM expression in male Wistar rats but only has marginal effects on anxiety, learning and memory. Pharmacology Biochemistry and Behavior, 2009, 93, 482-490.	2.9	51
8	Modulation of the endogenous opioid system after morphine self-administration and during its extinction: A study in Lewis and Fischer 344 rats. Neuropharmacology, 2007, 52, 931-948.	4.1	47
9	Extended-access methamphetamine self-administration elicits neuroinflammatory response along with blood-brain barrier breakdown. Brain, Behavior, and Immunity, 2017, 62, 306-317.	4.1	42
10	Sex-specific disturbances of the glutamate/GABA balance in the hippocampus of adult rats subjected to adolescent cannabinoid exposure. Neuropharmacology, 2012, 62, 1975-1984.	4.1	41
11	DREAM Controls the On/Off Switch of Specific Activity-Dependent Transcription Pathways. Molecular and Cellular Biology, 2014, 34, 877-887.	2.3	41
12	Strain differences in the dose–response relationship for morphine self-administration and impulsive choice between Lewis and Fischer 344 rats. Journal of Psychopharmacology, 2011, 25, 783-791.	4.0	40
13	Immunoglobulin G Fc receptor deficiency prevents Alzheimer-like pathology and cognitive impairment in mice. Brain, 2012, 135, 2826-2837.	7.6	37
14	Cocaine self-administration improves performance in a highly demanding water maze task. Psychopharmacology, 2007, 195, 19-25.	3.1	35
15	Differential cocaine-induced modulation of glutamate and dopamine transporters after contingent and non-contingent administration. Neuropharmacology, 2008, 55, 771-779.	4.1	33
16	Cocaine self-administration differentially modulates the expression of endogenous cannabinoid system-related proteins in the hippocampus of Lewis vs. Fischer 344 rats. International Journal of Neuropsychopharmacology, 2013, 16, 1277-1293.	2.1	33
17	Hippocampal Synaptic Plasticity and Water Maze Learning in Cocaine Self-Administered Rats. Annals of the New York Academy of Sciences, 2006, 1074, 427-437.	3.8	31
18	Periadolescent exposure to cannabinoids alters the striatal and hippocampal dopaminergic system in the adult rat brain. European Neuropsychopharmacology, 2010, 20, 895-906.	0.7	31

#	Article	IF	CITATIONS
19	Strain differences between Lewis and Fischer 344 rats in the modulation of dopaminergic receptors after morphine self-administration and during extinction. Neuropharmacology, 2009, 57, 8-17.	4.1	28
20	MouBeAT: A New and Open Toolbox for Guided Analysis of Behavioral Tests in Mice. Frontiers in Behavioral Neuroscience, 2018, 12, 201.	2.0	28
21	Mice with Decreased Cerebral Dopamine Function following a Neurotoxic Dose of MDMA (3,4-Methylenedioxymethamphetamine, "Ecstasyâ€) Exhibit Increased Ethanol Consumption and Preference. Journal of Pharmacology and Experimental Therapeutics, 2007, 322, 1003-1012.	2.5	25
22	Central nucleus of the amygdala as a common substrate of the incubation of drug and natural reinforcer seeking. Addiction Biology, 2020, 25, e12706.	2.6	24
23	The Basolateral Amygdala to Nucleus Accumbens Core Circuit Mediates the Conditioned Reinforcing Effects of Cocaine-Paired Cues on Cocaine Seeking. Biological Psychiatry, 2021, 89, 356-365.	1.3	22
24	Depotentiation of hippocampal long-term potentiation depends on genetic background and is modulated by cocaine self-administration. Neuroscience, 2011, 187, 36-42.	2.3	20
25	Genetic differences in the modulation of accumbal glutamate and \hat{l}^3 -amino butyric acid levels after cocaine-induced reinstatement. Addiction Biology, 2013, 18, 623-632.	2.6	18
26	Differential Gene Expression in the Nucleus Accumbens and Frontal Cortex of Lewis and Fischer 344 Rats Relevant to Drug Addiction. Current Neuropharmacology, 2011, 9, 143-150.	2.9	17
27	Strain differences in the expression of endocannabinoid genes and in cannabinoid receptor binding in the brain of Lewis and Fischer 344 rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 53, 15-22.	4.8	15
28	Unaltered cocaine self-administration in the prenatal LPS rat model of schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 69, 38-48.	4.8	14
29	Comparative analysis of the modulation of perineuronal nets in the prefrontal cortex of rats during protracted withdrawal from cocaine, heroin and sucrose self-administration. Neuropharmacology, 2020, 180, 108290.	4.1	14
30	Selective effects of î"9-tetrahydrocannabinol on medium spiny neurons in the striatum. PLoS ONE, 2018, 13, e0200950.	2.5	13
31	Cocaine facilitates protein synthesis-dependent LTP: The role of metabotropic glutamate receptors. European Neuropsychopharmacology, 2014, 24, 621-629.	0.7	12
32	Changes in D1 but not D2 dopamine or mu-opioid receptor expression in limbic and motor structures after lateral hypothalamus electrical self-stimulation: A quantitative autoradiographic study. Neurobiology of Learning and Memory, 2016, 127, 17-26.	1.9	12
33	Chronic Cannabinoid Administration to Periadolescent Rats Modulates the Metabolic Response to Acute Cocaine in the Adult Brain. Molecular Imaging and Biology, 2011, 13, 411-415.	2.6	11
34	Impulsive Action and Impulsive Choice Are Differentially Associated With Gene Expression Variations of the GABAA Receptor Alfa 1 Subunit and the CB1 Receptor in the Lateral and Medial Orbitofrontal Cortices. Frontiers in Behavioral Neuroscience, 2019, 13, 22.	2.0	11
35	î" 9-Tetrahydrocannabinol During Adolescence Reprograms the Nucleus Accumbens Transcriptome, Affecting Reward Processing, Impulsivity, and Specific Aspects of Cocaine Addiction-Like Behavior in a Sex-Dependent Manner. International Journal of Neuropsychopharmacology, 2021, 24, 920-933.	2.1	11
36	Mu-Opioid Receptors in Ganglia, But Not in Muscle, Mediate Peripheral Analgesia in Rat Muscle Pain. Anesthesia and Analgesia, 2018, 126, 1369-1376.	2.2	10

#	Article	IF	CITATIONS
37	Morphine self-administration alters the expression of translational machinery genes in the amygdala of male Lewis rats. Journal of Psychopharmacology, 2019, 33, 882-893.	4.0	10
38	The role of the mTOR pathway in models of drug-induced reward and the behavioural constituents of addiction. Journal of Psychopharmacology, 2020, 34, 1176-1199.	4.0	8
39	Maternal immune activation is associated with a lower number of dopamine receptor 3-expressing granulocytes with no alterations in cocaine reward, resistance to extinction or cue-induced reinstatement. Pharmacology Biochemistry and Behavior, 2020, 193, 172930.	2.9	6
40	ExÂvivo 1H-MRS brain metabolic profiling in a two-hit model of neurodevelopmental disorders: Prenatal immune activation and peripubertal stress. Schizophrenia Research, 2022, 243, 232-240.	2.0	5
41	The effects of combined intravenous cocaine and ethanol self-administration on the behavioral and amino acid profile of young adult rats. PLoS ONE, 2020, 15, e0227044.	2.5	5
42	Parafascicular thalamic nucleus deep brain stimulation decreases NMDA receptor GluN1 subunit gene expression in the prefrontal cortex. Neuroscience, 2017, 348, 73-82.	2.3	4
43	CNR1 gene deletion affects the density of endomorphin-2 binding sites in the mouse brain in a hemisphere-specific manner. European Journal of Pharmacology, 2013, 698, 220-227.	3.5	3
44	Effects of heroin self-administration and forced withdrawal on the expression of genes related to the mTOR network in the basolateral complex of the amygdala of male Lewis rats. Psychopharmacology, 2022, 239, 2559-2571.	3.1	3
45	Neural Changes Developed during the Extinction of Cocaine Self-Administration Behavior. Pharmaceuticals, 2011, 4, 1315-1327.	3.8	2
46	Cocaine-induced Fos expression in the rat brain: Modulation by prior î"9-tetrahydrocannabinol exposure during adolescence and sex-specific effects. Brain Research, 2021, 1764, 147480.	2.2	2
47	The interactions of alcohol and cocaine regulate the expression of genes involved in the GABAergic, glutamatergic and endocannabinoid systems of male and female rats. Neuropharmacology, 2022, 206, 108937.	4.1	2