

Huihui Bao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/882806/publications.pdf>

Version: 2024-02-01

75
papers

1,230
citations

567281

15
h-index

477307

29
g-index

104
all docs

104
docs citations

104
times ranked

1477
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between plasma copper levels and first stroke: a community-based nested case-control study. <i>Nutritional Neuroscience</i> , 2022, 25, 1524-1533.	3.1	18
2	Association Between Hyperhomocysteinemia Combined with Metabolic Syndrome and Higher Prevalence of Stroke in Chinese Adults Who Have Elevated Blood Pressure. <i>Medical Science Monitor</i> , 2022, 27, e934100.	1.1	2
3	Association between baseline brachial-ankle pulse wave velocity and short-term risk of first stroke among Chinese hypertensive adults. <i>Journal of Human Hypertension</i> , 2022, 36, 1085-1091.	2.2	2
4	Association of weight-adjusted-waist index with all-cause and cardiovascular mortality in China: A prospective cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1210-1217.	2.6	35
5	Relationship Between the Triglyceride Glucose Index and the Risk of First Stroke in Elderly Hypertensive Patients. <i>International Journal of General Medicine</i> , 2022, Volume 15, 1271-1279.	1.8	9
6	Positive Association between the Triglyceride-Glucose Index and Hyperuricemia in Chinese Adults with Hypertension: An Insight from the China H-Type Hypertension Registry Study. <i>International Journal of Endocrinology</i> , 2022, 2022, 1-8.	1.5	9
7	Association Between the Surrogate Markers of Insulin Resistance and Chronic Kidney Disease in Chinese Hypertensive Patients. <i>Frontiers in Medicine</i> , 2022, 9, 831648.	2.6	11
8	Association of Sleep Duration, Midday Napping with Atrial Fibrillation in Patients with Hypertension. <i>Clinical Epidemiology</i> , 2022, Volume 14, 385-393.	3.0	7
9	Association of Plasma Bilirubin Levels With Peripheral Arterial Disease in Chinese Hypertensive Patients: New Insight on Sex Differences. <i>Frontiers in Physiology</i> , 2022, 13, 867418.	2.8	3
10	Association Between Body Mass Index and All-Cause Mortality in a Prospective Cohort of Southern Chinese Adults Without Morbid Obesity. <i>Frontiers in Physiology</i> , 2022, 13, 857787.	2.8	4
11	Visceral adiposity index and sex differences in relation to peripheral artery disease in normal-weight adults with hypertension. <i>Biology of Sex Differences</i> , 2022, 13, 22.	4.1	5
12	Sex Modified the Association between Sleep Duration and worse Cognitive Performance in Chinese Hypertensive Population: Insight from the China H-Type Hypertension Registry Study. <i>Behavioural Neurology</i> , 2022, 2022, 1-8.	2.1	0
13	The ankle-brachial index and risk of incident stroke in Chinese hypertensive population without atrial fibrillation: A cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 114-121.	2.0	6
14	AST/ALT Ratio and Peripheral Artery Disease in a Chinese Hypertensive Population: A Cross-Sectional Study. <i>Angiology</i> , 2021, 72, 916-922.	1.8	18
15	Visceral Adiposity Index Is Inversely Associated with Renal Function in Normal-Weight Adults with Hypertension: The China H-Type Hypertension Registry Study. <i>Journal of Nutrition</i> , 2021, 151, 1394-1400.	2.9	13
16	The relationship between the atherogenic index of plasma and arterial stiffness in essential hypertensive patients from China: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 245.	1.7	11
17	Sex difference in the association between plasma selenium and first stroke: a community-based nested case-control study. <i>Biology of Sex Differences</i> , 2021, 12, 39.	4.1	14
18	Association of waist-to-height ratio with hypertension and its subtypes in southern China. <i>Journal of Human Hypertension</i> , 2021, , .	2.2	1

#	ARTICLE	IF	CITATIONS
19	Positive association between body fat percentage and hyperuricemia in patients with hypertension: The China H-type hypertension registry study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3076-3084.	2.6	9
20	U-Shaped Association of Body Mass Index with the Risk of Peripheral Arterial Disease in Chinese Hypertensive Population. <i>International Journal of General Medicine</i> , 2021, Volume 14, 3627-3634.	1.8	7
21	A Review of Novel Cardiac Biomarkers in Acute or Chronic Cardiovascular Diseases: The Role of Soluble ST2 (sST2), Lipoprotein-Associated Phospholipase A2 (Lp-PLA2), Myeloperoxidase (MPO), and Procalcitonin (PCT). <i>Disease Markers</i> , 2021, 2021, 1-10.	1.3	13
22	The association between AST/ALT ratio and all-cause and cardiovascular mortality in patients with hypertension. <i>Medicine (United States)</i> , 2021, 100, e26693.	1.0	20
23	Effect of age stratification on the association between carotid intima-media thickness and cognitive impairment in Chinese hypertensive patients: new insight from the secondary analysis of the China Stroke Primary Prevention Trial (CSPPT). <i>Hypertension Research</i> , 2021, 44, 1505-1514.	2.7	3
24	The association of lipid ratios with hyperuricemia in a rural Chinese hypertensive population. <i>Lipids in Health and Disease</i> , 2021, 20, 121.	3.0	4
25	Saturation Effects of Plasma Homocysteine on Chronic Kidney Disease in Chinese Adults With H-type Hypertension: A Cross-sectional Study. , 2021, 31, 459-466.		3
26	Visceral adiposity index is associated with arterial stiffness in hypertensive adults with normal-weight: the china H-type hypertension registry study. <i>Nutrition and Metabolism</i> , 2021, 18, 90.	3.0	5
27	Positive Association between Triglyceride-Rich Lipoprotein Cholesterol and Diabetes Mellitus in Hypertensive Patients. <i>International Journal of Endocrinology</i> , 2021, 2021, 1-8.	1.5	2
28	Does body mass index or waist-hip ratio correlate with arterial stiffness based on brachial-ankle pulse wave velocity in Chinese rural adults with hypertension?. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 573.	1.7	5
29	Relationship Between the Lipid Accumulation Product Index and Arterial Stiffness in the Chinese Population With Hypertension: A Report From the China H-Type Hypertension Registry Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 760361.	2.4	4
30	Association Between Basal Metabolic Rate and All-Cause Mortality in a Prospective Cohort of Southern Chinese Adults. <i>Frontiers in Physiology</i> , 2021, 12, 790347.	2.8	7
31	Association Between Lipid Accumulation Product and Cognitive Function in Hypertensive Patients With Normal Weight: Insight From the China H-type Hypertension Registry Study. <i>Frontiers in Neurology</i> , 2021, 12, 732757.	2.4	4
32	High Estimated Glomerular Filtration Rate Is Associated With Worse Cognitive Performance in the Hypertensive Population: Results From the China H-Type Hypertension Registry Study. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 706928.	3.4	5
33	Prospective Study of Serum Uric Acid Levels and First Stroke Events in Chinese Adults With Hypertension. <i>Frontiers in Physiology</i> , 2021, 12, 807420.	2.8	2
34	The efficacy of remote ischemic conditioning in preventing contrast-induced nephropathy among patients undergoing coronary angiography or intervention: An updated systematic review and meta-analysis. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12706.	1.1	2
35	U-Shaped Association of Serum Uric Acid With All-Cause and Cause-Specific Mortality in US Adults: A Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e597-e609.	3.6	64
36	Effect of hypertension status on the association between sleep duration and stroke among middle-aged and elderly population. <i>Journal of Clinical Hypertension</i> , 2020, 22, 65-73.	2.0	6

#	ARTICLE	IF	CITATIONS
37	Nonlinear association between blood lead and hyperhomocysteinemia among adults in the United States. <i>Scientific Reports</i> , 2020, 10, 17166.	3.3	8
38	Association between serum albumin and peripheral arterial disease in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2250-2257.	2.0	7
39	Is There a Nonlinear Relationship between Serum Uric Acid and Lipids in a Hypertensive Population with eGFR ≥ 30 mL/min/1.73 m ² ? Findings from the China Hypertension Registry Study. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	1.5	5
40	Serum folate modified the association between low-density lipoprotein cholesterol and carotid intima-media thickness in Chinese hypertensive adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2303-2311.	2.6	3
41	Association of self-reported sleep duration and quality with BaPWV levels in hypertensive patients. <i>Hypertension Research</i> , 2020, 43, 1392-1402.	2.7	12
42	Association between nontraditional lipid profiles and peripheral arterial disease in Chinese adults with hypertension. <i>Lipids in Health and Disease</i> , 2020, 19, 231.	3.0	7
43	A U-shaped association between the LDL-cholesterol to HDL-cholesterol ratio and all-cause mortality in elderly hypertensive patients: a prospective cohort study. <i>Lipids in Health and Disease</i> , 2020, 19, 238.	3.0	16
44	Positive association between triglyceride glucose index and arterial stiffness in hypertensive patients: the China H-type Hypertension Registry Study. <i>Cardiovascular Diabetology</i> , 2020, 19, 139.	6.8	90
45	Association between platelet count and the risk of bleeding among patients with nonvalvular atrial fibrillation taking dabigatran after radiofrequency ablation: a cohort study. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1175-1183.	1.7	2
46	Nicorandil reversed homocysteine-induced coronary microvascular dysfunction via regulating PI3K/Akt/eNOS pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 127, 110121.	5.6	25
47	Hyaluronic acid-based antibacterial hydrogels constructed by a hybrid crosslinking strategy for pacemaker pocket infection prevention. <i>Carbohydrate Polymers</i> , 2020, 245, 116525.	10.2	22
48	Achieving blood pressure control targets in hypertensive patients of rural China – a pilot randomized trial. <i>Trials</i> , 2020, 21, 515.	1.6	2
49	Different adiposity indices and their associations with hypertension among Chinese population from Jiangxi province. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 115.	1.7	16
50	Association Between the Change in Total Bilirubin and Risk of Bleeding Among Patients With Nonvalvular Atrial Fibrillation Taking Dabigatran. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020, 26, 107602962091080.	1.7	1
51	Diastolic blood pressure achieved at target systolic blood pressure (120-140 mmHg) and dabigatran-related bleeding in patients with nonvalvular atrial fibrillation: a real-world study. <i>Anatolian Journal of Cardiology</i> , 2020, 24, 267-273.	0.9	2
52	Interpreting stimulated plasma renin and aldosterone to select physiologically individualized therapy for resistant hypertension: importance of the class of stimulating drugs. <i>Hypertension Research</i> , 2019, 42, 1971-1978.	2.7	9
53	Associations between Blood Pressure Indices and Brachial Ankle Pulse Wave Velocity in Treated Hypertensive Adults: results from the China Stroke Primary Prevention Trial (CSPPT). <i>Scientific Reports</i> , 2019, 9, 8178.	3.3	10
54	Associations between resting heart rate, hypertension, and stroke: A population-based cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 589-597.	2.0	15

#	ARTICLE	IF	CITATIONS
55	Association between Age at Menarche and Hypertension among Females in Southern China: A Cross-Sectional Study. <i>International Journal of Hypertension</i> , 2019, 2019, 1-9.	1.3	9
56	Meta-analysis of Stroke and Bleeding Risk in Patients with Various Atrial Fibrillation Patterns Receiving Oral Anticoagulants. <i>American Journal of Cardiology</i> , 2019, 123, 922-928.	1.6	12
57	Association Between Lipid Profiles and Arterial Stiffness in Chinese Patients With Hypertension: Insights From the CSPPT. <i>Angiology</i> , 2019, 70, 515-522.	1.8	33
58	HSP22 suppresses diabetes-induced endothelial injury by inhibiting mitochondrial reactive oxygen species formation. <i>Redox Biology</i> , 2019, 21, 101095.	9.0	39
59	Relationship of sleep duration on workdays and non-workdays with blood pressure components in Chinese hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 627-636.	1.3	5
60	<i>MTHFR</i> Gene and Serum Folate Interaction on Serum Homocysteine Lowering. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 679-685.	2.4	29
61	Sleep duration on workdays or nonworkdays and cardiac cerebral vascular diseases in Southern China. <i>Sleep Medicine</i> , 2018, 47, 36-43.	1.6	17
62	Effect of Nicorandil Administration on Preventing Contrast-Induced Nephropathy: A Meta-Analysis. <i>Angiology</i> , 2018, 69, 568-573.	1.8	17
63	Sedentary behavior and the risk of cardiac-cerebral vascular diseases in southern China. <i>Medicine (United States)</i> , 2018, 97, e12838.	1.0	16
64	Value of electrocardiographic left ventricular hypertrophy as a predictor of poor blood pressure control. <i>Medicine (United States)</i> , 2018, 97, e12966.	1.0	2
65	Association between subjective sleep duration on workdays or non-workdays and uncontrolled blood pressure in Southern China. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 742-750.	2.3	5
66	Optimal Systolic Blood Pressure Levels for Primary Prevention of Stroke in General Hypertensive Adults. <i>Hypertension</i> , 2017, 69, 697-704.	2.7	40
67	Nonspecific ST-T changes associated with unsatisfactory blood pressure control among adults with hypertension in China. <i>Medicine (United States)</i> , 2017, 96, e6423.	1.0	14
68	Association between percent decline in serum total homocysteine and risk of first stroke. <i>Neurology</i> , 2017, 89, 2101-2107.	1.1	60
69	Lipid levels and new-onset diabetes in a hypertensive population: the China Stroke Primary Prevention Trial. <i>Scientific Reports</i> , 2017, 7, 7014.	3.3	4
70	A mutation in the CACNA1C gene leads to early repolarization syndrome with incomplete penetrance: A Chinese family study. <i>PLoS ONE</i> , 2017, 12, e0177532.	2.5	15
71	Prevalence and Risk Factors of Prehypertension and Hypertension in Southern China. <i>PLoS ONE</i> , 2017, 12, e0170238.	2.5	99
72	Prevalence of overweight, obesity, abdominal obesity and obesity-related risk factors in southern China. <i>PLoS ONE</i> , 2017, 12, e0183934.	2.5	181

#	ARTICLE	IF	CITATIONS
73	Pim-2 protects H9c2 cardiomyocytes from hypoxia/reoxygenation-induced apoptosis via downregulation of Bim expression. <i>Environmental Toxicology and Pharmacology</i> , 2016, 48, 94-102.	4.0	6
74	Independent and Joint Effect of Brachial-Ankle Pulse Wave Velocity and Blood Pressure Control on Incident Stroke in Hypertensive Adults. <i>Hypertension</i> , 2016, 68, 46-53.	2.7	40
75	The Presence of Giant Epsilon Waves in a Patient with Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Annals of Noninvasive Electrocardiology</i> , 2012, 17, 277-279.	1.1	1