

Afsaneh Safavi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8828139/publications.pdf>

Version: 2024-02-01

249
papers

8,949
citations

34105

52
h-index

58581

82
g-index

254
all docs

254
docs citations

254
times ranked

8273
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Performance Carbon Composite Electrode Based on an Ionic Liquid as a Binder. <i>Analytical Chemistry</i> , 2006, 78, 3820-3826.	6.5	491
2	Simultaneous determination of dopamine, ascorbic acid, and uric acid using carbon ionic liquid electrode. <i>Analytical Biochemistry</i> , 2006, 359, 224-229.	2.4	375
3	Fabrication of a glucose sensor based on a novel nanocomposite electrode. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1655-1660.	10.1	284
4	Simultaneous Electrochemical Determination of Glutathione and Glutathione Disulfide at a Nanoscale Copper Hydroxide Composite Carbon Ionic Liquid Electrode. <i>Analytical Chemistry</i> , 2009, 81, 7538-7543.	6.5	177
5	Indirect determination of cyanide ion and hydrogen cyanide by adsorptive stripping voltammetry at a mercury electrode. <i>Analytica Chimica Acta</i> , 2004, 503, 213-221.	5.4	168
6	Palladium nanoparticle decorated carbon ionic liquid electrode for highly efficient electrocatalytic oxidation and determination of hydrazine. <i>Analytica Chimica Acta</i> , 2008, 611, 151-155.	5.4	168
7	Electrodeposition of gold-platinum alloy nanoparticles on ionic liquid-chitosan composite film and its application in fabricating an amperometric cholesterol biosensor. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2547-2552.	10.1	163
8	Cloud point extraction, preconcentration and simultaneous spectrophotometric determination of nickel and cobalt in water samples. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2004, 60, 2897-2901.	3.9	145
9	Flow injection chemiluminescence determination of hydrazine by oxidation with chlorinated isocyanurates. <i>Talanta</i> , 2002, 58, 785-792.	5.5	143
10	Highly efficient degradation of azo dyes by palladium/hydroxyapatite/Fe ₃ O ₄ nanocatalyst. <i>Journal of Hazardous Materials</i> , 2012, 201-202, 125-131.	12.4	142
11	Novel optical pH sensor for high and low pH values. <i>Sensors and Actuators B: Chemical</i> , 2003, 90, 143-150.	7.8	131
12	Immobilization of Porphyrinatocopper Nanoparticles onto Activated Multi-Walled Carbon Nanotubes and a Study of its Catalytic Activity as an Efficient Heterogeneous Catalyst for a Click Approach to the Three-Component Synthesis of 1,2,3-Triazoles in Water. <i>Advanced Synthesis and Catalysis</i> , 2009, 351, 2391-2410.	4.3	128
13	Direct electrochemistry of hemoglobin and its electrocatalytic effect based on its direct immobilization on carbon ionic liquid electrode. <i>Electrochemistry Communications</i> , 2008, 10, 420-423.	4.7	127
14	Efficient electrocatalysis of L-cysteine oxidation at carbon ionic liquid electrode. <i>Analytical Biochemistry</i> , 2007, 369, 149-153.	2.4	122
15	Highly stable electrochemical oxidation of phenolic compounds at carbon ionic liquid electrode. <i>Analyst</i> , 2007, 132, 54-58.	3.5	118
16	Indirect colorimetric detection of glutathione based on its radical restoration ability using carbon nanodots as nanozymes. <i>Sensors and Actuators B: Chemical</i> , 2014, 199, 463-469.	7.8	110
17	Flow injection chemiluminescence determination of hydrazine. <i>Analytica Chimica Acta</i> , 1998, 358, 121-125.	5.4	103
18	Electrocatalytic oxidation of formaldehyde on palladium nanoparticles electrodeposited on carbon ionic liquid composite electrode. <i>Journal of Electroanalytical Chemistry</i> , 2009, 626, 75-79.	3.8	102

#	ARTICLE	IF	CITATIONS
19	Kinetic spectrophotometric determination of hydrazine. <i>Analytica Chimica Acta</i> , 1995, 300, 307-311.	5.4	99
20	Electrodeposited Silver Nanoparticles on Carbon Ionic Liquid Electrode for Electrocatalytic Sensing of Hydrogen Peroxide. <i>Electroanalysis</i> , 2009, 21, 1533-1538.	2.9	96
21	High electrocatalytic effect of palladium nanoparticle arrays electrodeposited on carbon ionic liquid electrode. <i>Electrochemistry Communications</i> , 2007, 9, 1963-1968.	4.7	95
22	Assessment of cytotoxicity of choline chloride-based natural deep eutectic solvents against human HEK-293 cells: A QSAR analysis. <i>Chemosphere</i> , 2018, 209, 831-838.	8.2	90
23	A new label free colorimetric chemosensor for detection of mercury ion with tunable dynamic range using carbon nanodots as enzyme mimics. <i>Chemical Engineering Journal</i> , 2014, 255, 1-7.	12.7	82
24	Vortex-assisted liquid-liquid microextraction based on hydrophobic deep eutectic solvent for determination of malondialdehyde and formaldehyde by HPLC-UV approach. <i>Microchemical Journal</i> , 2018, 143, 166-174.	4.5	81
25	Deep eutectic water binary solvent associations investigated by vibrational spectroscopy and chemometrics. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 18463-18473.	2.8	81
26	Nucleic acid-based electrochemical nanobiosensors. <i>Biosensors and Bioelectronics</i> , 2018, 102, 479-489.	10.1	80
27	Optical sensor for high pH values. <i>Analytica Chimica Acta</i> , 1998, 367, 167-173.	5.4	79
28	Flow injection chemiluminescence determination of sulfide by oxidation with N-bromosuccinimide and N-chlorosuccinimide. <i>Talanta</i> , 2002, 57, 491-500.	5.5	78
29	Phase behavior and characterization of ionic liquids based microemulsions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 355, 61-66.	4.7	75
30	Investigation of the Role of Ionic Liquids in Imparting Electrocatalytic Behavior to Carbon Paste Electrode. <i>Electroanalysis</i> , 2007, 19, 2247-2250.	2.9	74
31	Construction of a carbon nanocomposite electrode based on amino acids functionalized gold nanoparticles for trace electrochemical detection of mercury. <i>Analytica Chimica Acta</i> , 2011, 688, 43-48.	5.4	74
32	A Selective and Sensitive Method for Simultaneous Determination of Traces of Paracetamol and p-Aminophenol in Pharmaceuticals Using Carbon Ionic Liquid Electrode. <i>Electroanalysis</i> , 2008, 20, 2158-2162.	2.9	73
33	Electrocatalytic behaviors of silver-palladium nanoalloys modified carbon ionic liquid electrode towards hydrogen evolution reaction. <i>Fuel</i> , 2014, 118, 156-162.	6.4	73
34	Effect of gold nanoparticle as a novel nanocatalyst on luminol-hydrazine chemiluminescence system and its analytical application. <i>Analytica Chimica Acta</i> , 2008, 610, 243-248.	5.4	71
35	Design and characteristics of a mercury (II) optode based on immobilization of dithizone on a triacetylcellulose membrane. <i>Sensors and Actuators B: Chemical</i> , 2004, 99, 608-612.	7.8	67
36	A novel optical sensor for uranium determination. <i>Analytica Chimica Acta</i> , 2005, 530, 55-60.	5.4	64

#	ARTICLE	IF	CITATIONS
37	One-pot synthesis of large scale graphene nanosheets from graphiteâ€“liquid crystal composite via thermal treatment. <i>Journal of Materials Chemistry</i> , 2012, 22, 3825.	6.7	64
38	Facile approach to the synthesis of carbon nanodots and their peroxidase mimetic function in azo dyes degradation. <i>RSC Advances</i> , 2012, 2, 7367.	3.6	62
39	Single-step calibration, prediction and real samples data acquisition for artificial neural network using a CCD camera. <i>Talanta</i> , 2004, 64, 830-835.	5.5	61
40	Hydrogen peroxide biosensor based on a myoglobin/hydrophilic room temperature ionic liquid film. <i>Analytical Biochemistry</i> , 2010, 402, 20-25.	2.4	61
41	Electrochemically deposited hybrid nickelâ€“cobalt hexacyanoferrate nanostructures for electrochemical supercapacitors. <i>Electrochimica Acta</i> , 2011, 56, 9191-9196.	5.2	61
42	Electrocatalytic Oxidation of Tryptophan at Gold Nanoparticleâ€“Modified Carbon Ionic Liquid Electrode. <i>Electroanalysis</i> , 2010, 22, 2848-2855.	2.9	60
43	Single-walled carbon nanotubes as stationary phase in gas chromatographic separation and determination of argon, carbon dioxide and hydrogen. <i>Analytica Chimica Acta</i> , 2010, 675, 207-212.	5.4	59
44	Ion release from orthodontic brackets in 3â€“mouthwashes: An in-vitro study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011, 139, 730-734.	1.7	59
45	Directly silica bonded analytical reagents: synthesis of 2-mercaptobenzothiazoleâ€“silica gel and its application as a new sorbent for preconcentration and determination of silver ion using solid-phase extraction method. <i>Separation and Purification Technology</i> , 2004, 40, 303-308.	7.9	58
46	Simultaneous kinetic-spectrophotometric determination of carbidopa, levodopa and methyl dopa in the presence of citrate with the aid of multivariate calibration and artificial neural networks. <i>Analytica Chimica Acta</i> , 2007, 603, 140-146.	5.4	56
47	Glycerolâ€“silica gel: A new solid sorbent for preconcentration and determination of traces of cobalt(II) ion. <i>Analytica Chimica Acta</i> , 2006, 569, 139-144.	5.4	55
48	Evaluation of Formation Constants, Molar Absorptivities of Metal Complexes, and Protonation Constants of Acids by Nonlinear Curve Fitting Using Microsoft Excel Solver and User-Defined Function. <i>Microchemical Journal</i> , 1999, 62, 229-236.	4.5	54
49	Flow injection determination of cationic surfactants by using N-bromosuccinimide and N-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence. <i>Analytica Chimica Acta</i> , 2002, 468, 53-63.	5.4	54
50	Ionic Liquids Modify the Performance of Carbon Based Potentiometric Sensors. <i>Electroanalysis</i> , 2007, 19, 582-586.	2.9	54
51	Colorimetric sensing of silver ion based on anti aggregation of gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 609-615.	7.8	54
52	Shaker-assisted liquid-liquid microextraction of methylene blue using deep eutectic solvent followed by back-extraction and spectrophotometric determination. <i>Microchemical Journal</i> , 2019, 145, 501-507.	4.5	54
53	Flow injection determination of isoniazid using N-bromosuccinimide- and N-chlorosuccinimide-luminol chemiluminescence systems. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003, 30, 1499-1506.	2.8	53
54	Artificial neural networks for simultaneous spectrophotometric differential kinetic determination of Co(II) and V(IV). <i>Talanta</i> , 2003, 59, 515-523.	5.5	53

#	ARTICLE	IF	CITATIONS
55	Development of a sensitive and selective Riboflavin sensor based on carbon ionic liquid electrode. <i>Analytica Chimica Acta</i> , 2010, 674, 176-181.	5.4	53
56	Simultaneous kinetic determination of Fe(III) and Fe(II) by H-point standard addition method. <i>Talanta</i> , 2002, 56, 699-704.	5.5	50
57	Synthesis of highly stable gold nanoparticles using conventional and geminal ionic liquids. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 362, 121-126.	4.7	50
58	Highly improved electrocatalytic behavior of sulfite at carbon ionic liquid electrode: Application to the analysis of some real samples. <i>Analytica Chimica Acta</i> , 2008, 625, 8-12.	5.4	48
59	Sensitive indirect spectrophotometric determination of isoniazid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2004, 60, 765-769.	3.9	46
60	Kinetic spectrophotometric determination of V(IV) in the presence of V(V) by the H-point standard addition method. <i>Analytica Chimica Acta</i> , 2000, 409, 275-282.	5.4	44
61	Design of a copper (II) optode based on immobilization of dithizone on a triacetylcellulose membrane. <i>Sensors and Actuators B: Chemical</i> , 2005, 107, 53-58.	7.8	44
62	Design and evaluation of a thorium (IV) selective optode. <i>Analytica Chimica Acta</i> , 2006, 567, 184-188.	5.4	44
63	Determination of trace amounts of copper(II) by adsorptive stripping voltammetry of its complex with pyrogallol red. <i>Analytica Chimica Acta</i> , 1999, 385, 265-272.	5.4	43
64	A seed-less method for synthesis of ultra-thin gold nanosheets by using a deep eutectic solvent and gum arabic and their electrocatalytic application. <i>RSC Advances</i> , 2015, 5, 32744-32754.	3.6	43
65	Targeted Detection of Single-Nucleotide Variations: Progress and Promise. <i>ACS Sensors</i> , 2019, 4, 792-807.	7.8	42
66	Selective and efficient transport of Hg(II) through bulk liquid membrane using methyl red as carrier. <i>Journal of Membrane Science</i> , 1998, 144, 37-43.	8.2	40
67	Determination of selenium in water and soil by hydride generation atomic absorption spectrometry using solid reagents. <i>Talanta</i> , 2005, 66, 858-862.	5.5	40
68	Highly selective transport of silver ion through a supported liquid membrane using calix[4]pyrroles as suitable ion carriers. <i>Journal of Membrane Science</i> , 2008, 325, 295-300.	8.2	40
69	Selective and efficient uphill transport of Cu(II) through liquid membrane. <i>Talanta</i> , 1995, 42, 2039-2042.	5.5	39
70	Highly efficient and stable palladium nanocatalysts supported on an ionic liquid-modified xerogel. <i>Chemical Communications</i> , 2008, , 6155.	4.1	39
71	Facile electrocatalytic oxidation of ethanol using Ag/Pd nanoalloys modified carbon ionic liquid electrode. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 3380-3386.	7.1	39
72	Blue-emitting copper nanoparticles as a fluorescent probe for detection of cyanide ions. <i>Talanta</i> , 2017, 175, 514-521.	5.5	38

#	ARTICLE	IF	CITATIONS
73	Sugar-Based Natural Deep Eutectic Mixtures as Green Intercalating Solvents for High-Yield Preparation of Stable MoS ₂ Nanosheets: Application to Electrocatalysis of Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , 2018, 1, 5896-5906.	5.1	37
74	Spectrophotometric determination of trace amounts of selenium with catalytic reduction of bromate by hydrazine in hydrochloric acid media. <i>Talanta</i> , 1992, 39, 993-996.	5.5	36
75	Flow injection chemiluminescence determination of pyrogallol. <i>Analytica Chimica Acta</i> , 1998, 368, 113-116.	5.4	35
76	Application of the H-point standard addition method to the speciation of Fe(II) and Fe(III) with chromogenic mixed reagents. <i>Talanta</i> , 2001, 54, 727-734.	5.5	35
77	CCD camera full range pH sensor array. <i>Talanta</i> , 2007, 71, 498-501.	5.5	35
78	Interaction of anionic dyes and cationic surfactants with ionic liquid character. <i>Journal of Colloid and Interface Science</i> , 2008, 322, 274-280.	9.4	35
79	Electrochemical determination of triclosan at a mercury electrode. <i>Analytica Chimica Acta</i> , 2003, 494, 225-233.	5.4	34
80	Selective determination of ultra trace concentrations of molybdenum by catalytic adsorptive stripping voltammetry. <i>Analytica Chimica Acta</i> , 1999, 396, 215-220.	5.4	33
81	Determination of lead by hydride generation atomic absorption spectrometry (HGAAS) using a solid medium for generating hydride. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1227-1230.	3.0	33
82	Simultaneous spectrophotometric determination of Fe(III), Al(III) and Cu(II) by partial least-squares calibration method. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006, 63, 196-199.	3.9	33
83	In situ electrodeposition of graphene/nano-palladium on carbon cloth for electrooxidation of methanol in alkaline media. <i>Journal of Power Sources</i> , 2014, 256, 354-360.	7.8	33
84	Indirect simultaneous kinetic determination of semicarbazide and hydrazine in micellar media by H-point standard addition method. <i>Talanta</i> , 2003, 59, 147-153.	5.5	32
85	Ultra trace adsorptive stripping voltammetric determination of atrazine in soil and water using mercury film electrode. <i>Analytica Chimica Acta</i> , 2007, 581, 37-41.	5.4	31
86	Design and Characterization of Liquid Crystal ⁺ Graphite Composite Electrodes. <i>Journal of Physical Chemistry C</i> , 2010, 114, 6132-6140.	3.1	31
87	Tungsten carbide on directly grown multiwalled carbon nanotube as a co-catalyst for methanol oxidation. <i>Applied Catalysis B: Environmental</i> , 2012, 127, 265-272.	20.2	31
88	Silver ⁺ Palladium Nanoalloys Modified Carbon Ionic Liquid Electrode with Enhanced Electrocatalytic Activity Towards Formaldehyde Oxidation. <i>Electroanalysis</i> , 2012, 24, 1981-1988.	2.9	31
89	Flow injection analysis of sulphite by gas-phase molecular absorption UV/VIS spectrophotometry. <i>Talanta</i> , 1997, 44, 1009-1016.	5.5	30
90	Selective transport of silver ions through bulk liquid membrane using Victoria blue as carrier. <i>Talanta</i> , 1999, 48, 1167-1172.	5.5	30

#	ARTICLE	IF	CITATIONS
91	Modification of chemical performance of dopants in xerogel films with entrapped ionic liquid. <i>Journal of Materials Chemistry</i> , 2007, 17, 1674.	6.7	30
92	Simultaneous electrochemical determination of L-cysteine and L-cysteine disulfide at carbon ionic liquid electrode. <i>Amino Acids</i> , 2014, 46, 1079-1085.	2.7	29
93	Kinetic spectrophotometric determination of traces of sulfide. <i>Talanta</i> , 1997, 44, 1225-1230.	5.5	28
94	Thermodynamic characterization of weak association equilibria accompanied with spectral overlapping by a SVD-based chemometric method. <i>Talanta</i> , 2001, 53, 1001-1007.	5.5	28
95	SIMULTANEOUS CATALYTIC DETERMINATION OF COBALT, NICKEL, AND COPPER USING RESAZURINE SULFIDE REACTION AND PARTIAL LEAST SQUARES CALIBRATION METHOD. <i>Analytical Letters</i> , 2001, 34, 1389-1399.	1.8	28
96	Electrochemical determination of 2,4-D at a mercury electrode. <i>Analytica Chimica Acta</i> , 2005, 530, 69-74.	5.4	28
97	Catalytic determination of traces of oxalic acid in vegetables and water samples using a novel optode. <i>Food Chemistry</i> , 2007, 105, 1106-1111.	8.2	28
98	Electrocatalytic oxidation of thiourea on graphene nanosheets@Ag nanoparticles hybrid ionic liquid electrode. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 668-672.	7.8	28
99	Kinetic spectrophotometric determination of ascorbic acid by reduction of toluidine blue. <i>Talanta</i> , 1994, 41, 1225-1228.	5.5	27
100	Efficient preconcentration and determination of traces of aluminum ion using silica-bonded glycerol sorbent. <i>Journal of Hazardous Materials</i> , 2009, 162, 333-337.	12.4	27
101	Highly selective and sensitive kinetic spectrophotometric determination of vanadium(IV) in the presence of vanadium(V). <i>Analytica Chimica Acta</i> , 2000, 409, 283-289.	5.4	26
102	Fabrication of a selective mercury sensor based on the adsorption of cold vapor of mercury on carbon nanotubes: Determination of mercury in industrial wastewater. <i>Journal of Hazardous Materials</i> , 2010, 173, 622-629.	12.4	26
103	Aggregation of imidazolium based ionic liquids in binary methanol-water solvents: A linear solvation free energy relationship study. <i>Journal of Molecular Liquids</i> , 2011, 160, 35-39.	4.9	26
104	Palladium nanoparticles supported on SiO ₂ by chemical vapor deposition (CVD) technique as efficient catalyst for Suzuki-Miyaura coupling of aryl bromides and iodides: selective coupling of halophenols. <i>Applied Organometallic Chemistry</i> , 2012, 26, 417-424.	3.5	26
105	Synthesis of highly stable and biocompatible gold nanoparticles for use as a new X-ray contrast agent. <i>Journal of Materials Science: Materials in Medicine</i> , 2018, 29, 48.	3.6	26
106	Highly sensitive and selective measurements of cobalt by catalytic adsorptive cathodic stripping voltammetry. <i>Talanta</i> , 2000, 51, 1117-1123.	5.5	25
107	Simultaneous determination of V(IV) and Fe(II) as catalyst using artificial neural networks through a single catalytic kinetic run. <i>Analytica Chimica Acta</i> , 2001, 432, 229-233.	5.4	25
108	Indirect determination of hexavalent chromium ion in complex matrices by adsorptive stripping voltammetry at a mercury electrode. <i>Talanta</i> , 2006, 68, 1113-1119.	5.5	25

#	ARTICLE	IF	CITATIONS
109	Highly selective aggregation assay for visual detection of mercury ion based on competitive binding of sulfur-doped carbon nanodots to gold nanoparticles and mercury ions. <i>Mikrochimica Acta</i> , 2016, 183, 2327-2335.	5.0	25
110	Simultaneous kinetic determination of levodopa and carbidopa by H-point standard addition method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 313-318.	2.8	24
111	Development of an optode membrane for high pH values. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2007, 66, 575-577.	3.9	24
112	Spectrophotometric catalytic determination of ultra-trace amounts of selenium based on the reduction of resazurin by sulphide. <i>Analytica Chimica Acta</i> , 1990, 232, 351-356.	5.4	23
113	Silver paste nanocomposite electrode as a new metallic electrode for amperometric determination of hydrazine. <i>Analytical Methods</i> , 2012, 4, 2233.	2.7	23
114	RING OPENING OF EPOXIDES WITH CARBOXYLATES AND PHENOXIDES IN MICELLAR MEDIA CATALYZED WITH Ce(OTf) ₄ . <i>Synthetic Communications</i> , 2002, 32, 2287-2293.	2.1	22
115	Determination of Copper by Adsorptive Stripping Voltammetry of Its Complex with Adenine. <i>Electroanalysis</i> , 2002, 14, 929.	2.9	22
116	Kinetic spectrophotometric determination of traces of sulphite. <i>Analytica Chimica Acta</i> , 1991, 252, 121-126.	5.4	21
117	Simultaneous flow injection determination of iron(II) and iron(III) with opto-electrochemical detection. <i>Analytica Chimica Acta</i> , 1997, 354, 43-50.	5.4	21
118	A new X-ray contrast agent based on highly stable gum arabic-gold nanoparticles synthesised in deep eutectic solvent. <i>Journal of Experimental Nanoscience</i> , 2015, 10, 911-924.	2.4	21
119	Sensitive spectrophotometric kinetic determination of osmium by catalysis of the pyrogallol red-bromate reaction. <i>Analytica Chimica Acta</i> , 1991, 244, 231-236.	5.4	20
120	Simultaneous kinetic determination of sulfite and sulfide using artificial neural networks. <i>Talanta</i> , 2004, 62, 51-56.	5.5	20
121	Synthesis of gold nanoflowers using deep eutectic solvent with high surface enhanced Raman scattering properties. <i>Materials Research Express</i> , 2016, 3, 095006.	1.6	20
122	Spectrofluorimetric kinetic determination of selenium (IV) by flow injection analysis in cationic micellar medium. <i>Talanta</i> , 2000, 51, 225-230.	5.5	19
123	A selective uphill transport of copper through bulk liquid membrane using Janus Green as an anion carrier. <i>Separation and Purification Technology</i> , 2002, 26, 221-226.	7.9	19
124	Synthesis of biologically stable gold nanoparticles using imidazolium-based amino acid ionic liquids. <i>Amino Acids</i> , 2012, 43, 1323-1330.	2.7	19
125	Fluorescent carbon nanodots for optical detection of fluoride ion in aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 1554-1560.	7.8	19
126	A dramatic change in the interaction of Cu(II) with bio-peptides promoted by SDS—a model for complex formation on a membrane surface. <i>Journal of Inorganic Biochemistry</i> , 1994, 55, 41-52.	3.5	18

#	ARTICLE	IF	CITATIONS
127	Dipicrylamine-modified triacetylcellulose membrane for optical pH and potassium ion measurement. <i>Analytica Chimica Acta</i> , 1996, 335, 227-233.	5.4	18
128	Design and construction of a flow system for determination of Cu(II) ions in water by means of a chemically modified carbon paste electrode. <i>Analytica Chimica Acta</i> , 1996, 335, 275-282.	5.4	18
129	Design of an optical sensor for indirect determination of isoniazid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2008, 70, 735-739.	3.9	18
130	Electrochemical Design of Ultrathin Palladium Coated Gold Nanoparticles as Nanostructured Catalyst for Amperometric Detection of Formaldehyde. <i>Electroanalysis</i> , 2011, 23, 1842-1848.	2.9	18
131	Fluorescent pH nanosensor based on carbon nanodots for monitoring minor intracellular pH changes. <i>RSC Advances</i> , 2016, 6, 104657-104664.	3.6	18
132	Catalytic Spectrophotometric Determination of Selenium. <i>Analytical Letters</i> , 1995, 28, 1095-1105.	1.8	17
133	Simultaneous Spectrophotometric Determination of Iron, Titanium, and Aluminum by Partial Least-Squares Calibration Method in Micellar Medium. <i>Analytical Letters</i> , 2003, 36, 699-712.	1.8	17
134	Simultaneous Kinetic Determination of Paracetamol and p-Aminophenol by Using H ₂ O ₂ Point Standard Addition Method. <i>Analytical Letters</i> , 2004, 37, 2337-2349.	1.8	17
135	A PVC-membrane bulk optode for gallium(III) ion determination. <i>Talanta</i> , 2007, 71, 339-343.	5.5	17
136	Direct Electrochemistry and Electrocatalytic Properties of Hemoglobin Immobilized on Carbon Nanotubes Ionic Liquid Electrode. <i>Electroanalysis</i> , 2012, 24, 1386-1393.	2.9	17
137	Spectrophotometric determination of vanadium in different oxidation states with pyrogallol. <i>Talanta</i> , 1992, 39, 281-284.	5.5	16
138	Chemometrics assisted resolving of net faradaic current contribution from total current in potential step and staircase cyclic voltammetry. <i>Analytica Chimica Acta</i> , 2013, 766, 34-46.	5.4	16
139	Synthesis of palladium nanoparticles on organically modified silica: Application to design of a solid-state electrochemiluminescence sensor for highly sensitive determination of imipramine. <i>Analytica Chimica Acta</i> , 2013, 796, 115-121.	5.4	16
140	High-yield synthesis, characterization, self-assembly of extremely thin gold nanosheets in sugar based deep eutectic solvents and their high electrocatalytic activity. <i>Journal of Molecular Liquids</i> , 2019, 279, 208-223.	4.9	16
141	Flow-injection determination of traces of formaldehyde by the Brilliant Green [®] sulphite reaction with spectrophotometric detection. <i>Analytica Chimica Acta</i> , 1991, 252, 167-171.	5.4	15
142	Application of artificial neural networks as a technique for interference removal: kinetic [®] spectrophotometric determination of trace amounts of Se(IV) in the presence of Te(IV). <i>Talanta</i> , 2001, 55, 1227-1233.	5.5	15
143	Carbon nanodots as fluorescent platforms for recognition of fluoride ion via the inner filter effect of simple arylboronic acids. Experimental and theoretical investigations. <i>Journal of Fluorine Chemistry</i> , 2016, 190, 12-22.	1.7	15
144	Electrochemical oxidation of the Ni(II) complex of 2-amino cyclopentene-1-dithiocarboxylate at a Pt electrode. <i>Journal of Electroanalytical Chemistry</i> , 1997, 434, 93-98.	3.8	14

#	ARTICLE	IF	CITATIONS
145	Reversed-phase high performance liquid chromatography (RP-HPLC) characteristics of some 9,10-anthraquinone derivatives using binary acetonitrile-water mixtures as mobile phase. <i>Talanta</i> , 2008, 77, 351-359.	5.5	14
146	Molecular wires as a new class of binders in carbon composite electrodes. <i>Electrochemistry Communications</i> , 2009, 11, 1113-1115.	4.7	14
147	Electroanalytical Behaviour of 2-Aminocyclopentene-1-Dithiocarboxylic Acid and Its N-substituted Derivatives at Mercury Electrodes. <i>Analytical Letters</i> , 1992, 25, 1309-1329.	1.8	13
148	Speciation of Fe(II) and Fe(III) with Chromogenic Mixed Reagents by Principal-Component Regression. <i>Microchemical Journal</i> , 1999, 63, 211-217.	4.5	13
149	Wide range pH measurements using a single H ⁺ -selective chromoionophore and a time-based flow method. <i>Talanta</i> , 2006, 68, 1469-1473.	5.5	13
150	Structure-retention and mobile phase-retention relationships for reversed-phase high-performance liquid chromatography of several hydroxythioxanthone derivatives in binary acetonitrile-water mixtures. <i>Analytica Chimica Acta</i> , 2007, 605, 11-19.	5.4	13
151	DNA-templated gold nanowires. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 41, 142-145.	2.7	13
152	Metal Paste Nanocomposite Electrodes as a New Generation of Metallic Electrodes. <i>Analytical Chemistry</i> , 2011, 83, 5502-5510.	6.5	13
153	Nitrite electrochemical sensor for food analysis based on direct immobilization of hemoglobin on multi-walled carbon nanotube ionic liquid electrode. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 1217-1222.	2.2	13
154	Spectrophotometric determination of nickel in vegetable oil with ammonium 2-amino-1-cyclohexene-1-dithiocarboate. <i>Talanta</i> , 1991, 38, 229-231.	5.5	12
155	Spectrophotometric study on micelle-mediated shift in kinetic and equilibrium of complex formation between Ni ²⁺ and 2-amino-cyclopentene-1-dithiocarboxylic acid. <i>Microchemical Journal</i> , 2001, 69, 69-77.	4.5	12
156	Flow injection analysis of riboflavin with chemiluminescence detection using a N-halo compounds-luminol system. <i>Luminescence</i> , 2005, 20, 170-175.	2.9	12
157	Multiwalled carbon nanotube wrapped hydroxyapatite, convenient synthesis via microwave assisted solid state metathesis. <i>Materials Letters</i> , 2013, 91, 287-290.	2.6	12
158	Hydroxyapatite Wrapped Multiwalled Carbon Nanotubes/Ionic Liquid Composite Electrode: A High Performance Sensor for Trace Determination of Lead Ions. <i>Electroanalysis</i> , 2014, 26, 359-365.	2.9	12
159	Gold nanosheets synthesized with red marine alga <i>Actinotrichia fragilis</i> as efficient electrocatalysts toward formic acid oxidation. <i>RSC Advances</i> , 2016, 6, 75152-75161.	3.6	12
160	Chlorine triggered de-alloying of AuAg@Carbon nanodots: Towards fabrication of a dual signalling assay combining the plasmonic property of bimetallic alloy nanoparticles and photoluminescence of carbon nanodots. <i>Analytica Chimica Acta</i> , 2017, 959, 74-82.	5.4	12
161	Aqueous solutions of carbohydrates are new choices of green solvents for highly efficient exfoliation of two-dimensional nanomaterials. <i>Journal of Molecular Liquids</i> , 2020, 309, 113087.	4.9	12
162	Length of Stain Detector for High Alkalinity Measurement. <i>Analytical Letters</i> , 1998, 31, 1297-1310.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Selective kinetic spectrophotometric determination of copper at nanograms per milliliter level. <i>Talanta</i> , 2001, 54, 397-402.	5.5	11
164	Catalytic Determination of Traces of Silver(I) Using the Oxidation of Janus Green with Peroxodisulfate.. <i>Analytical Sciences</i> , 2002, 18, 329-332.	1.6	11
165	Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods. <i>Analytica Chimica Acta</i> , 2002, 459, 119-131.	5.4	11
166	Flow Injection Analysis of Sulfide by Gas Phase Molecular Absorption UV/Vis Spectrometry. <i>Analytical Letters</i> , 2003, 36, 479-492.	1.8	11
167	Model-based rank annihilation factor analysis for quantitative analysis of mixtures of monoprotic acids using multivariate spectrophotometric acid-base titrations. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2008, 94, 112-117.	3.5	11
168	Electrochemical study of weak inclusion complex interactions by simultaneous MCR-ALS analyses of potential step-chronoamperometric data matrices. <i>Analytical Methods</i> , 2012, 4, 1776.	2.7	11
169	Palladium Paste Nanocomposite Electrode as a New Metallic Electrocatalyst for Ethanol Oxidation and Nonenzymatic Amperometric Sensor in Alkaline Medium. <i>Electroanalysis</i> , 2012, 24, 1453-1462.	2.9	11
170	Comparative Study of Carbon Ionic Liquid Electrodes Based on Different Carbon Allotropes as Conductive Phase. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2013, 21, 472-484.	2.1	11
171	Catalytic Spectrophotometric Determination of an Ultra-Trace Amount of Lead by Reduction of Resazurin by Sodium Sulfide. <i>Analytical Letters</i> , 1991, 24, 1643-1655.	1.8	10
172	Catalytic Spectrophotometric Determination of Traces of Molybdenum (VI). <i>Analytical Letters</i> , 1991, 24, 1057-1073.	1.8	10
173	Electrogenerated Acid as an Efficient Catalyst for Alcoholyses and Hydrolyses of Epoxides. <i>Bulletin of the Chemical Society of Japan</i> , 1995, 68, 2591-2594.	3.2	10
174	Kinetic-spectrophotometric determination of sulfide by its reaction with resazurin. <i>Analytical and Bioanalytical Chemistry</i> , 1996, 354, 502-504.	3.7	10
175	Flow-injection determination of isoniazid using sodium dichloroisocyanurate- and trichloroisocyanuric acid-luminol chemiluminescence systems. <i>Il Farmaco</i> , 2004, 59, 481-486.	0.9	10
176	Preparation and investigation on properties of lysozyme chemically bonded to single-walled carbon nanotubes. <i>Journal of Experimental Nanoscience</i> , 2010, 5, 536-547.	2.4	10
177	Determination of Cysteine at Bismuth Nanostructure “ Carbon Ionic Liquid Electrode by Square Wave Voltammetry. <i>Electroanalysis</i> , 2015, 27, 2335-2340.	2.9	10
178	Designing of high-performance dye-sensitized solar cells by using a new electrolyte based on deep eutectic solvents. <i>International Journal of Energy Research</i> , 2022, 46, 14546-14557.	4.5	10
179	Detection of osmium by flame atomic emission spectrometry after extraction as osmium tetroxide into MIBK. <i>Microchemical Journal</i> , 1992, 45, 365-369.	4.5	9
180	Electrochemical investigation of reduction of mercury complexes of 2-aminocyclopentene-1-dithiocarboxylic acid and some of its derivatives at mercury electrodes. <i>Canadian Journal of Chemistry</i> , 1996, 74, 95-102.	1.1	9

#	ARTICLE	IF	CITATIONS
181	Design of a New Phase Separator for Liquid–Liquid Extraction in Flowing Systems. <i>Microchemical Journal</i> , 1996, 53, 147-151.	4.5	9
182	Kinetic FIA Determination of Hg(II) Based on Its Catalytic Effect on the Reaction Between Safranin and Iodide. <i>Analytical Letters</i> , 1996, 29, 807-819.	1.8	9
183	Kinetic spectrophotometric determination of trace amounts of selenium and vanadium. <i>Fresenius' Journal of Analytical Chemistry</i> , 1999, 365, 504-510.	1.5	9
184	Flow Injection Chemiluminescence Determination of N-Bromosuccinimide and N-Chlorosuccinimide.. <i>Analytical Sciences</i> , 2002, 18, 827-829.	1.6	9
185	One-step thermal synthesis of graphene nanosheet-metal nanoparticle hybrids from graphite–liquid crystal–metal salt composite. <i>Materials Research Bulletin</i> , 2013, 48, 3399-3404.	5.2	9
186	Deriving calibration curves at early times of chronoamperograms using the chemometrically resolved net faradaic current. <i>Journal of Electroanalytical Chemistry</i> , 2015, 755, 221-227.	3.8	9
187	Hydroxyapatite wrapped multiwalled carbon nanotubes composite, a highly efficient template for palladium loading for electrooxidation of alcohols. <i>Journal of Power Sources</i> , 2015, 287, 458-464.	7.8	9
188	A carbon dot-based fluorescence method for selective quantification of sulfide in environmental samples. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 1-7.	7.8	9
189	Electrochemical reduction of nickel(II) dithiocarboxylates at the mercury electrode. <i>Canadian Journal of Chemistry</i> , 1997, 75, 1023-1029.	1.1	8
190	Rapid kinetic determination of silver (I), using in-cuvette mixing and computerized data acquisition. <i>Fresenius' Journal of Analytical Chemistry</i> , 1997, 357, 870-873.	1.5	8
191	Standard additions in flow injection analysis with atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 1997, 357, 151-156.	5.4	8
192	SIMULTANEOUS SPECTROPHOTOMETRIC DETERMINATION OF IRON, COBALT, AND NICKEL BY PARTIAL LEAST SQUARES CALIBRATION METHOD IN MICELLAR MEDIUM. <i>Analytical Letters</i> , 2001, 34, 2817-2827.	1.8	8
193	Flotation-Separation and ICP-AES Determination of Ultra Trace Amounts of Copper, Cadmium, Nickel and Cobalt Using 2-Aminocyclopentene-1-dithiocarboxylic Acid. <i>Analytical Sciences</i> , 2005, 21, 1063-1066.	1.6	8
194	Analytical data. <i>Talanta</i> , 1992, 39, 325-327.	5.5	7
195	Catalytic Determination of Trace Amounts of Tellurium(IV) Based on Its Catalytic Effect in the Reduction Reaction of Bromate with Hydrazinium Dichloride. <i>Microchemical Journal</i> , 1995, 52, 3-9.	4.5	7
196	Investigation of reduction reaction of 2-aminocyclopentene-1-dithiocarboxylic acid and its derivatives at mercury electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1995, 399, 229-233.	3.8	7
197	Fluorimetric Kinetic-FIA Determination of Ag(I) Based on Its Catalytic Effect on the Reduction Reaction of Safranin with Iodide. <i>Microchemical Journal</i> , 1998, 58, 138-143.	4.5	7
198	Selective and efficient liquid membrane transport of gold as gold cyanide using an anion carrier. <i>Journal of Membrane Science</i> , 1999, 157, 171-176.	8.2	7

#	ARTICLE	IF	CITATIONS
199	Dynamic method as a simple approach for wide range pH measurements using optodes. <i>Analytica Chimica Acta</i> , 2007, 583, 326-331.	5.4	7
200	Iran's scientists condemn instances of plagiarism. <i>Nature</i> , 2009, 462, 847-847.	27.8	7
201	Carbon nanostructures as catalytic support for chemiluminescence of sulfur compounds in a molecular emission cavity analysis system. <i>Analytica Chimica Acta</i> , 2009, 644, 61-67.	5.4	7
202	Comparative Investigation of Chemical Vapor Deposition of Palladium Nanoparticles on Different Carbon Substrates. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2012, 20, 56-71.	2.1	7
203	Determination of nanoparticles concentration by multivariate curve resolution. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015, 141, 88-93.	3.5	7
204	Highly Efficient Ethanol Electrooxidation on a Synergistically Active Catalyst Based on a Pd-Loaded Composite of Hydroxyapatite. <i>ChemElectroChem</i> , 2016, 3, 558-564.	3.4	7
205	Spectrophotometric Determination of Stability Constants of Ni(II) and Ag(I) Complexes with Some Dithiocarboxylic Acids in Dimethylsulfoxide-Water Mixtures. <i>Microchemical Journal</i> , 1998, 59, 351-355.	4.5	6
206	Kinetic spectrophotometric determination of traces of sulfide in nonionic micellar medium. <i>Fresenius' Journal of Analytical Chemistry</i> , 2000, 367, 645-648.	1.5	6
207	Electrochemical Analysis of Cobalt Reduction in the Presence of Methyl Thymol Blue and Nitrite. <i>Electroanalysis</i> , 2002, 14, 708.	2.9	6
208	Dramatic Effects of Ionic Liquid on Platinum Electrode Surface and Electron-Transfer Rates of meso-Tetraphenylporphyrins. <i>Electroanalysis</i> , 2006, 18, 1227-1229.	2.9	6
209	Investigation of the Role of Ionic Liquids in Tuning the pK_a Values of Some Anionic Indicators. <i>Journal of Solution Chemistry</i> , 2009, 38, 753-761.	1.2	6
210	Highly Efficient and Stable Palladium Nanoparticles Supported on an Ionic Liquid Silica Sol-Gel Modified Electrode. <i>Electroanalysis</i> , 2011, 23, 1536-1542.	2.9	6
211	Fabrication of a room temperature hydrogen sensor based on thin film of single-walled carbon nanotubes doped with palladium nanoparticles. <i>Journal of Experimental Nanoscience</i> , 2013, 8, 717-730.	2.4	6
212	A Selective and Sensitive Sensor for Determination of Sulfide in Aquatic Environment. <i>IEEE Sensors Journal</i> , 2015, 15, 3507-3513.	4.7	6
213	Molecular emission cavity analysis. <i>Analytica Chimica Acta</i> , 1982, 142, 143-150.	5.4	5
214	Some observations on the solvent extraction and spectrophotometric determination of palladium using 3,4-dihydro-4,4,6-trimethyl-2(1H)-pyrimidine-thione as a selective reagent. <i>Microchemical Journal</i> , 1990, 42, 314-318.	4.5	5
215	Selective Extraction-Spectrophotometric Determination of Traces of Palladium in Catalysts. <i>Microchemical Journal</i> , 1997, 57, 288-293.	4.5	5
216	Spectrophotometric Study of the Stabilities of Copper, Zinc, Nickel and Cobalt Complexes with 1,2-Bis-methyl(2-aminocyclopentene carbodithioate)ethane in Binary N,N-Dimethylformamide Dichloromethane Mixtures.. <i>Analytical Sciences</i> , 1999, 15, 173-175.	1.6	5

#	ARTICLE	IF	CITATIONS
217	Methylated Azopyridine as a New Electron Transfer Mediator for the Electrocatalytic Oxidation of NADH. <i>Electroanalysis</i> , 2010, 22, 1072-1077.	2.9	5
218	Fabrication of an Amperometric Sensor for Hydroxylamine Based on Silver Paste Nanocomposite Electrode. <i>IEEE Sensors Journal</i> , 2014, 14, 839-846.	4.7	5
219	Electrochemical properties of gold nanosheets: Investigation of the effect of nanosheet thickness using chemometric methods. <i>Microchemical Journal</i> , 2020, 154, 104650.	4.5	5
220	Molecular emission cavity analysis. <i>Analytica Chimica Acta</i> , 1981, 128, 75-83.	5.4	4
221	Molecular emission cavity analysis. <i>Analytica Chimica Acta</i> , 1984, 164, 77-82.	5.4	4
222	Construction and design of a gas-sensing detector capable of handling and determining sulphur- and phosphorus-containing gaseous samples. <i>Analytica Chimica Acta</i> , 1994, 286, 225-232.	5.4	4
223	Spectrophotometric Catalytic Determination of Trace Amounts of Selenium Based on the Reduction of Azurea by Sulphide. <i>Analytical Letters</i> , 1999, 32, 971-984.	1.8	4
224	INDIRECT KINETIC SPECTROPHOTOMETRIC DETERMINATION OF COBALT BASED ON THE REDOX REACTION WITH IRON(III) IN THE PRESENCE OF 1,10-PHENANTHROLINE. <i>Spectroscopy Letters</i> , 2002, 35, 681-688.	1.0	4
225	Kinetic Spectrophotometric Determination of Copper by Flow Injection Analysis in Cationic Micellar Medium. <i>Spectroscopy Letters</i> , 2005, 38, 13-22.	1.0	4
226	Spectrophotometric determination of nickel with cyclohexylidene-ammonium 2-aminocyclohexylidene-1-cyclohexene-1-dithiocarboxylate. <i>Analytica Chimica Acta</i> , 1984, 157, 369-372.	5.4	3
227	Spectrophotometric Determination and Solvent Extraction of Osmium(VIII) with 3,4-Dihydro-4,4,6-Trimethyl-2-(1H)-Pyrimidinethione as a Reagent. <i>Analytical Letters</i> , 1987, 20, 29-37.	1.8	3
228	Kinetic spectrophotometric determination of sulfide, using in-cuvette mixing and titration techniques with computerized data acquisition. <i>Fresenius' Journal of Analytical Chemistry</i> , 1999, 365, 654-657.	1.5	3
229	FLOW INJECTION CHEMILUMINESCENCE DETERMINATION OF SULFIDE BY OXIDATION WITH CHLORINATED ISOCYANURATES. <i>Analytical Letters</i> , 2002, 35, 2023-2037.	1.8	3
230	Development of an Ionic Liquid Based Dispersive Liquid-Liquid Microextraction Combined with Graphite Furnace Atomic Absorption Spectrometry Method for Highly Selective and Sensitive Determination of Copper. <i>Sensor Letters</i> , 2016, 14, 769-774.	0.4	3
231	Extraction-atomic absorption spectrophotometric determination of palladium with 4,6-diamino-3,5-dicyano-2H-1-thiopyran-2-thione. <i>Microchemical Journal</i> , 1988, 37, 212-215.	4.5	2
232	Kinetic Spectrophotometric Determination of Traces of Copper.. <i>Analytical Sciences</i> , 1995, 11, 453-455.	1.6	2
233	New cavity design suitable for monitoring gaseous samples by molecular emission cavity analysis. <i>Analytica Chimica Acta</i> , 2000, 409, 197-201.	5.4	2
234	Tensammetric Analysis of Nonionic Surfactant Mixtures by Artificial Neural Network. <i>Electroanalysis</i> , 2005, 17, 1112-1118.	2.9	2

#	ARTICLE	IF	CITATIONS
235	SEâ€³ Graphite Composite Electrode: An Alternative for the Development of Electrochemical Biosensors. <i>Electroanalysis</i> , 2010, 22, 2460-2466.	2.9	2
236	Enhanced electrocatalytic activity of a new carbon nanocomposite electrode based on organicâ€“inorganic hybrid nanostructures. <i>Journal of Molecular Catalysis A</i> , 2011, 350, 91-96.	4.8	2
237	Microwave-Assisted Synthesis of Gold, Silver, Platinum and Palladium Nanostructures and Their Use in Electrocatalytic Applications. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 7189-7198.	0.9	2
238	Effects of type of binder and conducting phase on the performance of solidâ€“state electrochemiluminescence composites. <i>Luminescence</i> , 2014, 29, 254-260.	2.9	2
239	Cobalt-Nickel Wrapped Hydroxyapatite Carbon Nanotubes as a New Catalyst in Oxygen Evolution Reaction in Alkaline Media. <i>Electrocatalysis</i> , 2020, 11, 226-233.	3.0	2
240	Determination of the binding site size of hexaammineruthenium(III) inside monolayers of DNA on gold. <i>Analyst</i> , 2021, 146, 547-557.	3.5	2
241	A Modified Z-Type Flow-through Cell for Optical, Electrochemical, and Optoelectrochemical Flow Injection Analysis Measurements. <i>Microchemical Journal</i> , 1997, 57, 339-345.	4.5	1
242	Uphill, Rapid, and Selective Transport of Picrate through Dichloromethane Membrane. <i>Microchemical Journal</i> , 1998, 58, 192-196.	4.5	1
243	Electrochemical Behavior of Iron(III)/Iron(II) Couple in Dimethylformamide. <i>Microchemical Journal</i> , 1998, 60, 224-230.	4.5	1
244	Kinetic study and UVâ€“Vis spectra of 1:2 complexation of free base para-substituted meso-tetraphenylporphyrins with trimethylsilyl chloride. <i>International Journal of Chemical Kinetics</i> , 2007, 39, 231-235.	1.6	1
245	Flow-injection chemiluminescence determination of chlorinated isocyanuric acids. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 375, 424-427.	3.7	0
246	Minimizing the Interferences from Adsorption of Substances onto Cell Components in Stripping Voltammetry. <i>Analytical Letters</i> , 2005, 38, 1769-1781.	1.8	0
247	Ring Opening of Epoxides with Carboxylates and Phenoxides in Micellar Media Catalyzed with Ce(OTf) ₄ .. <i>ChemInform</i> , 2002, 33, 49-49.	0.0	0
248	Comparative investigation of the formation of polytetrafluoroethylene nanoparticles on different solid substrates through the adsorption of tetrafluoroethylene. <i>Journal of Applied Polymer Science</i> , 2011, 121, 2369-2377.	2.6	0
249	Design and application of a composite electrode using molecular wire as the binder. <i>Microchemical Journal</i> , 2017, 131, 15-20.	4.5	0