
## **Patrice Carter**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8830341/publications.pdf Version: 2024-02-01



DATDICE CADTED

#	Article	IF	CITATIONS
1	Fruit and vegetable intake and incidence of type 2 diabetes mellitus: systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 341, c4229-c4229.	2.4	584
2	Sedentary Time and Markers of Chronic Low-Grade Inflammation in a High Risk Population. PLoS ONE, 2013, 8, e78350.	1.1	148
3	Changes in physical activity behaviour and physical function after bariatric surgery: a systematic review and metaâ€analysis. Obesity Reviews, 2016, 17, 250-261.	3.1	116
4	The effects of supervised exercise training 12–24 months after bariatric surgery on physical function and body composition: a randomised controlled trial. International Journal of Obesity, 2017, 41, 909-916.	1.6	95
5	Importance of the P106S Target-Site Mutation in Conferring Resistance to Glyphosate in a Goosegrass ( <i>Eleusine indica</i> ) Population from the Philippines. Weed Science, 2008, 56, 637-646.	0.8	79
6	Facilitators and barriers to engagement with contact tracing during infectious disease outbreaks: A rapid review of the evidence. PLoS ONE, 2020, 15, e0241473.	1.1	76
7	Altering the availability or proximity of food, alcohol, and tobacco products to change their selection and consumption. The Cochrane Library, 2019, 9, CD012573.	1.5	54
8	Is the number of fast-food outlets in the neighbourhood related to screen-detected type 2 diabetes mellitus and associated risk factors?. Public Health Nutrition, 2015, 18, 1698-1705.	1.1	41
9	Altering the availability or proximity of food, alcohol and tobacco products to change their selection and consumption. The Cochrane Library, 2017, , .	1.5	38
10	Altering the availability or proximity of food, alcohol, and tobacco products to change their selection and consumption. The Cochrane Library, 2019, 8, CD012573.	1.5	30
11	Established search filters may miss studies when identifying randomized controlled trials. Journal of Clinical Epidemiology, 2019, 112, 12-19.	2.4	25
12	Altering the availability of products within physical micro-environments: a conceptual framework. BMC Public Health, 2020, 20, 986.	1.2	25
13	Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on?. Journal of Nutrition and Metabolism, 2012, 2012, 1-6.	0.7	13
14	Information-based cues at point of choice to change selection and consumption of food, alcohol and tobacco products: a systematic review. BMC Public Health, 2018, 18, 418.	1.2	13
15	What Factors Influence Symptom Reporting and Access to Healthcare During an Emerging Infectious Disease Outbreak? A Rapid Review of the Evidence. Health Security, 2021, 19, 353-363.	0.9	7
16	A demonstration of using formal consensus methods within guideline development; a case study. BMC Medical Research Methodology, 2021, 21, 73.	1.4	5
17	South Asian individuals at high risk of type 2 diabetes have lower plasma vitamin C levels than white Europeans. Journal of Nutritional Science, 2013, 2, e21.	0.7	3
18	Serum Potassium and Glucose Regulation in the ADDITION-Leicester Screening Study. Journal of Diabetes Research, 2015, 2015, 1-4.	1.0	1

~		~		
Patri	CF	( `A	DT	FD
		$\sim \sim$	IN 1	

#	Article	IF	CITATIONS
19	Letter in response to Thompson and Scott Authors' letter reestablished search filters may miss studies when identifying randomized controlled trials. Language for trial phase necessary when searching for RCT. Journal of Clinical Epidemiology, 2020, 117, 154-156.	2.4	1
20	Title is missing!. , 2020, 15, e0241473.		0
21	Title is missing!. , 2020, 15, e0241473.		0
22	Title is missing!. , 2020, 15, e0241473.		0
23	Title is missing!. , 2020, 15, e0241473.		0